

PROTAC® 2.0 RAIL MOUNT HIGH-LUMEN TACTICAL WEAPON-MOUNTED FLASHLIGHT



ProTac 2.0 Rail Mount - with straight momentary pressure switch - Includes USB-C cord, SL-B50® battery pack.....#89009
 ProTac 2.0 Rail Mount - Light only - Includes USB-C cord, SL-B50® battery pack.....#89003

- TEN-TAP® programming switch allows user selection of one of three different programs
 - Three output modes: high, low, and strobe
 - » High: 2000 lumens; 266m beam; runs 2.5 hours
 - » Low: 250 lumens; 93m beam; runs 11 hours
 - » Strobe: runs 4.5 hours
- Mounts directly to guns with MIL-STD-1913 (Picatinny) rails
- Securely fits a broad range of weapons
- Glass lens with anti-reflective coating; gasket-sealed
- IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes (with standard button switch)
- 6.3" (160 mm); 9.06 oz. (257g) with (1) SL-B50® protected Li-Ion USB-rechargeable battery

PROTAC® 2.0 HIGH-LUMEN RECHARGEABLE TACTICAL FLASHLIGHT



ProTac 2.0 - Includes USB-C cord, SL-B50® battery pack, & nylon holster - Box.....#89000

- High lumens, long run time, TEN-TAP® programmable switch
 - Three output modes: high, medium, low; strobe runs 4 hours and 25 minutes
 - » High: 2000 lumens; 262m beam; runs 2.5 hours
 - » Medium: 570 lumens; 142m beam; runs 4.5 hours
 - » Low: 100 lumens; 60m beam; runs 25 hours
- Anti-roll face cap; serialized for positive identification
- Gasket-sealed glass lens
- Durable anodized machined aircraft aluminum construction
- IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested
- 6.10" (155 mm); 8.25 oz. (234g)

PROTAC® 2.0 HEADLAMP HIGH-LUMEN USB-RECHARGEABLE HEADLAMP



ProTac 2.0 Headlamp - Includes USB-C cord, SL-B50® battery pack, elastic and rubber hard hat straps - Box.....#89001

- TEN-TAP® programmable switch allows user to select one of three different programs
 - Three output modes: high, medium, and low
 - » High: 2000 lumens; 241m beam; runs 2.25 hours
 - » Medium: 650 lumens; 130m beam; runs 4.5 hours
 - » Low: 110 lumens; 55m beam; runs 25 hours
- IP64-rated; dust-tight and water-resistant
- Metal sleeve protects the USB-C port. Slide to access. Charges directly via USB-C port in the body of the SL-B50® battery or outside of the light.
- 10.48 oz. (297g)

SL-B50® PROTECTED LITHIUM-ION BATTERY PACK



ITEM	1-PK	2-PK
SL-B50® battery pack	#22111	#22112

BATTERY FEATURES:

- Protected lithium-ion battery with integrated charge port
- USB-rechargeable; also charges within the ProTac 2.0 flashlight series
- Charges in 6 hours using USB-C cord
- 3.26 in (8.28 cm); 3 oz. (85g)

TLR-7[®] SUB ULTRA-COMPACT GUN LIGHT FOR SUBCOMPACT RAILED PISTOLS



TLR-7 sub (for GLOCK[®] 43X/48 MOS | GLOCK[®] 43X/48 RAIL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69400
 TLR-7 sub (for SIG SAUER[®] P365[®]/XL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69401
 TLR-7 sub (for 1913 short models) - Includes mounting kit with keys, CR123A lithium battery - Box.....#69402
 TLR-7 sub (for SA Hellcat[®]) - Includes mounting kit with key, CR123A lithium battery - Box.....#69404

- 500 lumens; 5,000 candela; 141m beam; runs 1.5 hours
- Ambidextrous rear switches
- Rail clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle; securely fits a broad range of slim subcompact handguns
- “Safe off” feature prevents accidental activation, saves batteries
- Powered by one CR123A lithium battery (included)
- IPX7; waterproof to 1m for 30 mins
- 2.51” (6.38 cm); 2.4 oz. (68.1g)

TLR 8[®] SUB ULTRA-COMPACT GUN LIGHT WITH INTEGRATED RED LASER



TLR-8 sub (for GLOCK[®] 43X/48 MOS | GLOCK[®] 43X/48 RAIL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69411
 TLR-8 sub (for SIG SAUER[®] P365[®]/XL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69417
 TLR-8 sub (for 1913 short models) - Includes mounting kit with keys, CR123A lithium battery - Box.....#69418
 TLR-8 sub (for SA Hellcat[®]) - Includes mounting kit with key, CR123A lithium battery - Box.....#69419

- 500 lumens; 141m beam; runs 1.5 hours (light only or light/laser combo)
- User-enabled strobe function
- Rail clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle; securely fits a broad range of slim subcompact handguns
- “Safe off” feature prevents accidental activation, saves batteries
- Uses one CR123A lithium battery (included)
- IPX4; water-resistant
- 2.51” (6.38 cm); 2.77 oz. (78.53g)

TLR-8[®] G SUB ULTRA-COMPACT GUN LIGHT WITH INTEGRATED GREEN LASER



TLR-8 G sub (for GLOCK[®] 43X/48 MOS | GLOCK[®] 43X/48 RAIL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69431
 TLR-8 G sub (for SIG SAUER[®] P365[®]/XL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69437
 TLR-8 G sub (for 1913 short models) - Includes mounting kit with keys, CR123A lithium battery - Box.....#69438
 TLR-8 G sub (for SA Hellcat[®]) - Includes mounting kit with key, CR123A lithium battery - Box.....#69439

- 500 lumens; 141 m beam; runs 1.5 hours (light only or light/laser combo)
- User-enabled strobe function
- Rail clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle; securely fits a broad range of slim subcompact handguns
- “Safe off” feature prevents accidental activation, saves batteries
- Uses one CR123A lithium battery (included)
- IPX4; water-resistant
- 2.51” (6.38 cm); 2.77 oz. (78.53g)

TLR-7[®] A CONTOUR REMOTE COMPACT GUN-MOUNTED TACTICAL LIGHT WITH CONTOUR REMOTE SWITCH



TLR-7A Contour Remote (for most railed GLOCK[®] Gen 4 or Gen 5 models) - Includes mounting key, CR123A lithium battery.....#69428
 TLR-7A Contour Remote (for SIG SAUER[®] P320[®] XCARRY frame) - Includes mounting key, CR123A lithium battery.....#69480

- 500 lumens; runs 1.5 hours
- Designed for one-handed shooting with integrated contoured remote switch
- User-enabled strobe function
- “Safe off” feature prevents accidental activation, saves batteries
- Rail clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle
 - Two models available for GLOCK[®] (fits most railed Gen 4 or Gen 5 models) or SIG SAUER[®] (fits P320[®] XCARRY frame)
- Powered by one CR123A lithium battery (included)
- IPX7; waterproof to 1m for 30 mins
- 4.6” (11.68 cm); 2.69 oz. (76.3g) with battery
- Cannot be retrofitted with existing TLR-7A products

TLR-1[®] // TLR-2[®] SERIES CONTOUR REMOTE CONTOUR REMOTE SWITCH



Contour Remote for SIG SAUER[®] P320[®] XCARRY frame.....#69481

- Compatible with TLR-1 and TLR-2 Series

STINGER® COLOR-RITE® RECHARGEABLE FLASHLIGHT WITH COLOR-RITE TECHNOLOGY®

Color-Rite®



Stinger Color-Rite - without charger - Box.....	#75498
Stinger Color-Rite - 120V AC/12V DC - Box.....	#75499
Stinger Color-Rite - 230V AC/12V DC - Box.....	#75500
Stinger Color-Rite - 240V AC/12V DC - Box.....	#75501
Stinger Color-Rite - 120V AC/12V DC - PiggyBack®.....	#75502

- Rechargeable flashlight featuring a 90 CRI LED with Streamlight's Color-Rite Technology®, produces warm white light
 - Multi-function, push-button switch: choose from high, medium, low, or strobe:
 - » High: 500 lumens; 265m beam; runs 1.5 hours
 - » Medium: 275 lumens; 190m beam; runs 2.5 hours
 - » Low: 140 lumens; 134m beam; runs 5 hours
 - » Strobe for signaling or disorienting: runs 3 hours
- Unbreakable polycarbonate lens with scratch-resistant coating
- Anodized aluminum construction with non-slip rubberized comfort grip
- IPX4 water-resistant; 1m impact resistance tested
- Rechargeable NiMH battery
- 8.41" (21.36 cm); 12.4 oz. (352g)

WEDGE® COMPACT, RECHARGEABLE, HIGH-PERFORMANCE EDC FLASHLIGHT



Wedge - Includes USB cord, wrist lanyard - Box - Black.....	#88810
Wedge - Includes USB cord, wrist lanyard - Box - Coyote.....	#88811

- Features two modes: Constant-on and THRO® (Temporarily Heightened Regulated Output) mode for maximum brightness
 - 300 lumens; 69m beam; runs 3 hours
 - THRO®: 1,000 lumens; 110m beam; 35-second burst
- Thin, ergonomic design fits comfortably in your hand and provides clean pocket carry
 - Grooved for a sure grip
- Rotatable switch with battery level/charge indicator
- Deep carry pocket clip attaches on either side of light
- USB-C rechargeable
 - Lithium polymer battery charges in 3 hours
- Durable, anodized aluminum construction; tempered glass lens
- IPX7 waterproof to 1m; 1m impact resistance tested
- 5.46" (13.87 cm); 3.3 oz. (93.5g)



Outfitted with an intuitive rotating thumb switch providing control over the constant-on and THRO modes.

SIDEWINDER STALK™ MULTI-FUNCTION MILITARY HELMET LIGHT WITH FLEXIBLE STALK



Sidewinder Stalk - Includes helmet clip, CR123A & AA alk battery.....	Retail Box - 14306.....	Mailer - 14300
Sidewinder Stalk - Includes helmet clip, arc rail assy; arc rail mount; CR123A & AA alk battery.....	Retail Box - 14307.....	Mailer - 14301
Sidewinder Stalk - Includes helmet clip, E-mount, CR123A & AA alkaline battery.....	Retail Box - 14308.....	Mailer - 14302

- Features white, IR, red, blue, and green LEDs - all located in the head of the light, mounted on a flexible stalk - each with low, medium, high, and strobe modes along with an additional IR/IFF beacon
- White LED output at 100%:
 - High – CR123A: 76 lumens; 28m beam; runs 5.6 hours
 - High – AA: 57 lumens; 23m beam; runs 6 hours (AA lithium)/3.8 hours (AA alkaline)
- Includes one CR123A lithium battery and one AA alkaline battery; also accepts one AA lithium battery
- Durable clip attaches to helmet or MOLLE vest providing flexibility in hands-free lighting
- Features push-button power switch and pull-to-turn rotary selector knob designed to prevent accidental mode changes and allow selection of LED color
- IFF strobe activated by a three-position switch with a center "Off" position and two "On" positions
- IP67-rated; dust-tight and waterproof to 1m for 30 minutes
- Assembled in the USA

SYCLONE® JR. ULTRA-COMPACT, USB-RECHARGEABLE MULTI-FUNCTION WORK LIGHT



Syclone Jr. - with USB cord - Red.....	#61530
--	--------

- Cool white LED for bright white light with high and low modes
 - » High: 210 lumens; 79m beam; runs 3.75 hours
 - » Low: 85 lumens; 49m beam; runs 8.5 hours
- Head swivels 360° to aim the beam where you need it; adjustable with one hand
- Hands-free features: magnetic base and stowable hang hook
- Tough thermoplastic construction; chemical-resistant lens
- IPX4 water-resistant; 2m impact resistance tested
- USB-rechargeable; lithium polymer battery recharges in 4.5 hours
- 2.04" (5.18 cm); 2 oz. (57g)

SL-B26[®] PROTECTED LITHIUM-ION BATTERY PACK & BANK CHARGER

ITEM	1-PACK	2-PACK	8-PACK
SL-B26 [®] battery pack	#22101	#22102	#22105

BATTERY FEATURES:

- Protected lithium-ion battery with on-board safety control circuit
- USB-rechargeable; also charges in bank charger
- Charges in 5 hours using micro-USB cord
- 2.75 in (7.0 cm); 1.7 oz. (48g)

ITEM	W/O BATTERIES	W BATTERIES
8-Unit Bank Charger - 120V/100V AC	#20221	#20224
8-Unit Bank Charger - 230V/240V AC	#20222	#20225
8-Unit Bank Charger - 12V DC	#20220	#20223

8-UNIT CHARGER FEATURES:

- Charge up to eight lithium-ion USB-rechargeable battery packs; charge time: 5.25 hours
- Charge bays securely hold batteries in place - ideal for truck mounting
- Charge indicators over each battery slot: red = charging, green = charged
- Low-profile - 1" (2.54 cm) - minimal mounting area required
- Impact-resistant polymer construction
- 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm); 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in upright position



PROTAC[®] HL 5-X USB // PROTAC[®] HL 5-X MULTI-FUEL, HIGH-LUMEN FLASHLIGHT



ProTac HL 5-X USB - Includes two SL-B26 batteries, dual USB cord, wrist lanyard	CLAM #88080	BOX #88081
ProTac HL 5-X - Includes four CR123A lithium batteries, wrist lanyard	CLAM #88074	BOX #88075

- MULTI-FUEL - uses two Streamlight rechargeable SL-B26[®] lithium-ion batteries; also accepts four CR123A lithium batteries
- TEN-TAP[®] programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 - High (SL-B26): 3,500 lumens; 51,000 candela; 452m beam; runs 1.25 hours
 - High (CR123A): 2,500 lumens; 37,000 candela; 385m beam; runs 1.5 hours
 - Medium: 1,000 lumens; 14,100 candela; 237m beam; runs 2.5 hours (CR123A); runs 3 hours (SL-B26)
 - Low: 250 lumens; 3,620 candela; 120m beam; runs 10.5 hours (CR123A); runs 11.5 hours (SL-B26)
 - Strobe for signaling or disorienting: runs 1.5 hours (CR123A); runs 1.25 hours (SL-B26)
- Durable, anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested
- 9.53" (23.65 cm); 1 lb 3.4 oz. (550g)

PROTAC[®] HL-X USB // PROTAC[®] HL-X MULTI-FUEL, HIGH-LUMEN FLASHLIGHT



ProTac HL-X USB - Includes SL-B26 battery, USB cord, nylon holster	CLAM #88084	BOX #88085
ProTac HL-X - Includes two CR123A lithium batteries, nylon holster	CLAM #88064	BOX #88065

- MULTI-FUEL - uses one Streamlight rechargeable SL-B26[®] lithium-ion battery; also accepts two CR123A lithium batteries
- TEN-TAP[®] programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 - High: 1,000 lumens; 27,100 candela; 330m beam; runs 1.25 hours (CR123A); runs 1.5 hours (SL-B26)
 - Medium: 400 lumens; 10,000 candela; 200m beam; runs 3 hours (CR123A); runs 3.5 hours (SL-B26)
 - Low: 65 lumens; 1,600 candela; 80m beam; runs 20 hours (CR123A); runs 23 hours (SL-B26)
 - Strobe for signaling or disorienting: runs 2.5 hours (CR123A); runs 3.25 hours (SL-B26)
- Durable, anodized aluminum construction; IP68 dust tight and waterproof to 2m; 2m impact resistance tested
- Includes nylon holster
- 5.43" (13.8 cm); 5.7 oz. (162g)

PROTAC[®] 2L-X USB // PROTAC[®] 2L-X MULTI-FUEL HIGH PERFORMANCE FLASHLIGHT



ProTac 2L-X USB - Includes SL-B26 battery, USB cord, nylon holster	CLAM #88082	BOX #88083
ProTac 2L-X - Includes two CR123A lithium batteries, nylon holster	CLAM #88062	BOX #88063

- MULTI-FUEL - uses one Streamlight rechargeable SL-B26[®] lithium-ion battery; also accepts two CR123A lithium batteries
- TEN-TAP[®] programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/high:
 - High for maximum illumination: 500 lumens; 6,800 candela; 165m beam; runs 2.75 hours (CR123A); runs 3.25 hours (SL-B26)
 - Low for extended run time: 40 lumens; 600 candela; 49m beam; runs 30 hours (either battery type)
 - Strobe for signaling or disorienting: runs 3.25 (CR123A); 4.5 hours (SL-B26)
- Durable, anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 2m impact resistance tested
- Includes nylon holster
- 5.14" (13.0 cm); 3.9 oz. (111g)