

LEDTURE is an innovation pioneer which designs and manufactures high-powered LED lighting products and smart lighting control systems for industrial and outdoor applications. The company provides only world-class LED products.

LEDTURE has an expert energineering team that have received global industry recognition for their optic, thermal and fixture designs. LEDTURE'S alliance with strategic component partners along with best-in-class fixture designs results in 200,000 L70 lifespans and a complete 10-year warranty for the entire series of luminaires.

LEDTURE owns over 100 industry patents, 420+ products are DLC QPL listed. The company has an accredited testing laboratory in compliance with UL and ENEC witness testing data program, all products are strigently tested before packing and shipment.

#### HIGHEST QUALITY COMPONENTS AND STRATEGIC PARTNERS



NICHIA LED CHIPS - Highest quality chip on the market.



TRANSIENT VOLTAGE SURGE SUPPRESSION-Is standard on each fixture.



**INVENTRONICS** 

INVENTRONICS & MEANWELL DRIVERS-All included in a 10-year warranty available in 0-10V, 1-10V DALI, DMX, and PMW.



MITSUBISHI LENS - Highest quality lens material used in over 20 optical lenses manufactured on site.



# THERMAL, WIND-LOAD MANAGEMENT AND MODULE PROTECTION - KEY DESIGN FEATURES





- Chips are not densely populated on a circuit board.
- Airflow between modules excellent for thermal management and critical to wind-load management.
- EVERY module has surge supression device.
- Hollow heat sinks allow for increased cooling and air flow behind modules.



### STREET SERIES

5,000 - 60,000 LUMENS



#### **AREA AND COURT SERIES**

11,000 - 125,000 LUMENS



"APOLLO"

#### **POST-TOP SERIES**

9,600 - 22,000 LUMENS



#### LINEAR AND HIGH BAY SERIES

5,000 - 123,000 LUMENS



"LINK"



"BALDER"

#### INDIRECT-SPORTS SERIES

12,000 - 125,000 LUMENS



"ROUNDABOUT"



## SPORTS AND STADIUM LIGHTING SERIES

65,000 - 235,000 Lumens - DLC Premium listed. Available in RGBW. Remote Driver options for lighting controls including 0-10V, DALI, DMX and PWM.



(one fixture can replace up to (4) 1,500 watt Metal Halide Fixtures)

















**RGB 1920L**