

120
YEARS

Portable Electric Compressors

45 - 110 kW
300 - 600 CFM



People. Passion. Performance.

 **Chicago
Pneumatic**

Features:



Benefits:

- Optimum performance
- Enhanced service point accessibility
- Functional in higher ambient temperatures
- User-friendly operation
- Prolonged component lifespan
- High safety standards
- Effortless maneuverability


Highlights:

- Cost-Efficient Operations
- Minimum Power Consumption
- Best cooling design
- Proven Product
- World's best element & Motor
- Zero carbon footprint locally
- Multi utility air Outlets

Technical Data:

Model	Air flow (cfm) 1	Working pressure (psig)	Oil Capacity (l)	Motor (kw/HP)	Service Factor	Motor Speed RPM	Voltage (+/-15%)	Frequency Hz	Start Mode	Insulation Class	L x W x H (mm)	Weight (Kg)
CPS 300E	300	100	32	45/60	1.15	2965	400	50	S/D	IP55/F	3212x1500x1614	1200
CPS 400E	400	100	22	55/75	1.15	2975	400	50	S/D	IP55/F	Portable 3732x1602x1613	1524
CPS 350E130	325	130	22	55/75	1.15	2975	400	50	S/D	IP55/F		1524
CPS 500E	475	100	22	75/100	1.15	2975	400	50	S/D	IP55/F		1524
CPS 450E125	425	125	22	75/100	1.15	2975	400	50	S/D	IP55/F	Skid 2583x1125x1290	1524
CPS 400E150	390	150	22	75/100	1.15	2975	400	50	S/D	IP55/F		1524
CPS 375E175	370	175	22	75/100	1.15	2975	400	50	S/D	IP55/F		1524
CPS 400E185	400	185	28	90/120	1.15	2965	380	50	S/D	IP54/F		1640
CPS 600E150	600	150	55	110/150	1.15	2965	400	50	S/D	IP54/F	4232x1950x2170	2590
CPS 500E185	500	185	55	110/150	1.15	2965	400	50	S/D	IP54/F	4232x1950x2170	2590

Application Guide:



Specifications are subject to change without prior notice.