




SPC STRAIGHT PATTERN


WOOD COLLECTION

[ลายไม้]



WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO



WS5507
AGED BARREL

FLOORIO

2G Click IXPE Series

Size	182 x 1220mm.
Thickness	5.5mm.
Wear Layer	0.3mm.
Area/Box	8pcs./1.78sqm.



FLOORIO^๑

PREMIUM
LUXURY
FLOORING



เงื่อนไขการรับประกันสินค้า SPC IXPE 5.5 mm.

FLOORIO รับประกันสินค้า เป็นเวลา 10 ปี

การรับประกันสินค้าเริ่มนับจากวันที่ซื้อสินค้าจนถึงวันหมดการรับประกันภายใต้เงื่อนไขต่อไปนี้

- สินค้าไม่หลุดลอกเป็นแผ่น (รอยถลอก หรือ รอยขีดข่วนที่เกิดจากการใช้งานไม่อยู่ในการรับประกัน
- สินค้าไม่เกิดการขีดของสีอย่างรุนแรง เนื่องมาจากการใช้งาน
- สินค้าจะไม่เสื่อมสภาพอันเป็นผลจากความบกพร่องในการผลิต

เจ้าของสิทธิ์ในการรับประกันสินค้า

การรับประกันสินค้า เป็น สิทธิของผู้ซื้อที่ระบุในหนังสือรับประกันหรือใบเสร็จรับเงิน

การรับประกันก่อนติดตั้ง

ผู้ทำการติดตั้งพื้น ไม่ว่าจะโดยช่างผู้ชำนาญหรือติดตั้งด้วยตนเอง
มีหน้าที่ในการตรวจสอบสินค้าในเรื่องของ สี คุณภาพสินค้า ความเงา หรือ พื้นผิว
หากพบความผิดปกติ จะต้องไม่ทำการติดตั้งสินค้า และ ให้ทำการแจ้งตัวแทนจัดจำหน่าย

การรับประกันปัญหาสินค้าที่เกี่ยวข้องกับการติดตั้ง

FLOORIO ไม่รับประกันสินค้า หากปัญหาที่เกิดขึ้นกับสินค้าเป็นผลมาจากความผิดพลาด บกพร่อง หรือละเลย
ในการติดตั้ง ผู้ทำการติดตั้งพื้นจะต้องเป็นผู้รับผิดชอบหากมีความเสียหายใดๆเกิดขึ้น



หากสินค้ามีข้อบกพร่องตามที่ระบุไว้ในเงื่อนไขการรับประกัน โดยจะต้องอยู่ในระยะเวลาประกันสินค้า FLOORIO จะทำการซ่อมแซมพื้นที่บริเวณที่มีปัญหา หรือ เปลี่ยนสินค้าที่มี สีสันรูปแบบและคุณภาพเทียบเท่ากับของเดิมให้แก่ลูกค้า กรณีไม่มีสินค้าหรือสินค้าหยุด จำหน่ายต่อไม่ว่าด้วยเหตุผลใดก็ตาม FLOORIO จะทำการเลือกสินค้าทดแทนที่มีสี รูปแบบ และคุณภาพระดับเดิมแทน

ภายหลังจากการแก้ปัญหาแล้ว ระยะเวลาการ รับประกันสินค้าจะเท่ากับระยะเวลาของสินค้าเดิมที่เหลืออยู่ โดยไม่มีการขยายระยะเวลาประกันออกไป เว้นแต่ระบุเป็นอย่างอื่น

FLOORIO มีสิทธิที่จะส่งตัวแทนเข้าไปตรวจสอบพื้นที่เก็บตัวอย่างเพื่อศึกษาข้อมูลเพิ่มเติมประกอบการพิจารณาตัวแทนจัดจำหน่าย ร้านค้า พนักงานบริษัท ผู้ติดตั้ง และบุคคลอื่นๆ ไม่มีสิทธิในการเพิ่มเติม หรือ เปลี่ยนแปลงข้อผูกมัดหรือสาระใดๆในการ รับประกันสินค้าของทางบริษัทกับลูกค้า

การรับประกันสินค้าไม่ครอบคลุมถึงข้อจำกัดหรือสาเหตุดังต่อไปนี้


- สีของสินค้าจริงมีความแตกต่างจากภาพถ่ายหรือตัวอย่าง
- การใช้งานที่ไม่เหมาะสมหรือผิดวัตถุประสงค์
- Damage occurring while moving or installation of furniture with out adequate protection
- การติดตั้งบริเวณภายนอกอาคาร ห้องที่รับแดดตลอดเวลา ห้องกระจกที่เปิดรับแสงอาทิตย์ โรงรถ หรือพื้นที่อื่นๆที่มีความชื้น หรือ อุณหภูมิ สูง กว่ากำหนด อันส่งผลให้ สีซีดจาง
- ติดตั้ง ในบริเวณที่มีอุณหภูมิต่ำกว่า -15 องศาเซลเซียส หรือ สูง กว่า +45 องศาเซลเซียส
- อุบัติเหตุ รอยขีดข่วน การกระแทก หรือ รอยดัด
- การดูแลรักษาที่ผิดวิธีหรือไม่เหมาะสม
- ปัญหาที่เป็นผลมาจากการติดตั้ง ที่ไม่ถูกวิธี พื้นผิวไม่เหมาะสมต่อการติดตั้ง การเตรียมพื้นที่ไม่เหมาะสม
- ความเสียหายที่เกิดขึ้นระหว่างการก่อสร้างหรือตกแต่ง
- ติดตั้ง โดยผู้ที่ไม่มีความรู้ความชำนาญ หรือ ติดตั้งโดยสินค้าที่มีข้อบกพร่องที่สามารถสังเกตเห็นได้อย่างชัดเจน

FLOORIO ไม่รับประกันความเสียหายใดๆนอกเหนือจากที่ระบุในเอกสารรับประกันนี้
FLOORIO จะรับประกันแต่เพียงสินค้าเท่านั้น



SGS





UV Coating

Stain-resistant, Waterproof, antibacterial, antiscratch.

Wear Layer

Antislip and keep the color for a long time and durable.

Decoration Film

High simulation of natural patterns to present real feeling of texture.

SPC Rigid Core

Calcium and PVC powder are mixed in a certain proportion to form composite material, enhance the pressure resistance capacity.

IXPE

Better sound absorption and excellent underfoot feeling.

TEST ITEM	TEST METHOD	RESULT
Thickness		4.0mm.
Size		1220*182mm.
Wear layer		0.3mm.(12mils)
IXPE		1.5mm.
Castor chair	EN425:2002	PASS
Dimensional change	ISO 23999:2018	PASS
Curling	ISO 23999:2018	PASS
Locking Strength	ISO 24334:2014	PASS
Peel Resistance	EN431:1994	PASS
Soluble Lead (Pb)	EN71	PASS
Soluble Antimony (Sb)	EN71	PASS
Soluble Arsenic (As)	EN71	PASS
Soluble Barium (Ba)	EN71	PASS
Soluble Cadmium (Cd)	EN71	PASS
Soluble Chromium (Cr)	EN71	PASS
Soluble Mercury (Hg)	EN71	PASS
Soluble Selenium (Se)	EN71	PASS
Scratch Resistance	ISO 1518-12019	PASS
Colour Fastness	ISO 105-B02:2014	PASS
Thermal Conductivity	EN14041:2004/AC:2006 & EN12667:2001	PASS
Overall Thickness	EN14041:2004/AC:2006 & EN24346:2012	PASS
Formaldehyde	EN14041:2004/AC:2006 & EN717-1:2004	PASS
Fire Resistance	EN13501-1:2018	Bfl
Dynamic Coefficient of friction	EN13893:2002	PASS



SPC 5.5 : WS SERIES DATA SHEET



Stone Plastic Composite vinyl flooring is more and more popular new style ecofriendly vinyl flooring. SPC rigid flooring is set apart from other types of vinyl flooring by its uniquely resilient core layer. This core is made from a combination of natural limestone powder, polyvinyl chloride and some stabilizers.

SPC vinyl is a luxury vinyl flooring option with a structurally rigid, 100% waterproof core. SPC is also known as rigid core vinyl, and we use these terms interchangeably. Rigid core engineered vinyl flooring is designed to look like wood or stone, but requires less upkeep. This flooring is durable, waterproof, and perfect for DIY installation. It's ideal for both home and commercial areas.

- Waterproof and Dampproof

As the main component of SPC is stone powder, so it performs well with water, and mildew will not happen with high humidity.

- Fire Retardant

According to the authorities, 95% of the victims were burned in the fire caused by the toxic fumes and gases. The fire rating of SPC flooring is NFPA CLASS B. Flame retardant, not spontaneous combustion, leave the flame automatic out in 5 seconds, won't produce toxic of harmful gases.

- No Formaldehyde

SPC is high quality stone powder & PVC resin, without harmful material such as benzene, formaldehyde, heavy metal.

- No Heavy Metal, No Lead Salt

The Stabilizer of SPC is Calcium zinc, no lead salt heavy metal.

- Dimensionally Stable

Exposed to 80° heat, 6 hours---Shrinkage ≤ 0.1%; Curling ≤ 0.2mm

- High Abrasion


SPC flooring has a transparent wear-resisting layer, whose revolution is up and higher than 10000 turns.

- Superfine Anti-slipping

SPC flooring has special skid resistance and wear-resisting layer of the floor. Compared with common floor, SPC flooring has higher friction when it's wet.

- Low requirement of subfloor


Compared to traditional LVT, SPC flooring has a distinct advantage because it is rigid core, which can hide many imperfections of subfloor.






ได้รับลิขสิทธิ์ลื่นล๊อค CLICK-LOCK SYSTEM
จาก บริษัท VALINGE สวีเดน ในการผลิต

โดยทั่วโลกมีบริษัทที่มีลิขสิทธิ์ด้านระบบ
Click Lock มีเพียง 2 ราย ซึ่ง Valinge เป็น 1 ใน
2 ของโลก



2G locking system from Sweden
Angle-angle installation



พื้นที่...ปลอดภัย

สำหรับคนที่คุณรัก

- ✓ ช่วยลดอุบัติเหตุ จากการสะดุด หรือลื่นล้มขณะพื้นเปียก
- ✓ ปลอดภัยหายที่เป็นอันตราย จึงปลอดภัยต่อสุขภาพทั้งคนและสัตว์เลี้ยง
- ✓ ดูดซับแรงกระแทกได้ดี
- ✓ ช่วยลดการเกิดรอยขีดข่วน
- ✓ ทำความสะอาดง่าย
- ✓ พื้นผิวกันน้ำ 100 %



วิธีการดูแล พื้นไวนิล SPC

 N1
DESIGN



กวาดและปิดฝุ่นพื้นเพื่อขจัดสิ่งสกปรก
และเศษผงต่างๆ



ใช้ไม้ถูพื้นชุบน้ำยาทำความสะอาดหลายๆ
และทำความสะอาด ปลอ่ยให้แห้ง



ห้ามใช้น้ำยาที่มีสารกัดกร่อน หรือน้ำยาทำความสะอาด
ที่มีสารแอมโมเนีย เพราะสารเคมีอาจทำให้พื้นมีสีซีดหรือต่าง



เมื่อทำความสะอาดเสร็จแล้ว ให้ล้างทำความสะอาด
แปรงปิดฝุ่น/ไม้ถูพื้น เพื่อการใช้งานในครั้งต่อไป

Wear Layer
0.3 มม.

พื้น SPC

ทนรอยขีดข่วนได้ไหม?



ชั้น Wear Layer
0.3 มม.



ปกป้องสีและลวดลาย
ของพื้นไวนิล



ป้องกันไม่ให้พื้นผิวด้านบน
พื้นไวนิลสึกหรอ




ช่วยลดการเกิดรอยขีดข่วน
จากการใช้งาน




WS5501
GREY OAK

FLOORIO



WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIT




WS5502
HAZELNUT

FLOORIT




WS5503
EARLY AMERICAN

FLOORIT




WS5504
WHITE WASH

FLOORIT



WS5505
BEIGE LIVING

FLOORIT




WS5506
PRIME OAK

FLOORIT




WS5507
AGED BARREL

FLOORIT




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO



WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIO



WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

Floori®



WS5502
HAZELNUT

Floori®



WS5503
EARLY AMERICAN

Floori®



WS5504
WHITE WASH

Floori®



WS5505
BEIGE LIVING

Floori®




WS5506
PRIME OAK

Floori®




WS5507
AGED BARREL


Floori®



WS5501
GREY OAK




WS5502
HAZELNUT




WS5503
EARLY AMERICAN



WS5504
WHITE WASH



WS5505
BEIGE LIVING



WS5506
PRIME OAK




WS5507
AGED BARREL




WS5501
GREY OAK

FLOORING



WS5502
HAZELNUT

FLOORING



WS5503
EARLY AMERICAN

FLOORING




WS5504
WHITE WASH

FLOORING




WS5505
BEIGE LIVING

FLOORING




WS5506
PRIME OAK

FLOORING




WS5507
AGED BARREL

FLOORING




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIT




WS5502
HAZELNUT

FLOORIT




WS5503
EARLY AMERICAN

FLOORIT




WS5504
WHITE WASH

FLOORIT




WS5505
BEIGE LIVING

FLOORIT




WS5506
PRIME OAK

FLOORIT




WS5507
AGED BARREL

FLOORIT




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO




WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL


FLOORIO




WS5501
GREY OAK




WS5502
HAZELNUT




WS5503
EARLY AMERICAN




WS5504
WHITE WASH



WS5505
BEIGE LIVING



WS5506
PRIME OAK




WS5507
AGED BARREL



WS5501
GREY OAK

FLOORi




WS5502
HAZELNUT

FLOORi




WS5503
EARLY AMERICAN

FLOORi



WS5504
WHITE WASH

FLOORi




WS5505
BEIGE LIVING

FLOORi




WS5506
PRIME OAK

FLOORi




WS5507
AGED BARREL

FLOORi



WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIT



WS5502
HAZELNUT

FLOORIT



WS5503
EARLY AMERICAN

FLOORIT




WS5504
WHITE WASH

FLOORIT




WS5505
BEIGE LIVING

FLOORIT




WS5506
PRIME OAK

FLOORIT



WS5507
AGED BARREL

FLOORIT




WS5501
GREY OAK

FLOORIO



WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO



WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL


FLOORIO



WS5501
GREY OAK



WS5502
HAZELNUT



WS5503
EARLY AMERICAN



WS5504
WHITE WASH




WS5505
BEIGE LIVING



WS5506
PRIME OAK




WS5507
AGED BARREL




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO




WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO




WS5506
PRIME OAK

FLOORIO




WS5507
AGED BARREL

FLOORIO




WS5501
GREY OAK

FLOORIO




WS5502
HAZELNUT

FLOORIO



WS5503
EARLY AMERICAN

FLOORIO




WS5504
WHITE WASH

FLOORIO



WS5505
BEIGE LIVING

FLOORIO



WS5506
PRIME OAK

FLOORIO



WS5507
AGED BARREL

FLOORIO