



Neuro-plasticity & Amblyopia Treatment

1. Birch EE.
Amblyopia and binocular vision.
Prog Retin Eye Res. 2013;33:67-84.
2. Pai AS, Rose KA, Leone JF, Sharbini S, Burlutsky G, Varma R, Wong TY, Mitchell P.
Amblyopia prevalence and risk factors in Australian preschool children.
Ophthalmology. 2012;119(1):138–144.
3. Pai et al.
Prevalence and risk factors for visual impairment in preschool children
The Sydney Paediatric Eye Disease Study.
Ophthalmology. 2011;118(8):1495-1500.
4. Boothe RG, Dobson V, Teller DY.
Postnatal development of vision in humans and nonhuman primates.
Annu Rev Neurosci. 1985;8:495-545.
5. Brémond-Gignac D, Copin H, Lapillonne A, Milazzo S;
European Network of Study and Research in Eye Development.
Visual development in infants: physiological and pathological mechanism.
Curr Opin Ophthalmol. 2011;22 Suppl:S1-8.
6. Bennett EL, Diamond MC, Krech D, Rosenzweig MR.
Chemical and anatomical plasticity of brain: Changes in brain through experience,
demanded by learning theories, are found in experiments with rats.
Science. 1964;146(3644):610–619.
7. Norcia AM, Tyler CW, Hamer RD.
Development of contrast sensitivity in the human infant.
Vision Res. 1990;30(10):1475-86.
8. Hartmann EE.
Infant visual development: an overview of studies using visual evoked potential measures
from Harter to the present.
Intern J Neuroscience. 1995;80(1-4):203-235.
9. Birch EE, Petrig B.
FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants.
Vision Res. 1996;36(9):1321–7.

10. Birch EE, Williams C, Hunter J, Lapa MC.
Random dot stereoacuity of preschool children.
ALSPAC "Children in Focus" Study Team.
J Pediatr Ophthalmol Strabismus. 1997;34(4):217–222.
11. Hubel DH, Wiesel TN.
The period of susceptibility to the physiological effects of unilateral eye closure in kittens.
J Physiol. 1970;206(2):419–436.
12. Lewis TL, Maurer D.
Multiple sensitive periods in human visual development: evidence from visually deprived children.
Dev Psychobiol. 2005;46(3):163–83.
13. Fawcett SL, Wang YZ, Birch EE.
The critical period for susceptibility of human stereopsis. *Invest Ophthalmol Vis Sci*. 2005;46(2):521-5.
14. Rice D, Barone S Jr.
Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models.
Environ Health Perspec. 2000;108(Suppl 3):511–533.
15. Ruben RJ.
A time frame of critical/sensitive periods of language development.
Indian J Otolaryngol Head Neck Surg. 1999;51(3):85-89.
16. Holmes JM, et al.
Effect of age on response to amblyopia treatment in children.
Arch Ophthalmol. 2011;129(11):1451-7.
17. Chi KR. White's the Matter.
<https://www.the-scientist.com/?articles.view/articleNo/41266/title/White-s-the-Matter/>.
Published November 1, 2014. Accessed November 18, 2017.
18. Duan Y, Norcia AM, Yeatman JD, Mezer A.
The structural properties of major white matter tracts in strabismic amblyopia.
Invest Ophthalmol Vis Sci 2015; 56(9): 5152–5160.
19. Qi S, Mu YF, Cui L-B, et al.
Association of optic radiation integrity with cortical thickness in children with anisometropic amblyopia.
Neuroscience Bulletin. 2016;32(1):51–60.

20. Lv B, He H, Li X, Zhang Z, Huang W, Li M, Lu G.
Structural and functional deficits in human amblyopia.
Neurosci Lett 2008; 437(1): 5–9.
21. Bavelier D, Levi DM, Li RW, Dan Y, Hensch TK.
Removing brakes on adult brain plasticity: from molecular to behavioral interventions.
J Neurosci. 2010;30(45):14964-14971.
22. Sengpiel F.
Plasticity of the visual cortex and treatment of amblyopia.
Curr Biol. 2014;24(18):R936-R940.
23. Hess RF, Thompson B.
Amblyopia and the binocular approach to its therapy.
Vision Res. 2015;114:4-16.
24. Zhou J, Wang Y, Feng L, Wang J, Hess RF.
Straightening the Eyes Doesn't Rebalance the Brain.
Frontiers in Human Neuroscience. 2017;11:453.
25. Simonsz HJ, Kolling GH, Unnebrink K.
Final report of the early vs. late infantile strabismus surgery study (ELISSS), a controlled, prospective, multicenter study.
Strabismus. 2005 Dec;13(4):169-99.
26. Pediatric Eye Disease Investigator Group.
A randomized trial of atropine vs. patching for treatment of moderate amblyopia in children.
Arch Ophthalmol. 2002;120(3):268-78.
27. Levi DM, Knill DC, Bavelier D.
Stereopsis and amblyopia: a mini-review.
Vision Res. 2015;114:17-30.
28. Chung ST, Kumar G, Li RW, Levi DM.
Characteristics of fixational eye movements in amblyopia: limitations on fixation stability and acuity
Vision Res. 2015;114:87-99.
29. Hamm LM, Black J, Dai S, Thompson B.
Global processing in amblyopia: a review.
Front Psychol. 2014;5:583

30. Li J, Thompson B, Lam CS, Deng D, Chan CY, Maehara G, Woo GC, Yu M, Hess RF.
The role of suppression in amblyopia.
Invest Ophthalmol Vis Sci. 2011 Jun 13;52(7):4169-76.
31. Birch EE, Wang J.
Stereoacuity outcomes following treatment of infantile and accommodative esotropia.
Optometry and vision science: Official publication of the American Academy of Optometry. 2009;86(6):647-652.
32. Pediatric Eye Disease Investigator Group, Repka MX, Kraker RT, Dean TW, Beck RW, Siatkowski RM, Holmes JM, Beauchamp CL, Golden RP, Miller AM, Verderber LC, Wallace DK.
A randomized trial of levodopa as treatment for residual amblyopia in older children.
Ophthalmology. 2015 May;122(5):874-81.
33. Fresina M, Dickmann A, Salerni A, et al.
Effect of oral CDP-choline on visual function in young amblyopic patients.
Graefes Arch Clin Exp Ophthalmol. 2008;246(1):143-150.
34. Polat U, Ma-Naim T, Belkin M, Sagi D.
Improving vision in adult amblyopia by perceptual learning.
Proc Natl Acad Sci USA. 2004 Apr 27;101(17):6692-7.
35. Li J, Thompson B, Deng D, Chan LY, Yu M, Hess RF.
Dichoptic training enables the adult amblyopic brain to learn.
Curr Biol. 2013;23(8):R308-9.
36. Weber R, Tamborini R, Westcott-Baker A, Kantor B.
Theorizing flow and media enjoyment as cognitive synchronization of attention and reward networks.
Communication Theory. 2009b;19:397-422.
37. Eastgate RM1, Griffiths GD, Waddingham PE, Moody AD, Butler TK, Cobb SV, Comaish IF, Haworth SM, Gregson RM, Ash IM, Brown SM.
Modified virtual reality technology for treatment of amblyopia.
Eye (Lond). 200;20(3):370-4.
38. Cleary M, Moody AD, Buchanan A, Stewart H, Dutton GN.
Assessment of a computer-based treatment for older amblyopes: the Glasgow Pilot Study.
Eye (Lond). 2009;23(1):124-31.

39. Herbison N, et al.
Randomized controlled trial of video clips and interactive games to improve vision in children with amblyopia using the I-BiT system.
Br J Ophthalmol. 2016;100(11):1511-1516.
40. Hess RF, Babu RJ, Clavagnier S, Black J, Bobier W, Thompson B.
The iPod binocular home-based treatment for amblyopia in adults: efficacy and compliance.
Clin Exp Optom. 2014 Sep;97(5):389-98.
41. Holmes JM, Manh VM, Lazar EL, Beck RW, Birch EE, Kraker RT, Crouch ER, Erzurum SA, Khuddus N, Summers AI, Wallace DK; Pediatric Eye Disease Investigator Group.
Effect of a Binocular iPad Game vs Part-time Patching in Children Aged 5 to 12 Years With Amblyopia: A Randomized Clinical Trial.
JAMA Ophthalmol. 2016 Dec 1;134(12):1391-1400.
42. Gao T, Guo C, Babu R, et al.
Effectiveness of a binocular video game vs placebo video game for improving visual functions in older children, teenagers, and adults with amblyopia.
JAMA Ophthalmol. 2018. [Epub ahead of print]
43. Worth C.
Squint: its causes, pathology, and treatment.
Philadelphia, PA. P. Blakiston's Son and Co. 1906.
44. Dadeya S, Dangda S.
Television video games in the treatment of amblyopia in children aged 4-7 years.
Strabismus. 2016 Dec;24(4):146-152.
45. Vedamurthy I, Nahum M, Huang SJ, et al.
A dichoptic custom-made action video game as a treatment for adult amblyopia.
Vision Research. 2015;114:173-187.
46. Kelly KR, Jost RM, Dao L, Beauchamp CL, Leffler JN, Birch EE.
Binocular iPad game vs patching for treatment of amblyopia in children: a randomized clinical trial.
JAMA Ophthalmol. 2016;134(12):1402-1408.
47. Vedamurthy I, Knill DC, Huang SJ, et al.
Recovering stereo vision by squashing virtual bugs in a virtual reality environment.
Philosophical Transactions of the Royal Society B: Biological Sciences.
2016;371(1697):20150264.

48. Žiak P, Holm A, Haližka J, Mojžiš P, Piňero DP.
Amblyopia treatment of adults with dichoptic training using the virtual reality oculus rift
head mounted display: preliminary results.
BMC Ophthalmol. 2017 Jun 28(1);17:105.