

**PROTIE™**

**CABLE TIES**

**PROTIE™**

**HOSE CLAMPS**

**FULL LINE CATALOG**



We at Pro Tie would like to thank you for the opportunity to serve you. We believe we have four distinct advantages over our competition in our ability to serve you. First of all, we provide premium quality products. Quite a few competitors look for the lowest cost products which often leads to a sacrifice in quality. You might be able to find cheaper prices than us but you won't find better products. Secondly, we carry over 350 cable ties, mounts, and tools and over 100 hose clamps to provide a superior range of options for our customers. Customized packing and setups are also available so if you don't see what you are looking for, just ask us. Thirdly, our cable tie display racks can increase your sales over gondola style displays. High visibility signage and product labels, as well as portable racks make it easy to draw your customers' attention. And lastly, we strive for excellent customer service - whether it be with on time and accurate shipments, service after the sale, or our friendly customer service people to answer any questions you might have.

Since we are a family owned business, we are dedicated to serving you and we offer that personal attention in all matters of business. We appreciate your support and look forward to serving you in the future.

Sincerely,

Pro Tie Cable Ties



3671 New Town Blvd  
St. Charles, MO 63301  
(636) 493-9920 M-F 8-5 PM, CST  
[www.protieusa.com](http://www.protieusa.com)

January 2019

Copyright © 2019 KDAR Company—All Rights Reserved

# TABLE OF CONTENTS



<b>CATEGORY</b>	<b>PAGE #</b>
STANDARD CABLE TIES	
ULTRA LIGHT DUTY AND LIGHT DUTY CABLE TIES	2
STANDARD DUTY AND HEAVY DUTY CABLE TIES	3 - 4
EXTRA HEAVY DUTY AND SUPER HEAVY DUTY CABLE TIES	5
COLOR CABLE TIES AND CHRISTMAS ASSORTMENTS	6 - 7
CAMOUFLAGE ASSORTMENT CABLE TIES	8
RELEASABLE AND STAINLESS STEEL PAWL TIES	9
STAINLESS STEEL CABLE TIES	10 - 11
CLAMP HEAD CABLE TIES	11
SCREW MOUNT CABLE TIES	12
EZ OFF AND HORIZONTAL/VERTICAL ID CABLE TIES	13
ARROWHEAD/FIR TREE PUSH MOUNTS CABLE TIES	14
BUTTON HEAD AND DOUBLE HEAD CABLE TIES	15
HANDCUFFS, METAL DETECTABLE, AND PROWRAPS HOOK AND LOOP TIES	16
QUIK TIES REUSABLE CABLE TIES	17
TENSION TOOLS	18
CABLE TIE MOUNTS	19
FROSTY TIES AND CABLE TIE ASSORTMENTS	20 - 21
CABLE TIE DISPLAY RACKS AND POWER PANEL SETS	22 - 28
HOSE CLAMPS AND ACCESSORIES	29 - 37



## STANDARD CABLE TIES



### ULTRA LIGHT DUTY - 18 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N4ULD100	100	NATURAL	4.0"	.75"
N4ULD1000	1000	NATURAL	4.0"	.75"
B4ULD100	100	UV BLACK	4.0"	.75"
B4ULD1000	1000	UV BLACK	4.0"	.75"
N8ULD100	100	NATURAL	8.1"	2.0"
N8ULD1000	1000	NATURAL	8.1"	2.0"
B8ULD100	100	UV BLACK	8.1"	2.0"
B8ULD1000	1000	UV BLACK	8.1"	2.0"

PRO TIE Ultra Light Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Ultra Light Duty cable ties are approximately .04" thick and .10" wide. Our UV Black cable ties are UV stabilized for outdoor use.



### LIGHT DUTY - 40 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N5LD100	100	NATURAL	5.7"	1.25"
N5LD1000	1000	NATURAL	5.7"	1.25"
B5LD100	100	UV BLACK	5.7"	1.25"
B5LD1000	1000	UV BLACK	5.7"	1.25"
N8LD100	100	NATURAL	8.1"	2.0"
N8LD1000	1000	NATURAL	8.1"	2.0"
B8LD100	100	UV BLACK	8.1"	2.0"
B8LD1000	1000	UV BLACK	8.1"	2.0"
N11LD100	100	NATURAL	11.2"	3.0"
N11LD1000	1000	NATURAL	11.2"	3.0"
B11LD100	100	UV BLACK	11.2"	3.0"
B11LD1000	1000	UV BLACK	11.2"	3.0"

PRO TIE Light Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Light Duty cable ties are approximately .05" thick and .14" wide. Our UV Black cable ties are UV stabilized for outdoor use.

# STANDARD CABLE TIES



## STANDARD DUTY - 50 lbs TENSILE STRENGTH


PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N8SD25	25	NATURAL	8.0"	2.0"
N8SD100	100	NATURAL	8.0"	2.0"
N8SD1000	1000	NATURAL	8.0"	2.0"
B8SD25	25	UV BLACK	8.0"	2.0"
B8SD100	100	UV BLACK	8.0"	2.0"
B8SD1000	1000	UV BLACK	8.0"	2.0"
N11SD25	25	NATURAL	11.8"	3.0"
N11SD100	100	NATURAL	11.8"	3.0"
N11SD1000	1000	NATURAL	11.8"	3.0"
B11SD25	25	UV BLACK	11.8"	3.0"
B11SD100	100	UV BLACK	11.8"	3.0"
B11SD1000	1000	UV BLACK	11.8"	3.0"
N14SD25	25	NATURAL	14.6"	4.0"
N14SD100	100	NATURAL	14.6"	4.0"
N14SD1000	1000	NATURAL	14.6"	4.0"
B14SD25	25	UV BLACK	14.6"	4.0"
B14SD100	100	UV BLACK	14.6"	4.0"
B14SD1000	1000	UV BLACK	14.6"	4.0"
N17SD100	100	NATURAL	17.0"	4.9"
B17SD100	100	UV BLACK	17.0"	4.9"
B24SD100	100	UV BLACK	24.0"	7.1"
N36SD100	100	NATURAL	36"	10.4"
B36SD100	100	UV BLACK	36"	10.4"

PRO TIE Standard Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Standard Duty cable ties are approximately .05" thick and .19" wide. Our UV Black cable ties are UV stabilized for outdoor use.





## STANDARD CABLE TIES




### HEAVY DUTY - 120 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N8HD100	100	NATURAL	7.9"	2.0"
N8HD500	500	NATURAL	7.9"	2.0"
B8HD100	100	UV BLACK	7.9"	2.0"
B8HD500	500	UV BLACK	7.9"	2.0"
N11HD100	100	NATURAL	11.9"	3.0"
N11HD500	500	NATURAL	11.9"	3.0"
B11HD100	100	UV BLACK	11.9"	3.0"
B11HD500	500	UV BLACK	11.9"	3.0"
N14HD25	25	NATURAL	14.5"	4.0"
N14HD100	100	NATURAL	14.5"	4.0"
N14HD500	500	NATURAL	14.5"	4.0"
B14HD25	25	UV BLACK	14.5"	4.0"
B14HD100	100	UV BLACK	14.5"	4.0"
B14HD500	500	UV BLACK	14.5"	4.0"
N18HD50	50	NATURAL	18.0"	5.2"
N18HD250	250	NATURAL	18.0"	5.2"
B18HD50	50	UV BLACK	18.0"	5.2"
B18HD250	250	UV BLACK	18.0"	5.2"

PRO TIE Heavy Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Heavy Duty cable ties are approximately .08" thick and .30" wide. Our UV Black cable ties are UV stabilized for outdoor use.

# STANDARD CABLE TIES




## EXTRA HEAVY DUTY - 175 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N17EHD50	50	NATURAL	17.0"	4.9"
N17EHD250	250	NATURAL	17.0"	4.9"
B17EHD50	50	UV BLACK	17.0"	4.9"
B17EHD250	250	UV BLACK	17.0"	4.9"
N24EHD25	25	NATURAL	24.9"	7.0"
N24EHD50	50	NATURAL	24.9"	7.0"
B24EHD25	25	UV BLACK	24.9"	7.0"
B24EHD50	50	UV BLACK	24.9"	7.0"
N36EHD10	10	NATURAL	36.5"	10.7"
N36EHD50	50	NATURAL	36.5"	10.7"
B36EHD10	10	UV BLACK	36.5"	10.7"
B36EHD50	50	UV BLACK	36.5"	10.7"
N48EHD10	10	NATURAL	48.0"	15.0"
N48EHD50	50	NATURAL	48.0"	15.0"
B48EHD10	10	UV BLACK	48.0"	15.0"
B48EHD25	25	UV BLACK	48.0"	15.0"
B53EHD25	25	UV BLACK	53.0"	16.5"

PRO TIE Extra Heavy Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Extra Heavy Duty cable ties are approximately .08" thick and .35" wide. Our UV Black cable ties are UV stabilized for outdoor use. UL 94 Flammability Class V-2 for use in air handling areas and HVAC duct work.

← NEW!




## SUPER HEAVY DUTY - 250 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
B9SHD100	100	UV BLACK	9.0"	2.2"
N22SHD25	25	NATURAL	22.0"	6.0"
N22SHD100	100	NATURAL	22.0"	6.0"
B22SHD25	25	UV BLACK	22.0"	6.0"
B22SHD100	100	UV BLACK	22.0"	6.0"
N40SHD10	10	NATURAL	40.0"	12.1"
N40SHD25	25	NATURAL	40.0"	12.1"
N40SHD100	100	NATURAL	40.0"	12.1"
B40SHD10	10	UV BLACK	40.0"	12.1"
B40SHD25	25	UV BLACK	40.0"	12.1"
B40SHD100	100	UV BLACK	40.0"	12.1"

PRO TIE Super Heavy Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Super Heavy Duty cable ties are approximately .10" thick and .50" wide. Our UV Black cable ties are UV stabilized for outdoor use.



## STANDARD CABLE TIES



### ULTRA LIGHT DUTY - 18 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
RD4ULD100	100	RED	4.0"	.75"
YL4ULD100	100	YELLOW	4.0"	.75"
GR4ULD100	100	GREEN	4.0"	.75"
BL4ULD100	100	BLUE	4.0"	.75"
OR4ULD100	100	ORANGE	4.0"	.75"
PR4ULD100	100	PURPLE	4.0"	.75"
BR4ULD100	100	BROWN	4.0"	.75"
GY4ULD100	100	GRAY	4.0"	.75"

PRO TIE Color cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Color cable ties are NOT UV stabilized.

### LIGHT DUTY - 40 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
RD5LD100	100	RED	5.5"	1.3"
YL5LD100	100	YELLOW	5.5"	1.3"
GR5LD100	100	GREEN	5.5"	1.3"
BL5LD100	100	BLUE	5.5"	1.3"
OR5LD100	100	ORANGE	5.5"	1.3"
PR5LD100	100	PURPLE	5.5"	1.3"
BR5LD100	100	BROWN	5.5"	1.3"
GY5LD100	100	GRAY	5.5"	1.3"
RD8LD1000	1000	RED	8.0"	2.0"
GR8LD1000	1000	GREEN	8.0"	2.0"

← NEW!  
← NEW!

### HEAVY DUTY - 120 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
RD14HD100	100	RED	14.5"	4.0"
YL14HD100	100	YELLOW	14.5"	4.0"
BL14HD100	100	BLUE	14.5"	4.0"
OR14HD100	100	ORANGE	14.5"	4.0"
AC14HD100	100	ASSORTED	14.5"	4.0"



## COLOR CABLE TIES



# COLOR CABLE TIES

### STANDARD DUTY - 50 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
RD8SD100	100	RED	8.0"	2.0"
YL8SD100	100	YELLOW	8.0"	2.0"
GR8SD100	100	GREEN	8.0"	2.0"
BL8SD100	100	BLUE	8.0"	2.0"
OR8SD100	100	ORANGE	8.0"	2.0"
PR8SD100	100	PURPLE	8.0"	2.0"
BR8SD100	100	BROWN	8.0"	2.0"
GY8SD100	100	GRAY	8.0"	2.0"
AC8SD100	100	ASSORTED	8.0"	2.0"
RD11SD100	100	RED	11.8"	3.0"
YL11SD100	100	YELLOW	11.8"	3.0"
GR11SD100	100	GREEN	11.8"	3.0"
BL11SD100	100	BLUE	11.8"	3.0"
OR11SD100	100	ORANGE	11.8"	3.0"
PR11SD100	100	PURPLE	11.8"	3.0"
BR11SD100	100	BROWN	11.8"	3.0"
GY11SD100	100	GRAY	11.8"	3.0"
AC11SD100	100	ASSORTED	11.8"	3.0"
RD14SD100	100	RED	14.6"	4.0"
YL14SD100	100	YELLOW	14.6"	4.0"
GR14SD100	100	GREEN	14.6"	4.0"
BL14SD100	100	BLUE	14.6"	4.0"
OR14SD100	100	ORANGE	14.6"	4.0"
PR14SD100	100	PURPLE	14.6"	4.0"
BR14SD100	100	BROWN	14.6"	4.0"
GY14SD100	100	GRAY	14.6"	4.0"
AC14SD100	100	ASSORTED	14.6"	4.0"

PRO TIE Color cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Color cable ties are NOT UV stabilized.



# CHRISTMAS CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
CHR100	100	RED AND GREEN	4 - 14"	.75 - 4"

Pro Tie Christmas Cable Tie Assortments are 100 total red and green nylon ties in sizes from 4" to 14" made from 6/6 nylon (not UV).



## COLOR CABLE TIES

# CAMOUFLAGE CABLE TIES

### CAMOUFLAGE ASSORTMENT CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
CF4ULD100	100	CAMO	4.0"	.75"
CF8SD100	100	CAMO	8.0"	2.0"
CF11SD100	100	CAMO	11.8"	3.0"
CF14SD100	100	CAMO	14.6"	4.0"
CAM200	200	CAMO	4 - 11"	.75 - 3"

Pro Tie Camouflage Assortment cable ties are a mixture of olive green, tan, and UV black cable ties. Perfect for hunters for securing fabrics, grasses and other camouflaging materials.

PRO TIE Camouflage cable ties are made from high strength and lightweight 6/6 nylon. Olive green, tan, and safety orange cable ties are NOT UV stabilized, but the UV black ties are.

CAM200 (Assorted Sizes, 200/PK) comes 12 bags per box with a clip strip for hanging.



### SINGLE COLOR CAMOUFLAGE CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
CFT4ULD100	100	TAN	4.0"	.75"
CFT8SD100	100	TAN	8.0"	2.0"
CFT11SD100	100	TAN	11.8"	3.0"
CFT14SD100	100	TAN	14.6"	4.0"
CFO4ULD100	100	OLIVE GREEN	4.0"	.75"
CFO8SD100	100	OLIVE GREEN	8.0"	2.0"
CFO11SD100	100	OLIVE GREEN	11.8"	3.0"
CFO14SD100	100	OLIVE GREEN	14.6"	4.0"
SO4ULD100	100	SAFETY ORANGE	4.0"	.75"
SO8SD100	100	SAFETY ORANGE	8.0"	2.0"
SO11SD100	100	SAFETY ORANGE	11.8"	3.0"
SO14SD100	100	SAFETY ORANGE	14.6"	4.0"

Pro Tie Single Color Camouflage cable ties are either olive green, tan, or safety orange cable ties. Perfect for hunters for securing fabrics, grasses, and other camouflaging materials and when you want to select the color cable tie that is just right for your needs.



# SPECIALTY CABLE TIES



## RELEASABLE CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
RN5SD100	100	NATURAL	5.9"	1.25"
RB5SD100	100	UV BLACK	5.9"	1.25"
RN8SD25	25	NATURAL	7.9"	1.75"
RN8SD100	100	NATURAL	7.9"	1.75"
RB8SD25	25	UV BLACK	7.9"	1.75"
RB8SD100	100	UV BLACK	7.9"	1.75"
RN11SD25	25	NATURAL	11.8"	3.0"
RN11SD100	100	NATURAL	11.8"	3.0"
RB11SD25	25	UV BLACK	11.8"	3.0"
RB11SD100	100	UV BLACK	11.8"	3.0"
RN14SD100	100	NATURAL	14.6"	4.0"
RB14SD100	100	UV BLACK	14.6"	4.0"
RN15SD25	25	NATURAL	15.7"	4.1"
RB15SD25	25	UV BLACK	15.7"	4.1"
RN19HD25	25	NATURAL	19.7"	5.9"
RB19HD25	25	UV BLACK	19.7"	5.9"
RN22SHD10	10	NATURAL	22"	6"
RB22SHD10	10	UV BLACK	22"	6"
RN34SHD10	10	NATURAL	34"	10"
RB34SHD10	10	UV BLACK	34"	10"

PRO TIE Releasable Standard Duty cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Our UV Black cable ties are UV stabilized for outdoor use. Releasable cable ties have an easy push button release so you can reuse the tie over and over.



## STAINLESS STEEL PAWL CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	TENSILE STRENGTH
B4SSP50	50	UV BLACK	3.9"	.75"	18 LB
B5SSP50	50	UV BLACK	5.5"	1.25"	40 LB
B7SSP50	50	UV BLACK	7.3"	1.5"	50 LB
B11SSP50	50	UV BLACK	11.4"	3.0"	50 LB
B14SSP50	50	UV BLACK	14"	4.0"	50 LB
B14SSP25	25	UV BLACK	14"	4.0"	120 LB

PRO TIE Stainless Steel Pawl cable ties are made from high strength and lightweight 6/6 nylon which are UV stabilized for outdoor use. Stainless steel pawls provide increased strength and security and infinite locking points for precision adjustment.





## STAINLESS CABLE TIES



### NARROW STAINLESS - 100 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	MATERIAL	APPROX. LENGTH	BUNDLE DIAMETER
SS8N5	5	316 SS	7.9"	2.0"
SS14N5	5	316 SS	14.2"	4.0"
SS20N5	5	316 SS	20.4"	6.0"
SS26N5	5	316 SS	26.8"	8.0"
SS33N5	5	316 SS	33.0"	10.0"
SS41N5	5	316 SS	41.3"	12.0"
SS8N50	50	316 SS	7.9"	2.0"
SS14N50	50	316 SS	14.2"	4.0"
SS20N50	50	316 SS	20.4"	6.0"
SS26N50	50	316 SS	26.8"	8.0"
SS33N50	50	316 SS	33.0"	10.0"
SS41N50	50	316 SS	41.3"	12.0"

PRO TIE 316 Marine Grade Stainless Steel cable ties are perfect for harsh environments where corrosion, abrasion, vibration or temperature extremes are of concern. The operating temperature range for our ties is -80 to 1000° F (-62 to 538° C). 316 Marine Grade Stainless is widely used around water including sea water, harsh chemicals, salts, acids, in abrasive environments or equipment, or where a permanent cable tie is required. PRO TIE stainless ties are also low profile ball lock style ties and are NOT suitable for high pressure applications. PRO TIE narrow ties are approximately 3/16" wide and the wide ties are approximately 5/16" wide.

### WIDE STAINLESS - 250 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	MATERIAL	APPROX. LENGTH	BUNDLE DIAMETER
SS8W5	5	316 SS	7.9"	2.0"
SS14W5	5	316 SS	14.2"	4.0"
SS20W5	5	316 SS	20.4"	6.0"
SS26W5	5	316 SS	26.8"	8.0"
SS33W5	5	316 SS	33.0"	10.0"
SS41W5	5	316 SS	41.3"	12.0"
SS8W50	50	316 SS	7.9"	2.0"
SS14W50	50	316 SS	14.2"	4.0"
SS20W50	50	316 SS	20.4"	6.0"
SS26W50	50	316 SS	26.8"	8.0"
SS33W50	50	316 SS	33.0"	10.0"
SS41W50	50	316 SS	41.3"	12.0"



Use PRO TIE 1/4" drive stainless steel tension tool, Part # TTSS3, shown on page 18 for best results.



## SS & CLAMP CABLE TIES



### HEAVY DUTY WIDE STAINLESS - 450 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	MATERIAL	APPROX. LENGTH	BUNDLE DIAMETER
SS8HDW5	5	316 SS	7.9"	2.0"
SS14HDW5	5	316 SS	14.2"	4.0"
SS20HDW5	5	316 SS	20.4"	6.0"
SS26HDW5	5	316 SS	26.8"	8.0"
SS33HDW5	5	316 SS	33.0"	10.0"
SS41HDW5	5	316 SS	41.3"	12.0"
SS8HDW20	20	316 SS	7.9"	2.0"
SS14HDW20	20	316 SS	14.2"	4.0"
SS20HDW20	20	316 SS	20.4"	6.0"
SS26HDW20	20	316 SS	26.8"	8.0"
SS33HDW20	20	316 SS	33.0"	10.0"
SS41HDW20	20	316 SS	41.3"	12.0"

PRO TIE heavy duty wide stainless steel ties are also low profile ball lock style ties and are NOT suitable for high pressure applications. PRO TIE heavy duty wide ties are approximately 1/2" wide.



### 4" CLAMP HEAD - 20 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N4CL100	100	NATURAL	4.0"	.875"
N4CL500	500	NATURAL	4.0"	.875"
B4CL100	100	HIGH UV BLACK	4.0"	.875"
B4CL500	500	HIGH UV BLACK	4.0"	.875"

PRO TIE Clamp head cable ties are made from impact modified 6/6 nylon. Impact modified nylon 6/6 has been heat stabilized to 285° F and has a working temperature range of -40 to 185° F (-40 to 85° C). The black cable ties are HI-UV rated. 4" Clamp ties are approximately .09" wide and 8" Clamp ties are approximately .18" wide.


### 8" CLAMP HEAD - 60 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N8CL25	25	NATURAL	8.0"	1.75"
N8CL100	100	NATURAL	8.0"	1.75"
N8CL500	500	NATURAL	8.0"	1.75"
B8CL25	25	HIGH UV BLACK	8.0"	1.75"
B8CL100	100	HIGH UV BLACK	8.0"	1.75"
B8CL500	500	HIGH UV BLACK	8.0"	1.75"





## SCREW MOUNT TIES



PRO TIE clamp cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of  $-40$  to  $185^{\circ}\text{F}$  ( $-40$  to  $85^{\circ}\text{C}$ ). Our UV black cable ties are UV stabilized for outdoor use. Using a #8 or #10 wood, sheet metal, or concrete screw, fasten the bundle directly to walls, panels, automotive chassis, or any other surface you desire.

### SCREW MOUNT LIGHT DUTY - 40 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	SCREW SIZE	APPROX WIDTH
N5LDSM100	100	NATURAL	5.0"	.875"	#8	.14"
B5LDSM100	100	UV BLACK	5.0"	.875"	#8	.14"

### SCREW MOUNT STANDARD DUTY - 50 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	SCREW SIZE	APPROX WIDTH
N8SDSM25	25	NATURAL	8.0"	2.0"	#8-#10	.19"
N8SDSM100	100	NATURAL	8.0"	2.0"	#8-#10	.19"
N8SDSM1000	1000	NATURAL	8.0"	2.0"	#8-#10	.19"
B8SDSM25	25	UV BLACK	8.0"	2.0"	#8-#10	.19"
B8SDSM100	100	UV BLACK	8.0"	2.0"	#8-#10	.19"
B8SDSM1000	1000	UV BLACK	8.0"	2.0"	#8-#10	.19"
N15SDSM100	100	NATURAL	15.0"	4.0"	#8-#10	.19"
N15SDSM500	500	NATURAL	15.0"	4.0"	#8-#10	.19"
B15SDSM100	100	UV BLACK	15.0"	4.0"	#8-#10	.19"
B15SDSM500	500	UV BLACK	15.0"	4.0"	#8-#10	.19"

### SCREW MOUNT HEAVY DUTY - 120 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	SCREW SIZE	APPROX WIDTH
N15HDSM100	100	NATURAL	15.0"	4.0"	#10	.30"
B15HDSM100	100	UV BLACK	15.0"	4.0"	#10	.30"




# SPECIALTY CABLE TIES



## EZ-OFF TEAR AWAY CABLE TIES


PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N6QO100	100	NATURAL	5.5"	1.25"
B6QO100	100	BLACK	5.5"	1.25"
RD6QO100	100	RED	5.5"	1.25"
YL6QO100	100	YELLOW	5.5"	1.25"
GR6QO100	100	GREEN	5.5"	1.25"
BL6QO100	100	BLUE	5.5"	1.25"
OR6QO100	100	ORANGE	5.5"	1.25"
PR6QO100	100	PURPLE	5.5"	1.25"

PRO TIE EZ-Off (aka Quik Off) cable ties are designed with a tear away tab so that the tie can be removed without any tools. EZ-Off ties are made from high strength and lightweight 6/6 nylon. Because of the design and intended use of the cable ties, they don't have a tensile strength rating; they should be used for light duty application only. Tear away ties are not reusable. US Patent #7,062,820.



## HORIZONTAL ID - 18 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	PAD SIZE
N4HID100	100	NATURAL	4.3"	.62"	.3" X .8"
N4HID1000	1000	NATURAL	4.3"	.62"	.3" X .8"



## VERTICAL ID - 50 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER	PAD SIZE
N7VID25	25	NATURAL	7.6"	1.7"	.5" X 1.1"
N7VID100	100	NATURAL	7.6"	1.7"	.5" X 1.1"
N7VID500	500	NATURAL	7.6"	1.7"	.5" X 1.1"

PRO TIE horizontal and vertical identification cable tie tags only require an indelible marker to identify particular bundles of wires, looms or various other items which require identification.

← NEW!





## SPECIALTY CABLE TIES



### ARROWHEAD PUSH MOUNT - 40 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N5PM25	25	NATURAL	5.9"	1.5"
N5PM100	100	NATURAL	5.9"	1.5"
N5PM1000	1000	NATURAL	5.9"	1.5"
B5PM25	25	UV BLACK	5.9"	1.5"
B5PM100	100	UV BLACK	5.9"	1.5"
B5PM1000	1000	UV BLACK	5.9"	1.5"

PRO TIE Arrowhead Push Mount cable ties are made from high strength and lightweight 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Our UV black cable ties are UV stabilized for outdoor use. Arrowhead Push Mount cable ties feature locking barbs that snap and hold securely in pre-drilled holes in sheet metal from .079" to .125" thick. Ties can be mounted before or after bundling.

### ARROWHEAD PUSH MOUNT - 50 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
N7PM25	25	NATURAL	7.9"	2.0"
N7PM100	100	NATURAL	7.9"	2.0"
N7PM500	500	NATURAL	7.9"	2.0"
B7PM25	25	UV BLACK	7.9"	2.0"
B7PM100	100	UV BLACK	7.9"	2.0"
B7PM500	500	UV BLACK	7.9"	2.0"



### FIR TREE PUSH MOUNT - 50 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
B8FTPM25	25	UV BLACK	8.0"	2.0"
B8FTPM100	100	UV BLACK	8.0"	2.0"
B8FTPM500	500	UV BLACK	8.0"	2.0"

PRO TIE Fir Tree Push Mount cable ties are designed to securely grip 1/4" pre-drilled holes in almost any material ranging in thickness from .052" to .25". They are made from heat stabilized black nylon 6/6 and can be mounted before or after bundling.




# SPECIALTY CABLE TIES



## BUTTON HEAD CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
B10BH10	10	HI BLACK	9.65"	2.6"
B10BH25	25	HI BLACK	9.65"	2.6"
B10BH100	100	HI BLACK	9.65"	2.6"
B15BH10	10	HI BLACK	15"	4.3"
B15BH25	25	HI BLACK	15"	4.3"
B15BH100	100	HI BLACK	15"	4.3"

PRO TIE Button Head cable ties are made from high impact black nylon (approximately 0.22" wide) which has a working temperature range of -40 to 185° F (-40 to 85° C). Button Head cable ties are a two piece tie providing for parallel entry and exit through the head. The strap contains serrations on both sides and the head has two opposing pawls covered by a spherical dome cap. This design allows the strap bi-directional looping. Although Button Head ties are not designed to be releasable, you may be able to relieve some of the tension and release the tie.



## DOUBLE HEAD CABLE TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
B8SDDH10	10	UV BLACK	8.25"	.75" / 1.5"
B8SDDH25	25	UV BLACK	8.25"	.75" / 1.5"
B8SDDH100	100	UV BLACK	8.25"	.75" / 1.5"
B15SDDH10	10	UV BLACK	15.5"	2.0" / 4.0"
B15SDDH25	25	UV BLACK	15.5"	2.0" / 4.0"
B15SDDH100	100	UV BLACK	15.5"	2.0" / 4.0"

50 lbs tensile strength for the first loop and 40 lbs tensile strength for the second loop.

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
B16HDDH25	25	UV BLACK	15.5"	2.0" / 4.0"
B16HDDH100	100	UV BLACK	15.5"	2.0" / 4.0"

Heavy Duty Double Head ties have 120 lbs tensile strength for both loops.



PRO TIE Double Head cable ties are made from high strength and light-weight UV black 6/6 nylon. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture, is non-toxic and has a working temperature range of -40 to 185° F (-40 to 85° C). Standard Duty Double Head cable ties are approximately .18" wide and Heavy Duty cable ties are .030" wide. Double Head ties are designed to harness two cables simultaneously or the second loop can serve as a positioning device for the single cable.



## SPECIALTY CABLE TIES



### HANDCUFFS - 350 lbs TENSILE STRENGTH

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	OPENING DIAMETER
HCB	25	UV BLACK	34.5"	4.6"
HCN	25	NATURAL	34.5	4.6"

PRO TIE Heavy Duty handcuffs are made from high strength and lightweight 6/6 nylon. Pro Tie handcuffs have a heavy duty locking pawl that doesn't slip and are approximately .08" thick and .50" wide. Our UV black cable ties are UV stabilized which make them a better choice for cuffs that might be stored in vehicles or other areas where UV light may be present.



### METAL DETECTABLE CABLE TIES

PART #	PACKAGE QTY	TENSILE STRENGTH	APPROX. LENGTH	BUNDLE DIAMETER
MD4ULD100	100	18 LBS	4"	.75"
MD8LD100	100	40 LBS	8"	2"
MD8SD100	100	50 LBS	8"	2"
MD11SD100	100	50 LBS	11"	3"
MD14SD100	100	50 LBS	14"	4"

PRO TIE Metal Detectable cable ties are made from high strength and lightweight 6/6 nylon. The metal content is throughout the tie which allows the ties (including the cut off tails) to be detected with a metal detector for food processing and in other industries.



### PROWRAPS HOOK AND LOOP TIES

PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
BHL6	10	BLACK	6"	1"
BHL8	10	BLACK	8"	2"
BHL12	10	BLACK	12"	3"



PRO TIE Prowraps Hook and Loop ties are made from black 1/2" wide laminated hook and loop material - hook on one side, loop on the other. Hook and loop ties are perfect for applications that need to be frequently adjusted or released.

# QUIK TIE




# PRO TIE




## REUSEABLE QUICK RELEASE CABLE TIE

RELEASABLE THUMB LATCH • 29" LONG • 1/2" WIDE • 200 lb. TENSILE STRENGTH

### SINGLE LOOP



### DOUBLE LOOP



PART #	PACKAGE QTY	COLOR	APPROX. LENGTH	BUNDLE DIAMETER
QT29EHD5	5	YELLOW	29"	8" / 3.5"
QT29EHD25	25	YELLOW	29"	8" / 3.5"
QT29EHD100	100	YELLOW	29"	8" / 3.5"





## TENSION TOOLS

### TENSION TOOLS FOR NYLON CABLE TIES



#### **Part # TTN1850 - Economy Tension Tool for Nylon Ties**

Economy tool for tension adjustment and cutting of 18 to 50 lb nylon ties (up to .19" wide). An inexpensive tool for repetitive installation, tensioning and cutting of cable ties. Perfect for electricians, car repair or anyone with hard to reach areas.



#### **Part # TTN18175 - Intermediate Tension Tool for Nylon Ties**

Intermediate tool for tension adjustment and cutting of 18 to 175 lb nylon ties (up to .35" wide). Perfect for HVAC installers using 36" and 48" long cable ties or any other users using heavier duty ties.

### TENSION TOOLS FOR STAINLESS STEEL CABLE TIES



#### **Part # TTSS3 - Economy Tension Tool for Stainless Steel Ties**

Economy tool for tensioning wide and narrow stainless steel cable ties. Using a 1/4" drive socket screwdriver or ratchet, slide the slotted end of the tension tool over the cable tie and roll back over the top towards the head of the tie until you achieve the desired tension. Works with all Pro Tie stainless steel cable ties as well as other manufacturer's ties.



#### **Part # TTSSPT3 - Intermediate Tension Tool for Stainless Steel Ties**

Intermediate tool for tension adjustment and cutting of stainless steel cable ties up to 5/16" wide and .012" thick. Great for high repetition installations or where specific and/or repeatable tensions are required. Works with all Pro Tie stainless steel ties as well as other manufacturers' ties.




# MOUNTS



## ADHESIVE MOUNTS


PART #	PACKAGE QTY	COLOR	LENGTH	WIDTH	HEIGHT	TIE SIZE
<b>N34PSM100</b>	100	NATURAL	.75"	.75"	.20"	18-40 lbs
<b>B34PSM100</b>	100	BLACK	.75"	.75"	.20"	18-40 lbs



## ADHESIVE OR SCREW MOUNTS

PART #	PACKAGE QTY	COLOR	LENGTH	WIDTH	HEIGHT	TIE SIZE
<b>N1PSSM100</b>	100	NATURAL	1"	1"	.22"	18-50 lbs
<b>B1PSSM10</b>	10	BLACK	1"	1"	.22"	18-50 lbs
<b>B1PSSM100</b>	100	BLACK	1"	1"	.22"	18-50 lbs

Mounting method: Peel and Stick or use #6 - #8 screw.



## SADDLE MOUNTS

PART #	PACKAGE QTY	COLOR	LENGTH	WIDTH	HEIGHT	TIE SIZE
<b>N8SM100</b>	100	NATURAL	.6"	.38"	.28"	18-50 lbs
<b>N10SM100</b>	100	BLACK	.9"	.65"	.38"	18-120 lbs

Mounting method: Use #6 - #8 screw for N8SM100 and #8 - #10 screw for N10SM100.



## 316 STAINLESS STEEL SCREW MOUNTS

PART #	PACKAGE QTY	COLOR	LENGTH	WIDTH	HEIGHT	TIE SIZE
<b>SSCTM5</b>	5	STAINLESS	1.15"	.59"	.2"	300 lbs

316 Stainless Steel screw mounts are perfect for harsh environments where corrosion, abrasion, vibration or temperature extremes are of concern. The operating temperature range is -80 to 1000° F (-62 to 538° C). 316 Stainless is widely used around water including sea water, harsh chemicals, salts, acids, in abrasive environments or equipment, or where a permanent cable tie mount is required.

For Stainless Steel Ties up to 300 Pound Tensile Strength. For Nylon Ties up to 120 Pound Tensile Strength.

Mounting method: Use #8 - #10 stainless steel sheet metal screw.





## FROSTY TIES



**FROSTY TIES**  
EXTREME PERFORMANCE IN SUB-ZERO TEMPERATURES

Application Temperature  
-4°F/-20°C

Even premium nylon 6/6 cables ties become brittle below 32° F (0° C). Frosty Ties are specifically designed for applications down to -4° F (-20° C) and have higher/extended UV ratings for truly extreme performance.



PART #	PACKAGE QTY	APPROX. LENGTH	BUNDLE DIAMETER	TENSILE STRENGTH
FT8SD100	100	8"	2"	50
FT8SD1000	1000	8"	2"	50
FT11SD100	100	11"	3"	50
FT11SD1000	1000	11"	3"	50
FT14SD100	100	14"	4"	50
FT14SD1000	1000	14"	4"	50
FT15HD100	100	15"	4"	120

### Temperature Definitions and Differences

#### **Continuous Operating Temperature = UL Temperature Rating for Ties Once Applied**

Most standard 6/6 nylon ties and our **Frosty Ties** have a continuous operation temperature range of -40°F to +185° F.

#### **Application Temperature = UL Temperature Rating at the Time of Tie Application**

Most standard 6/6 nylon ties have a cold application temperature range of +32°F (0°C). Our **Frosty Ties** have a cold application temperature range of -4°F (-20°C). This is a 36°F difference in cold application temperature rating.

All cable ties have a measured moisture content to allow ties to be flexible. During cold weather periods, the moisture in ties can freeze, making the ties brittle and susceptible to breakage. Keeping ties in a heated area or allowing ties to warm up prior to application will keep the ties flexible thus providing the desired performance.

## CABLE TIE ASSORTMENTS



### Part # SPP1200 - ProTie 1200 Piece Cable Tie Assortment

1200 Piece assortment includes 4" 18 pound, 6" 40 pound, 8" 40 pound, and 11" 40 pound tensile strength cable ties in black, natural, red, green, blue, and yellow assorted colors.



### Part # IND200 - ProTie 200 Piece Industrial Cable Tie Assortment

200 Piece assortment of cable ties with 8" black and natural in 50 pound, 8" and 14" black 120 pound, and 11" and 14" black in 50 pound tensile strength. These are the highest selling and most useful ties in the industry all in one assortment.





## BI-RACK DISPLAY

PRO TIE RACK DISPLAYS are the best way to market your cable tie selection. Full color signage and a mobile display rack make it quick and easy to draw your customer's attention to one of YOUR best selling categories. Experience has shown that cable ties displayed on this rack out perform sales on gondola displays by 40%. The Pro Tie Bi-Rack is approximately 7' tall (including signage), 24" wide, and 16" deep so it can be placed almost anywhere. When you order a Pro Tie Bi-Rack, you get all the merchandise (52 SKUs / 204 packages), display rack, peg hooks with scan tags, POP signage and holder, setup instructions and a plan-o-gram, all of which can be shipped directly to your store.



FRONT



BACK





## PROTIE BI-RACK CONTENTS

MODEL NUMBER	DESCRIPTION	KIT PIECES	MODEL NUMBER	DESCRIPTION	KIT PIECES
AC11SD100	11" ASSORTED COLOR STAND. DUTY, 100/PK	3	BL8SD100	8" BLUE NYLON, STANDARD DUTY, 100/PK	3
AC14SD100	14" ASSORTED COLOR STAND. DUTY, 100/PK	3	GR11SD100	11" GREEN NYLON, STANDARD DUTY, 100/PK	3
AC8SD100	8" ASSORTED COLOR STAND. DUTY, 100/PK	5	GR4ULD100	4" GREEN, ULTRA LIGHT DUTY, 100/PK	5
B11SD100	11" STAND. DUTY, UV BLACK NYLON, 100/PK	7	GR8SD100	8" GREEN NYLON, STANDARD DUTY, 100/PK	5
B14HD100	14" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	N11SD100	11" STAND. DUTY, NATURAL NYLON, 100/PK	5
B14SD100	14" STAND. DUTY, UV BLACK NYLON, 100/PK	5	N14HD100	14" HEAVY DUTY, NATURAL NYLON, 100/PK	3
B15SDSM100	15" SD SCREW MOUNT, UV BLACK, 100/PK	3	N14SD100	14" STAND. DUTY, NATURAL NYLON, 100/PK	3
B17EHD50	17" EXTRA HEAVY DUTY, UV BLACK, 50/PK	3	N17EHD50	17" EXTRA HEAVY DUTY, NATURAL, 50/PK	3
B18HD50	18" HEAVY DUTY, UV BLACK NYLON, 50/PK	3	N4ULD100	4" ULTRA LIGHT DUTY, NATURAL, 100/PK	3
B22SHD25	22" SUPER HEAVY DUTY, UV BLACK, 25/PK	3	N5LD100	5" LIGHT DUTY, NATURAL NYLON, 100/PK	3
B24EHD25	24" EXTRA HEAVY DUTY, UV BLACK, 25/PK	3	N7VID100	7" VERTICAL ID, NATURAL NYLON, 100/PK	3
B36EHD10	36" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N8HD100	8" HEAVY DUTY, NATURAL NYLON, 100/PK	3
B48EHD10	48" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N8LD100	8" LIGHT DUTY, NATURAL NYLON, 100/PK	5
B4ULD100	4" ULTRA LIGHT DUTY, UV BLACK, 100/PK	5	N8SD100	8" STAND DUTY, NATURAL NYLON, 100/PK	5
B5LD100	5" LIGHT DUTY, UV BLACK NYLON, 100/PK	5	OR8SD100	8" ORANGE NYLON, STAND. DUTY, 100/PK	5
B5PM100	5" PUSH MOUNT, UV BLACK NYLON, 100/PK	3	QT29EHD5	29" QUICK TIE, YELLOW NYLON, 5/PK	3
B6QO100	6" EZ-OFF BLACK, LIGHT DUTY, 100/PK	3	RD11SD100	11" RED NYLON, STANDARD DUTY, 100/PK	3
B8CL100	8" CLAMP HEAD, UV BLACK NYLON, 100/PK	3	RD4ULD100	4" RED NYLON ULTRA LIGHT DUTY, 100/PK	5
B8FTPM100	8" FIR TREE PUSH MOUNT, UV BLACK, 100/PK	3	RD6QO100	6" EZ-OFF RED, LIGHT DUTY, 100/PK	3
B8HD100	8" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	RD8SD100	8" RED NYLON, STANDARD DUTY, 100/PK	5
B8LD100	8" LIGHT DUTY, UV BLACK NYLON, 100/PK	7	SS14W5	14" STAINLESS STEEL, WIDE, 5/PK	3
B8SD100	8" STANDARD DUTY, UV BLACK, 100/PK	7	SS8N5	8" STAINLESS STEEL, NARROW, 5/PK	3
B8SDSM100	8" SD SCREW MOUNT, UV BLACK, 100/PK	3	TTSS3	1/4" DRIVE TENSION TOOL FOR SS TIES	3
B8ULD100	8" ULTRA LIGHT DUTY, UV BLACK, 100/PK	3	YL11SD100	11" YELLOW NYLON, STAND. DUTY, 100/PK	3
BL11SD100	11" BLUE NYLON, STANDARD DUTY, 100/PK	3	YL4ULD100	4" YELLOW NYLON, ULTRA LIGHT, 100/PK	5
BL4ULD100	4" BLUE NYLON, ULTRA LIGHT DUTY, 100/PK	5	YL8SD100	8" YELLOW NYLON, STAND DUTY, 100/PK	5

52 SKUS AND 204 PACKAGES



## TRI-RACK DISPLAY

PRO TIE RACK DISPLAYS are the best way to market your cable tie selection. Full color signage and a mobile display rack make it quick and easy to draw your customer's attention to one of YOUR best selling categories. Experience has shown that cable ties displayed on this rack out perform sales on gondola displays by 40%. The Pro Tie Tri-Rack is approximately 7' tall (including signage), 28" wide, and 32" deep so it can be placed almost anywhere. When you order a Pro Tie Tri-Rack, you get all the merchandise (69 SKUs / 219 packages), display rack with a roll around base, peg hooks with scan tags, POP signage and holder, setup instructions and a plan-o-gram, all of which can be shipped directly to your store.



PANEL 1



PANEL 2



PANEL 3

# TRI-RACK DISPLAY



## PROTIE TRI-RACK CONTENTS

MODEL NUMBER	DESCRIPTION	KIT PIECES	MODEL NUMBER	DESCRIPTION	KIT PIECES
AC11SD100	11" ASSORTED COLOR STAND. DUTY, 100/PK	3	N14HD100	14" HEAVY DUTY, NATURAL NYLON, 100/PK	3
AC14SD100	14" ASSORTED COLOR STAND. DUTY, 100/PK	2	N14SD100	14" STAND. DUTY, NATURAL NYLON, 100/PK	3
AC8SD100	8" ASSORTED COLOR STAND. DUTY, 100/PK	3	N17EHD50	17" EXTRA HEAVY DUTY, NATURAL, 50/PK	2
B11SD100	11" STAND. DUTY, UV BLACK NYLON, 100/PK	7	N18HD50	18" HEAVY DUTY, NATURAL NYLON, 50/PK	2
B14HD100	14" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	N22SHD25	22" SUPER HEAVY DUTY, NATURAL, 25/PK	2
B14SD100	14" STAND. DUTY, UV BLACK NYLON, 100/PK	5	N24EHD25	24" EXTRA HEAVY DUTY, NATURAL, 25/PK	2
B15SDSM100	15" SD SCREW MOUNT, UV BLACK, 100/PK	3	N36EHD10	36" EXTRA HEAVY DUTY, NATURAL, 10/PK	2
B17EHD50	17" EXTRA HEAVY DUTY, UV BLACK, 50/PK	3	N40SHD10	18" SUPER HEAVY DUTY, NATURAL, 10/PK	2
B18HD50	18" HEAVY DUTY, UV BLACK NYLON, 50/PK	3	N48EHD10	18" EXTRA HEAVY DUTY, NATURAL, 10/PK	2
B22SHD25	22" SUPER HEAVY DUTY, UV BLACK, 25/PK	3	N4ULD100	4" ULTRA LIGHT DUTY, NATURAL, 100/PK	3
B24EHD25	24" EXTRA HEAVY DUTY, UV BLACK, 25/PK	3	N5LD100	5" LIGHT DUTY, NATURAL NYLON, 100/PK	3
B36EHD10	36" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N7VID100	7" VERTICAL ID, NATURAL NYLON, 100/PK	3
B40SHD10	40" SUPER HEAVY DUTY, UV BLACK, 10/PK	3	N8CL100	8" CLAMP HEAD, NATURAL NYLON, 100/PK	2
B48EHD10	48" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N8HD100	8" HEAVY DUTY, NATURAL NYLON, 100/PK	3
B4ULD100	4" ULTRA LIGHT DUTY, UV BLACK, 100/PK	5	N8LD100	8" LIGHT DUTY, NATURAL NYLON, 100/PK	5
B5LD100	5" LIGHT DUTY, UV BLACK NYLON, 100/PK	5	N8SD100	8" STAND. DUTY, NATURAL NYLON, 100/PK	5
B5PM100	5" PUSH MOUNT, UV BLACK NYLON, 100/PK	2	N8SDSM100	8" SD SCREW MOUNT, NATURAL, 100/PK	3
B6QO100	6" EZ-OFF BLACK, LIGHT DUTY, 100/PK	3	OR11SD100	11" ORANGE NYLON, STAND. DUTY, 100/PK	3
B8CL100	8" CLAMP HEAD, UV BLACK NYLON, 100/PK	2	OR8SD100	8" ORANGE NYLON, STAND DUTY, 100/PK	5
B8FTPM100	8" FIR TREE PUSH MOUNT, UV BLACK, 100/PK	2	PR8SD100	8" PURPLE NYLON, STANDARD DUTY, 100/PK	5
B8HD100	8" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	QT29EHD5	29" QUICK TIE, YELLOW NYLON, 5/PK	3
B8LD100	8" LIGHT DUTY, UV BLACK NYLON, 100/PK	7	RD11SD100	11" RED NYLON, STANDARD DUTY, 100/PK	3
B8SD100	8" STANDARD DUTY, UV BLACK, 100/PK	7	RD14SD100	14" RED NYLON, STANDARD DUTY, 100/PK	2
B8SDSM100	8" SD SCREW MOUNT, UV BLACK, 100/PK	3	RD4ULD100	4" RED NYLON, ULTRA LIGHT DUTY, 100/PK	3
B8ULD100	8" ULTRA LIGHT DUTY, UV BLACK, 100/PK	3	RD6QO100	6" EZ-OFF RED NYLON, LIGHT DUTY, 100/PK	3
BL11SD100	11" BLUE NYLON, STANDARD DUTY, 100/PK	3	RD8SD100	8" RED NYLON, STANDARD DUTY, 100/PK	3
BL14SD100	14" BLUE NYLON, STANDARD DUTY, 100/PK	2	SS14W5	14" STAINLESS STEEL, WIDE, 5/PK	2
BL4ULD100	4" BLUE NYLON, ULTRA LIGHT DUTY, 100/PK	3	SS8N5	8" STAINLESS STEEL, NARROW, 5/PK	2
BL8SD100	8" BLUE NYLON, STANDARD DUTY, 100/PK	3	TTSS3	1/4" DRIVE TENSION TOOL FOR SS TIES	2
CAM200	CAMO ASSORTMENT, 4", 8", 11", 200/PK	3	TTN18175	TENSION TOOL, 18-175 LB, NYLON ONLY	2
GR11SD100	11" GREEN NYLON, STANDARD DUTY, 100/PK	3	YL11SD100	11" YELLOW NYLON, STAND. DUTY, 100/PK	3
GR14SD100	14" GREEN NYLON, STANDARD DUTY, 100/PK	2	YL14SD100	14" YELLOW NYLON, STAND. DUTY, 100/PK	2
GR4ULD100	4" GREEN NYLON, ULTRA LIGHT DUTY, 100/PK	3	YL4ULD100	4" YELLOW NYLON, ULTRA LIGHT, 100/PK	3
GR8SD100	8" GREEN NYLON, STANDARD DUTY, 100/PK	3	YL8SD100	8" YELLOW NYLON, STAND. DUTY, 100/PK	3
N11SD100	11" STAND. DUTY, NATURAL NYLON, 100/PK	5			

69 SKUS AND 219 PACKAGES





## QUAD-RACK DISPLAY

PRO TIE RACK DISPLAYS are the best way to market your cable tie selection. Full color signage and a mobile display rack make it quick and easy to draw your customer's attention to one of YOUR best selling categories. Experience has shown that cable ties displayed on this rack out perform sales on gondola displays by 40%. The Pro Tie Quad-Rack is approximately 7' tall (including signage), 32" wide, and 32" deep so it can be placed almost anywhere. When you order a Pro Tie Quad-Rack, you get all the merchandise (89 SKUs / 273 packages), display rack with a roll around base, peg hooks with scan tags, POP signage and holder, setup instructions and a plan-o-gram, all of which can be shipped directly to your store.





# QUAD-RACK DISPLAY



MODEL NUMBER	DESCRIPTION	KIT PIECES	MODEL NUMBER	DESCRIPTION	KIT PIECES
AC11SD100	11" ASSORTED COLOR, STAND. DUTY, 100/PK	3	N14SD100	14" STAND. DUTY, NATURAL NYLON, 100/PK	3
AC14SD100	14" ASSORTED COLOR, STAND. DUTY, 100/PK	2	N15SDSM100	15" SD SCREW MOUNT, NATURAL, 100/PK	3
AC8SD100	8" ASSORTED COLOR, STAND. DUTY, 100/PK	3	N17EHD50	17" EXTRA HEAVY DUTY, NATURAL, 50/PK	2
B11HD100	11" HEAVY DUTY, UV BLACK NYLON, 100/PK	3	N17SD100	17" STAND. DUTY, NATURAL NYLON, 100/PK	2
B11SD100	11" STAND. DUTY, UV BLACK NYLON, 100/PK	7	N18HD50	18" HEAVY DUTY, NATURAL NYLON, 50/PK	2
B14HD100	14" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	N22SHD25	22" SUPER HEAVY DUTY, NATURAL, 25/PK	2
B14SD100	14" STAND. DUTY, UV BLACK NYLON, 100/PK	5	N24EHD25	24" EXTRA HEAVY DUTY, NATURAL, 25/PK	2
B15SDDH25	15" SD DOUBLE HEAD, UV BLACK, 25/PK	3	N36EHD10	36" EXTRA HEAVY DUTY, NATURAL, 10/PK	2
B15SDSM100	15" SD SCREW MOUNT, UV BLACK, 100/PK	3	N40SHD10	18" SUPER HEAVY DUTY, NATURAL, 10/PK	2
B17EHD50	17" EXTRA HEAVY DUTY, UV BLACK, 50/PK	3	N48EHD10	18" EXTRA HEAVY DUTY, NATURAL, 10/PK	2
B17SD100	17" STAND. DUTY, UV BLACK NYLON, 100/PK	3	N4HID100	4" HORIZONTAL ID, NATURAL, 100/PK	3
B18HD50	18" HEAVY DUTY, UV BLACK NYLON, 50/PK	3	N4ULD100	4" ULTRA LIGHT DUTY, NATURAL, 100/PK	3
B1PSSM100	1" ADHESIVE SCREW MOUNT, BLACK, 100/PK	2	N5LD100	5" LIGHT DUTY, NATURAL NYLON, 100/PK	3
B22SHD25	22" SUPER HEAVY DUTY, UV BLACK, 25/PK	3	N7VID100	7" VERTICAL ID, NATURAL NYLON, 100/PK	3
B24EHD25	24" EXTRA HEAVY DUTY, UV BLACK, 25/PK	3	N8CL100	8" CLAMP HEAD, NATURAL NYLON, 100/PK	2
B34PSM100	3/4" ADHESIVE MOUNT, BLACK, 100/PK	2	N8HD100	8" HEAVY DUTY, NATURAL NYLON, 100/PK	3
B36EHD10	36" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N8LD100	8" LIGHT DUTY, NATURAL NYLON, 100/PK	5
B40SHD10	40" SUPER HEAVY DUTY, UV BLACK, 10/PK	3	N8SD100	8" STAND. DUTY, NATURAL NYLON, 100/PK	5
B48EHD10	48" EXTRA HEAVY DUTY, UV BLACK, 10/PK	3	N8SDSM100	8" SD SCREW MOUNT, NATURAL, 100/PK	3
B4ULD100	4" ULTRA LIGHT DUTY, UV BLACK, 100/PK	5	OR11SD100	11" ORANGE NYLON, STAND. DUTY, 100/PK	3
B5LD100	5" LIGHT DUTY, UV BLACK NYLON, 100/PK	5	OR6QO100	6" EZ-OFF ORANGE, LIGHT DUTY, 100/PK	3
B5PM100	5" PUSH MOUNT, UV BLACK NYLON, 100/PK	2	OR8SD100	8" ORANGE NYLON, STAND DUTY, 100/PK	5
B6QO100	6" EZ-OFF BLACK, LIGHT DUTY, 100/PK	3	PR11SD100	11" PURPLE NYLON, STAND. DUTY, 100/PK	3
B7PM100	7" ARROW PUSH MOUNT, UV BLACK, 100/PK	3	PR8SD100	8" PURPLE NYLON, STANDARD DUTY, 100/PK	5
B8CL100	8" CLAMP HEAD, UV BLACK NYLON, 100/PK	2	QT29EHD5	29" QUICK TIE, YELLOW NYLON, 5/PK	3
B8FTPM100	8" FIR TREE PUSH MOUNT, UV BLACK, 100/PK	2	RB11SD25	11" RELEASABLE SD, BLACK NYLON, 25/PK	3
B8HD100	8" HEAVY DUTY, UV BLACK NYLON, 100/PK	5	RB8SD25	8" RELEASABLE SD, BLACK NYLON, 25/PK	3
B8LD100	8" LIGHT DUTY, UV BLACK NYLON, 100/PK	7	RD11SD100	11" RED NYLON, STANDARD DUTY, 100/PK	3
B8SD100	8" STANDARD DUTY, UV BLACK, 100/PK	7	RD14SD100	14" RED NYLON, STANDARD DUTY, 100/PK	2
B8SDSM100	8" SD SCREW MOUNT, UV BLACK, 100/PK	3	RD4ULD100	4" RED NYLON, ULTRA LIGHT DUTY, 100/PK	3
B8ULD100	8" ULTRA LIGHT DUTY, UV BLACK, 100/PK	3	RD6QO100	6" EZ-OFF RED, LIGHT DUTY, 100/PK	3
BHL8	1/2" X 8" PROWRAPS HOOK AND LOOP, 10/PK	3	RD8SD100	8" RED NYLON, STANDARD DUTY, 100/PK	3
BL11SD100	11" BLUE NYLON, STANDARD DUTY, 100/PK	3	SS14N5	14" STAINLESS STEEL, NARROW, 5/PK	2
BL14SD100	14" BLUE NYLON, STANDARD DUTY, 100/PK	2	SS14W5	14" STAINLESS STEEL, WIDE, 5/PK	2
BL4ULD100	4" BLUE NYLON, ULTRA LIGHT DUTY, 100/PK	3	SS20W5	20" STAINLESS STEEL, WIDE, 5/PK	2
BL8SD100	8" BLUE NYLON, STANDARD DUTY, 100/PK	3	SS8N5	8" STAINLESS STEEL, NARROW, 5/PK	2
CAM200	CAMO ASSORTMENT, 4", 8", 11", 200/PK	3	SS8W5	8" STAINLESS STEEL, WIDE, 5/PK	2
CF11SD100	11" STAND. DUTY, CAMO ASSORTMENT, 100/PK	3	TTSS3	1/4" DRIVE TENSION TOOL FOR SS TIES	2
CF8SD100	8" STAND. DUTY, CAMO ASSORTMENT, 100/PK	3	TTN18175	TENSION TOOL, 18-175 LB, NYLON ONLY	2
GR11SD100	11" GREEN NYLON, STANDARD DUTY, 100/PK	3	YL11SD100	11" YELLOW NYLON, STAND. DUTY, 100/PK	3
GR14SD100	14" GREEN NYLON, STANDARD DUTY, 100/PK	2	YL14SD100	14" YELLOW NYLON, STAND. DUTY, 100/PK	2
GR4ULD100	4" GREEN NYLON, ULTRA LIGHT DUTY, 100/PK	3	YL4ULD100	4" YELLOW NYLON, ULTRA LIGHT, 100/PK	3
GR8SD100	8" GREEN NYLON, STANDARD DUTY, 100/PK	3	YL6QO100	6" EZ-OFF YELLOW, LIGHT DUTY, 100/PK	3
N11SD100	11" STAND. DUTY, NATURAL NYLON, 100/PK	5	YL8SD100	8" YELLOW NYLON, STAND. DUTY, 100/PK	3
N14HD100	14" HEAVY DUTY, NATURAL NYLON, 100/PK	3			

89 SKUS AND 273 PACKAGES



## POWER PANEL DISPLAYS

PRO TIE POWER PANELS (also called Side Kick) displays for our specialty assortments or just when it is not possible to fit a free standing cable tie display in your retail space. Power Panel displays are 15" wide and 48" tall (52" with sign) and attach to gondola fixture uprights. We have a 2 Power Panel assortment that carries 24 SKUs of the best selling Pro Tie cable ties. We have multiple single Power Panel assortments for Frosty Ties, Camouflage ties, and Pro Tie hose clamps. If you don't see what you are looking for, we are happy to make custom assortments for you.



PRO TIE  
TWO POWER PANEL  
ASSORTMENT



FROSTY TIE  
ONE POWER PANEL  
ASSORTMENT




CAMOUFLAGE  
ONE POWER PANEL  
ASSORTMENT





***100% Stainless Steel***  
**HOSE CLAMPS**





# HOSE CLAMPS

## Regular Duty Worm Drive Hose Clamps

Regular Duty worm drive hose clamps are for the broadest range of uses including home and automotive repairs, plumbing, farm and ranch, industrial and marine repairs. Precision machining of 201 stainless steel materials provides a long lasting and easy to use hose clamp that is corrosion resistant.

Screw: 8 MM hex slotted, 201 Stainless Steel  
Band: 1/2" band width, 201 Stainless Steel  
Housing: 201 Stainless Steel



### REGULAR DUTY CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33001	10	1/2"	7/16"	25/32"	8 MM HEX HEAD	06
33002	10	1/2"	1/2"	29/32"	8 MM HEX HEAD	08
33003	10	1/2"	9/16"	1-1/16"	8 MM HEX HEAD	10
33004	10	1/2"	11/16"	1-1/4"	8 MM HEX HEAD	12
33005	10	1/2"	13/16"	1-1/2"	8 MM HEX HEAD	16
33006	10	1/2"	13/16"	1-3/4"	8 MM HEX HEAD	20
33007	10	1/2"	1-1/16"	2"	8 MM HEX HEAD	24
33008	10	1/2"	1-5/16"	2-1/4"	8 MM HEX HEAD	28
33009	10	1/2"	1-9/16"	2-1/2"	8 MM HEX HEAD	32
33010	10	1/2"	1-13/16"	2-3/4"	8 MM HEX HEAD	36
33011	10	1/2"	2-1/16"	3"	8 MM HEX HEAD	40
33012	10	1/2"	2-5/16"	3-1/4"	8 MM HEX HEAD	44
33013	10	1/2"	2-9/16"	3-1/2"	8 MM HEX HEAD	48
33014	10	1/2"	2-13/16"	3-3/4"	8 MM HEX HEAD	52
33015	10	1/2"	3-1/16"	4"	8 MM HEX HEAD	56
33016	10	1/2"	3-5/16"	4-1/4"	8 MM HEX HEAD	60
33017	10	1/2"	3-9/16"	4-1/2"	8 MM HEX HEAD	64
33018	10	1/2"	4-1/16"	5"	8 MM HEX HEAD	72
33019	10	1/2"	4-5/8"	5-1/2"	8 MM HEX HEAD	80
33020	10	1/2"	5-1/16"	6"	8 MM HEX HEAD	88
33021	6	1/2"	5-9/16"	6-1/2"	8 MM HEX HEAD	96
33022	6	1/2"	6-3/16"	7"	8 MM HEX HEAD	104
33023	6	1/2"	6-5/8"	8-1/2"	8 MM HEX HEAD	128
33024	6	1/2"	7-1/8"	10"	8 MM HEX HEAD	152
33025	6	1/2"	9-3/8"	12-1/4"	8 MM HEX HEAD	188
33713	1	1/2"	1-5/8"	16-1/2"	5/16" Hex Head / Phillips	N/A

← NEW!



# HOSE CLAMPS



## Heavy Duty Worm Drive Hose Clamps

Heavy Duty worm drive hose clamps are for higher pressure applications. The wider band and housing provide additional strength over regular duty clamps. 301 stainless steel is even more corrosion resistant than 201 stainless steel.

Screw: 8 MM hex slotted, 301 Stainless Steel

Band: 9/16" band width, 301 Stainless Steel

Housing: 301 Stainless Steel



### HEAVY DUTY CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33522	4	9/16"	9/16"	1-1/16"	8 MM HEX HEAD	10
33523	4	9/16"	11/16"	1-1/4"	8 MM HEX HEAD	12
33524	4	9/16"	13/16"	1-1/2"	8 MM HEX HEAD	16
33525	4	9/16"	13/16"	1-3/4"	8 MM HEX HEAD	20
33501	4	9/16"	1-1/16"	2"	8 MM HEX HEAD	24
33526	4	9/16"	1-5/16"	2-1/4"	8 MM HEX HEAD	28
33503	4	9/16"	1-9/16"	2-1/2"	8 MM HEX HEAD	32
33527	4	9/16"	1-3/16"	2-3/4"	8 MM HEX HEAD	36
33528	4	9/16"	2-1/16"	3"	8 MM HEX HEAD	40
33506	4	9/16"	2-5/16"	3-1/4"	8 MM HEX HEAD	44
33529	4	9/16"	2-9/16"	3-1/2"	8 MM HEX HEAD	48
33530	4	9/16"	2-13/16"	3-3/4"	8 MM HEX HEAD	52
33509	4	9/16"	3-1/16"	4"	8 MM HEX HEAD	56
33531	4	9/16"	3-5/16"	4-1/4"	8 MM HEX HEAD	60
33532	4	9/16"	3-9/16"	4-1/2"	8 MM HEX HEAD	64
33512	4	9/16"	4"	5"	8 MM HEX HEAD	72
33533	4	9/16"	4-5/8"	5-1/2"	8 MM HEX HEAD	80
33514	4	9/16"	5-1/8"	6"	8 MM HEX HEAD	88
33534	4	9/16"	5-9/16"	6-1/2"	8 MM HEX HEAD	96
33535	4	9/16"	6-3/16"	7"	8 MM HEX HEAD	104



## HOSE CLAMPS

### Very Heavy Duty Worm Drive Hose Clamps



Very Heavy Duty worm drive hose clamps are for the highest pressure applications. The 5/8" wide band and larger housing provide superior clamping strength. 301 stainless steel is even more corrosion resistant than 201 stainless steel.

Screw: 8 MM hex slotted, 301 Stainless Steel

Band: 5/8" band width, 301 Stainless Steel

Housing: 301 Stainless Steel

#### VERY HEAVY DUTY CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33601	2	5/8"	1-5/16"	2-1/4"	8 MM HEX HEAD	028
33603	2	5/8"	1-13/16"	2-3/4"	8 MM HEX HEAD	036
33606	2	5/8"	2-9/16"	3-1/2"	8 MM HEX HEAD	048
33609	2	5/8"	3-5/16"	4-1/4"	8 MM HEX HEAD	060
33612	2	5/8"	4-5/8"	5-1/2"	8 MM HEX HEAD	080
33614	2	5/8"	5-1/2"	6-1/2"	8 MM HEX HEAD	096

### Mini Worm Drive Hose Clamps



Mini worm drive hose clamps are perfect for smaller clamping applications. Precision machining of 201 stainless steel materials provides a long lasting and easy to use hose clamp that is corrosion resistant.

Screw: 6 MM hex slotted, 201 Stainless Steel

Band: 5/16" band width, 201 Stainless Steel

Housing: 201 Stainless Steel

#### MINI CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33200	10	5/16"	1/4"	5/8"	6 MM HEX HEAD	4
33880	50	5/16"	1/4"	5/8"	6 MM HEX HEAD	4
33201	10	5/16"	7/16"	11/16"	6 MM HEX HEAD	6
33881	50	5/16"	7/16"	11/16"	6 MM HEX HEAD	6
33202	10	5/16"	1/2"	13/16"	6 MM HEX HEAD	8
33882	50	5/16"	1/2"	13/16"	6 MM HEX HEAD	8
33203	10	5/16"	9/16"	1-1/16"	6 MM HEX HEAD	10
33883	50	5/16"	9/16"	1-1/16"	6 MM HEX HEAD	10
33204	10	5/16"	11/16"	1-1/4"	6 MM HEX HEAD	12
33884	50	5/16"	11/16"	1-1/4"	6 MM HEX HEAD	12

← NEW!

← NEW!

← NEW!

← NEW!

← NEW!

# HOSE CLAMPS



## Mini Turn Key Worm Drive Hose Clamps

Mini Turn Key worm drive hose clamps are designed to be used without tools in smaller clamping applications. Precision machining of 201 stainless steel materials provides a long lasting and easy to use hose clamp that is corrosion resistant.

Screw: 201 Stainless Steel Screw with plastic key  
Band: 5/16" band width, 201 Stainless Steel  
Housing: 201 Stainless Steel



### MINI KEY CLAMP - STAINLESS STEEL WITH PLASTIC KEY

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33260	4	5/16"	1/4"	5/8"	SS W/ PLASTIC KEY	4
33261	4	5/16"	7/16"	1 1/16"	SS W/ PLASTIC KEY	6
33262	4	5/16"	1/2"	13/16"	SS W/ PLASTIC KEY	8
33263	4	5/16"	9/16"	1-1/16"	SS W/ PLASTIC KEY	10
33264	4	5/16"	11/16"	1-1/4"	SS W/ PLASTIC KEY	12



## Turn Key Worm Drive Hose Clamps

Turn Key worm drive hose clamps are designed to be used without tools so they are easier to use where repeated removal is required. Precision machining of 201 stainless steel materials provides a long lasting and easy to use hose clamp that is corrosion resistant.

Screw: Stainless Steel Key, 201 Stainless Steel  
Band: 1/2" band width, 201 Stainless Steel  
Housing: 201 Stainless Steel

### STAINLESS STEEL TURN KEY CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33101	10	1/2"	5/8"	1-1/4"	SS KEY	12
33102	10	1/2"	1-1/16"	2"	SS KEY	24
33103	10	1/2"	1-9/16"	2-1/2"	SS KEY	32
33104	10	1/2"	2-1/16"	3"	SS KEY	40
33105	6	1/2"	3-5/16"	4-1/4"	SS KEY	60
33106	6	1/2"	4-1/16"	5-1/2"	SS KEY	80
33718**	2	1/2"	4-1/16"	5-1/2"	SS KEY	80

**\*\*MODEL 33718 - Turn Key "Dryer" Hose Clamps are the perfect clamps for 4" dryer vent lines.**



## HOSE CLAMPS



### Channel Bridge T-Bolt Hose Clamps

Channel Bridge T-Bolt hose clamps are for the highest pressure applications. The 3/4" wide band and rigid bridge liner help prevent leaks, especially in softer hose materials. 304 stainless steel has superior corrosion resistance, even in marine applications.

Screw: 10 MM hex slotted, 304 Stainless Steel

Band: 3/4" band width, 304 Stainless Steel

Channel Bridge: 304 Stainless Steel

### CHANNEL BRIDGE T-BOLT CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33730	1	3/4"	1-5/8"	1-7/8"	10 MM HEX HEAD	N/A
33704	1	3/4"	1-7/8"	2-3/16"	10 MM HEX HEAD	32
33731	1	3/4"	2-1/8"	2-7/16"	10 MM HEX HEAD	40
33741	1	3/4"	2-3/8"	2-11/16"	10 MM HEX HEAD	48
33732	1	3/4"	2-1/2"	2-13/16"	10 MM HEX HEAD	52
33705	1	3/4"	2-7/8"	3-3/16"	10 MM HEX HEAD	64
33733	1	3/4"	3-1/8"	3-7/16"	10 MM HEX HEAD	72
33742	1	3/4"	3-1/4"	3-9/16"	10 MM HEX HEAD	76
33734	1	3/4"	3-1/2"	3-13/16"	10 MM HEX HEAD	84
33706	1	3/4"	3-3/4"	4-1/16"	10 MM HEX HEAD	92
33735	1	3/4"	4"	4-5/16"	10 MM HEX HEAD	100
33736	1	3/4"	4-1/4"	4-9/16"	10 MM HEX HEAD	108
33737	1	3/4"	4-1/2"	4-13/16"	10 MM HEX HEAD	116
33707	1	3/4"	4-3/4"	5-1/16"	10 MM HEX HEAD	124
33738	1	3/4"	5"	5-5/16"	10 MM HEX HEAD	132
33739	1	3/4"	5-1/4"	5-9/16"	10 MM HEX HEAD	140
33740	1	3/4"	5-1/2"	5-13/16"	10 MM HEX HEAD	148
33708	1	3/4"	5-3/4"	6-1/16"	10 MM HEX HEAD	156



# HOSE CLAMPS



## Quick Release Hose Clamps

Swivel style housing makes installation and removal faster than normal worm drive clamps.

304 Stainless Steel 1/2" band, housing, and screw

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33703	1	1/2"	1-5/8"	6-5/16"	5 MM ALLEN	N/A
33709	1	1/2"	1-3/4"	8-9/16"	5 MM ALLEN	N/A
33710	1	1/2"	2"	10"	5 MM ALLEN	N/A
33711	1	1/2"	2-1/16"	12-5/16"	5 MM ALLEN	N/A
33712	1	1/2"	1-3/4"	16"	5 MM ALLEN	N/A



## Constant Tension Hose Clamps

Best suited for large temperature variation applications

304 Stainless Steel band and housing

High strength galvanized carbon steel bolt


Model 33701 and 33702

## CONSTANT TENSION CLAMP - STAINLESS STEEL

PART #	PACKAGE QTY	BAND WIDTH	RANGE LOW	RANGE HIGH	SCREW TYPE	SAE SIZE
33701	1	5/8"	2-3/4"	3-5/8"	9 MM HEX HEAD	362
33702	1	5/8"	3-3/4"	4-9/16"	9 MM HEX HEAD	462



## HOSE CLAMPS



### Part # 33722 - 10 Piece All Stainless Steel Hose Clamp Assortment

The Pro Tie 10 Piece All Stainless Steel Hose Clamp Assortment is a great all around assortment with a wide range of use from 1/4" to 2-3/4". The kit includes (2) SAE Size 4 Mini, (1) SAE Size 6, (3) SAE Size 12, (3) SAE Size 20, and (1) SAE Size 36 Hose Clamps.



### Part # 33720 - Flexible Hose Clamp Driver

The Pro Tie flexible hose clamp driver is the perfect tool for hard to reach places. The comfortable formed grip and flexible shaft make hose clamp installation simple and easy. The driver comes with a reversible socket that fits both 6 mm and 8 mm that works for mini, regular duty, heavy duty, and very heavy duty hose clamps.



### Part # 33721 - Flexible Hose Clamp Replacement Sockets

Replacement sockets for your Pro Tie Hose Clamp Driver. Kit includes four reversible sockets: two 6 mm X 8 mm and two 9 mm X 10 mm.

# HOSE CLAMPS



## PART # 33903 - HOSE CLAMP BIN MERCHANDISER

CLAMP PART #	DESCRIPTION	SAE SIZE	QTY
33200	Mini Hose Clamp, Range 1/4" - 5/8"	Mini 4	80
33201	Mini Hose Clamp, Range 7/16" - 11/16"	Mini 6	80
33002	Regular Duty Hose Clamp, Range 1/2" - 29/32"	08	60
33003	Regular Duty Hose Clamp, Range 9/16" - 1-1/16"	10	80
33004	Regular Duty Hose Clamp, Range 11/16" - 1-1/4"	12	70
33005	Regular Duty Hose Clamp, Range 13/16" - 1-1/2"	16	40
33006	Regular Duty Hose Clamp, Range 13/16" - 1-3/4"	20	30
33007	Regular Duty Hose Clamp, Range 1-1/16" - 2"	24	30
33010	Regular Duty Hose Clamp, Range 1-13/16" - 2-3/4"	36	20
33015*	Regular Duty Hose Clamp, Range 3-1/16" - 4"	56	20

\* Note: Only 5 hose clamps of 33015 fit in the bins at one time.

The Pro Tie Hose Clamp Bin Merchandiser is a great way to display a small assortment of hose clamps. The 510 hose clamp assortment is the same high quality all stainless steel hose clamps. The 10 different SKUs are top sellers in any market including hardware, plumbing, automotive, marine and industrial. The full color signage on top is eye catching and helps the customer find the right size hose clamp.



Copyright® 2010-2019 KDAR Company and Others All Rights Reserved.