



LED dual display inflation pump Precision tire monitoring

Product Accessories:

Standard



Optional




Wired and wireless dual power version Wireless+power bank Wireless+wired+power bank Wireless+power bank+three batteries

Product Parameters:

Product Model	CQB-A1 series	Power	≤90W
Battery Capacity	2000mAh*2/2000mAh*3	Inflation Pressure Range	3-150PSI
Rated Voltage	7.4V/11.1V/DC12V	Rated Current	≤8A
Operating Noise	<82dB	Input Parameter	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Product Size	62*62*167mm	N.W.	559g
Box Size	188*110*74mm	QTY/Carton, Weight	589g
Material	ABS+PC		

Usage scenario



Product Feature:



LED dual display inflation pump Precision tire monitoring

Product Accessories:

Standard



Mechanical watch models




Digital display model

Product Parameters:

Product Model	CQB-A2 series	Power	<120W
Battery Capacity	/	Inflation Pressure Range	3-150PSI
Rated Voltage	DC 12V	Rated Current	8.5A
Operating Noise	<85dB	Input Parameter	5V/2A
Cylinder Specification	22mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Product Size	205*95*169mm	N.W.	863g
Box Size	24*12.5*19.5cm	QTY/Carton, Weight	1042g
Material	ABS+PC		

Usage scenario



Product Feature:






Mini compact/portable storage
Rapid inflation



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-A3	Power	60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	3-150PSI
Rated Voltage	7.4V	Rated Current	5A
Operating Noise	75dB	Input Parameter	5V/2A
Cylinder Specification	17mm	Pressure Unit	Bar, Psi
Certification	FCC/CE/PSE/ROSH		
Product Size	124x83x48mm	N.W.	432g
Box Size	132x90x90mm	QTY/Carton, Weight	559g
Material	PC +Aluminum Metal		

Product Feature:




Mini compact/portable storage
Rapid inflation



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-B1	Power	60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	3-150PSI
Rated Voltage	7.4V	Rated Current	5A
Operating Noise	75dB	Input Parameter	5V/2A
Cylinder Specification	17mm	Pressure Unit	Bar, Psi
Certification	FCC/CE/PSE/ROSH		
Product Size	85*49*130mm	N.W.	/
Box Size	/	QTY/Carton, Weight	/
Material	PC+ABS		

Product Feature:






High definition LED display screen
Quasi tire pressure monitoring

Product Accessories:




Standard



Product Parameters:

Product Model	CQB-B2	Power	<60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	3-150PSI
Rated Voltage	7.4V	Rated Current	Stable load current<7.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Product Size	163*69*56mm	N.W.	/
Box Size	/	QTY/Carton, Weight	/
Material	PC+ABS		

Usage scenario



Product Feature:



High definition LED display screen
Quasi tire pressure monitoring

Product Accessories:



Standard



Product Parameters:

Product Model	CQB-B3	Power	<96W
Battery Capacity	2600mAh *3	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	11.1V/DC12V	Rated Current	Stable load current<8.5A
Operating Noise	<85dB	Input Parameter	5V/2A
Cylinder Specification	25mm	essure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Product Size	76*83*47mm	N.W.	883g
Box Size	180*132*70mm	QTY/Carton, Weight	972g
Material	PC+ABS		

Usage scenario



Product Feature:






Compact and convenient intelligent inflation pump



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-A6	Power	60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	3-150PSI
Rated Voltage	DC 12V	Rated Current	5A
Operating Noise	75dB	Input Parameter	5V/2A
Cylinder Specification	17mm	Pressure Unit	Bar, Psi
Certification	FCC/CE/PSE/ROSH		
Product Size	90*54*131mm	N.W.	/
Box Size	/	QTY/Carton, Weight	/
Material	PC+ABS		

Product Feature:




Powerful fast charging intelligent inflation pump



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-A7	Power	<60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	3-150PSI
Rated Voltage	DC 12V	Rated Current	Stable load current<7.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	19mm	essure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Product Size	74*56*160mm	N.W.	/
Box Size	/	QTY/Carton, Weight	/
Material	PC+ABS		

Product Feature:





Powerful fast charging intelligent inflation pump



Cord+Cordless

Cord


Product Accessories:



Product Parameters:

Product Model	CQB-A8	Power	96W
Battery Capacity	2000mAh*3	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	11.1V/DC12V	Rated Current	5A
Operating Noise	<85dB	Input Parameter	5V/2A
Cylinder Specification	22mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Product Size	113*76*204mm	N.W.	1040g
Material	PC+ABS		

Usage scenario



Product Feature:



Powerful fast charging intelligent inflation pump




Product Accessories:



Product Parameters:

Product Model	CQB-A9	Power	<96W
Battery Capacity	2600mAh *3	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	11.1V/DC12V	Rated Current	Stable load current<8.5A
Operating Noise	<85dB	Input Parameter	5V/2A
Cylinder Specification	25mm	essure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Product Size	78*63*177mm	N.W.	883g
Material	PC+ABS		

Usage scenario



Product Feature:






Powerful fast charging intelligent inflation pump



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-B7	Power	100W
Battery Capacity	2600mAh*3	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	11.1V/DC12V	Rated Current	5A
Operating Noise	<82dB	Input Parameter	5V/2A
Cylinder Specification	25mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC +ABS + Aluminum Metal		

Product Feature:



Portable dual screen intelligent display inflation pump



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-B6	Power	<100W
Rated Voltage	11.1V/DC12V	Inflation Pressure Range	0.2~10.3bar/3~150psi
Battery Capacity	1500mAh*3	Input Parameter	5V/2A
Cylinder Specification	17mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC		

Product Feature:





LED dual display smart inflatable pump



Product Accessories:

Standard



Host Multiple nozzles 15cm Air hose Pouch



LED dual display smart inflatable pump



Product accessories:


Standard



product Multiple nozzles The cigarette lighter Charging line Type-C

trachea Pouch


Usage scenario



Product Parameters:

Product Model	CQB-B5-01	Power	60W
Battery Capacity	2000mAh*2	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	7.4V	Rated Current	5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC		

Use scenarios



Product parameters:

Product Model	CQB-E5-01	Rated power	72W
Battery Capacity	1500mAh*3	Inflatable pressure range	0.2-10.3bar/3-150PSI
Rated Voltage	DC 12V	Rated current	<6A
Operating Noise	<80dB	Charging parameters	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Feature:



Rapid inflation

Portable storage

LED lighting

Digital display

Product Features:



Rapid inflation

Portable storage

LED lighting

Digital display




LED dual display inflation pump Precision tire monitoring



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-D4-01	Power	90W
Battery Capacity	1500mAh*3	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	DC 12V	Rated Current	7A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	17mm/19mm(Optional)	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Feature:



LED dual display inflation pump Precision tire monitoring



Product Accessories:



Usage scenario



Product Parameters:

Product Model	CQB-D5-01	Power	<90W
Battery Capacity	1500mAh *3	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	DC 12V	Rated Current	Stable load current<7A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	17mm/19mm(Optional)	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Feature:





High definition LED display screen Quasi tire pressure monitoring



Product Accessories:




LED dual display inflation pump Precision tire monitoring



Product Accessories:



Use scenarios



Product parameters:

Product Model	CQB-D7-01	Rated power	90W
Battery Capacity	1500mAh*3	Inflatable pressure range	0.2-10.3bar/3-150PSI
Rated Voltage	DC 12V	Rated current	7A
Operating Noise	<80dB	Charging parameters	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Usage scenario



Product Parameters:

Product Model	CQB-D8-01	Power	<90W
Battery Capacity	1800mAh *3	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	DC 12V	Rated Current	Stable load current<7A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	17mm/19mm(Optional)	essure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Features:



Product Feature:





High definition LED display screen Quasi tire pressure monitoring



Product Accessories:




Air pump + emergency power multi-function all-in-one machine



Product Accessories:




Use scenarios



Product parameters:

Product Model	CQB-E6 -01	Rated power	72W
Battery Capacity	1800mAh*3	Inflatable pressure range	0.2-10.3bar/3-150PSI
Rated Voltage	DC 12V	Rated current	<6A
Operating Noise	<80dB	Charging parameters	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS+Silicone		

Usage scenario




Product Parameters:

Product Model	YTJ-A2-01	Power	<96W
Battery Capacity	1500mAh *4/2500mAh *4	Inflation Pressure Range	0.2~10.3bar/3~150psi
Operating Noise	<85dB	Rated Current	Stable load current<6.5A
Cylinder Specification	19mm	Input Parameter	5V/2A
Pressure Unit	Bar, Psi, Kpa, Kg/cm²		
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Features:



Product Feature:





Air pump + emergency power multi-function all-in-one machine



Product Accessories:




Air pump + emergency power multi-function all-in-one machine



Product Accessories:



Use scenarios




Product parameters:

Product Model	YTJ-A5-01	Power	96W
Battery Capacity	1500mAh*4	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	14.8V	Rated Current	6.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	17mm/19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

产品特点:



Use scenarios



Product parameters:

Product Model	YTJ-A6-01	Power	96 W
Battery Capacity	1500mAh *4	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	14.8V	Rated Current	稳定负载电流<6.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	22mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC/ABS/硅胶		

产品特点:





Air pump + emergency power multi-function all-in-one machine

Product Accessories:




Air pump + emergency power multi-function all-in-one machine

Product Accessories:



Use scenarios



Product parameters:

Product Model	YTJ-A7-01	Power	96W
Battery Capacity	1500mAh*4	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	14.8V	Rated Current	6.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Use scenarios



Product parameters:

Product Model	YTJ-A8-01	Power	96 W
Battery Capacity	1500mAh *4	Inflation Pressure Range	0.2~10.3bar/3~150psi
Rated Voltage	14.8V	Rated Current	稳定负载电流<6.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	22mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Certification	FCC/CE/PSE/ROSH		
Material	PC/ABS/硅胶		

产品特点:



产品特点:






Inflator pump+emergency power supply integrated machine



Product Accessories:



Usage scenario



Product Parameters:

Product Model	YTJ-A4-01	Power	96W
Battery Capacity	1500mAh*4	Inflation Pressure Range	0.2-10.3bar/3-150PSI
Rated Voltage	14.8V	Rated Current	6.5A
Operating Noise	<80dB	Input Parameter	5V/2A
Cylinder Specification	19mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Feature:




LED smart portable riding pump



Product accessories:



Use scenarios



Product parameters:

Product Model	QXB-A1	Rated power	66W
Battery Capacity	700mAh*2	Lighting brightness	Max 240lumen
Rated Voltage	7.4V	Rated current	Stable load current<9A
Operating Noise	Distance 1 meters≤80dB	Charging parameters	5V/2A
Cylinder Specification	16mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Features:






LED smart portable riding pump



Product accessories:




Use scenarios



Product parameters:

Product Model	QXB-A6	Rated power	48W
Battery Capacity	700mAh*2	Pressure range	3-150PSI
Rated Voltage	7.4V	Rated current	-10 C-45 C
Operating Noise	Distance 1 meters≤80dB	Charging parameters	5V/2A
Cylinder Specification	16mm	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Certification	FCC/CE/PSE/ROSH		
Material	PC+ABS		

Product Features:



Handheld convenient and integrated dust blower

Brushless blowing machine

A portable cleaning tool integrating vacuum and air blowing functions is suitable for various scenarios such as home, office, and car.



Brushless screen display



Product parameters:

Product Model	XCQ-A5 series	Rated power	78W
Battery Capacity	1300mAh*3	Maximum vacuum	12000pa
Rated Voltage	11.1V	Material	ABS, PP
Operating Noise	<85dB		
Certification	FCC/CE/PSE/ROSH		





Handheld convenient and integrated dust blower



Product parameters:

Product Model	XCQ-A6 series	Rated power	≤65W
Battery Capacity	1300mAh*3	Maximum vacuum	6-10kpa
Rated Voltage	11.1V	Material	ABS、PP
Operating Noise	≤82db		
Certification	FCC/CE/PSE/ROSH		


Product Features:



Suction blowing and charging



Easy cleaning




One-click switching



Convenient and practical



Handheld convenient and integrated dust blower



Brushless+ with brush screen display



Product parameters:

Product Model	XCQ-A7 series	Rated power	60W
Battery Capacity	1300mAh *2	Maximum vacuum	8000pa
Rated Voltage	11.1V	Material	ABS, PP
Operating Noise	<82dB		
Certification	FCC/CE/PSE/ROSH		

Product Features:



Suction blowing and charging



Easy cleaning



One-click switching



Convenient and practical



Handheld suction and blowing all-in-one machine



Handheld suction and blowing all-in-one machine



with brush screen display



Product Parameters:

Product Model	XCQ-A3 series	Power	60W
Battery Capacity	2600Ah*2	suction	6500pa
Working Voltage	7.4V	Mater	ABS
Operating Noise	<85dB		
Certification	FCC/CE/PSE/ROSH		



Product Parameters:

Product Model	XCQ-A1 series	Power	60W
Battery Capacity	2600Ah*2	Brushless suction	12000pa
Working Voltage	7.4V	Brushing suction	5500pa
Operating Noise	<85dB	Mater	ABS
Certification	FCC/CE/PSE/ROSH		

Product Feature:



Strong suction power

Easy clean

One click switching

Compact and portable

Product Feature:



Strong suction power

Easy clean

Long lasting use

Compact and portable



Handheld convenient and integrated dust blower



Product parameters:

Product Model	XCQ-A8 series	Rated power	≤60W
Battery Capacity	1300mAh*3	Maximum vacuum	8000pa
Rated Voltage	11.1V	Material	ABS、PP
Operating Noise	≤82db		
Certification	FCC/CE/PSE/ROSH		

Product Features:




High pressure power spraying and cleaning water gun



Product parameters:

Product Model	XCJ-A2	Rated power	≤84W
Battery Capacity	1500mAh *5/1300mAh*10	Maximum water pressure	1.2Mpa
Rated Voltage	18.5V	Material	ABS、PP
Operating Noise	≤75dB		
Certification	FCC/CE/PSE/ROSH		

Product Features:





High pressure power spraying and cleaning water gun



Product parameters:

Product Model	XCJ-A3	Rated power	≤84W
Battery Capacity	1500mAh *5/1300mAh*10	Maximum water pressure	1.2Mpa
Rated Voltage	18.5V	Material	ABS、PP
Operating Noise	≤75dB		
Certification	FCC/CE/PSE/ROSH		

Product Features:



High pressure power spraying and cleaning water gun



Product parameters:

Product Model	XCJ-A4	Rated power	≤84W
Battery Capacity	1500mAh *5/1300mAh*10	Maximum water pressure	1.2Mpa
Rated Voltage	18.5V	Material	ABS、PP
Operating Noise	≤75dB		
Certification	FCC/CE/PSE/ROSH		

Product Features:





NEW PRODUCT

Enjoy Health and Elegance, Create Elegant Space

Solid perfume

Home car dual-use

Carry fragrant life with you
enjoy fragrant companions



• Car aromatherapy

Product attributes:

Product: Elegant Car Aromatherapy

Color: Green, White, Black

Content: 150g

Fragrance types: Encounter Fragrance, Gulong Fragrance, Gardenia Fragrance, Osmanthus Fragrance

Product size: diameter 69mm, height 118mm

Scope of application:



Car interior, bedroom, living room, living room, etc

Usage time:

This product has a capacity of 180 grams and can be used for about 60 days (the usage time may vary depending on local temperature conditions)



NEW PRODUCT

Quickly decompose odors to create a fragrant environment

Solid perfume

Home car dual-use

Spread of multiple fragrances



• Car aromatherapy

Product attributes:

Product: Elegant Car Aromatherapy

Color: Blue, Green, Black

Content: 180g

Fragrance types: Encounter Fragrance, Gulong Fragrance, Gardenia Fragrance, Osmanthus Fragrance

Product size: diameter 68mm, height 95mm

Scope of application:



Car interior, bedroom, living room, living room, etc

Usage time:

This product has a capacity of 180 grams and can be used for about 60 days (the usage time may vary depending on local temperature conditions)



Automobile

● Coating agent

Product Features:

- ① Parking often faces erosion from acid rain, stains, haze, strong light, sandstorms, etc., which can easily cause the paint surface of the car to corrode, age, and become dull. This product is suitable for vehicles that are frequently parked outdoors, and can effectively protect the paint and quickly improve its luster.
- ② This product can make the coating layer have good corrosion resistance and thermal stability to resist the erosion of outdoor acid rain, sewage, pollutants, etc. on the car paint, thereby protecting the car paint.
- ③ Organic silicone resin can delay the fading and aging of car paint caused by sunlight exposure during outdoor parking, while increasing the brightness of the car paint.
- ④ Persisting in long-term use can effectively maintain the gloss of the car paint.

Usage Method:

- ① Rotate the nozzle to ON and open it upwards;
- ② Choose a cool place and spray this product evenly on the surface of the car paint in different areas;
- ③ After spraying, use a soft towel to polish it directly, and follow this step to carry out the whole vehicle construction;
- ④ After use, rotate the nozzle to OFF and turn it upwards to close.



net content: 500ml



Automobile

● Coating agent

Product Features:

- ① Parking often faces erosion from acid rain, stains, haze, strong light, sandstorms, etc., which can easily cause corrosion, aging, and dullness of the car's paint surface. This product is suitable for vehicles that are frequently parked outdoors, and can effectively protect the paint and quickly improve its luster;
- ② This product can make the coating layer have good corrosion resistance and thermal stability to resist the erosion of outdoor acid rain, sewage, pollutants, etc. on the car paint, thereby protecting the car paint;
- ③ Organic silicone resin can delay the fading and aging of car paint caused by sunlight exposure during outdoor parking, while increasing the brightness of car paint;
- ④ Persisting in long-term use can effectively maintain the gloss of the car paint.

Usage Method:

- ① Rotate the nozzle to ON and open it upwards;
- ② Choose a cool place and spray this product evenly on the surface of the car paint in different areas;
- ③ After spraying, use a soft towel to polish it directly, and follow this step to carry out the whole vehicle construction;
- ④ After use, rotate the nozzle to OFF and turn it upwards to close.



net content: 500ml

● Foam Cleaner

Product Features:

- ① Automobile multi-function foam cleaner is an efficient and convenient cleaning tool, which is widely used for cleaning automobile interior, such as seat dashboard, ceiling, door trim panel, etc. This product is also suitable for cleaning oil stains and dirt on household fabrics, range hoods, and ceramic tiles;
- ② High foaming formula, effectively removes dirt; Quickly penetrate and remove stubborn stains.

Usage Method:

- ① Press the nozzle at a distance of 20 centimeters from the surface of the object for spraying;
 - ② Wipe clean with a sponge or soft, clean towel.
- Fresh stains: can be wiped immediately after spraying
 -Stubborn stains: require repeated spraying and wiping



capacity: 795ml



Automobile



● Car wash

Product Features:

- ① Multi effect: fast cleaning speed, rich foam;
- ② Scratch free: Rich in lubricant, it can take away micro particles of sediment and try to avoid scratches when wiping;
- ③ Non irritating: Pure neutral formula, non irritating to the skin, can be used with confidence;
- ④ Concentrated type: Use 30-50 milliliters each time, dilute with water at a ratio of 1:100-120;
- ⑤ Purified water: reverse osmosis purified water formula, not easy to produce water marks.

Usage Method:

- ① Use 30-50 milliliters (measuring cup or 2-4 bottle caps) each time, and mix with water at a ratio of 1:100-120 (about 3-5 liters of water);
- ② When diluting, flush the car wash solution with water, or quickly mix the car wash solution after diluting until rich foam is produced;
- ③ Choose a cool place and use a sponge to scrub the vehicle, roof, front cover, rear cover, and both sides of the car from top to bottom;
- ④ After scrubbing, rinse the stains with clean water in a timely manner, and then dry them with a clean towel.



net content: 2L



Automobile





Automobile

● Surface Wax

Product Features:

- ① Deep cleaning, restoring luster, forming a surface film, delaying aging and whitening, reducing friction, and improving comfort;
- ② Suitable for polishing the hard surfaces of leather and plastic products, effectively restoring the natural luster and soft texture of car leather seats, renovating and polishing the car dashboard, car leather seats, car door panels, welcome pedals, rubber strips, and trunk anti scratch strips, and effectively preventing the aging of plastic products and synthetic plastic anti-collision devices. This product has good lubrication performance, which can reduce friction between interior components, reduce noise and wear caused by friction.

Usage Method:

- ① Press the nozzle to spray at a distance of 20 centimeters from the surface of the object;
- ② Wipe clean with a sponge or soft, clean towel.



capacity : 520ml



Automobile

● windshield washer fluid

Product Features:

- ① Pure and transparent: using reverse osmosis purified water, clear and transparent without blocking the water pump and spray hole, not easy to settle;
- ② Safe formula: non corrosive to containers, pipelines, water pumps, and spray holes
- ③ It is normal to have trace amounts of small white precipitates, so you can use them with confidence.

Product advantages:



Clean the oil film



Deep cleaning



Clear water marks



Prevent scratches

Usage Method:

Directly add it to the car spray bottle, and after opening, add it all at once.



0°C -30°C -45°C

net content : 2L

● windshield washer fluid

Product Features:

- ① Pure and transparent: using reverse osmosis purified water, clear and transparent without blocking the water pump and spray hole, not easy to settle;
- ② Safe formula: non corrosive to containers, pipelines, water pumps, and spray holes
- ③ It is normal to have trace amounts of small white precipitates, so you can use them with confidence.

Product advantages:

- mild formula
- Strong decontamination
- Leave no water marks
- Dual use car and home

Usage Method:

Directly add it to the car spray bottle, and after opening, add it all at once.



0°C -30°C -45°C

net content : 2L

● Multi functional wiper

Imported rubber strips

Imported natural and environmentally friendly rubber, multiple coatings, precise size, smoother wiping, long-lasting, and silent.

Ultra silent

Four fold noise reduction composite technology, integrated structure, compared to segmented wipers, the overall structure has stronger stability and water repellent properties.

High carbon steel core toughness upgrade

Imported steel with excellent elasticity and high toughness ensures that it can maintain its curvature even after long-term and high-frequency use.



14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"
350mm	375mm	400mm	425mm	450mm	475mm	500mm	525mm	550mm	575mm	600mm	625mm	650mm	675mm	700mm	725mm	750mm



Automobile

• towel

Product Features:

- ① Having excellent water absorption ability, it can quickly absorb moisture and stains, making the car dry faster and more thoroughly, reducing the possibility of water stains remaining;
- ② The professionally designed car wash towels have undergone special treatment, and there is almost no shedding of hair during use, ensuring the cleanliness of the vehicle surface.



40*40cm

33*75cm

56*160cm

Product advantages:

- Double sided thickening
- Strong water absorption
- Soft texture
- Not damaging the car paint

• Fashionable portable intelligent inflation pump



CQB-B2 19mm



CQB-B1 17mm



CQB-B3 25mm

Automobile



Automobile

• Tool Wind Portable Intelligent Inflater Pump



CQB-A9 25mm



CQB-A8 22mm



CQB-A7 19mm



CQB-A6 17mm

• Multi functional car vacuum cleaner



STC-XCQ001



STC-XCQ004

Automobile



Automobile

• Car aromatherapy

Product attributes:

Product: Elegant Car Aromatherapy
 Color: Blue, Green, Black
 Content: 180g
 Fragrance types: Encounter Fragrance,
 Gulong Fragrance, Gardenia Fragrance, Osmanthus Fragrance



Product attributes:

Product: Elegant Car Aromatherapy
 Color: Green, White, Black
 Content: 150g
 Fragrance types: Encounter Fragrance, Gulong Fragrance,
 Gardenia Fragrance, Osmanthus Fragrance



Automobile

• Multiple car wash products



Surface wax

net content: 520ml



windshield washer fluid

net content: 2L



windshield washer fluid

net content: 2L



Multi functional wiper

Imported rubber strip ultra quiet

• Multiple car wash products



Coating agent

net content: 500ml



Coating agent

net content: 500ml



Car wash

net content: 2L



Foam cleaner

capacity: 795ml

Automobile

Automobile

More high-quality products
 Coming soon...