



OPELLEY

Contact us

Email: sales@opellyhardware.com
Website: www.opellyhardware.com



OPELLEY



SECURITY | VALUE | INNOVATION



SMART LOCK SERIES

04-07



HEAVY-DUTY TUBULAR
LEVER LOCK SERIES

18-24



DEADBOLT LOCK SERIES

29-32



KNOB LOCK SERIES

45-48




DESIGNOR SERIES

55-71



MORTISE LOCK

75-77



HANDLE SET SERIES

08-17



COMBO SET LOCK SERIES

25-28



LEVER LOCK SERIES

33-44




BED AND BATH LEVER
LOCK SERIES

49-54



SLIDING DOOR LOCK
SERIES

72-74




ELECTRONIC MORTISE LOCK

78

SMART LOCK SERIES





703 & 803

智能锁系列

Smart lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)

Function: Entrance

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门


Suitable for:Wooden door and steel door

技术指标 Technical Index


- 指纹采集：半导体
- Fingerprint sensor: semi conductor
- 开锁方式：指纹、密码、钥匙、
- Unlock way: fingerprint, password, key,
- 指纹容量99枚 密码容量99组
- Maximum fingerprint input--99 units, password---99 units,
- 密码长度：12位（支持虚位密码）
- Password length: 12 bit (Virtual password to prevent peeping)
- 工作电源：4*AA电池
- Daily power supply: 4*AA battery



B333



A666



智能锁系列

Smart lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)

Function: Entrance

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

技术指标 Technical Index

- 支持360° 任意方向按压式指纹识别；
- Supports 360°press fingerprint recognition;
- 支持最大指纹录入量30枚；
- 30 units maximum fingerprint input;
- 分辨率：508DPI；
- Resolution ratio: 508DPI;
- ESD+/-12KV空气， +/-8KV接触；
- ESD+/-12KV air, +/-8KV contact;
- FRR:<1%；
- FAR:<0.002%；
- 识别时间：<300mS；
- Recognition time:<300mS;
- 使用寿命：250000次；
- Lifetime:250000times;
- 工作环境：温度-20℃-70℃；湿度40%RH-85RH（无凝霜）；
- Working environment: temp -20℃-70℃； humidity 40%RH-85RH (No Frost)
- 储存环境：温度-40℃-85℃；湿度<85%RH（无凝霜）；
- Store environment:temp -40℃-85℃;humidity <85%RH (No Frost)



702

智能锁系列

Smart lock series

材质: 锌合金

Material: Zinc alloy

主要功能: 大门锁(ET)

Function: Entrance

表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚: 35-45mm

Standard door thickness: 35-45mm

特殊门厚: 45-55mm

Special door thickness: 45-55mm

合适范围: 适用于各种木质及钢质门


Suitable for: Wooden door and steel door

技术指标 Technical Index

- 指纹采集: 半导体
- Fingerprint sensor: semi conductor
- 开锁方式: 指纹、密码、钥匙、
- Unlock way: fingerprint, password, key,
- 指纹容量99枚 密码容量99组
- Maximum fingerprint input--99 units, password---99 units,
- 密码长度: 12位 (支持虚位密码)
- Password length: 12 bit (Virtual password to prevent peeping)
- 工作电源: 4*AA电池
- Daily power supply: 4*AA battery

HANDLE SET SERIES






9922A


大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择：单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



9910



大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择：单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




9922B


大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择：单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



9935




大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择：单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed
bronze / Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




9928A

大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择:单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




9929

大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择:单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



9928B

大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择:单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




9930


大拉手门锁系列
Grip handle lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁(ET)
Function: Entrance
可选择:单头单拉 双头单拉
Option:Single cylinder single handle /
Double cylinder single handle
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



9936



9937



大拉手门锁系列
Grip handle lock series
材质: 锌合金
Material: Zinc alloy
主要功能: 大门锁(ET)
Function: Entrance
可选择: 单头单拉 双头单拉
Option: Single cylinder single handle /
Double cylinder single handle
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door


大拉手门锁系列
Grip handle lock series
材质: 锌合金
Material: Zinc alloy
主要功能: 大门锁(ET)
Function: Entrance
可选择: 单头单拉 双头单拉
Option: Single cylinder single handle /
Double cylinder single handle
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door

HEAVY-DUTY TUBULAR LEVER LOCK SERIES






A8801



B8802



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

特点：螺丝孔左右结构

Feature: Screw left-right structure

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门


Suitable for:Wooden door and steel door



B8803



B8805



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



B8823



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



B8828



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



A8827



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



B8829



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



B8836



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



B8839



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



A8837



重型执手锁系列

Heavy-duty lever lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door





COMBO SET LOCK SERIES



587+D101



6007+D101



套锁系列

Combo set lock series

材质：钢

Material: Steel

主要功能：大门锁+单头闭锁

Function: Gate lock+Single cylinder deadbolt lock

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

套锁系列

Combo set lock series

材质：钢

Material: Steel

主要功能：大门锁+单头闭锁

Function: Gate lock+Single cylinder deadbolt lock

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm


Standard door thickness:35-45mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门


Suitable for:Wooden door and steel door




套锁系列
Combo set lock series
材质：锌合金/钢
Material: Zinc alloy / Steel
主要功能：大门锁+单头闭锁
Function: Gate lock+Single cylinder deadbolt lock
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



套锁系列
Combo set lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁+单头闭锁
Function: Gate lock+Single cylinder deadbolt lock
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



套锁系列
Combo set lock series
材质：锌合金/钢
Material: Zinc alloy / Steel
主要功能：大门锁+单头闭锁
Function: Gate lock+Single cylinder deadbolt lock
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




套锁系列
Combo set lock series
材质：锌合金
Material: Zinc alloy
主要功能：大门锁+单头闭锁
Function: Gate lock+Single cylinder deadbolt lock
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door


Deadbolt LOCK SERIES



D101




D102




闭锁系列
Deadbolt lock series
材质: 钢
Material: Steel
主要功能: 单头闭锁
Function: Single cylinder deadbolt
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome / Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door

闭锁系列
Deadbolt lock series
材质: 钢
Material: Steel
主要功能: 双头闭锁
Function: Double cylinder deadbolt
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome / Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door




Y1101

闭锁系列
Deadbolt lock series
材质：锌合金
Material: Zinc alloy
主要功能：单头闭锁
Function: Single cylinder deadbolt
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




YD101

闭锁系列
Deadbolt lock series
材质：锌合金
Material: Zinc alloy
主要功能：单头闭锁
Function: Single cylinder deadbolt
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



F1102

闭锁系列
Deadbolt lock series
材质：锌合金
Material: Zinc alloy
主要功能：双头闭锁
Function: Double cylinder deadbolt
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



FD102

闭锁系列
Deadbolt lock series
材质：锌合金
Material: Zinc alloy
主要功能：双头闭锁
Function: Double cylinder deadbolt
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door


LEVER LOCK SERIES




29



6607



6608



三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass

镀铬门圈 / Antique nickel / Polished brass
镀铬门圈 25-45mm

常规门厚: 35-45mm

Standard door thickness:35-45mm
特殊门厚 45-55

特殊门厚: 45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for: Wooden door and steel door

三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理：沙镍(SN)/呖黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Antique brass / Antique copper / Satin chrome /
 Chrome plated / Antique nickel / Polished

Chrome plated / Antique nickel / Polished brass
 镀铬/镀镍/黄铜

常规门厚: 35-45mm



Standard door thickness:35-45mm

特殊门厚: 45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for: Wooden door and steel door



三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm



Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

三杆执手锁系列

Tubular lever lock series

材质：锌合金/钢

Material: Zinc alloy/ Steel

主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Gate lock / Privacy lock / Passage lock / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm


Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door




6625



6626

三杆执手锁系列
Tubular lever lock series
材质：锌合金/钢
Material: Zinc alloy/ Steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Gate lock / Privacy lock / Passage lock / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door

三杆执手锁系列
Tubular lever lock series
材质：锌合金/钢
Material: Zinc alloy/ Steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Gate lock / Privacy lock / Passage lock / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



6617


三杆执手锁系列
Tubular lever lock series
材质：锌合金/钢
Material: Zinc alloy/ Steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Gate lock / Privacy lock / Passage lock / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红
古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB) Finish:
Satin nickel / Matte black / Oil rubbed bronze / Antique
brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




KNOB LOCK SERIES



5792



6007




三杆球锁系列
 Tubular knob lock series
 材质：201/304不锈钢
 Material: 201/304 Stainless steel
 主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)
 Function: Entrance / Privacy / Passage / Dummy
 表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
 Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome / Chrome plated / Antique nickel / Polished brass
 常规门厚：35-45mm
 Standard door thickness:35-45mm
 特殊门厚：45-55mm
 Special door thickness:45-55mm
 合适范围：适用于各种木质及钢质门
 Suitable for:Wooden door and steel door

三杆球锁系列
 Tubular knob lock series
 材质：201/304不锈钢
 Material: 201/304 Stainless steel
 主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)
 Function: Entrance / Privacy / Passage / Dummy
 表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
 Finish: Satin nickel / Matte black / Oil rubbed bronze / Antique brass / Antique copper / Satin chrome / Chrome plated / Antique nickel / Polished brass
 常规门厚：35-45mm
 Standard door thickness:35-45mm
 特殊门厚：45-55mm
 Special door thickness:45-55mm
 合适范围：适用于各种木质及钢质门
 Suitable for:Wooden door and steel door



6009



三杆球锁系列

Tubular knob lock series

材质：201/304不锈钢

Material: 201/304 Stainless steel

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door



6010



三杆球锁系列

Tubular knob lock series

材质：201/304不锈钢

Material: 201/304 Stainless steel

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm


Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门


Suitable for:Wooden door and steel door



577



A5793



三杆球锁系列

Tubular knob lock series

材质：201/304不锈钢

Material: 201/304 Stainless steel

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm

合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door

三杆球锁系列

Tubular knob lock series

材质：201/304不锈钢

Material: 201/304 Stainless steel

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS) 单边锁(DL)

Function: Entrance / Privacy / Passage / Dummy

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/

红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /

Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-45mm

Standard door thickness:35-45mm

特殊门厚：45-55mm

Special door thickness:45-55mm


合适范围：适用于各种木质及钢质门

Suitable for:Wooden door and steel door


BED AND BATH LEVER LOCK SERIES



B9161



A9165




快解门锁系列
Auto-release lever lock series
材质: 锌合金
Material: Zinc alloy
主要功能: 浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door

快解门锁系列
Auto-release lever lock series
材质: 锌合金
Material: Zinc alloy
主要功能: 浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理: 沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚: 35-45mm
Standard door thickness: 35-45mm
特殊门厚: 45-55mm
Special door thickness: 45-55mm
合适范围: 适用于各种木质及钢质门
Suitable for: Wooden door and steel door




A9166



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




A9169



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




B9171



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




B9163



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




C9101



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




D9102



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




B9162



快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




C9103




快解门锁系列
Auto-release lever lock series
材质：锌合金
Material: Zinc alloy
主要功能：浴室锁(BK) 通道锁(PS) 单边锁(DL)
Function: Privacy / Passage / Dummy
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



DESIGNOR SERIES



LHT01




A x B	L x H x C	D
∅ 53x9	135 x 60 x 50	∅19
∅ 54 x 8	140 x 60 x 50	∅20
		∅21
		∅22

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHT03




A x B	L x H	D
∅ 53X9	135 x 60	∅19
∅ 54 x 8	140 x 53	∅20
		∅21
		∅22

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHI05




A x B
Ø 53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHI06




A x B
Ø 53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHI11




A x B
Ø 53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




LHI18




A x B
Ø53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHI20




A x B
Ø 53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHI26




A x B
Ø53X9
Ø54 x 8

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHT04




A x B	L x H	D
Ø 53X9	135 x 60	Ø19
Ø 54 x 8	140 x 53	Ø20
	132 x 60	Ø21
		Ø22

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHT04A




A x B	L x H
Ø53X9	132X60
Ø54X8	140X53

材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door




LHT24



材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door



LHT25




材质：不锈钢
Material:Stainless steel
主要功能：大门锁(ET) 浴室锁(BK) 通道锁(PS)
Function: Entrance / Privacy / Passage
表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)
Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /
Chrome plated / Antique nickel / Polished brass
常规门厚：35-45mm
Standard door thickness:35-45mm
特殊门厚：45-55mm
Special door thickness:45-55mm
合适范围：适用于各种木质及钢质门
Suitable for:Wooden door and steel door

SLIDING DOOR LOCK SERIES





261



移门锁系列

Sliding door lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS)

Function: Entrance / Privacy / Passage

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm


Standard door thickness:35-50mm

合适范围：适用于各种木质门

Suitable for:Wooden door



263



移门锁系列

Sliding door lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS)

Function: Entrance / Privacy / Passage

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm


Standard door thickness:35-50mm

合适范围：适用于各种木质门

Suitable for:Wooden door



262



移门锁系列

Sliding door lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS)

Function: Entrance / Privacy / Passage

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm


Standard door thickness:35-50mm

合适范围：适用于各种木质门

Suitable for:Wooden door



265



移门锁系列

Sliding door lock series

材质：锌合金

Material: Zinc alloy

主要功能：大门锁(ET)浴室锁(BK) 通道锁(PS)

Function: Entrance / Privacy / Passage

表面处理：沙镍(SN)/哑黑(MB)/棕古铜(ORB)/青古铜(AB)/
红古铜(AC)/拉丝铬(SC)/光铬(CP)/枪色(AN)/仿金(PB)

Finish: Satin nickel / Matte black / Oil rubbed bronze /
Antique brass / Antique copper / Satin chrome /

Chrome plated / Antique nickel / Polished brass

常规门厚：35-50mm

Standard door thickness:35-50mm

合适范围：适用于各种木质门

Suitable for:Wooden door



MORTISE AND ELECTRONIC MORTISE LOCK SERIES



M700系列

6 Pins pick-resistant cylinder construction
keyed and master keyed as required

标配西勒奇 2A+5B 黄铜锁匙芯，可定制符合公安部超 B 级防盗
锁芯或四级建筑钥匙系统

Escutcheons are cold forged
stainless steel, 0.08" thick.


挡壳为不锈钢 2.0mm 厚

Levers are cast 304 stainless steel

实心不锈钢执手，使用内螺纹套筒式安装方式，无
外露螺丝

Satin Stainless Steel housing

不锈钢锁壳



Protective Armoured Front

衬板

1" SUS304 Extension deadbolt
for extra security

全长 25.4mm 不锈钢方舌

3/4" (19mm) Reversible
latch bolt 19mm

不锈钢锁舌

Anti-friction latch

不锈钢保险锁舌

Rocker switchlock or
unlocks hub


功能切换按钮



M700系列

M700 Series is a extra heavy duty commercial mortise lock. All bolts are made of stainless steel with most working parts inside the case made of high strength steel alloy. It is UL listed for 3-Hour fire rating and meets/exceeds theANSI/BHMA A156.13 Grade 1 specification. The lock case has 3-5/8”(92mm) center cylinder to spindle dimension,allowing the lock to retrofit most manufacturers'mortise lock without or with minimal door prep modification thus maximizing the replacement capabilities.

M700 系列是一款超重型商用插芯锁。所有螺栓均由不锈钢制成，外壳体内的大部分表面部件由高强度合金钢制成。它已获得 UL 3 小时防火等级认证，并符合/超过 ANSI/BHMA A156.13 一级规范，适用于轨交、机场、商业、酒店以及医院等高安保场景。锁芯的中心距离到执手主轴中心尺寸为 3-5/8 英寸（92 毫米），安装门边距2-3/4英寸（70mm），无需更改门孔或换门的准备，适配改装大多数制造商的插芯锁，从而最大限度地提高替换锁体能力。



M700系列

Switch-selectable EL/EU Change mode (electrically locked or unlocked) anytime via switch on lock case

开关可选择的EL/EU
随时通过锁壳上的开关改变模式 (电锁或电开)

Universal input voltage
Accepts 12V or 24V DC for inventory and installation flexibility

通用输入电压
接受12V或24V直流电，以提供库存和安装灵活性

Standard Molex connector
Simplifies connection
Includes additional 6" wire harness extension for traditional hard terminations

标准 Molex连接器
简化连接
包括额外的6英寸电线束延长线，用于传统的硬接端终端

