




W: www.queendentalab.com
 A 3F BLD10 Huafeng IND Tangwei
 Fuyong Baoan Shenzhen
 P: 86 1368881863

Customer Code:
 Case Number

Special Instruction:

DR. Name _____
 PT Name _____
 Sex M F Age _____
 Face
 Special Instruction: Use provided articulator

Received Date _____
 Return Date _____
 Return Time _____
 Remake Repair



Glaze Degree
 Less Nomal More
 PFM _____
 PFM _____
 Bridge
 Maryland _____
 Bridge
 Emax _____
 Emax _____
 Inlay/Onlay
 Zirconia _____
 Crown
 Zirconia _____
 Bridge
 Composite _____
 Post & _____
 Core + Clavette +
 Postcrown _____
 Connected _____
 BRIDGE

Occlusion Staining
 No Little Moderate Dark
 Full Crown _____
 Bridge
 Full Crown _____
 Bridge
 Metal _____
 Inlay/Onlay
 Milling _____
 Attachment _____
 (Mesial/Distal)
 Rest for _____
 PFM
 Implant _____
 Metal Choice
 Precious Semi Non
 Precious Precious
 Try Try Porcelain
 Metal Porcelain Finish
 Precision Attachment
 Ball Type Slot Type
 Magnet Type Norway Type



Important Customer

Pontic Design

Margin Design
 Porcelain Margin 360 Porcelain
 Margin
 360 Metal Margin _____ mm
 Lingual Metal Margin _____ mm
 Buccal Metal Margin _____ mm
 Metal Occlusal
 No Metal Margin
 2/3 Metal Margin
 Metal Occlusal

Contact Point Slight Normal Tight
 Occlusion Heavy Light No

Denture Design Tryin Acrylic Finish Only



Setup + Acrylic Finish

Process Categories
 U L acrylic Denture

U L Metal Framework

U L Valplast

U L Bite

U L Tray

U L Tray+Bite

Transparent Base Transparent Base+Bite

Repair/Rebase/Reline

Soft Lining

Teeth Shade _____

Framework CustomMade Metal Gold Plate
 Metal Mesh Mesh
 Viallium 2000 Metal Framework

Design of the Clasp Casting SSCIasp
 Transparent Gold
 Clasp Clasp

Other White Clasp Gold Plate
 Bleaching Tdray NightGuard
 Orthodontic Soft/Hard Mouth Guard
 Appliance

In case of Reduce Coping Reduce Opposing
 minimal occlusal