





Massi Group / Massi Health Division QUALITY, PRICE, INTEGRITY AND EXECUTION

WELCOME TO MASSI HEALTH DIVISION

QUALITY. PRICE. INTEGRITY AND EXECUTION

HEALTH UNIT DIVISION

QUALITY, PRICE, INTEGRITY AND EXECUTION

FOR OVER 30 YEARS MASSI GROUP HAS BEEN SERVING THE NEEDS OF THE MANY CLIENTS IN DIFFERENT AREAS NOW WE ARE PROVIDING QUALITY NAME BRAND MEDICAL EQUIPMENT AND SUPPLIES, AS WELL AS ALTERNATIVE GENERIC EQUIVALENTS, AT AN AFFORDABLE PRICE. WITH ALL OUR MEDICAL ALLIES AND YEARS COMBINED OF HEALTHCARE INDUSTRY EXPERIENCE, OUR STAFF CAN EFFICIENTLY ASSIST OUR CLIENTS WITH THEIR SOLUTIONS FOR THEIR MEDICAL SUPPLY NEEDS.

- PROTECTIVE OVERALLS/GOWNS (ALL TYPES) KN95 MASK PROTECTIVE 0
 KN95 MASK
 TYPE IIR SURGICAL FACE MASK
 TYPE II MEDICAL FACE MASK

- 6. 3M N95 BRAND MASK
 7. GLOVES (STANDARD/ NITRILE /SURGICAL)
 8. ALCOHOL DISINFECTANT WIPES (ALL TYPES)
- **COVID-19 TESTING KITS**
- 10. ANTI DRÖPLET FACE SHIELD 11. DISPOSABLE GOGGLES


- 12. INFRARED THERMOMETER GUN (ALL TYPES)
 13. NON-INVASIVE VENTILATORS (MULTI VENT)
 14. INVASIVE VG70 VENTILATOR
 15. HAND SANITIZERS

- 16. ISOLATION CHAMBERS
 17. MACHINE AUTOCLAVE CUTTING STERILIZATION
 18. MAKE SHIFT HOSPITAL













US MARKET, EUROPE & INTERNATIONAL SALES

is a standard quality latex-free, powder-free, non-sterile disposable nitrile exam glove made with the latest technology to provide the most accurate feel and a good level of protection for general use.









- Latex-free, powder-free, non-sterile disposable nitrile exam gloves
- · Durable and puncture resistant.
- Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- · A natural rubber-like feel.
- · Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5



Quality Standard

- · Complies with EN 455 and EN 374
- Complies with ASTM D6319





Туре	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years





BACK TO HOME












































Plus is a high quality latex-free, powder-free, non-sterile disposable nitrile exam glove made with the latest technology to provide the most accurate feel and an excellent level of protection.

Plus is designed for everyday use to help meet the increased demand for clean, easy-fitting, skin protection.











- · Latex-free, powder-free, non-sterile disposable nitrile exam gloves
- · Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- · A natural rubber-like feel.
- · Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5



Quality Standard

- · Complies with EN 455
- · Complies with EN 374
- Complies with ASTM D6319



Туре	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years

Length (mm)	≥ 230	
Thickness Measurements (mm)		
Palm (center of Palm)	0.08 ± 0.02	
Finger (13mm ± 3mm from tip)	0.10 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	≥ 14
Elongation(%)	≥ 500	≥ 400







	Inspection Level	AQL
Freedom From Holes	G1	1.5-2.5
Physical Dimensions	\$2	4
Tensile Strength	\$2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
S	85±5	240Min	4.2-4.6
М	89±5	240Min	4.8-5.2
L	106±5	240Min	5.3-5.7
XL	115±5	240Min	5.7-6.1

FEATURES:

Fingertip textured

Powder free

100% latex free

Ambidextrous

Standard cuff

Blue color

PACKAGING:

100 gloves per box

10 boxes per carton

STANDARDS:

ASTM D6319, ASTM D5712

EN 455 part 1 - 3

EN 420

EN 374


FDA 510K

MANUFACTURING ACCREDITATIONS:












TMPlus Bag Packaging Option: The gloves are in sealed in low density, waterproof, high resistance, and fully recyclable bags with ziplock closure.

The bags can be easily opened and closed for multiple uses. The bag packaging has the added benefit of optimizing space utilization in shipping. (A standard carton can hold 12-14x100 glove bags per carton, versus only 10x100 glove boxes per carton.).







- 1. 10 gloves per bag
- 2. 20 gloves per bag







- · Latex-free, powder-free, non-sterile disposable nitrile exam gloves
- · Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- · A natural rubber-like feel.
- · Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5



Quality Standard

- · Complies with EN 455
- · Complies with EN 374
- · Complies with ASTM D6319

Туре	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years

Length (mm)	≥ 230	
Thickness Measurements (mm)		
Palm (center of Palm)	0.08 ± 0.02	
Finger (13mm ± 3mm from tip)	0.10 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	> 14







Elongation(%)	≥ 500	≥ 400
	Inspection Level	AQL
Freedom From Holes	G1	1.5-2.5
Physical Dimensions	S2	4
Tensile Strength	S2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
S	85±5	240Min	4.2-4.6
М	89±5	240Min	4.8-5.2
L	106±5	240Min	5.3-5.7
XL	115±5	240Min	5.7-6.1

FEATURES:

Fingertip textured

Powder free

100% latex free

Ambidextrous

Standard cuff

Blue color

PACKAGING:

10-100 gloves per bag

12-14 bags of 100 per carton

STANDARDS:

ASTM D6319, ASTM D6978, ASTM D5712

EN 455 part 1 - 3

EN 420

EN 374 part 1 - 5

FDA 510K





MANUFACTURING ACCREDITATIONS:
















The latest technology development in nitrile gloves brought to you by is designed to provide the user with a natural and professional level functionality from their hands.

Standard nitrile gloves can limit user dexterity, sensation, and hand health but is unique - Pro gloves are made with our custom Nitrile Formula which is specially designed to provide the best protection for your hands while maintaining excellent sensation at the fingertips, great flexibility, high dexterity, and a silky smooth sensation to your palms.

The exterior textured fingertips also provide a high quality, non-slip surface for accurate and delicate procedures.







- Latex-free, powder-free, non-sterile disposable nitrile exam gloves
 Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- A natural rubber-like feel.
- Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5







Quality Standard

- Complies with EN 455
- · Complies with EN 374
- · Complies with ASTM D6319

Type	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years

Length (mm)	≥230	
Thickness Measurements (mm)		
Palm (center of Palm)	0.09 ± 0.02	
Finger (13mm ± 3mm from tip)	0.11 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	≥ 14
Elongation(%)	≥500	≥ 400



	Inspection Level	AQL
Freedom From Holes	G1	1.5-2.5
Physical Dimensions	S2	4
Tensile Strength	S2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
s	85±5	240Min	4.2-4.6
M	89±5	240Min	4.8-5.2
L	106±5	240Min	5.3-5.7
XL	115±5	240Min	5.7-6.1

FEATURES: Fingertip textured Powder free 100% latex free Ambidextrous Standard cuff Blue color PACKAGING: 100 gloves per box 10 boxes per carton STANDARDS: ASTM D6319, ASTM D5712 EN 455 part 1 - 3 EN 420 EN 374 FDA 510K MANUFACTURING ACCREDITATIONS:
















™Pure is a comfortable, super soft flexible powder-free nitrile gloves, made at the highest quality factory in Malaysia to provide the best protection.











- Latex-free, powder-free, non-sterile disposable nitrile exam gloves Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- · A natural rubber-like feel.
- Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5



Gloves



Gloves MM

Quality Standard

- · Complies with EN 455
- · Complies with EN 374
- · Complies with ASTM D6319

Туре	Powder-free, Non-sterile
Material	Nitrile (Acrylonitrile-butadiene)
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	5 years

Length (mm)	≥ 240	
Thickness Measurements (mm)		
Palm (center of Palm)	0.09 ± 0.02	
Finger (13mm ± 3mm from tip)	0.11 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 15	≥ 14
Elongation(%)	≥ 500	≥ 400
	Inspection Level	AQL



Freedom From Holes	G1	1.5
Physical Dimensions	S2	4
Tensile Strength	\$2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
S	80±10	240Min	3.0-0.3
М	95±10	240Min	3.5-0.3
L	110±10	240Min	4.0-0.3
XL	≥110	240Min	4.5-0.3

FEATURES:	
Fingertip textured	
Powder free	
100% latex free	
Ambidextrous	
Standard cuff	
Blue color	
PACKAGING:	
100 gloves per box	
10 boxes per carton	
STANDARDS:	
ASTM D6319	
ASTM D6124	
ASTM D5712	
EN 455 part 1 - 3	
EN 374 part 1 - 5	
FDA 510K	
MANUFACTURING ACCREDITATIONS:	
















M Gold is an extra thickness quality latex-free, powder-free, non-sterile disposable nitrile exam glove made with the latest technology to provide the most accurate feel and an outstanding level of protection.









Unique color for each size (S, M, L, XL).



- · Latex-free, powder-free, non-sterile disposable nitrile exam gloves.
- · Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- A natural rubber-like feel.
- · Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5







Quality Standard

- · Complies with EN 455
- · Complies with EN 374
- · Complies with ASTM D6319

Туре	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years

Length (mm)	≥ 230	
Thickness Measurements (mm)		
Palm (center of Palm)	0.10 ± 0.02	
Finger (13mm ± 3mm from tip)	0.12 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	≥ 14
Elongation(%)	≥ 500	≥ 400



	Inspection Level	AQL
Freedom From Holes	G 1	1.5-2.5
Physical Dimensions	\$2	4
Tensile Strength	\$2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
S	85±5	240Min	4.2-4.6
М	89±5	240Min	4.8-5.2
L	106±5	240Min	5.3-5.7
XL	115±5	240Min	5.7-6.1

FEATURES:

Fingertip textured

Powder free

100% latex free

Ambidextrous

Standard cuff

Blue color

PACKAGING:

100 gloves per box

10 boxes per carton

STANDARDS:

ASTM D6319, ASTM D5712

EN 455 part 1 - 3

EN 420

EN 374

FDA 510K

MANUFACTURING ACCREDITATIONS:
















Ultimate is a world-class quality latex-free, powder-free, non-sterile disposable nitrile exam glove made with the latest technology to provide the most accurate feel and a world-class level of protection for high-risk usage.







- · Latex-free, powder-free, non-sterile disposable nitrile exam gloves.
- · Durable and puncture resistant.
- · Hypoallergenic.
- · Highly elastic and super soft.
- · Easy donning with extra strength with a rolled rim.
- A natural rubber-like feel.
- · Textured in finger tips for enhanced grip in all situations including touchscreen use.
- · Suitable for food contact, including high fat, oils, etc.
- AQL 1.5



Quality Standard

- Complies with EN 455
- · Complies with EN 374
- Complies with ASTM D6319



Туре	Powder-free, Non-sterile
Material	Synthetic nitrile rubber
Colour	Blue
Model	Ambidextrous, standard length - beaded cuff
Size/overall length as per	S, M, L and XL 240 mm
EN 455-2	(≥230mm for USA)
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	Min. 2 years

Length (mm)	≥ 230	
Thickness Measurements (mm)		
Palm (center of Palm)	0.11 ± 0.02	
Finger (13mm ± 3mm from tip)	0.13 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 18	≥ 14
Elongation(%)	≥ 500	≥ 400
	Inspection Level	AQL







Freedom From Holes	G1	1.5-2.5
Physical Dimensions	S2	4
Tensile Strength	S2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
S	85±5	240Min	4.2-4.6
М	89±5	240Min	4.8-5.2
L	106±5	240Min	5.3-5.7
XL	115±5	240Min	5.7-6.1

FEATURES:
Fingertip textured
Powder free
100% latex free
Ambidextrous
Standard cuff
Blue color
PACKAGING:
100 gloves per box
10 boxes per carton
STANDARDS:
ASTM D6319, ASTM D5712
EN 455 part 1 - 3
EN 420
EN 374
FDA 510K
MANUFACTURING ACCREDITATIONS:
ISO 9001, ISO 13485




BACK TO HOME













gloves are made to the highest quality production standards and are designed to provide maximum coverage for the handling of various biological and chemical agents as well as in cases of exposure to potential physical hazards.

The 7.8 Mil thickness and Extended Cuff offers the wearer extra strong protection while maintaining excellent sensation at the fingertips, great flexibility, and high dexterity. The exterior textured fingertips also provide a high quality, non-slip surface for accurate and delicate procedures.











- Latex-free, powder-free, non-sterile disposable nitrile exam
- Extra thickness to provide maximum chemical protection
- · Durable and puncture resistant
- Hypoallergenic
- Highly elastic and soft
- · Easy donning beaded cuff ensures and helps prevent roll down
- Extended Cuff
- · Textured in finger tips for enhanced grip
- AQL 1.5



Quality Standard

- . Complies with EN 455 parts 1,2,3
- . Complies with EN 374 part 2 + 3
- Complies with EN 420
- Complies with ASTM D6319
- · Complies with ASTM D6978

Туре	Powder-free, Non-sterile
Material	Nitrile (Acrylonitrile-butadiene)
Colour	Blue
Model	Ambidextrous, extended length - beaded cuff
Size/overall length as per EN 455-2	S, M, L and XL 292 mm
Impermeability as per EN 455-1	AQL 1.5
Durability, in original package	5 years

Length (mm)	≥ 292	
Thickness Measurements (mm)		
Cuff (25mm from cuff end)	0.12 ± 0.02	
Palm (center of Palm)	0.19 ± 0.02	
Finger (13mm ± 3mm from tip)	0.20 ± 0.02	
Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	28	20
Elongation(%)	900	860







Force at Break (N)	15	12
Modulus 500% (MPa)	2.0	1.6
	Inspection Level	AQL
Freedom From Holes	G 1	1.5
Physical Dimensions	S2	4
Tensile Strength	\$2	4
Powder Content	≤ 2mg/Dm2	Max
Protein Content	ASTM=N=3	≥ 200ug/dm2 Max

SIZE	Width(mm)	Minimum Length(mm)	Weight(gr)
s	84±10	292Min	>8.0
М	96±10	292Min	>8.0
L	105±10	292Min	>8.0
XL	117±10	292Min	>8.0

FEATURES:	
Chemical protection	
Fingertip textured	
Powder free	
• 100% latex free	
Ambidextrous	
Extended cuff	
Blue color	
PACKAGING:	
100 gloves per box	
10 boxes per carton	
STANDARDS:	
ASTM D6319	
ASTM D6124	
ASTM D6978	


ASTM D6978
ASTM D5712
EN 455 part 1 - 3
EN 374 part 2 + 3
EN 420
FDA 510K
MANUFACTURING ACCREDITATIONS:













PROCEDURES

- 1-BUYER AND SELLER MUST BE SIGN NCNDA, LOI TO MASSI MARK & CONSULTING GROUP LLC / MASSI HEALTH DIVISION
- 2- WE SEND SCO
- 3- BUYER AND SELLER SIGN A ICPO AND COMMERCIAL AGREEMENT
- 4- STANBY LETER OF CREDIT
- 5- NO MONEY UPFRONT
- 6- SGS AND BILL OF LADING
- 7- AFTER INSPECTION LC WILL BE EXECUTE

TIMES FOR DELIVERY 7-14 DAYS AIRFREIGHT, SEA 30 DAYS APROX









CONTACT US
FOR ORDERS
FOUNDER / CEO
JONATHAN MASSIANI

M: +1 786.306.56.77

OFF: 8350 NW 52ND TERRACE SUITE 301,

MIAMI, FL 33166

E: <u>INFO@MASSICORP.COM</u> AND <u>MASSIHEALTH@GMAIL.COM</u>

W: MASSI HELATH DIVISION

