

Boundary 1

I  Boundary 1 1995.99 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
LcD	Lismas-Winler clays, 6 to 25 percent slopes	770.2 2	38.59	13	20	6e
PbC	Pierre clay, 6 to 20 percent slopes	405.3 7	20.31	30	24	6e
PbB	Pierre clay, 2 to 6 percent slopes	304.4 1	15.25	30	26	4e
HbB	Hisle-Slickspots complex, 0 to 6 percent slopes	213.0 8	10.68	9	15	7e
WbC	Winler clay, 0 to 9 percent slopes	182.8 4	9.16	17	24	6e
N667E	Pierre-Samsil, moderately deep clays, 6 to 25 percent slopes	52.35	2.62	27	20	6e
KbB	Kyle clay, 2 to 6 percent slopes	38.75	1.94	52	29	4e
St	Stetter clay, 0 to 3 percent slopes, occasionally flooded	15.7	0.79	29	27	4w
W	Water	11.69	0.59	0	-	8
KbA	Kyle clay, 0 to 2 percent slopes	0.98	0.05	54	29	4e
NuB	Nunn loam, 2 to 6 percent slopes	0.6	0.03	80	41	3s
TOTALS		1995. 99(*)	100%	20.2	21.68	5.76









(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water