

TOTAL SIZE 1,920.2 +/- tax ac., 1,808.9 +/- FSA cropland ac., 19.5 +/- WRP ac., and 91 +/- ac.

slough, trees and ditches, and 1,669.3 +/- leveled irrigated ac.

LOCATION Located off Mississippi State Hwy 1 at Rosedale, 19.5 miles northwest of Cleveland,

Miss., in three parcels. The farm is easily accessible by Terrene Landing Rd. and Gibson

Swamp Rd.

DESCRIPTION This is a highly desirable level ded farm with very fuctive soils. While

recently planted in soyber as and the man can product except yields of diverse crops. This 192 2 +/- cre to contains 1,808 2 1/- cropla cres, of which

approximately 92 perce veled an irrigated.

Class III and Class and class of soils, suitable in the solution of the balance consisting of siles of the solution, it is also lay loam and solution is sold of the conformal of the balance consisting of siles of siles

and s po rode n

FSA DATA ROP SE ACRES
FARM 89 Pat 506.32

9.7 2 Granghum 945.35 48 Soyba 945.35 48 1.84 6981

SOILS Cropland soil type Solve Solve Clay and silty clay,

Commerce Dun same dams and silty loams,

Dundee and I a sile of loams and Sharkey clay.

IMPROVEMEN Electric me ble pumps

x 75 sed shop with 25 x 60 overhang

PROPERTY TAXES (2024) 8 on 1920.2 tax acres

Approximately \$14.89 per acre

SHOWING By appointment only.

MANAGEMENT Professional management available.




CONTACT: Murry McClintock, Broker, McClintock Land Company

Office: 662-363-1801 Cell: 662-363-6024 Fax: 662-363-1800

E-mail: murry@mcclintockland.com Address: PO Box 115, Tunica, MS 38676

Rosedale Farm Aerial Map



1 & 11- 23N-8W 23 & 27 - 24N-8W Bolivar County Mississippi







Gibson Swamp Road Aerial Map



1-23N-8W Bolivar County Mississippi







Main Tract Aerial Map



11-23N-8W Bolivar County Mississippi








Terrene Landing & WRP Aerial Maps



37-24N-8W Bolivar County Mississippi




34-24N-8W Bolivar County Mississippi







Location Map




Map Center: 33.805096, -90.891678











Soils Map Gibson Swamp Road



State: Mississippi
County: Bolivar
Location: 1-23N-8W
Township: District 1
Acres: 250.39
Date: 6/25/2024

| Bb | ©2024 AgriData, Inc. Area Symbol: MS011, Soil Area Version: 19 | | | | | | | | |
|------|--|-------|------------------|-------------------------|---------------------|------------|--------------------|-------------|----------------------|
| Code | Soil Description Soils data provided by USDA and NRCS. | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Corn Bu | Cotton lint Lbs | Soybeans Bu | *n NCCPI Soybeans |
| Dr | Dundee very fine sandy loam, 0 to 3 percent slopes, rarely flooded | 68.81 | 27.6% | | I | e 85 | 810 | 36 | 57 |
| Dh | Dundee silt loam, 0 to 3 percent slopes, rarely flooded | 58.30 | 23.3% | | II. | | 810 | 36 | 57 |
| Dn | Dundee silty clay loam, 0 to 3 percent slopes | 47.67 | 19.0% | | llw | | 750 | 40 | 60 |
| Dc | Dowling clay (sharkey) | 36.61 | 14.6% | | V | w | | | 1 |
| Dd | Dowling soils, overwash phases (sharkey) | 15.53 | 6.2% | | ٧ | w | | | 2 |
| Du | Dundee-clack soils, 3 to 7 percent slopes (dundee, crevasse) | 8.36 | 3.3% | | II | e 70 | 600 | 30 | 38 |
| De | Dubbs very fine sandy loam, 0 to 3 percent slopes, rarely flooded | 5.88 | 2.3% | | ı | е 90 | 850 | 40 | 42 |
| Ва | Beulah very fine sandy loam, 0 to 3 percent slopes | 5.06 | 2.0% | | 1 | ls 70 | 550 | 30 | 35 |
| Do | Dundee silty clay loam, 3 to 7 percent slopes, moderately eroded, rarely flooded | 1.96 | 0.8% | | 1\ | e 70 | 600 | 30 | 57 |
| Sb | Sharkey clay, 0.5 to 3 percent slopes, rarely flooded | 1.49 | 0.6% | | IV | w | 612.5 | 36.2 | 30 |
| Dm | Dundee silty clay, 0 to 3 percent slopes | 0.55 | 0.2% | | ı | w 85 | 750 | 40 | 60 |
| Bb | Bosket very fine sandy loam, 0 to 3 percent slopes (dubbs) | 0.17 | 0.1% | | | w 90 | 850 | 40 | 51 |
| | Weighted Average | | | | | 8 66 | 615.7 | 29 | *n 44.4 |







| © AgriData, Inc. 2023 www.AgriDataInc.com | | | | | | | Area | Symbol: MS01 | 1, Soil Area V | ersion: 19 |
|---|--|--------|------------------|-------------------------|---------------------|------------|--------------------|----------------------|----------------|-------------------|
| Code | Soil Description Soils data provided by USDA and NRCS. | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Corn Bu | Cotton lint Lbs | Rice Irrigated Bu | Soybeans Bu | *n NCC' Soyber |
| Dc | Dowling clay (sharkey) | 250.89 | 25.3% | | Vw | | | | | 1 |
| Sa | Sharkey clay, 0 to 0.5 percent slopes, rarely flooded | 231.59 | 23.5% | | IIIw | | 650 | 130 | 40 | 23 |
| Та | Tunica silty clay, 0 to 3 percent slopes, rarely flooded | 137.63 | 13.9% | | IIIw | | 625 | | 35 | 52 |
| Se | Sharkey silty clay, 0.5 to 3 percent slopes | 89.15 | 9.0% | | IIIe | | 600 | | 35 | 32 |
| Dm | Dundee silty clay, 0 to 3 percent slopes | 71.75 | 7.3% | | llw | 85 | 750 | | 40 | 60 |
| Fc | Forestdale silty clay, 0 to 3 percent slopes | 40.00 | 4.1% | | IIIw | 50 | 600 | 130 | 35 | 48 |
| W | Water | 36.62 | 3.7% | | | | | | | |
| Dn | Dundee silty clay loam, 0 to 3 percent slopes | 36.50 | 3.7% | | llw | 85 | 750 | | 40 | 60 |
| Sb | Sharkey clay, 0.5 to 3 percent slopes, rarely flooded | 20.01 | 2.0% | | IVw | | 612.5 | | 36.2 | 30 |
| Tb | Tunica silty clay, 3 to 7 percent slopes | 18.15 | 1.8% | | IIIe | | 575 | | 35 | 47 |
| Fd | Forestdale silty clay, 3 to 7 percent slopes slopes | 13.58 | 1.4% | | IIIw | 50 | 600 | 130 | 35 | 47 |
| Sg | Sharkey silty clay, 3 to 7 percent slopes | 13.22 | 1.3% | | IIIe | | 600 | | 35 | 31 |
| Do | Dundee silty clay loam, 3 to 7 percent slopes, moderately eroded, rarely flooded | 12.37 | 1.3% | | IVe | 70 | 600 | | 30 | 57 |
| Сс | Commerce silt loam, 0 to 2 percent slopes, rarely flooded | 6.68 | 0.7% | | lle | 85 | 825 | | 35 | 65 |
| Sn | Sharkey-clack soils, 3 to 7 percent slopes (sharkey, crevasse) | 5.65 | 0.6% | | Ille | | 600 | | 35 | 25 |
| Dd | Dowling soils, overwash phases(sharkey) | 3.51 | 0.4% | | Vw | | | | | 2 |
| Weighted Average | | | | | | 13.5 | 456.1 | 37.5 | 26.4 | *n 28.1 |



Soils Map Terrene Landing







©2024 AgriData, Inc.

State: Mississippi Location: 34-24N-8W County: **Bolivar** Township: District 1 Date: 6/25/2024 Acres: 677.94

| Area S | Symbol: MS011, Soil Area Version: 19 | 44 | | | | | | | | |
|------------------|--|--------|------------------|-------------------------|---------------------|------------|--------------------|----------------------|-------------|----------------------|
| Code | Soil Description Soils data provided by USDA and NRCS. | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Corn Bu | Cotton lint Lbs | Rice Irrigated Bu | Soybeans Bu | *n NCCPI Soybeans |
| Se | Sharkey silty clay, 0.5 to 3 percent slopes | 205.24 | 30.3% | | IIIe | | 600 | | 35 | 32 |
| Dc | Dowling clay (sharkey) | 144.28 | 21.3% | | Vw | | | | | 1 |
| Сс | Commerce silt loam, 0 to 2 percent slopes, rarely flooded | 139.25 | 20.5% | | lle | 85 | 825 | | 35 | 65 |
| Dn | Dundee silty clay loam, 0 to 3 percent slopes | 64.74 | 9.5% | | llw | 85 | 750 | | 40 | 60 |
| Dm | Dundee silty clay, 0 to 3 percent slopes | 32.31 | 4.8% | | llw | 85 | 750 | | 40 | 60 |
| Dd | Dowling soils, overwash phases (sharkey) | 20.80 | 3.1% | | Vw | | | | | 2 |
| Ce | Commerce silty clay loam, 0 to 2 percent slopes, rarely flooded | 19.15 | 2.8% | | llw | 85 | 825 | | 35 | 68 |
| Sn | Sharkey-clack soils, 3 to 7 percent slopes (sharkey, crevasse) | 14.27 | 2.1% | | Ille | | 600 | | 35 | 25 |
| Ма | Mhoon silt loam | 8.40 | 1.2% | | llw | | 700 | 125 | 35 | 56 |
| W | Water | 7.04 | 1.0% | | | | | | | |
| BP | Borrow Pit | 5.86 | 0.9% | | | | | | | |
| Fd | Forestdale silty clay, 3 to 7 percent slopes | 3.95 | 0.6% | | IIIw | 50 | 600 | 130 | 35 | 47 |
| Fc | Forestdale silty clay, 0 to 3 percent slopes | 3.17 | 0.5% | | IIIw | 50 | 600 | 130 | 35 | 48 |
| Sg | Sharkey silty clay, 3 to 7 percent slopes | 3.09 | 0.5% | | IIIe | | 600 | | 35 | 31 |
| Та | Tunica silty clay, 0 to 3 percent slopes, rarely flooded | 2.77 | 0.4% | | IIIw | | 625 | | 35 | 52 |
| Do | Dundee silty clay loam, 3 to 7 percent slopes, moderately eroded, rarely flooded | 1.35 | 0.2% | | IVe | 70 | 600 | | 30 | 57 |
| Sb | Sharkey clay, 0.5 to 3 percent slopes, rarely flooded | 0.87 | 0.1% | | IVw | | 612.5 | | 36.2 | 30 |
| Du | Dundee-clack soils, 3 to 7 percent slopes (dundee, crevasse) | 0.80 | 0.1% | | Ille | 70 | 600 | | 30 | 38 |
| So | Souva soils (sharkey) | 0.60 | 0.1% | | Vw | | | | | 2 |
| Weighted Average | | | | | *- | 32.8 | 517.4 | 2.9 | 26.5 | *n 36.1 |



Property Photos



McClintock Land Company has previously entered into an agreement with the client to provide certain real estate brokerage services and acts as that client's designated agent. As such, McClintock Land is the agent of the seller. The information contained herein is from sources McClintock Land considers reliable, but is not guaranteed. This offering may be withdrawn from the market or be subject to a change in price or terms without advance notice. Seller reserves the right to reject any and all offers. Boundary lines on maps are for illustration purposes only and should not be used to define legal property lines.



Murry McClintock, Licensed Real Estate Broker
Office: 662-363-1801 murry@mcclintockland.com Cell: 662-363-6024