

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd
Bow WA 98232
pmcsales@gmx.com

Plant Availability

Gravel Bed Gravel bed bareroot plants are available October 15th - December 2022

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
100	Gravel Bed - Golden Currant (<i>Ribes aureum</i>) EW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95
200	Gravel Bed - Osoberry (<i>Oemlaria cerasiformis</i>) WW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95
200	Gravel Bed - Pacific Crabapple (<i>Malus fusca</i>) WW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95
100	Gravel Bed - Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.6, 2-0, (25)	1.95	1.95	1.95	1.95
200	Gravel Bed - Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95
200	Gravel Bed - Twinberry (<i>Lonicera involucrata</i>) WW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95
100	Gravel Bed - Woods Rose (<i>Rosa woodsii</i>) EW, 1-0, 12"+ (25)	1.95	1.95	1.95	1.95

Hardwoods and Shrubs Seed zone key listed on the last page

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Baldhip Rose (<i>Rosa gymnocarpa</i>) WW, 1-0, 12"+ (25)	0.91	1.01	1.28	1.75
TBD	Baldhip Rose (<i>Rosa gymnocarpa</i>) WW, 1-0, 6-12" (25)	0.86	0.96	1.23	1.70
TBD	Big Leaf Maple (<i>Acer macrophyllum</i>) WW, 1-0, 18"+ (10)	0.91	1.01	1.28	1.75
TBD	Big Leaf Maple (<i>Acer macrophyllum</i>) WW, 1-0, 6-18" (25)	0.86	0.96	1.23	1.70
TBD	Bitter Cherry (<i>Prunus emarginata</i>) OR, 1-0, 12"+ (10)	0.85	0.93	1.19	1.62
TBD	Bitter Cherry (<i>Prunus emarginata</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Bitter Cherry (<i>Prunus emarginata</i>) WW, 1-0, 12"+ (10)	0.85	0.93	1.19	1.62
TBD	Bitter Cherry (<i>Prunus emarginata</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Black Cottonwood (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) WW, 1-0, 12"+ (10)	0.80	0.88	1.14	1.57
TBD	Black Cottonwood (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) WW, 1-0, 6-12" (25)	0.75	0.83	1.09	1.52
TBD	Black Hawthorn (<i>Crataegus douglasii</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Black Hawthorn (<i>Crataegus douglasii</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Black Hawthorn (<i>Crataegus douglasii</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Black Hawthorn (<i>Crataegus douglasii</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) OR, 1-0, Crowns (25)	0.75	0.83	1.09	1.52
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>) WW, 1-0, Crowns (25)	0.75	0.83	1.09	1.52
TBD	Cascara (<i>Rhamnus purshiana</i> [Frangula]) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Cascara (<i>Rhamnus purshiana</i> [Frangula]) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Cascara (<i>Rhamnus purshiana</i> [Frangula]) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Cascara (<i>Rhamnus purshiana</i> [Frangula]) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Choke Cherry (<i>Prunus virginiana</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd

Bow WA 98232

pmcsales@gmx.com

Plant Availability

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Choke Cherry (<i>Prunus virginiana</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Dewberry (<i>Rubus ursinus</i>) WW, 1-0, 6"+ (25)	0.85	0.93	1.19	1.62
TBD	Douglas Spirea (<i>Spiraea douglasii</i>) WW, 2-0, 18"+ (10)	1.13	1.25	1.34	1.92
TBD	Douglas Spirea (<i>Spiraea douglasii</i>) WW, 2-0, 6-18" (25)	1.08	1.20	1.29	1.87
TBD	Golden Currant (<i>Ribes aureum</i>) OR, 1-0, 12"+ (25)	0.91	1.01	1.28	1.75
TBD	Golden Currant (<i>Ribes aureum</i>) OR, 1-0, 6-12" (25)	0.86	0.96	1.23	1.70
TBD	Low Oregon Grape (<i>Mahonia nervosa</i>) OR, 2-0, 1-3" (10)	1.08	1.20	1.29	1.87
TBD	Low Oregon Grape (<i>Mahonia nervosa</i>) OR, 2-0, 3"+ (10)	1.13	1.25	1.34	1.92
TBD	Low Oregon Grape (<i>Mahonia nervosa</i>) WW, 2-0, 1-3" (10)	1.08	1.20	1.29	1.87
TBD	Low Oregon Grape (<i>Mahonia nervosa</i>) WW, 2-0, 3"+ (10)	1.13	1.25	1.34	1.92
TBD	Mock Orange (<i>Philadelphus lewisii</i>) OR, 2-0, 12"+ (10)	1.13	1.25	1.34	1.92
TBD	Mock Orange (<i>Philadelphus lewisii</i>) OR, 2-0, 6-12" (25)	1.08	1.20	1.29	1.87
TBD	Mock Orange (<i>Philadelphus lewisii</i>) WW, 2-0, 6-12" (25)	1.08	1.20	1.29	1.87
TBD	Mountain Alder (<i>Alnus incana</i>) OR, 2-0, 18"+ (10)	1.13	1.25	1.34	1.92
TBD	Mountain Alder (<i>Alnus incana</i>) OR, 2-0, 6-18" (25)	1.08	1.20	1.29	1.87
TBD	Nootka Rose (<i>Rosa nutkana</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Nootka Rose (<i>Rosa nutkana</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Oregon Ash (<i>Fraxinus latifolia</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Oregon Ash (<i>Fraxinus latifolia</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Oregon White Oak (<i>Quercus garryana</i>) WW, 2-0, 3-6" (25)	1.03	1.15	1.24	1.82
TBD	Oregon White Oak (<i>Quercus garryana</i>) WW, 2-0, 6-12" (25)	1.08	1.20	1.29	1.87
TBD	Osoberry (<i>Oemlaria cerasiformis</i>) OR, 1-0, 12+ (25)	0.85	0.93	1.19	1.62
TBD	Osoberry (<i>Oemlaria cerasiformis</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Osoberry (<i>Oemlaria cerasiformis</i>) WW, 1-0, 12+ (25)	0.85	0.93	1.19	1.62
TBD	Osoberry (<i>Oemlaria cerasiformis</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Pacific Crabapple (<i>Malus fusca</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Pacific Crabapple (<i>Malus fusca</i>) WW, 1-0, 12"+ (25) - Lewis County	0.85	0.93	1.19	1.62
TBD	Pacific Crabapple (<i>Malus fusca</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Pacific Crabapple (<i>Malus fusca</i>) WW, 1-0, 6-12" (25) - Lewis County	0.80	0.88	1.14	1.57
TBD	Pacific Dogwood (<i>Cornus nuttallii</i>) WW, 1-0, 12"+ (25)	0.91	1.01	1.28	1.75
TBD	Pacific Dogwood (<i>Cornus nuttallii</i>) WW, 1-0, 6-12" (25)	0.86	0.96	1.23	1.70
TBD	Pacific Ninebark (<i>Physocarpus capitatus</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Pacific Ninebark (<i>Physocarpus capitatus</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Peafruit Rose (<i>Rosa pisocarpa</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Peafruit Rose (<i>Rosa pisocarpa</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Quaking Aspen (<i>Populus tremuloides</i>) EW, 1-0, 12"+ (25)	0.90	0.98	1.24	1.67

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd

Bow WA 98232

pmcsales@gmx.com

Plant Availability

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Quaking Aspen (<i>Populus tremuloides</i>) EW, 1-0, 6-12" (25)	0.85	0.93	1.19	1.62
TBD	Red Alder (<i>Alnus rubra</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Alder (<i>Alnus rubra</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Alder (<i>Alnus rubra</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Alder (<i>Alnus rubra</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Elderberry (<i>Sambucus racemosa</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Elderberry (<i>Sambucus racemosa</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Elderberry (<i>Sambucus racemosa</i>) OR, 1-0, Crowns (25)	0.75	0.83	1.09	1.52
TBD	Red Elderberry (<i>Sambucus racemosa</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Elderberry (<i>Sambucus racemosa</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Elderberry (<i>Sambucus racemosa</i>) WW, 1-0, Crowns (25)	0.75	0.83	1.09	1.52
TBD	Red Flowering Currant (<i>Ribes sanguineum</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Flowering Currant (<i>Ribes sanguineum</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Salmonberry (<i>Rubus spectabilis</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Salmonberry (<i>Rubus spectabilis</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Serviceberry (<i>Amelanchier alnifolia</i>) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Sitka Alder (<i>Alnus viridis</i> ssp <i>sinuata</i>) OR, 2-0, 18"+ (10)	1.13	1.25	1.34	1.92
TBD	Sitka Alder (<i>Alnus viridis</i> ssp <i>sinuata</i>) OR, 2-0, 6-18" (25)	1.08	1.20	1.29	1.87
TBD	Snowberry (<i>Symphoricarpos albus</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Snowberry (<i>Symphoricarpos albus</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Tall Oregon Grape (<i>Mahonia aquifolium</i>) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Tall Oregon Grape (<i>Mahonia aquifolium</i>) EW, 1-0, 3-6" (25)	0.75	0.83	1.09	1.52
TBD	Tall Oregon Grape (<i>Mahonia aquifolium</i>) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd

Bow WA 98232

pmcsales@gmx.com

Plant Availability

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Tall Oregon Grape (Mahonia aquifolium) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Tall Oregon Grape (Mahonia aquifolium) OR, 1-0, 3-6" (25)	0.75	0.83	1.09	1.52
TBD	Tall Oregon Grape (Mahonia aquifolium) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Tall Oregon Grape (Mahonia aquifolium) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Tall Oregon Grape (Mahonia aquifolium) WW, 1-0, 3-6" (25)	0.75	0.83	1.09	1.52
TBD	Tall Oregon Grape (Mahonia aquifolium) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Tall Oregon Grape (Mahonia aquifolium) WW, 2-0, 18"+ (10)	1.13	1.25	1.34	1.92
TBD	Tall Oregon Grape (Mahonia aquifolium) WW, 2-0, 6-18" (25)	1.13	1.25	1.34	1.92
TBD	Thimbleberry (Rubus parviflorus) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Thimbleberry (Rubus parviflorus) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Thimbleberry (Rubus parviflorus) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Thimbleberry (Rubus parviflorus) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Twinberry (Lonicera involucrata) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Twinberry (Lonicera involucrata) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Twinberry (Lonicera involucrata) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Twinberry (Lonicera involucrata) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Vine Maple (Acer circinatum) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Vine Maple (Acer circinatum) EW, 1-0, 3-6" (25)	0.75	0.83	1.09	1.52
TBD	Vine Maple (Acer circinatum) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Vine Maple (Acer circinatum) OR, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Vine Maple (Acer circinatum) OR, 1-0, 3-6" (25)	0.75	0.83	1.09	1.52
TBD	Vine Maple (Acer circinatum) OR, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Vine Maple (Acer circinatum) WW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Vine Maple (Acer circinatum) WW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	Water Birch (Betula occidentalis) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Water Birch (Betula occidentalis) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57
TBD	White Alder (Alnus rhombifolia) OR, 2-0, 18"+ (10)	1.13	1.25	1.34	1.92
TBD	White Alder (Alnus rhombifolia) OR, 2-0, 6-18" (25)	1.08	1.20	1.29	1.87
TBD	Woods Rose (Rosa woodsii) EW, 1-0, 12"+ (25)	0.85	0.93	1.19	1.62
TBD	Woods Rose (Rosa woodsii) EW, 1-0, 6-12" (25)	0.80	0.88	1.14	1.57

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd
Bow WA 98232
pmcsales@gmx.com

Plant Availability

Brokered Items Brokered items may not be cancelled once on order

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
15,000	Brokered - Evergreen Huckleberry (<i>Vaccinium ovatum</i>) 77p (10)	2.70	2.90	3.28	3.67
15,000	Brokered - Kinnikinnick (<i>Arctostaphylos uva-ursi</i>) 72p (5)	1.54	1.65	1.87	2.09
2,400	Brokered - Lady Fern (<i>Athyrium filix-femina</i>) 72p (5)	1.54	1.65	1.87	2.09
2,400	Brokered - Madrone (<i>Arbutus menziesii</i>) 45p (5)	4.47	4.79	5.42	6.06
1,000	Brokered - Maidenhair Fern (<i>Adiantum aleudicum</i>) 72p (5)	1.54	1.65	1.87	2.09
1,400	Brokered - Oak Fern (<i>Gymnocarpium dryopteris</i>) 72p (5)	1.54	1.65	1.87	2.09
200	Brokered - Rhododendron (<i>Rhododendron macrophyllum</i>) 77p (10)	3.23	3.47	3.93	4.39
500	Brokered - Salal (<i>Gaultheria shallon</i>) 72p (5)	1.32	1.41	1.60	1.79
2,750	Brokered - Sword Fern (<i>Polystichum munitum</i>) 72p (5)	1.54	1.65	1.87	2.09
2,400	Brokered - Western Honeysuckle (<i>Lonicera ciliosa</i>) 72p (5)	1.54	1.65	1.87	2.09
4,700	Brokered - Western Red Cedar (<i>Thuja plicata</i>) 201-0.5 Styro 10	0.73	0.78	0.88	0.99
600	Brokered - Western Red Cedar (<i>Thuja plicata</i>) THPL2 Styro 10	0.73	0.78	0.88	0.99

Conifers Seed zone key listed on the last page

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 221-0.5, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 221-0.5, 2-0, 6-12" (25)	0.42	0.52	0.65	0.91
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 232-1.0, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 232-1.0, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 401-1.5, 2-0, 6-12" (25)	0.42	0.52	0.65	0.91
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 403-0.5, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 403-0.5, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 412-1.0, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 412-1.0, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) 422-1.5, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) PSME4, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Douglas Fir (<i>Pseudotsuga menziesii</i>) PSME4, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Grand Fir (<i>Abies grandis</i>) 030-0.5, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Grand Fir (<i>Abies grandis</i>) 030-0.5, 2-0, 6-12" (25)	0.42	0.52	0.65	0.91
TBD	Grand Fir (<i>Abies grandis</i>) 422-1.5, 2-0, 3-6" (25)	0.37	0.47	0.60	0.86
TBD	Grand Fir (<i>Abies grandis</i>) 422-1.5, 2-0, 6-12" (25)	0.42	0.52	0.65	0.91
TBD	Grand Fir (<i>Abies grandis</i>) 422-1.5, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Grand Fir (<i>Abies grandis</i>) BC, 2-0, 6-12" (25)	0.42	0.52	0.65	0.91
TBD	Incense Cedar (<i>Calocedrus decurrens</i>) SW Oregon, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Noble Fir (<i>Abies procera</i>) 440-3.0, P-1, 12"+ (25)	0.79	0.85	1.05	1.53

WACD Plant Materials Center

6/23/2022

16564 Bradley Rd

Bow WA 98232

pmcsales@gmx.com

Plant Availability

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity)	1000+	500+	100+	<100
TBD	Noble Fir (<i>Abies procera</i>) 440-3.0, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Ponderosa Pine (<i>Pinus ponderosa</i>) 612-2.6, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Ponderosa Pine (<i>Pinus ponderosa</i>) 612-2.6, 2-0, 6-12" (25)	0.42	0.51	0.65	0.90
TBD	Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.6, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.6, 2-0, 6-12" (25)	0.42	0.51	0.65	0.90
TBD	Port Orford Cedar (<i>Chamaecyparis lawsoniana</i>) 042-0.5, 2-0, 12"+ (25)	0.47	0.57	0.70	0.96
TBD	Western Hemlock (<i>Tsuga heterophylla</i>) TSHE3, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Western Hemlock (<i>Tsuga heterophylla</i>) TSHE3, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Western Larch (<i>Larix occidentalis</i>) 612-5.0, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Western Red Cedar (<i>Thuja plicata</i>) 403-0.5, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Western Red Cedar (<i>Thuja plicata</i>) 201-1.0, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Western Red Cedar (<i>Thuja plicata</i>) 201-1.0, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Western Red Cedar (<i>Thuja plicata</i>) 422-1.5, P-1, 12"+ (25)	0.79	0.85	1.05	1.53
TBD	Western Red Cedar (<i>Thuja plicata</i>) 422-1.5, P-1, 6-12" (25)	0.74	0.80	1.03	1.48
TBD	Western White Pine (<i>Pinus monticola</i>) WA/OR/ID, P-1, 3-6" (25)	0.74	0.80	1.03	1.48
TBD	Western White Pine (<i>Pinus monticola</i>) WA/OR/ID, P-1, 6-12" (25)	0.79	0.85	1.05	1.53

Livestakes

Please inquire for longer length livestakes

Quantity	Specie, Zone, Stock Type, Size (Bundle Quantity = 100)	1000+	500+	100+
TBD	Black Cottonwood (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	Black Cottonwood (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) Skagit WW, 3' cutting	0.85	0.92	1.05
TBD	Black Cottonwood (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) Thurston WW, 3' cutting	0.85	0.92	1.05
TBD	Coyote Willow (<i>Salix exigua</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	Coyote Willow (<i>Salix exigua</i>) Lincoln County, 3' cutting	0.85	0.92	1.05
TBD	Drummond Willow (<i>Salix drummondiana</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	MacKenzie Willow (<i>Salix prolixa</i> , <i>S rigida mackenzieana</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	MacKenzie Willow (<i>Salix prolixa</i> , <i>S rigida mackenzieana</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Pacific Ninebark (<i>Physocarpus capitatus</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Pacific Willow (<i>Salix lucida</i> ssp. <i>lasiandra</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	Pacific Willow (<i>Salix lucida</i> ssp. <i>lasiandra</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Peachleaf Willow (<i>Salix amygdaloides</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 3' cutting	0.85	0.92	1.05
TBD	Red Osier Dogwood (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Sitka Willow (<i>Salix sitchensis</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Twinberry (<i>Lonicera involucrata</i>) WW, 3' cutting	0.85	0.92	1.05
TBD	Yellow Willow (<i>Salix lutea</i>) Lincoln County, EW, 3' cutting	0.85	0.92	1.05

Key

Seed Zone

<https://wacdpmc.org/seed-zone-maps>

030-0.5	Grays Harbor County - 500'
042-0.5	Clark County - 500'
201-1.0	West Whatcom County - 1,000'
221-0.5	East Clallam County - 500'
232-1.0	Thurston/Pierce County - 1,000'
401-1.5	Mid Whatcom County - 1,500'
403-0.5	East Skagit County - 500'
412-1.0	King County - 1,000'
422-1.5	Northeast Lewis County - 1,500'
440-3.0	West Skamania County - 3,000'
612-2.6	East Okanogan - 2,600'
612-5.0	East Okanogan - 5,000'
830-2.6	Spokane County - 2,600'
PSME4	Western Whatcom Co./Western Skagit Co./San Juan Islands
THPL2	Puget Sound Lowlands
TSHE3	Puget Sound Lowlands
BC	British Columbia
EW	Eastern Washington
OR	Oregon
WW	Western Washington
WA/OR/ID	Seed orchard appropriate for Washington, Oregon, and ID

Stock Type

1-0	1 year old bareroot plant
2-0	2 year old bareroot plant
2-1	2 year old bareroot plant transplanted for 1 more year
P-1	Plug transplanted for 1 more year
77p	Greenhouse grown plug tray with 77 cells
72p	Greenhouse grown plug tray with 72 cells