

TOWER HILLS RANCH - FALL 2020 BULLS - Ultrasound Report

Fraction
Indicates
How much
Salers

Ribeye

Tag Number	Breed	Rib Fat	Area	Marbling
91H	1/4	0.11	11.1	1.96
92H	1/4	0.25	9.8	1.82
93H	1/4	0.18	8.3	2.84
97H	Angus	0.12	9.4	1.6
99H	3/8	0.11	9.6	1.59
100H	1/4	0.11	9.1	2
103H	1/4	0.16	9.8	2.12
104H	3/8	0.12	10.1	1.26
106H	Angus	0.16	11.8	1.64
108H	1/4	0.14	11.6	1.38
110H	1/8	0.13	9.9	2.14
112H	1/4	0.09	10	1.56
114H	1/2	0.18	11.4	1.56
117H	1/4	0.07	11.8	1.18
122H	1/4	0.21	10.5	2.94
124H	Angus	0.12	10.8	2.84
126H	Angus	0.09	8.7	2.41
128H	3/8	0.12	10.1	2.05
135H	Angus	0.16	8.8	3.56
137H	Angus	0.11	8.8	3.65
144H	Angus	0.12	9.3	2.39
146H	1/4	0.13	8.7	2.7
149H	1/2	0.11	7.7	2.34
152H	3/8	0.11	8.7	2.09

Optimizer total	2.33	168.2	33.53
17 Optimizer Ave	0.14	9.89	1.97
Angus total	0.88	67.60	18.09
7 Angus ave	0.13	9.66	2.58

The bulls were scanned on November 4, 2021, after having been on a feed test of a corn ration for 8 weeks. They were fed 2% of their body weight daily and run on grass.

This test shows the carcass merits of each bull and is useful for those selling beef or fat cattle "on the hoof".

They were not "fat" or "finished" on scan date

"Finishing" bulls is detrimental to breeding pasture performance, but carcass merit is important

5 days.

e grid"