

# **bizhub** **C368 / C308 / C258**

High performance  
technology with seamless  
mobile connectivity



# Meeting the demands of your dynamic work environment

As your workforce becomes increasingly mobile, your staff and colleagues are looking for greater flexibility. You need to connect seamlessly, so you can focus on whatever you do best. In this new environment, collaboration is key. That's why innovative technology is embedded within our new multi-function printers (MFPs).



## Simple, flexible and easy to use

We've engineered our new compact A3 bizhub C308, bizhub C368 and bizhub C258 MFPs to allow effortless printing and scanning via the very latest mobile devices. Thanks to our new PageScope mobile application, this is achieved in the simplest possible way. To use the bizhub MFP, the user simply touches their mobile device against the Mobile Touch Area on the front panel. This enables someone to either print directly from the mobile device – or save scanned data from the bizhub through the mobile application.



## Intuitive touch screen operations

The bizhub C308/C368/C258 models are very easy to operate, thanks to our intuitive INFO-Palette design, and the new 9-inch touch panel. Functions can be selected with natural swipe, pinch, zoom, drag and drop gestures – just like smart devices. We have continued to refine our technology, so users can benefit from the improved navigation with horizontal scrolling and pop-up menus. Frequently used settings can be saved on the main screen. For security, a PIN-based system can be used to hold jobs until the authorised owner of the documents releases them.



## Share your ideas anytime, anywhere

With increased workplace mobility. People are creating and showing information in many exciting new ways. That's why we've incorporated a full suite of connectivity options. The latest industry-leading wireless, mobile and cloud-based services are also supported. For maximum flexibility, you can print and scan via:



### Apple AirPrint

Enables printing from a Mac or iOS mobile devices



### Mopria Print Service

Enables printing from Android smartphones or tablets



### Google Cloud Print

Share the printer over the web with anyone you choose



### Direct Print

Print emails and attachments directly from the local network



### PageScope Mobile Application

Print and scan documents, photos and images to and from a mobile device via Wi-Fi



### Wireless LAN

Greater connectivity in challenging installation environments

You can also use Wi-Fi Direct, which enable any compatible mobile device to connect on a Peer-to-Peer basis, without relying on the company network.





### Tailor functions to suit your workflow

The innovative new soft and hard menu keys enable the device to understand what you require. And by using the widget function, you can configure menus to display your choice of communications, usage rules and warnings. You'll also enjoy greater flexibility with a remarkably wide range of scan file formats to suit your needs. The modular design and configurations provide a wide range of configurable options.

The iOption accessories allow scanning to OOXML file formats such as PowerPoint or text-searchable file formats so that you can have a wider ability to integrate your documents with your workflow and document management systems. This can give you more advanced document workflow integration, for greater workplace efficiencies.



### Stronger, smarter and more secure

The bizhub C308/C368/C258 offers greater security, advanced authentication and print management solutions, optional hard disk mirroring, and document protection technology. All underpinned by a powerful combination of embedded technologies – including a dual core CPU, Emperon Controller, Simitri Toner Technology and a LED-scanning unit. Build quality is impressive, and these are rigorously tested devices, engineered to go the distance.



### Fast speeds and bright colour output

With increased workforce mobility, there are ever-greater demands for speed and efficiency. That's why the bizhub C368 delivers its brilliant full colour output at 36 pages per minute (30ppm for bizhub C308, 25ppm for bizhub C258) at A4 size.

Its 1800 x 600 enhanced dpi print resolution, or 1200 x 1200 real dpi produces vibrant colour office communications, and brings your ideas to life. It also offers high quality scanning at up to 600 dpi. A wide range of print and scan sizes are supported, up to A3. Your business will benefit from more powerful performance, and high quality output with greater impact.



### Helping your business thrive

Konica Minolta's multi-functional printers deliver the class-leading image quality you have come to expect from Konica Minolta. Overall, they offer many benefits for a demanding office environment – such as cost management, workplace efficiency, security and better environmental performance. They'll help your business grow – and bring your ideas to life.



### Reduced environmental footprint

From the very start of the manufacturing process, we have taken great care to follow industry best practice with the use of recycled materials, bioplastics and advanced chemical processing technologies.



### A true technology innovator

Konica Minolta invests continually in research and development in order to deliver inspiring products and give shape to ideas. Globally recognised for its award winning products, we work closely with businesses to deliver a range of multifunctional digital imaging solutions for document scanning, printing and electronic archiving and distribution. This consultative approach can help you further improve efficiency, cut costs, strengthen security and reduce your impact on the environment.

# Specifications

## General Specifications

	bizhub C368	bizhub C308	bizhub C258
Type	Desktop Full Colour Printer / Copier / Scanner		
Colour Support	Full colour		
Copy Resolution	Scan	Main: 600 dpi x Sub: 600 dpi	
	Print	1,800 dpi (equivalent) x 600 dpi	
Gradation	256		
Memory Capacity (Std./Max.)	2 GB/4 GB		
HDD	250 GB		
Original Type	Sheets, Books, Objects		
Max. Original Size	A3 (11" x 17")		
Output Size	Main unit: SRA3 <sup>1)</sup> , A3 to A5, 12-1/4" x 18" (A3 wide (311.1 mm x 457.2 mm)), 11" x 17" to 8-1/2" x 11", 5-1/2" x 8-1/2", 8" x 13" <sup>2)</sup> , 16K, 8K Bypass Tray: SRA3, A3 to A5, B6 <sup>3)</sup> , A6 <sup>3)</sup> , 12" x 18" (A3 wide (311.1 mm x 457.2 mm)), 11" x 17" to 5-1/2" x 8-1/2", 8" x 13" <sup>4)</sup> , 16K, 8K, Postcard (A6 (4" x 6" Card)), Envelope <sup>5)</sup> , Label sheet, Tab paper, Banner paper (Width: 210 mm to 297 mm (8-1/4" to 11-11/16"), Length: 457 mm to 1,200 mm (18" to 47-1/4") <sup>6)</sup>		
Image Loss	Max. 4.2mm or less for top edge (5 mm for thin paper), Max. 3.0mm or less for bottom edge, Max. 3.0mm or less for right/left edges <sup>*)</sup> A loss of 4.2 mm each during printing.		
Warm-Up Time <sup>7)</sup> (23°C, std. voltage)	Colour/B&W: 20 sec. or less		
<sup>*)</sup> The time required to start printing when both the main power and sub-power switches are turned from OFF to ON.			
<sup>*)</sup> The time required to start printing when the main power switch is ON and the sub-power switch is turned from OFF to ON.			
First Copy Out Time <sup>8)</sup>	Colour	6.9 sec. or less	7.3 sec. or less
	B/W	5.3 sec. or less	6.1 sec. or less
Copy Speed (Colour/B&W, A4)		36 ppm	25 ppm
Copy Magnification	Fixed Same Magnification	1: 1±0.5% or less	
	Scaling Up	1: 1.154/1.224/1.414/2.000	
	Scaling Down	1: 0.866/0.816/0.707/0.500	
	Preset	3 types	
	Zoom	25 to 400% (in 0.1% increments)	
Lengthwise Crosswise Individual Settings		25 to 400% (in 0.1% increments)	
Paper Capacity (80 g/m <sup>2</sup> )	Tray 1	500 sheets (up to A3)	
	Tray 2	500 sheets (up to SRA3)	
	Multiple Bypass Tray	150 sheets (up to SRA3)	
Max. Paper Capacity (80 g/m <sup>2</sup> ) <sup>9)</sup>		6,650 sheets	
Paper Weight	Tray 1 / 2	52 to 256 g/m <sup>2</sup>	
	Multiple Bypass Tray	60 to 300 g/m <sup>2</sup>	
Multiple Copy		1 to 9,999 sheets	
Auto Duplex	Paper Size	SRA3, A3 to A5, B6 <sup>3)</sup> , A6 <sup>3)</sup> , 12-1/4" x 18" (A3 wide (311.1 mm x 457.2 mm)), 11" x 17" <sup>10)</sup> to 5-1/2" x 8-1/2" <sup>10)</sup> , 7-1/4" x 10-1/2" <sup>10)</sup> , 8" x 13", 16K, 8K, Postcard (A6 (4" x 6" Card))	
	Paper Weight	52 to 256 g/m <sup>2</sup>	
Power Requirements	AC220 to 240 V 8.0 A (50/60 Hz)		
Max. Power Consumption	1.5 kW or less		
Dimensions [W] x [D] x [H]	615 x 685 x 779 mm (24-3/16" x 27-15/16" x 30-11/16")		
Weight	Approx. 85 kg (187-3/8 lb)		
Space Requirements [W] x [D] <sup>10)</sup>	937 x 1,214 mm (36-7/8" x 47-13/16")		

<sup>1)</sup> SRA3 paper can be used in Tray2.

<sup>2)</sup> There are four types of foolscap: 8-1/2" x 13-1/2"<sup>2)</sup>, 8-1/2" x 13"<sup>2)</sup>, 8-1/4" x 13"<sup>2)</sup>, and 8" x 13"<sup>2)</sup>. Any one of these sizes is selectable. For details, contact your service representative.

<sup>3)</sup> Short edge feed

<sup>4)</sup> There are six types of foolscap: 8-1/2" x 13-1/2"<sup>4)</sup>, 220 mm x 330 mm<sup>4)</sup>, 8-1/2" x 13"<sup>4)</sup>, 8-1/4" x 13"<sup>4)</sup>, 8-1/8" x 13-1/4"<sup>4)</sup>, and 8" x 13"<sup>4)</sup>. Any one of these sizes is selectable. For details, contact your service representative.

<sup>5)</sup> Wrinkles or printing errors may occur due to the type, storage or environment that exists when envelope printing is carried out.

<sup>6)</sup> Printing on banner paper can only be performed from a PC.

<sup>7)</sup> May vary depending on the operating environment and usage.

<sup>8)</sup> A4 long edge feed full size/using the first tray/scanning from the original glass surface.

<sup>9)</sup> With options installed.

<sup>10)</sup> Without options, with paper trays pulled out, and multiple bypass tray, auxiliary tray and ADF opened.

## Printer

Type	Embedded	
CPU	ARM Cortex-A7 Dual-core 1.2GHz	
Memory	Shared with the copier	
Print Speed	Same as Copy Speed (when using the same original)	
HDD	250 GB (Shared with the copier)	
Print Resolution	1,800 dpi (equivalent) x 600 dpi (at smoothing) or 1,200 dpi x 1,200 dpi (in 1,200 dpi mode)	
PDL	PCL 6, PostScript 3 Emulation, XPS	
Protocol	TCP/IP, IPX/SPX (NDS support), SMB (NetBEUI), LPD, IPP1.1, SNMP, AppleTalk	
Support OS	Windows Vista <sup>1)</sup> / 7 <sup>1)</sup> / 8 <sup>1)</sup> / 8.1 <sup>1)</sup> Windows Server 2008 <sup>1)</sup> / 2008 R2 / 2012 / 2012 R2 Mac OS X (10.6 / 10.7 / 10.8 / 10.9 / 10.10) Linux	
Fonts	PCL	80 Roman fonts
	PS	137 Roman Type1 fonts
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T), USB 1.1, USB 2.0, IEEE 802.11 b/g/n <sup>2)</sup> , Bluetooth LE <sup>2)</sup>	

<sup>1)</sup> Supports the 32-bit (x86) or 64-bit (x64) environment.

<sup>2)</sup> Optional



Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, and "The essentials of imaging" are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simiritri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated.

All other brand and product names are registered trademarks or trademarks of their respective owners.

## Scanning

Type	Full-Colour Scanner	
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T), IEEE 802.11 b/g/n <sup>1)</sup>	
Driver	TWAIN Driver, HDD TWAIN Driver	
Protocol	TCP/IP (FTP, SMB, SMTP, WebDAV) (IPv4/IPv6)	
Scanning Speed (Colour/B&W) (300 dpi, A4, Simplex)	80 opm <sup>2)</sup>	
Scanning Size	Max. A3 (11" x 17")	
Output Format	TIFF, JPEG, PDF, Compact PDF, XPS, Compact XPS, OOXML (pptx, xlsx <sup>1)</sup> , docx <sup>1)</sup> ), Searchable PDF <sup>1)</sup> , PDF/A <sup>1)</sup> , Linearised PDF <sup>1)</sup>	
Scanning Resolution	Push	200 dpi / 300 dpi / 400 dpi / 600 dpi
	Pull	100 dpi / 200 dpi / 300 dpi / 400 dpi / 600 dpi
Main Functions	Scan to E-Mail, Scan to FTP, Scan to BOX (HDD), Scan to PC (SMB), Network TWAIN, Scan to WebDAV, Scan to USB, Scan to Scan Server, Scan to Web Service (WSD-Scan), Device Profile for Web Services (DPWS)	
Other Functions	Multi-Method Send, Authentication at the time of E-Mail send (SMTP authentication, POP before SMTP), S/MIME, Annotation	

<sup>1)</sup> Optional

<sup>2)</sup> When using the Automatic Document Feeder.

## Internet Fax

Protocol	TX: SMTP, RX: POP3, TCP/IP Simple mode	
Connection Mode	Full-Mode	
Sending Paper Size	A3, B4, A4	
Recording Paper Size	Max. A3	
Resolution	B/W: 200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi, 600 x 600 dpi Colour: 200 x 200 dpi, 400 x 400 dpi, 600 x 600 dpi	
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T)	
Colour	Support Colour Internet Fax	
Format	B/W: TIFF-F Colour: TIFF (Conforms to RFC3949 Profile-C)	

## Fax Kit FK-514 (Optional)

Communication	Super G3	
Compatible Lines	Public Switch Telephone Network, Private Branch Exchange, Fax Communication Line	
Line Density	Ultra Fine: 600 dpi	600 dpi
	Super Fine: 16 dot/mm	15.4 line/mm, 400 dpi
	Normal: 8 dot/mm	7.7 line/mm, 200 dpi
Modem Speed	2.4 to 33.6 kbps	
Compression	MH/MR/MMR/JBIG	
Sending Paper Size	Max. A3 (Long Length Support: Max. 1,000 mm)	
Recording Paper Size	Max. A3 (Long Length Max. 1,000 mm — following the page division —)	
Transmission Speed	Less than 2 sec. (A4, V.34, 33.6 kbps, JBIG)	
Memory	Shared with the copier	
Number of Abbr. Dials	2,000	
Number of Program Dials	400	
Number of Group Dials	100	
Sequential Multiple Station Transmission	Max. 600	

## IP Address Fax <sup>\*)</sup>Optional Fax Kit FK-514 is required.

Protocol Transmission	TCP/IP, SMTP	
Sending Paper Size	A3, B4, A4	
Resolution	200 x 200 dpi, 400 x 400 dpi, 600 x 600 dpi	
Format	B/W: TIFF-F, TIFF-S Colour: TIFF, PDF	



Requirements for safe use

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.

