

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|--------------------|------|------|-------|------|------|-------|-------|-------|-----|
| 11 METER | 75 | 83 | 2.86 | 1991 | CLUB | 3527 | 1598 | 33.80 | IB |
| 1D 35 | 30 | 35 | 3.02 | 2200 | STND | 6550 | 2525 | 35.00 | IB |
| 1D 48 | -32 | -25 | 4.21 | 2967 | STND | 17967 | 8818 | 48.42 | IB |
| ABBOTT 22 | 231 | 242 | 12.07 | 1284 | STND | 3100 | 1550 | 22.00 | OB |
| ABBOTT 27 | 163 | 172 | 13.22 | 1622 | STND | 6000 | 2700 | 27.33 | IB |
| ABBOTT 33 | 126 | 133 | 6.67 | 1909 | STND | 6057 | 3304 | 33.29 | IB |
| ABBOTT 36 | 104 | 110 | 9.50 | 2095 | STND | 10000 | 4475 | 36.25 | IB |
| ABLE 20 | 294 | 303 | 17.16 | 1069 | STND | 2500 | 1000 | 20.00 | IB |
| ALBERG 35 | 207 | 214 | 25.29 | 1871 | STND | 12600 | 5300 | 34.75 | IB |
| ALBERG 37 | 168 | 175 | 25.83 | 2060 | STND | 16800 | 6500 | 37.17 | IB |
| ALBIN BALLARD 30 | 186 | 197 | 17.59 | 1677 | STND | 7276 | 3417 | 29.92 | IB |
| ALBIN CUMULUS 28 | 192 | 200 | 17.94 | 1601 | STND | 7055 | 2812 | 28.08 | IB |
| ALDEN CARAVELL 42 | 156 | 164 | 23.56 | 2283 | STND | 19400 | 7100 | 41.57 | IB |
| ALLMAND 31 | 189 | 198 | 15.36 | 1734 | STND | 11100 | 4300 | 30.75 | IB |
| ALOHA 27 | 222 | 229 | 11.25 | 1486 | STND | 5200 | 2000 | 26.50 | IB |
| ALOHA 30 | 141 | 145 | 8.83 | 1778 | STND | 6800 | 2960 | 30.00 | IB |
| ALOHA 34/10.4 | 156 | 166 | 17.28 | 1926 | STND | 13600 | 4700 | 34.00 | IB |
| ANDREWS 26 | 144 | 152 | 9.59 | 1603 | STND | 4000 | 1700 | 26.00 | IB |
| ANDREWS 28 | 93 | 102 | 3.59 | 1773 | STND | 3750 | 1290 | 28.00 | IB |
| ANDREWS 30 MK I | 96 | 104 | 9.06 | 1864 | STND | 7000 | 2500 | 29.97 | IB |
| ANDREWS 39 | 60 | 63 | 6.91 | 2372 | STND | 12700 | 6000 | 39.42 | IB |
| ANDREWS 70 | -90 | -86 | 1.72 | 4043 | STND | 26300 | 11900 | 68.50 | IB |
| ANDREWS 80 | -120 | -109 | 0.90 | 4977 | STND | 31750 | 13050 | 80.00 | IB |
| ANDREWS ILC 40 FR | 15 | 18 | 4.67 | 2530 | STND | 12985 | 7875 | 40.90 | IB |
| ANTRIM 27 | 84 | 91 | 2.89 | 1757 | STND | 2600 | 1050 | 27.83 | OB |
| ARCHAMBAULT A40 RC | 33 | 42 | 7.00 | 2415 | STND | 14661 | 6834 | 39.30 | IB |
| AVANCE 36 | 132 | 138 | 10.98 | 2016 | STND | 11000 | 5720 | 35.42 | IB |
| B-25 (BEILEY) | 135 | 145 | 3.30 | 1561 | STND | 2000 | 800 | 25.00 | OB |
| B-32 IB | 69 | 73 | 2.82 | 1975 | STND | 4100 | 1650 | 32.00 | IB |
| BALBOA 26 OA | 219 | 228 | 8.82 | 1448 | STND | 3600 | 1200 | 25.68 | OB |
| BALTIC 38 DP | 96 | 106 | 10.32 | 2239 | STND | 14330 | 6500 | 38.08 | IB |
| BALTIC 42 | 84 | 95 | 12.09 | 2454 | STND | 19715 | 9000 | 42.43 | IB |
| BAVARIA 37 | 119 | 125 | 11.33 | 2144 | STND | 11817 | 3925 | 37.83 | IB |
| BAVARIA 38 | 108 | 116 | 10.19 | 2226 | STND | 15873 | 4620 | 38.33 | IB |
| BAVARIA 38 SD | 120 | 128 | 10.19 | 2208 | STND | 15873 | 4620 | 38.33 | IB |
| BAVARIA 770 | 207 | 216 | 9.10 | 1531 | STND | 3410 | 1584 | 27.75 | IB |
| BENET 25 PLATU | 120 | 123 | 4.44 | 1583 | STND | 2755 | 1124 | 24.58 | IB |
| BENET 31 | 147 | 155 | 10.05 | 1834 | STND | 8933 | 2207 | 31.67 | IB |
| BENET 31 SD | 168 | 176 | 10.05 | 1800 | STND | 8933 | 2412 | 31.67 | IB |
| BENET 311 SD | 162 | 169 | 7.58 | 1833 | STND | 7716 | 2425 | 32.25 | IB |
| BENET 32 | 148 | 157 | 10.10 | 1851 | STND | 8390 | 3310 | 32.50 | IB |
| BENET 32 TM | 153 | 162 | 14.23 | 1901 | STND | 12566 | 3208 | 33.92 | IB |
| BENET 331 | 158 | 166 | 10.98 | 1908 | STND | 11173 | 3253 | 33.92 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-------------------------|-----|-----|-------|------|------|-------|------|-------|-----|
| BENET 331 SD | 175 | 183 | 11.14 | 1877 | STND | 11173 | 4235 | 33.92 | IB |
| BENET 34 | 142 | 151 | 12.13 | 1950 | STND | 12566 | 3208 | 33.92 | IB |
| BENET 36.7 | 78 | 84 | 10.72 | 2165 | STND | 12795 | 3748 | 36.08 | IB |
| BENET 36.7 SD | 84 | 90 | 10.99 | 2153 | STND | 12939 | 3748 | 36.00 | IB |
| BENET 37 | 120 | 130 | 9.26 | 2145 | STND | 14008 | 4253 | 37.67 | IB |
| BENET 40 | 123 | 129 | 13.30 | 2240 | STND | 18210 | 5198 | 39.83 | IB |
| BENET 423 | 114 | 124 | 9.56 | 2390 | STND | 19500 | 5456 | 43.14 | IB |
| BENET 43 SD | 103 | 111 | 9.32 | 2421 | STND | 19566 | 6239 | 43.00 | IB |
| BENET 43 SK | 93 | 101 | 9.32 | 2436 | STND | 19566 | 5456 | 43.00 | IB |
| BENET 50 | 72 | 82 | 7.78 | 2856 | STND | 28660 | 9315 | 50.75 | IB |
| BENET FIGARO 1 (SOLO) | 102 | 108 | 4.19 | 1865 | STND | 5291 | 1984 | 29.99 | IB |
| BENET FIGARO 2 | 63 | 68 | 3.43 | 2027 | STND | 6724 | 2425 | 32.18 | IB |
| BENET FIGARO 3 | 51 | 59 | 4.05 | 2164 | EXP | 7000 | 2449 | 35.75 | IB |
| BRISTOL 27 OB | 234 | 242 | 26.91 | 1474 | STND | 6600 | 2575 | 27.16 | IB |
| C&C 110 AL | 84 | 92 | 6.78 | 2185 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 110 CF | 81 | 89 | 6.78 | 2189 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 110 DK AL | 78 | 86 | 6.78 | 2193 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 110 DK CF | 75 | 83 | 6.78 | 2197 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 110 SD | 87 | 95 | 6.78 | 2180 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 110 XP | 72 | 80 | 6.78 | 2201 | STND | 10900 | 4200 | 36.33 | IB |
| C&C 115 AL | 63 | 70 | 6.08 | 2294 | STND | 11800 | 4200 | 37.75 | IB |
| C&C 115 POLE | 66 | 73 | 6.08 | 2289 | STND | 11800 | 4200 | 37.75 | IB |
| C&C 115 SD | 69 | 76 | 6.08 | 2285 | STND | 11800 | 4200 | 37.75 | IB |
| C&C 115 SPRIT | 66 | 75 | 6.08 | 2289 | STND | 11800 | 4200 | 37.75 | IB |
| C&C 121 AL | 60 | 68 | 6.45 | 2403 | STND | 14600 | 6000 | 40.00 | IB |
| C&C 121 SD | 66 | 74 | 6.45 | 2394 | STND | 14600 | 6000 | 40.00 | IB |
| C&C 121 XP | 56 | 64 | 6.45 | 2408 | STND | 14600 | 6000 | 40.00 | IB |
| C&C 24 | 237 | 248 | 10.37 | 1343 | STND | 3200 | 1050 | 24.00 | IB |
| C&C 25 IB | 228 | 238 | 12.50 | 1413 | STND | 4150 | 1880 | 25.08 | OB |
| C&C 25 OB | 222 | 232 | 12.50 | 1425 | STND | 4150 | 1880 | 25.08 | OB |
| C&C 27 MK I (1-167) | 207 | 217 | 15.05 | 1542 | STND | 5500 | 2512 | 27.33 | IB |
| C&C 27 MK II (168-451) | 207 | 218 | 15.04 | 1542 | STND | 5500 | 2512 | 27.33 | IB |
| C&C 27 MK III (452-914) | 195 | 205 | 10.72 | 1593 | STND | 5500 | 2116 | 27.88 | IB |
| C&C 27 MK IV (915-979) | 195 | 205 | 12.14 | 1589 | STND | 5500 | 2116 | 27.88 | IB |
| C&C 27 MK V >1984 | 180 | 188 | 7.96 | 1562 | STND | 4420 | 1715 | 26.50 | IB |
| C&C 29 | 180 | 191 | 14.50 | 1694 | STND | 7500 | 2700 | 29.58 | IB |
| C&C 29 SD | 186 | 197 | 14.50 | 1684 | STND | 7500 | 2700 | 29.58 | IB |
| C&C 29-2 | 177 | 187 | 15.07 | 1653 | STND | 6700 | 2700 | 28.50 | IB |
| C&C 29-2 SD | 183 | 193 | 15.07 | 1643 | STND | 6700 | 2700 | 28.50 | IB |
| C&C 3/4 TON | 149 | 160 | 13.52 | 1886 | STND | 9800 | 4075 | 32.83 | IB |
| C&C 30 ODR | 36 | 47 | 2.36 | 1961 | STND | 4081 | 1575 | 30.02 | IB |
| C&C 30 SD | 183 | 193 | 12.58 | 1718 | STND | 8000 | 3450 | 30.00 | IB |
| C&C 30-1 (1-506) | 174 | 184 | 12.58 | 1733 | STND | 8000 | 3450 | 30.00 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|------------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| C&C 30-2 | 147 | 156 | 11.86 | 1777 | STND | 8275 | 3100 | 29.92 | IB |
| C&C 30-2 SD | 156 | 165 | 11.86 | 1763 | STND | 8275 | 3100 | 29.92 | IB |
| C&C 30-2 WK | 156 | 165 | 11.86 | 1763 | STND | 8275 | 3100 | 29.92 | IB |
| C&C 30-2 XL | 144 | 153 | 11.86 | 1782 | STND | 8275 | 3100 | 29.92 | IB |
| C&C 32 CB | 171 | 181 | 17.69 | 1789 | STND | 9680 | 3900 | 31.50 | IB |
| C&C 33-1 | 150 | 161 | 13.55 | 1885 | STND | 9800 | 4075 | 32.87 | IB |
| C&C 33-2 | 138 | 148 | 12.86 | 1898 | STND | 9450 | 3975 | 32.58 | IB |
| C&C 34 | 144 | 155 | 14.63 | 1923 | STND | 10100 | 4100 | 33.50 | IB |
| C&C 34 DK | 141 | 150 | 8.95 | 2057 | STND | 12000 | 4700 | 35.50 | IB |
| C&C 34/36+ | 90 | 99 | 8.95 | 2133 | STND | 12000 | 4700 | 35.50 | IB |
| C&C 34/36+ R | 81 | 90 | 8.95 | 2145 | STND | 12000 | 4700 | 35.50 | IB |
| C&C 34/36+ WK | 108 | 117 | 8.95 | 2107 | STND | 12000 | 4700 | 35.50 | IB |
| C&C 34/36+ XL WK | 105 | 114 | 8.95 | 2111 | STND | 12000 | 4700 | 35.50 | IB |
| C&C 35-2 | 126 | 136 | 12.82 | 2047 | STND | 13800 | 5620 | 35.00 | IB |
| C&C 35-3 (DK) | 117 | 126 | 11.75 | 2026 | STND | 10825 | 4500 | 34.67 | IB |
| C&C 37 | 108 | 119 | 14.77 | 2180 | STND | 14300 | 6000 | 37.58 | IB |
| C&C 37/40R | 69 | 78 | 9.79 | 2354 | STND | 14900 | 7200 | 39.50 | IB |
| C&C 38-1 | 117 | 128 | 14.48 | 2168 | STND | 14700 | 4400 | 37.58 | IB |
| C&C 41 | 69 | 79 | 10.95 | 2404 | STND | 17500 | 8000 | 40.75 | IB |
| C&C 44 | 60 | 70 | 10.94 | 2585 | STND | 20906 | 9850 | 44.17 | IB |
| C&C 48 | 68 | 78 | 11.06 | 2795 | STND | 28100 | 12750 | 48.17 | IB |
| C&C 50 | 56 | 67 | 11.37 | 2941 | STND | 31100 | 15000 | 49.83 | IB |
| C&C 99 | 108 | 117 | 8.25 | 1961 | STND | 9265 | 3500 | 32.50 | IB |
| CAL 25-1 OB | 225 | 233 | 12.27 | 1411 | STND | 4000 | 1700 | 25.00 | OB |
| CAL 25-2 OB | 222 | 232 | 10.22 | 1436 | STND | 4500 | 2000 | 25.25 | OB |
| CAL 27-1 IB | 198 | 209 | 12.09 | 1561 | STND | 5400 | 2725 | 27.34 | IB |
| CAL 27-3 | 195 | 204 | 10.33 | 1539 | STND | 5200 | 2000 | 26.67 | IB |
| CAL 29 | 183 | 192 | 15.30 | 1670 | STND | 8000 | 3350 | 29.00 | IB |
| CAL 33 | 150 | 160 | 13.22 | 1892 | STND | 10800 | 4800 | 32.67 | IB |
| CAL 33-2 | 138 | 147 | 12.81 | 1929 | STND | 10800 | 4475 | 33.00 | IB |
| CAL 33-2 SD | 144 | 153 | 12.89 | 1919 | STND | 10800 | 4750 | 33.00 | IB |
| CAL 39 MKII | 114 | 124 | 13.21 | 2241 | STND | 17000 | 7000 | 39.00 | IB |
| CAPE 31 | 18 | 28 | 2.08 | 2035 | STND | 3902 | 1632 | 31.37 | IB |
| CAPO 30 | 114 | 124 | 10.08 | 1834 | STND | 7200 | 3000 | 30.00 | IB |
| CAPRI 22 | 204 | 209 | 5.46 | 1333 | STND | 2150 | 750 | 22.00 | OB |
| CAPRI 22 TM | 198 | 204 | 4.90 | 1354 | STND | 2150 | 750 | 22.00 | OB |
| CAPRI 25 | 174 | 183 | 8.69 | 1484 | STND | 2950 | 900 | 24.58 | OB |
| CAPRI 26 | 216 | 223 | 12.45 | 1469 | STND | 5259 | 1900 | 26.16 | OB |
| CAPRI 26 | 222 | 229 | 12.45 | 1458 | STND | 5259 | 1900 | 26.16 | IB |
| CAPRI 30 | 114 | 123 | 6.27 | 1810 | STND | 4985 | 2300 | 29.50 | OB |
| CAPRI 30 | 120 | 129 | 6.27 | 1801 | STND | 4985 | 2300 | 29.50 | IB |
| CAPRI 37 | 72 | 80 | 8.13 | 2208 | STND | 11000 | 4700 | 37.00 | IB |
| CARRERA 290 | 90 | 99 | 2.07 | 1818 | STND | 2950 | 1330 | 29.17 | OB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|--------------------|-----|-----|-------|------|------|-------|------|-------|-----|
| CAT 22 | 276 | 284 | 7.29 | 1165 | STND | 2250 | 550 | 21.50 | OB |
| CAT 22 FK | 270 | 278 | 8.63 | 1178 | STND | 2490 | 800 | 21.50 | OB |
| CAT 22 WK | 282 | 290 | 7.29 | 1151 | STND | 2250 | 550 | 21.50 | OB |
| CAT 25 FK | 231 | 241 | 11.83 | 1393 | STND | 4550 | 1900 | 25.00 | OB |
| CAT 25 FK TM | 222 | 231 | 10.84 | 1420 | STND | 4550 | 1900 | 25.00 | OB |
| CAT 25 SK | 234 | 244 | 10.15 | 1388 | STND | 4150 | 1500 | 25.00 | OB |
| CAT 25 SK TM | 225 | 234 | 10.84 | 1415 | STND | 4550 | 1900 | 25.00 | OB |
| CAT 27 | 207 | 217 | 19.61 | 1525 | STND | 6850 | 2700 | 26.83 | IB |
| CAT 27 OB | 204 | 214 | 19.61 | 1531 | STND | 6850 | 2700 | 26.83 | OB |
| CAT 27 TR | 201 | 212 | 18.47 | 1544 | STND | 6850 | 2700 | 26.83 | IB |
| CAT 27 TR OB | 198 | 209 | 18.47 | 1550 | STND | 6850 | 2700 | 26.83 | OB |
| CAT 275 SPORT FK S | 156 | 165 | 6.35 | 1969 | STND | 5000 | 2268 | 37.49 | IB |
| CAT 275 SPORT WK S | 183 | 192 | 6.35 | 1586 | STND | 5000 | 2039 | 27.49 | IB |
| CAT 28 | 195 | 204 | 19.24 | 1610 | STND | 8300 | 3200 | 28.50 | IB |
| CAT 28 MK II | 189 | 198 | 17.72 | 1663 | STND | 8300 | 3200 | 29.42 | IB |
| CAT 28 MK II WK | 204 | 213 | 20.19 | 1626 | STND | 8600 | 3500 | 29.42 | IB |
| CAT 28 WK | 198 | 207 | 20.42 | 1604 | STND | 8600 | 3500 | 28.50 | IB |
| CAT 30 | 186 | 195 | 19.61 | 1701 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TR SD | 180 | 189 | 19.61 | 1712 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 BS | 183 | 193 | 18.98 | 1712 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 SD | 189 | 198 | 19.61 | 1696 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TR | 174 | 183 | 19.61 | 1722 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TR WK | 177 | 186 | 19.61 | 1717 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TRBS | 174 | 184 | 18.98 | 1727 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TRBS SD | 177 | 187 | 18.98 | 1722 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 TRBS WK | 177 | 187 | 18.98 | 1722 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 30 WK | 192 | 201 | 19.61 | 1691 | STND | 10200 | 4250 | 29.92 | IB |
| CAT 309 | 165 | 172 | 12.87 | 1866 | STND | 9800 | 4000 | 32.75 | IB |
| CAT 315 | 159 | 164 | 15.05 | 1829 | STND | 10201 | 3999 | 31.92 | IB |
| CAT 320 | 159 | 167 | 13.90 | 1866 | STND | 11300 | 4000 | 32.50 | IB |
| CAT 320 WK | 165 | 173 | 14.73 | 1856 | STND | 11700 | 4400 | 32.50 | IB |
| CAT 34 | 153 | 163 | 12.55 | 1945 | STND | 11950 | 5000 | 34.50 | IB |
| CAT 34 MK II | 147 | 157 | 12.44 | 1957 | STND | 11950 | 5000 | 34.50 | IB |
| CAT 350 | 141 | 150 | 10.61 | 2032 | STND | 12937 | 5137 | 35.42 | IB |
| CAT 350 MKII WK | 145 | 154 | 12.07 | 2027 | STND | 14013 | 6213 | 35.42 | IB |
| CAT 36 | 141 | 151 | 13.91 | 2040 | STND | 13500 | 6000 | 36.33 | IB |
| CAT 36 MK I WK | 150 | 160 | 16.58 | 2000 | STND | 15000 | 6000 | 35.58 | IB |
| CAT 38 | 117 | 128 | 15.86 | 2172 | STND | 15900 | 6850 | 38.08 | IB |
| CAT 380 | 114 | 122 | 15.29 | 2222 | STND | 19000 | 6800 | 38.42 | IB |
| CAT 400 MK II | 117 | 125 | 17.50 | 2325 | STND | 19700 | 7200 | 40.50 | IB |
| CAT 400 WK MK II | 132 | 140 | 18.70 | 2303 | STND | 20500 | 8000 | 40.50 | IB |
| CAT 42 | 99 | 108 | 11.52 | 2396 | STND | 20500 | 8300 | 41.86 | IB |
| CAT 42 SD | 104 | 113 | 11.52 | 2389 | STND | 20500 | 8300 | 41.86 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-----------------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| CAT 42 WK | 105 | 114 | 11.52 | 2388 | STND | 20500 | 8300 | 41.86 | IB |
| CAT 42-2 | 108 | 117 | 11.52 | 2383 | STND | 20500 | 8300 | 41.86 | IB |
| CAT 42-2 TM | 108 | 117 | 11.52 | 2383 | STND | 20500 | 8300 | 41.86 | IB |
| CAT 445 | 86 | 93 | 11.15 | 2532 | STND | 23500 | 7200 | 44.42 | IB |
| CAT 445 WK | 106 | 113 | 11.95 | 2503 | STND | 24500 | 8200 | 44.42 | IB |
| CHANCE 30-30 (ALLIED) | 168 | 179 | 20.74 | 1772 | STND | 11200 | 6500 | 30.58 | IB |
| CHASER 29 | 162 | 173 | 11.05 | 1699 | STND | 7200 | 2000 | 29.25 | IB |
| CHASER 33 | 144 | 155 | 10.21 | 1898 | STND | 9300 | 4900 | 33.00 | OB |
| CLUBSWAN 36 | -30 | -26 | 2.08 | 2361 | STND | 6923 | 3207 | 36.00 | OB |
| COLGATE 26 | 162 | 166 | 6.04 | 1542 | STND | 2600 | 1050 | 25.67 | IB |
| COLUMBIA 28-2 IB | 231 | 241 | 18.23 | 1504 | STND | 6500 | 2800 | 27.58 | IB |
| COLUMBIA 30 SPORT | 75 | 85 | 2.46 | 1877 | STND | 3400 | 1400 | 30.00 | IB |
| COLUMBIA 43 MK III | 111 | 123 | 17.41 | 2446 | STND | 22000 | 10300 | 43.75 | IB |
| COLUMBIA 8.7 | 222 | 232 | 19.08 | 1585 | STND | 8500 | 3500 | 28.58 | IB |
| COLUMBIA 9.6 | 195 | 205 | 21.87 | 1747 | STND | 10200 | 4500 | 31.50 | IB |
| CONTESSA 35 | 132 | 143 | 13.35 | 2052 | STND | 13500 | 6900 | 35.50 | IB |
| CONTESSA 43 | 75 | 86 | 12.58 | 2494 | STND | 21000 | 10800 | 42.75 | IB |
| COOKSON/FARR 53 MOD | -42 | -41 | 3.36 | 3302 | STND | 22000 | 14101 | 52.74 | IB |
| CORBY 33 | 63 | 70 | 5.18 | 2064 | STND | 9370 | 4409 | 32.81 | IB |
| CS 27 | 204 | 214 | 12.18 | 1536 | STND | 6100 | 2400 | 27.00 | OB |
| CS 27 OB | 198 | 208 | 12.18 | 1546 | STND | 6100 | 2400 | 27.00 | IB |
| CS 30 | 150 | 159 | 11.77 | 1773 | STND | 8000 | 3440 | 30.00 | IB |
| CS 30 SD | 156 | 165 | 11.77 | 1764 | STND | 8000 | 3440 | 30.00 | IB |
| CS 33 | 150 | 160 | 13.96 | 1879 | STND | 10000 | 4250 | 32.67 | IB |
| CS 33 SD | 153 | 163 | 14.19 | 1875 | STND | 10100 | 4400 | 32.67 | IB |
| CS 36 | 126 | 136 | 16.79 | 2103 | STND | 15500 | 6500 | 36.50 | IB |
| CS 36 MERLIN | 129 | 138 | 13.30 | 2068 | STND | 13000 | 5590 | 36.00 | IB |
| CS 36 SD | 129 | 139 | 17.06 | 2099 | STND | 15650 | 6650 | 36.50 | IB |
| DASH 34 | 107 | 111 | 3.47 | 1987 | STND | 5200 | 2450 | 34.04 | IB |
| DEHLER 30 OD | 66 | 77 | 4.48 | 2043 | STND | 6173 | 2513 | 33.79 | IB |
| DEHLER 34 | 135 | 141 | 10.57 | 1914 | STND | 8818 | 3968 | 33.13 | IB |
| DEHLER 38 | 102 | 107 | 9.12 | 2211 | STND | 12125 | 4850 | 38.71 | IB |
| DEHLER 39 | 81 | 87 | 7.72 | 2321 | STND | 15435 | 6492 | 39.00 | IB |
| DRAGON | 214 | 209 | 12.81 | 1567 | CLUB | 3740 | 2200 | 29.17 | NO |
| DUFOUR 45e | 54 | 61 | 8.20 | 2658 | STND | 23671 | 7341 | 44.62 | IB |
| ELAN E4 | 84 | 90 | 6.89 | 2103 | STND | 11314 | 3053 | 34.78 | OB |
| ELLIOTT 770 LK | 114 | 116 | 2.27 | 1621 | STND | 2400 | 772 | 25.26 | OB |
| ERICSON 27 IB | 234 | 244 | 23.30 | 1465 | STND | 6600 | 2900 | 26.75 | IB |
| ERICSON 27 OB | 231 | 241 | 23.30 | 1470 | STND | 6600 | 2900 | 26.75 | OB |
| ERICSON 27 TM OB | 213 | 223 | 21.59 | 1514 | STND | 6600 | 2900 | 26.75 | OB |
| ERICSON 29 | 198 | 207 | 22.78 | 1624 | STND | 8500 | 3900 | 28.58 | IB |
| ERICSON 32-2 | 186 | 199 | 16.76 | 1763 | STND | 8800 | 4000 | 31.58 | IB |
| ERICSON 32-3 | 153 | 163 | 14.63 | 1866 | STND | 9800 | 4200 | 32.50 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-----------------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| ERICSON 33 | 138 | 144 | 11.48 | 1898 | STND | 9500 | 3950 | 32.04 | IB |
| ERICSON 34 | 144 | 155 | 10.89 | 1935 | STND | 10000 | 5000 | 34.12 | IB |
| ERICSON 34-2 | 126 | 136 | 13.82 | 2027 | STND | 13000 | 5200 | 34.83 | IB |
| ERICSON 35-2 | 162 | 172 | 18.06 | 1941 | STND | 11600 | 5000 | 34.67 | IB |
| ERICSON 37 | 132 | 143 | 19.97 | 2116 | STND | 16000 | 8000 | 37.42 | IB |
| EVELYN 32-2 IB | 99 | 108 | 3.46 | 1912 | STND | 4500 | 2000 | 32.10 | IB |
| EVELYN 32-2 OB | 96 | 105 | 3.46 | 1916 | STND | 4500 | 2000 | 32.10 | OB |
| EXPRESS 27 | 138 | 144 | 3.35 | 1627 | STND | 2450 | 1100 | 27.25 | OB |
| EXPRESS 30 | 143 | 152 | 13.39 | 1788 | STND | 8200 | 3500 | 30.00 | IB |
| EXPRESS 34 | 96 | 105 | 8.13 | 2018 | STND | 8500 | 3700 | 34.00 | IB |
| EXPRESS 37 | 72 | 81 | 6.70 | 2201 | STND | 9800 | 4600 | 37.08 | IB |
| FAREAST 28 RF | 60 | 66 | 1.85 | 1813 | STND | 2866 | 1323 | 27.99 | IB |
| FARR 1020 | 117 | 120 | 7.60 | 1984 | STND | 8176 | 3100 | 33.92 | IB |
| FARR 280 ODR | 42 | 52 | 2.84 | 1879 | STND | 3582 | 1437 | 28.61 | IB |
| FARR 30 | 45 | 51 | 3.30 | 1972 | STND | 4561 | 1997 | 30.90 | IB |
| FARR 36 ODR | 0 | 9 | 2.46 | 2315 | STND | 6744 | 3078 | 36.10 | IB |
| FARR 40 OD FR | 3 | 8 | 3.63 | 2541 | STND | 10902 | 4960 | 40.72 | IB |
| FARR 40 OD MH | -9 | -2 | 3.63 | 2556 | STND | 10902 | 4960 | 40.72 | IB |
| FARR 400 | -24 | -15 | 2.40 | 2478 | STND | 8642 | 4806 | 38.71 | IB |
| FARR 47 CUS | -24 | -20 | 4.24 | 2928 | STND | 17020 | 9500 | 47.44 | IB |
| FARR 49 | -28 | -21 | 3.81 | 3030 | STND | 17271 | 0 | 49.00 | IB |
| FARR 60 | -75 | -67 | 2.97 | 3828 | STND | 31954 | 17614 | 60.15 | IB |
| FARR ILC 40 FR | 12 | 15 | 4.52 | 2542 | STND | 12478 | 7930 | 40.98 | IB |
| FIRST (BENET) 10R | 81 | 90 | 10.00 | 2013 | STND | 10265 | 3693 | 32.75 | IB |
| FIRST (BENET) 18-2 | 145 | 155 | 2.88 | 1301 | STND | 1102 | 276 | 18.21 | OB |
| FIRST (BENET) 210 | 210 | 216 | 5.85 | 1275 | STND | 2225 | 772 | 20.34 | OB |
| FIRST (BENET) 235 | 186 | 192 | 7.64 | 1414 | STND | 2826 | 825 | 23.33 | OB |
| FIRST (BENET) 235 FK | 189 | 195 | 7.64 | 1408 | STND | 2826 | 825 | 23.33 | OB |
| FIRST (BENET) 235 SK | 189 | 195 | 7.03 | 1408 | STND | 2689 | 750 | 23.33 | OB |
| FIRST (BENET) 235 WK | 195 | 201 | 8.14 | 1398 | STND | 2936 | 937 | 23.33 | OB |
| FIRST (BENET) 265 | 189 | 198 | 8.36 | 1523 | STND | 4800 | 1430 | 26.00 | IB |
| FIRST (BENET) 27.7 | 126 | 131 | 7.20 | 1712 | STND | 6603 | 1918 | 27.17 | IB |
| FIRST (BENET) 285 | 186 | 193 | 11.90 | 1605 | STND | 6160 | 2115 | 28.16 | IB |
| FIRST (BENET) 285 WK | 192 | 199 | 11.90 | 1594 | STND | 6160 | 2115 | 28.16 | IB |
| FIRST (BENET) 30 | 105 | 114 | 9.42 | 1830 | STND | 7055 | 2866 | 30.50 | IB |
| FIRST (BENET) 310 SD | 153 | 162 | 8.52 | 1782 | STND | 7054 | 2160 | 31.16 | IB |
| FIRST (BENET) 310 STD | 142 | 148 | 6.71 | 1820 | STND | 7054 | 2160 | 31.16 | IB |
| FIRST (BENET) 325 | 157 | 166 | 12.84 | 1837 | STND | 9700 | 3747 | 32.48 | IB |
| FIRST (BENET) 325 TM | 144 | 153 | 9.84 | 1862 | STND | 8390 | 3748 | 32.48 | IB |
| FIRST (BENET) 32s5 | 123 | 126 | 11.63 | 1896 | STND | 9260 | 2980 | 32.50 | IB |
| FIRST (BENET) 32Ss WK | 150 | 153 | 13.22 | 1854 | STND | 10000 | 3720 | 32.50 | IB |
| FIRST (BENET) 345 | 129 | 139 | 10.42 | 1978 | STND | 10141 | 4600 | 34.50 | IB |
| FIRST (BENET) 345 TM | 123 | 132 | 10.00 | 1996 | STND | 10141 | 4600 | 34.50 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|--------------------------|-----|-----------------------------------|-------|------|------|-------|------|-------|-----|
| FIRST (BENET) 35 | 126 | 135 | 10.55 | 2023 | STND | 10485 | 4850 | 35.17 | IB |
| FIRST (BENET) 35-2 | 75 | 82 | 9.10 | 2155 | STND | 11909 | 3682 | 35.60 | IB |
| FIRST (BENET) 35s5 | 123 | 127 | 11.59 | 2036 | STND | 11460 | 4190 | 35.42 | IB |
| FIRST (BENET) 35s5 TM | 117 | 122 | 10.68 | 2064 | STND | 11460 | 4190 | 35.42 | IB |
| FIRST (BENET) 35s5 TM WK | 126 | 131 | 10.68 | 2050 | STND | 11460 | 4190 | 35.42 | IB |
| FIRST (BENET) 35s5 WK | 132 | 136 | 11.59 | 2022 | STND | 11460 | 4190 | 35.42 | IB |
| FIRST (BENET) 35s7 | 111 | 116 | 9.47 | 2039 | STND | 11685 | 3748 | 34.58 | IB |
| FIRST (BENET) 36 | 48 | 59 | 5.11 | 2224 | STND | 10582 | 3417 | 36.00 | IB |
| FIRST (BENET) 36s7 LK | 111 | 118 | 9.27 | 2085 | STND | 11684 | 3770 | 35.75 | IB |
| FIRST (BENET) 36s7 LK TM | 102 | 109 | 9.04 | 2104 | STND | 11684 | 3770 | 35.75 | IB |
| FIRST (BENET) 375 | 113 | 121 | 11.30 | 2146 | STND | 15432 | 5291 | 37.08 | IB |
| FIRST (BENET) 375 SM | 132 | 141 | 11.93 | 2104 | STND | 15432 | 5291 | 37.08 | IB |
| FIRST (BENET) 38 | 107 | 116 | 10.91 | 2205 | STND | 15655 | 6615 | 38.50 | IB |
| FIRST (BENET) 38 SD | 123 | 132 | 11.15 | 2175 | STND | 15655 | 6615 | 38.50 | IB |
| FIRST (BENET) 38 TM | 101 | 110 | 10.57 | 2222 | STND | 15655 | 6615 | 38.50 | IB |
| FIRST (BENET) 38S5 | 103 | 108 | 11.70 | 2211 | STND | 14520 | 4850 | 38.25 | IB |
| FIRST (BENET) 38S5 SD | 117 | 122 | 11.70 | 2190 | STND | 14520 | 4850 | 38.25 | IB |
| FIRST (BENET) 40.7 | 51 | 57 | 7.65 | 2373 | STND | 15211 | 5953 | 39.25 | IB |
| FIRST (BENET) 40.7 WK | 60 | 66 | 7.66 | 2363 | STND | 15211 | 5953 | 39.30 | IB |
| FIRST (BENET) 42 | 90 | 100 | 10.11 | 2441 | STND | 18738 | 8818 | 42.92 | IB |
| FIRST (BENET) 42 SD | 92 | 102 | 10.11 | 2439 | STND | 18738 | 8818 | 42.92 | IB |
| FIRST (BENET) 42 TM | 78 | 88 | 9.61 | 2475 | STND | 18738 | 8818 | 42.92 | IB |
| FIRST (BENET) 42s7 IK SM | 81 | 87 | 9.99 | 2435 | STND | 18220 | 6283 | 42.50 | IB |
| FIRST (BENET) 435 | 78 | 88 | 13.63 | 2510 | STND | 23809 | 9259 | 43.50 | IB |
| FIRST (BENET) 435 TM | 72 | 81 | 12.96 | 2536 | STND | 23809 | 9259 | 43.50 | IB |
| FIRST (BENET) 44.7 | 42 | 47 | 7.53 | 2677 | STND | 20126 | 8047 | 44.83 | IB |
| FIRST (BENET) 456 | 69 | 79 | 11.82 | 2618 | STND | 26500 | 9000 | 45.50 | IB |
| FIRST (BENET) 456 SD | 72 | 82 | 11.82 | 2614 | STND | 26500 | 9000 | 45.50 | IB |
| FIRST (BENET) 456 TM | 66 | 76 | 11.13 | 2645 | STND | 26500 | 9000 | 45.50 | IB |
| FIRST (BENET) 456 VTM | 54 | 63 | 11.05 | 2664 | STND | 26500 | 9000 | 45.50 | IB |
| FREEDOM 21 SLP | 230 | 231 | 7.41 | 1256 | STND | 1800 | 500 | 21.67 | OB |
| FREEDOM 25 | 210 | - 4076 1874 9999 9770 | 13.53 | 1429 | STND | 3500 | 1025 | 25.67 | OB |
| FREEDOM 25 IB | 216 | - 4076 1874 9999 9770 | 13.53 | 1418 | STND | 3500 | 1025 | 25.67 | IB |
| FREEDOM 25 SLP | 207 | 203 | 9.25 | 1473 | STND | 3500 | 1025 | 25.67 | OB |
| FREEDOM 25 SLP IB | 213 | 209 | 9.25 | 1462 | STND | 3500 | 1025 | 25.67 | OB |
| FRERS F3 | 96 | 106 | 9.25 | 2138 | STND | 10900 | 5730 | 36.35 | IB |

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|------------------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| FRERS F3 TM | 90 | 99 | 8.69 | 2163 | STND | 10900 | 5730 | 36.35 | IB |
| FT 10M | 51 | 62 | 2.64 | 2036 | STND | 4900 | 1918 | 32.65 | IB |
| G&S 27 (MARIAH) | 132 | 140 | 10.24 | 1662 | STND | 5100 | 1975 | 27.00 | OB |
| G&S 27 TM (MARIAH) | 126 | 133 | 9.46 | 1684 | STND | 5100 | 1975 | 27.00 | OB |
| G&S 35 | 75 | 83 | 7.54 | 2176 | STND | 11281 | 0 | 35.76 | IB |
| GP 26 (DONOVAN) | 72 | 82 | 1.72 | 1710 | STND | 2205 | 1102 | 25.92 | IB |
| GRAMPIAN CLASSIC 22 | 237 | 238 | 5.83 | 1273 | STND | 1650 | 850 | 22.33 | IB |
| GULFSTAR 50 KTH | 135 | 144 | 18.70 | 2683 | STND | 35000 | 10500 | 50.00 | IB |
| HENDERSON 30 | 45 | 55 | 2.31 | 1960 | STND | 3850 | 1750 | 30.83 | IB |
| HERITAGE ONE TON | 111 | 122 | 15.16 | 2148 | STND | 13628 | 4850 | 37.00 | IB |
| HERRESHOFF R-CLASS | 124 | 122 | 14.38 | 2208 | STND | 12000 | 0 | 39.60 | IB |
| HINCKLEY 41 CUSTOM | 138 | 147 | 19.52 | 2286 | STND | 19000 | 8000 | 41.17 | IB |
| HINCKLEY BRM 50 | -27 | -17 | 5.36 | 3116 | STND | 28000 | 7495 | 49.74 | IB |
| HOBIE 33 | 87 | 94 | 2.31 | 1955 | STND | 4000 | 1900 | 33.00 | IB |
| HOBIE 33 ODR | 93 | 100 | 2.31 | 1947 | STND | 4000 | 1900 | 33.00 | IB |
| HUGHES 38 | 150 | 159 | 20.90 | 2093 | STND | 14500 | 6400 | 37.90 | IB |
| HUGHES 40 | 180 | 189 | 37.35 | 2144 | STND | 28000 | 9200 | 40.00 | IB |
| HUNTER 25.5 OB | 204 | 213 | 11.08 | 1469 | STND | 4500 | 1800 | 25.58 | OB |
| HUNTER 26.6 OB | 198 | 204 | 9.63 | 1518 | STND | 4400 | 1800 | 26.58 | OB |
| HUNTER 30 | 192 | 202 | 15.91 | 1714 | STND | 9700 | 4100 | 30.40 | IB |
| HUNTER 33 | 156 | 167 | 14.47 | 1867 | STND | 10600 | 4100 | 32.67 | IB |
| HUNTER 33.5 | 147 | 152 | 15.12 | 1913 | STND | 11000 | 4500 | 33.33 | IB |
| HUNTER 33-2 SD | 174 | 179 | 16.02 | 1849 | STND | 12400 | 3459 | 33.50 | IB |
| HUNTER 336 | 150 | 154 | 11.38 | 1936 | STND | 11030 | 4100 | 33.50 | IB |
| HUNTER 34 | 144 | 154 | 13.63 | 1970 | STND | 11820 | 5000 | 34.42 | IB |
| HUNTER 34 SD | 158 | 168 | 13.82 | 1948 | STND | 11920 | 5100 | 34.42 | IB |
| HUNTER 35 LEGEND | 136 | 141 | 11.40 | 2037 | STND | 12100 | 4600 | 35.58 | IB |
| HUNTER 36-2 SD | 141 | 151 | 13.77 | 2046 | STND | 13500 | 6000 | 35.92 | IB |
| ILC 46 | -16 | -12 | 4.31 | 2939 | STND | 18916 | 13215 | 47.51 | IB |
| IMX-38 | 60 | 68 | 7.78 | 2261 | STND | 11800 | 6173 | 37.42 | IB |
| IRWIN 32 CITATION SHLW | 171 | 180 | 14.17 | 1840 | STND | 10500 | 4600 | 32.33 | IB |
| ISLNDR 30 MK II | 183 | 192 | 15.22 | 1713 | STND | 8600 | 3500 | 30.00 | IB |
| ITALIA 11.98 | 45 | 55 | 7.80 | 2341 | STND | 14714 | 4409 | 38.22 | IB |
| ITALIA 9.98 | 72 | 82 | 5.63 | 2090 | STND | 9921 | 4012 | 33.79 | IB |
| J-100 ODR | 93 | 99 | 5.42 | 1959 | STND | 6500 | 2450 | 32.80 | IB |
| J-105 (110 sqm) | 81 | 91 | 6.77 | 2074 | STND | 8575 | 3400 | 34.50 | IB |
| J-105 (89 sqm) | 84 | 94 | 6.77 | 2070 | STND | 8575 | 3400 | 34.50 | IB |
| J-105 ODR | 90 | 100 | 6.77 | 2061 | STND | 8575 | 3400 | 34.50 | IB |
| J-109 | 69 | 79 | 8.18 | 2143 | STND | 10900 | 3900 | 35.25 | IB |
| J-109 ODR | 75 | 85 | 8.18 | 2135 | ODR | 10900 | 3900 | 35.25 | IB |
| J-111 | 39 | 51 | 5.04 | 2230 | ODR | 9370 | 3516 | 36.42 | IB |
| J-112e | 60 | 71 | 7.12 | 2202 | STND | 11300 | 3900 | 36.00 | IB |
| J-120 AL ODR | 48 | 58 | 7.00 | 2393 | ODR | 13900 | 6000 | 40.00 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|--------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| J-120 CF ODR | 45 | 55 | 7.00 | 2397 | ODR | 13900 | 6000 | 40.00 | IB |
| J-122 AL ODR | 33 | 40 | 6.45 | 2447 | ODR | 14900 | 5600 | 40.00 | IB |
| J-124 AL | 33 | 40 | 5.32 | 2428 | STND | 12600 | 5000 | 40.70 | IB |
| J-145 | -19 | -12 | 4.23 | 2929 | STND | 19000 | 8350 | 48.10 | IB |
| J-160 AL ODR | -4 | 6 | 5.86 | 3169 | ODR | 31200 | 12000 | 52.70 | IB |
| J-22 | 171 | 178 | 4.82 | 1403 | STND | 1790 | 700 | 22.50 | OB |
| J-22 ODR | 174 | 181 | 4.82 | 1398 | ODR | 1790 | 700 | 22.50 | OB |
| J-24 ODR | 171 | 178 | 8.80 | 1465 | ODR | 3100 | 950 | 24.00 | OB |
| J-27 | 123 | 128 | 5.47 | 1693 | STND | 3800 | 1530 | 27.50 | OB |
| J-28 | 168 | 173 | 15.34 | 1675 | STND | 7900 | 3000 | 28.50 | IB |
| J-29 FR IB | 120 | 125 | 6.75 | 1799 | STND | 5500 | 2100 | 29.50 | IB |
| J-29 FR OB | 114 | 119 | 6.75 | 1808 | STND | 5500 | 2100 | 29.50 | OB |
| J-29 MH IB | 117 | 126 | 7.86 | 1802 | STND | 6000 | 2100 | 29.50 | IB |
| J-29 MH OB | 111 | 120 | 7.86 | 1811 | STND | 6000 | 2100 | 29.50 | OB |
| J-30 | 47 | 53 | 9.61 | 1912 | STND | 6700 | 2100 | 29.92 | IB |
| J-32 | 120 | 124 | 10.55 | 1927 | STND | 10000 | 3840 | 32.60 | IB |
| J-33 | 84 | 91 | 7.41 | 2026 | STND | 8100 | 3180 | 33.42 | IB |
| J-34 | 120 | 129 | 10.27 | 1972 | STND | 8100 | 3400 | 34.00 | IB |
| J-34 C | 126 | 134 | 7.84 | 2023 | STND | 10000 | 4500 | 34.50 | IB |
| J-35 | 72 | 81 | 8.18 | 2145 | STND | 10500 | 4400 | 35.50 | IB |
| J-35C | 105 | 112 | 10.18 | 2082 | STND | 11800 | 4300 | 35.20 | IB |
| J-36 | 84 | 90 | 7.56 | 2154 | STND | 10570 | 4600 | 35.95 | IB |
| J-36 (new) | 60 | 71 | 7.12 | 2202 | STND | 11300 | 3900 | 36.00 | IB |
| J-37 | 72 | 80 | 8.36 | 2257 | STND | 13500 | 5700 | 37.42 | IB |
| J-39 | 48 | 56 | 7.22 | 2380 | STND | 12900 | 5900 | 39.42 | IB |
| J-40 | 78 | 88 | 8.02 | 2364 | STND | 14100 | 6600 | 40.90 | IB |
| J-42 | 69 | 75 | 10.77 | 2441 | STND | 18700 | 7000 | 42.00 | IB |
| J-42 CM | 66 | 72 | 10.77 | 2445 | STND | 18700 | 7000 | 42.00 | IB |
| J-42 SD | 75 | 81 | 11.74 | 2432 | STND | 19700 | 8000 | 42.00 | IB |
| J-44 AL ODR | 27 | 35 | 8.08 | 2703 | STND | 22000 | 9000 | 44.92 | IB |
| J-45 | 12 | 21 | 6.52 | 2778 | STND | 22928 | 9149 | 45.44 | IB |
| J-7 | 87 | 95 | 4.83 | 1563 | STND | 2300 | 1050 | 23.11 | OB |
| J-70 ODR | 111 | 122 | 3.79 | 1505 | STND | 1790 | 628 | 22.74 | OB |
| J-80 | 114 | 124 | 4.58 | 1656 | STND | 2900 | 1400 | 26.25 | OB |
| J-80 ODR | 120 | 130 | 4.58 | 1647 | STND | 2900 | 1400 | 26.25 | OB |
| J-88 | 84 | 96 | 4.79 | 1835 | STND | 4990 | 1840 | 29.19 | IB |
| J-88 ODR | 84 | 96 | 4.79 | 1835 | STND | 4990 | 1840 | 29.19 | IB |
| J-9 SPRIT | 117 | 124 | 4.81 | 1729 | STND | 4250 | 1950 | 27.95 | IB |
| J-90 ODR | 48 | 58 | 2.32 | 1921 | STND | 3300 | 1860 | 30.20 | OB |
| J-92 | 102 | 112 | 5.93 | 1849 | STND | 5500 | 2275 | 30.00 | IB |
| J-92S | 96 | 106 | 5.15 | 1872 | STND | 5610 | 2317 | 30.00 | IB |
| J-95 | 111 | 121 | 5.49 | 1864 | STND | 6001 | 2251 | 31.20 | IB |
| J-97 | 102 | 113 | 10.74 | 1911 | STND | 8600 | 2900 | 31.53 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-----------------------|-----|-----|-------|------|------|-------|------|-------|-----|
| J-97E | 102 | 113 | 10.74 | 1911 | STND | 8600 | 2900 | 31.53 | IB |
| J-99 | 78 | 88 | 7.27 | 2011 | STND | 8415 | 3350 | 32.61 | IB |
| JEAN 349 SUN OD | 132 | 139 | 10.64 | 1967 | STND | 11795 | 4100 | 33.92 | IB |
| JEAN 36i SUN OD | 120 | 128 | 9.85 | 2064 | STND | 12566 | 3463 | 35.89 | IB |
| JEAN 37 SUN OD | 114 | 122 | 13.11 | 2119 | STND | 14175 | 4453 | 37.44 | IB |
| JEAN 379 SUN OD | 111 | 119 | 9.96 | 2145 | STND | 14771 | 3900 | 37.20 | IB |
| JEAN 40.3 SUN OD | 99 | 107 | 11.31 | 2286 | STND | 17835 | 5357 | 40.03 | IB |
| JEAN 409 SUN OD | 81 | 88 | 8.92 | 2363 | STND | 17328 | 4982 | 40.49 | IB |
| JEAN 409 SUN OD SD | 99 | 106 | 9.32 | 2337 | STND | 17791 | 5445 | 40.49 | IB |
| JEAN 50 DS | 82 | 90 | 9.94 | 2779 | STND | 29542 | 8267 | 49.44 | IB |
| JEAN 50 DS SD | 93 | 101 | 9.94 | 2763 | STND | 29542 | 9038 | 49.44 | IB |
| JEAN SF 37 SUN OD | 114 | 120 | 11.18 | 2149 | STND | 13779 | 4497 | 37.40 | IB |
| JEAN VOYAGER 11.2 | 141 | 149 | 13.11 | 2046 | STND | 12125 | 4497 | 36.74 | IB |
| JPK 1080 | 45 | 55 | 7.46 | 2207 | STND | 10896 | 4739 | 35.70 | IB |
| KELLY 24 | 183 | 190 | 11.67 | 1440 | STND | 3400 | 1100 | 23.75 | IB |
| KERNAN 44 - ES 44 | -21 | -12 | 2.30 | 2751 | STND | 12750 | 6700 | 44.00 | IB |
| KIRBY 1/2 Ton | 153 | 163 | 14.66 | 1733 | STND | 7600 | 0 | 29.30 | IB |
| KIRBY 25 OB | 177 | 180 | 7.31 | 1503 | STND | 3150 | 1150 | 25.17 | OB |
| KIRBY 30 | 135 | 139 | 8.10 | 1775 | STND | 5350 | 2300 | 29.67 | IB |
| KIRBY 36 | 93 | 95 | 7.30 | 2152 | STND | 10500 | 4200 | 35.90 | IB |
| LASER 28 ODR | 135 | 138 | 5.76 | 1705 | ODR | 3950 | 1500 | 28.41 | IB |
| LINDENBERG 26 OB | 171 | 182 | 12.02 | 1549 | STND | 5350 | 2600 | 26.00 | OB |
| MARINER 32 KTH | 222 | 232 | 26.88 | 1689 | STND | 12400 | 4000 | 31.83 | IB |
| MARTIN 242 | 162 | 162 | 6.44 | 1492 | STND | 2500 | 930 | 24.17 | OB |
| MC 31 MH | -19 | -8 | 1.81 | 2038 | STND | 3858 | 0 | 30.02 | IB |
| MELGES 20 ODR | 111 | 119 | 2.08 | 1446 | STND | 1146 | 0 | 20.00 | OB |
| MELGES 24 | 81 | 89 | 2.29 | 1613 | STND | 1750 | 650 | 24.00 | OB |
| MELGES 30 | 36 | 46 | 2.27 | 2010 | STND | 3800 | 1600 | 31.83 | IB |
| MELGES 30 OB | 30 | 40 | 2.27 | 2018 | STND | 3800 | 1600 | 31.83 | OB |
| MELGES 32 ODR | 15 | 25 | 1.99 | 2062 | STND | 3774 | 1570 | 31.83 | IB |
| MERIT 22 OB | 219 | 227 | 6.72 | 1304 | STND | 2000 | 600 | 22.00 | OB |
| MERIT 25 OB | 171 | 179 | 7.47 | 1486 | STND | 2900 | 1050 | 24.50 | OB |
| MERIT 28 | 117 | 125 | 4.87 | 1732 | STND | 4000 | 2100 | 27.92 | IB |
| MIRAGE 236 OB | 198 | 206 | 8.70 | 1408 | STND | 2800 | 1050 | 23.50 | OB |
| MIRAGE 24 OB | 228 | 238 | 13.72 | 1343 | STND | 3700 | 1500 | 23.83 | OB |
| MIRAGE 25 OB | 219 | 228 | 12.54 | 1427 | STND | 4400 | 1600 | 25.17 | OB |
| MIRAGE 26 OB | 210 | 221 | 11.84 | 1487 | STND | 4770 | 2050 | 26.17 | OB |
| MIRAGE 28 (KELLEY) IB | 174 | 184 | 14.12 | 1604 | STND | 5900 | 2400 | 27.50 | IB |
| MIRAGE 28 (KELLEY) OB | 168 | 178 | 12.56 | 1614 | STND | 5500 | 2400 | 27.50 | OB |
| MIRAGE 338/34 | 90 | 98 | 5.48 | 2007 | STND | 6742 | 2400 | 33.67 | IB |
| MORGAN 24/25 OB | 225 | 232 | 12.96 | 1417 | STND | 4900 | 1900 | 24.92 | OB |
| MORGAN 27 OB | 180 | 190 | 12.29 | 1606 | STND | 7000 | 3300 | 27.50 | OB |
| MORGAN 30-2 | 174 | 184 | 12.38 | 1731 | STND | 10000 | 5000 | 29.41 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|--------------------------|-----|--------------------------------|-------|------|------|-------|-------|-------|-----|
| MORGAN 35 | 171 | 179 | 15.08 | 1943 | STND | 11900 | 5000 | 35.00 | IB |
| MORGAN 36-4/6 CB | 123 | 133 | 10.93 | 2083 | STND | 11900 | 4000 | 36.00 | IB |
| MORGAN 41 | 138 | 146 | 18.86 | 2298 | STND | 19500 | 9000 | 41.00 | IB |
| MORGAN 42-2 | 114 | 123 | 16.60 | 2367 | STND | 18500 | 8700 | 42.00 | IB |
| MORGAN 45 R N/M | 45 | 55 | 11.24 | 2619 | CUS | 23000 | 9950 | 44.50 | IB |
| MORGAN 45-4 CB | 72 | 82 | 11.18 | 2603 | STND | 22500 | 9950 | 45.33 | IB |
| MUMM 30 | 51 | 57 | 3.30 | 1964 | STND | 4561 | 1997 | 30.90 | IB |
| MUMM 36 | 42 | 46 | 4.47 | 2200 | STND | 8150 | 3500 | 35.83 | IB |
| NA 40 | 87 | 98 | 12.91 | 2329 | STND | 17477 | 7900 | 39.73 | IB |
| NELSON MAREK 3/4 TON | 108 | 112 | 8.85 | 1972 | STND | 7640 | 3500 | 33.00 | IB |
| NELSON MAREK 30 | 90 | 98 | 7.32 | 1890 | STND | 6109 | 2650 | 30.00 | IB |
| NEWPORT 27 S-2 | 198 | 208 | 15.08 | 1557 | STND | 6400 | 0 | 27.00 | IB |
| NEWPORT 28-2 SD | 195 | 205 | 13.93 | 1606 | STND | 7000 | 3200 | 28.00 | IB |
| NEWPORT 33 | 156 | 167 | 12.98 | 1866 | STND | 9500 | 4000 | 33.00 | IB |
| NIAGARA 26 OB | 192 | 199 | 7.31 | 1536 | STND | 4000 | 1700 | 26.67 | OB |
| NIAGARA 31 | 162 | 171 | 12.74 | 1808 | STND | 8000 | 3550 | 31.25 | IB |
| NONSUCH 30 | 174 | - 1058 3999 9980 9 | 10.95 | 1776 | STND | 10500 | 4500 | 30.33 | IB |
| NORTH STAR 500 | 234 | 244 | 13.23 | 1395 | STND | 4298 | 1710 | 24.98 | IB |
| OCEANIS (BENET) 30.1 | 147 | 156 | 10.92 | 1804 | STND | 8807 | 2145 | 31.27 | IB |
| OCEANIS (BENET) 311 | 150 | 157 | 7.46 | 1855 | STND | 7716 | 2425 | 32.33 | IB |
| OCEANIS (BENET) 321 | 162 | 170 | 9.68 | 1859 | STND | 9700 | 3000 | 32.64 | IB |
| OCEANIS (BENET) 323 | 150 | 157 | 9.43 | 1880 | STND | 9325 | 2414 | 32.83 | IB |
| OCEANIS (BENET) 331 | 153 | 161 | 9.00 | 1917 | STND | 9920 | 3086 | 33.96 | IB |
| OCEANIS (BENET) 343 | 150 | 158 | 8.18 | 1990 | STND | 11861 | 5555 | 35.42 | IB |
| OCEANIS (BENET) 361 | 148 | 157 | 11.79 | 2047 | STND | 13349 | 4156 | 36.42 | IB |
| OCEANIS (BENET) 370 | 132 | 138 | 11.69 | 2021 | STND | 12787 | 4078 | 35.67 | IB |
| OCEANIS (BENET) 373 | 120 | 128 | 11.27 | 2114 | STND | 14550 | 4844 | 36.92 | IB |
| OCEANIS (BENET) 381 | 147 | 155 | 12.27 | 2122 | STND | 14991 | 4740 | 38.58 | IB |
| OCEANIS (BENET) 390 | 135 | 144 | 10.17 | 2149 | STND | 14300 | 5180 | 38.33 | IB |
| OCEANIS (BENET) 393 | 138 | 146 | 11.56 | 2142 | STND | 17152 | 5357 | 38.16 | IB |
| OCEANIS (BENET) 411 | 117 | 127 | 7.37 | 2299 | STND | 17191 | 5500 | 41.00 | IB |
| OCEANIS (BENET) 423 | 129 | 139 | 9.51 | 2369 | STND | 19500 | 5836 | 43.14 | IB |
| OCEANIS (BENET) 473 | 78 | 87 | 7.38 | 2658 | STND | 24277 | 8157 | 46.92 | IB |
| OCEANIS (BENET) 50 DK SM | 84 | 91 | 8.53 | 2775 | STND | 27454 | 8265 | 49.50 | IB |
| OCEANIS (BENET) 50 DK TM | 60 | 68 | 7.81 | 2845 | STND | 27454 | 8265 | 49.54 | IB |
| OCEANIS (BENET) 50 SD SM | 96 | 103 | 9.17 | 2758 | STND | 28668 | 9480 | 49.50 | IB |
| OCEANIS (BENET) 50 SD TM | 72 | 80 | 8.39 | 2829 | STND | 28668 | 9477 | 49.54 | IB |
| OCEANIS (BENET) 500 | 75 | 84 | 9.33 | 2830 | STND | 30700 | 10800 | 50.25 | IB |
| ODAY 272 WK IB | 228 | 237 | 12.79 | 1472 | STND | 5375 | 1930 | 26.92 | IB |

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|---------------------|-----|-----|-------|------|------|-------|------|-------|-----|
| ODAY 30 FK | 180 | 191 | 18.32 | 1713 | STND | 10150 | 4000 | 29.92 | IB |
| ODAY 32-2 | 162 | 171 | 15.98 | 1809 | STND | 11000 | 3575 | 31.58 | IB |
| ODAY 34 | 153 | 163 | 13.12 | 1928 | STND | 11500 | 4600 | 34.00 | IB |
| ODAY 35 | 153 | 163 | 13.12 | 1963 | STND | 11500 | 4600 | 35.00 | IB |
| OLSON 25 OB | 165 | 173 | 5.89 | 1519 | STND | 2900 | 1300 | 25.00 | OB |
| OLSON 30 IB | 105 | 114 | 2.93 | 1813 | STND | 3600 | 1800 | 30.03 | IB |
| OLSON 30 OB | 99 | 108 | 2.79 | 1821 | STND | 3500 | 1800 | 30.03 | OB |
| OPTIMA 101 (DEHLER) | 134 | 140 | 8.13 | 1914 | STND | 8511 | 3968 | 33.14 | IB |
| PEARSON 26 | 213 | 223 | 14.17 | 1485 | STND | 5400 | 2200 | 26.17 | OB |
| PEARSON 30 | 174 | 184 | 13.70 | 1721 | STND | 8320 | 3560 | 29.79 | IB |
| PEARSON 323 | 183 | 194 | 19.70 | 1801 | STND | 12800 | 4500 | 32.25 | IB |
| PEARSON 33-2 WK | 153 | 162 | 16.48 | 1871 | STND | 11000 | 4000 | 32.50 | IB |
| PEARSON 36 | 138 | 148 | 14.34 | 2070 | STND | 13500 | 6100 | 36.52 | IB |
| PEARSON ENSIGN | 261 | 264 | 15.80 | 1240 | CLUB | 3000 | 1200 | 22.50 | OB |
| PEARSON FLYER ODR | 138 | 141 | 8.04 | 1787 | STND | 6135 | 2700 | 29.92 | IB |
| PETERSON 40 | 84 | 95 | 14.08 | 2313 | STND | 18500 | 6800 | 39.50 | IB |
| PETERSON 42 | 66 | 76 | 11.98 | 2472 | STND | 17641 | 8631 | 42.10 | IB |
| PETERSON NY 40 | 84 | 95 | 14.08 | 2313 | STND | 18500 | 6800 | 39.50 | IB |
| PETERSON/WIGGERS 37 | 87 | 97 | 8.89 | 2189 | STND | 12000 | 6000 | 37.00 | IB |
| PRETORIAN 35 | 138 | 148 | 11.67 | 2038 | STND | 13000 | 6613 | 35.43 | IB |
| RANGER 22 | 222 | 231 | 9.16 | 1306 | STND | 2182 | 900 | 22.50 | OB |
| RANGER 26 | 198 | 209 | 16.06 | 1515 | STND | 5860 | 2050 | 26.25 | IB |
| RANGER 28 TM | 189 | 199 | 10.58 | 1614 | STND | 5081 | 2792 | 28.00 | IB |
| RANGER 29 | 180 | 190 | 13.33 | 1656 | STND | 6700 | 3130 | 28.58 | IB |
| R-CLASS | 126 | 127 | 13.92 | 2179 | STND | 11500 | 3450 | 39.15 | OB |
| REDWING 30 (C&C) | 198 | 205 | 20.47 | 1674 | STND | 7650 | 3630 | 30.25 | IB |
| ROCKET 22 | 106 | 110 | 1.97 | 1524 | STND | 1600 | 600 | 22.00 | OB |
| S2 10.3 | 120 | 129 | 11.35 | 1987 | STND | 10500 | 4500 | 33.75 | IB |
| S2 27 | 183 | 190 | 9.39 | 1559 | STND | 5000 | 2100 | 26.58 | IB |
| S2 7.9 DB IB | 177 | 182 | 10.64 | 1541 | STND | 4577 | 1550 | 25.92 | IB |
| S2 7.9 DB OB | 171 | 176 | 10.12 | 1551 | STND | 4441 | 1550 | 25.92 | OB |
| S2 9.1 | 132 | 140 | 11.32 | 1806 | STND | 7850 | 3200 | 29.83 | IB |
| S2 9.2A | 183 | 193 | 17.12 | 1719 | STND | 9800 | 4000 | 29.92 | IB |
| SABRE 28-1 | 195 | 204 | 18.32 | 1619 | STND | 7800 | 3100 | 28.42 | IB |
| SABRE 28-1 SD | 204 | 213 | 19.11 | 1589 | STND | 8000 | 3300 | 28.00 | IB |
| SABRE 28-2 | 201 | 211 | 18.22 | 1609 | STND | 7800 | 3100 | 28.42 | IB |
| SABRE 28-2 SD | 210 | 220 | 19.00 | 1593 | STND | 8000 | 3300 | 28.42 | IB |
| SABRE 28-3 | 186 | 196 | 18.22 | 1625 | STND | 7900 | 3100 | 28.00 | IB |
| SABRE 28-3 SD | 195 | 205 | 18.22 | 1609 | STND | 7900 | 3100 | 28.00 | IB |
| SABRE 30-1 | 183 | 194 | 16.92 | 1704 | STND | 8600 | 3400 | 29.92 | IB |
| SABRE 30-2 | 171 | 182 | 16.08 | 1733 | STND | 8600 | 3600 | 29.92 | IB |
| SABRE 30-3 | 174 | 183 | 15.30 | 1753 | STND | 9400 | 3800 | 30.58 | IB |
| SABRE 32 | 162 | 172 | 16.29 | 1835 | STND | 10500 | 4100 | 32.17 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-------------------------|-----|-----|-------|------|------|-------|-------|-------|-----|
| SABRE 34 | 153 | 164 | 17.61 | 1927 | STND | 11400 | 4600 | 34.18 | IB |
| SABRE 34-2 | 147 | 157 | 17.55 | 1950 | STND | 13500 | 5700 | 34.17 | IB |
| SABRE 36 | 120 | 130 | 13.38 | 2083 | STND | 13200 | 5400 | 36.00 | IB |
| SABRE 36 CB | 129 | 139 | 13.89 | 2069 | STND | 13500 | 5700 | 36.00 | IB |
| SABRE 362 | 129 | 137 | 12.40 | 2085 | STND | 13800 | 5520 | 36.17 | IB |
| SABRE 38-1 CB | 126 | 136 | 13.00 | 2170 | STND | 15600 | 7000 | 37.83 | IB |
| SABRE 38-1 K | 117 | 127 | 12.45 | 2183 | STND | 15200 | 6400 | 37.83 | IB |
| SABRE 38-2 CB | 123 | 132 | 15.07 | 2204 | STND | 17300 | 7000 | 38.67 | IB |
| SABRE 38-2 K | 114 | 123 | 14.50 | 2218 | STND | 16900 | 6600 | 38.67 | IB |
| SANTA CRUZ 70 | -69 | -61 | 1.54 | 3910 | STND | 24000 | 9600 | 68.00 | IB |
| SANTANA 20 | 231 | 240 | 6.03 | 1213 | STND | 1350 | 550 | 20.25 | IB |
| SANTANA 2023 A TM | 228 | 235 | 7.51 | 1335 | STND | 2880 | 1300 | 23.25 | IB |
| SANTANA 30 | 186 | 197 | 13.80 | 1692 | STND | 8000 | 3800 | 29.92 | IB |
| SANTANA 30-30GP | 117 | 128 | 8.54 | 1802 | STND | 6000 | 2435 | 29.92 | IB |
| SANTANA 35 | 126 | 132 | 9.66 | 2015 | STND | 8500 | 3300 | 35.00 | IB |
| SCHOCK 35 | 72 | 81 | 7.89 | 2129 | STND | 10000 | 4500 | 35.00 | IB |
| SCHOCK 35 WK | 78 | 87 | 7.24 | 2120 | STND | 9500 | 4000 | 35.00 | IB |
| SCHOCK 40 TM AL | -18 | -9 | 2.30 | 2456 | STND | 7000 | 1800 | 40.00 | IB |
| SCHOCK 41 GP FR | 50 | 56 | 9.00 | 2476 | STND | 15800 | 7500 | 40.75 | IB |
| SCHOCK 41 GP MH | 63 | 72 | 10.31 | 2412 | STND | 15800 | 7500 | 40.77 | IB |
| SCHOCK Wavelength 24 OB | 159 | 167 | 5.30 | 1495 | STND | 2500 | 1100 | 24.00 | OB |
| SE-27 SAFFIER | 136 | 144 | 5.87 | 1744 | STND | 4180 | 1653 | 29.69 | IB |
| SEIDELMANN 295 | 210 | 219 | 12.62 | 1631 | STND | 7200 | 3200 | 29.42 | OB |
| SEIDELMANN 299 | 186 | 195 | 15.06 | 1698 | STND | 8000 | 3600 | 29.92 | OB |
| SERENDIPITY 43 | 60 | 71 | 8.67 | 2492 | STND | 16400 | 10000 | 42.50 | IB |
| SOVEREL 26 OB | 162 | 172 | 7.59 | 1569 | STND | 4000 | 2000 | 26.00 | OB |
| SOVEREL 33-1 CB | 186 | 194 | 10.80 | 1836 | STND | 11000 | 0 | 32.92 | IB |
| SOVEREL 33-2 (Keel) | 90 | 98 | 3.45 | 1995 | STND | 5800 | 2800 | 33.00 | IB |
| SOVEREL 39 | 74 | 82 | 5.46 | 2287 | STND | 11783 | 6500 | 38.42 | IB |
| SR-21 | 174 | 177 | 4.02 | 1346 | STND | 1380 | 439 | 21.08 | OB |
| SR-25 | 120 | 126 | 3.09 | 1598 | STND | 1860 | 595 | 25.50 | OB |
| SR-27 | 102 | 107 | 4.92 | 1727 | STND | 3750 | 1200 | 27.50 | OB |
| SR-33 | 69 | 74 | 3.98 | 2027 | STND | 5372 | 2400 | 33.07 | IB |
| SWAN 43 (Holland) | 105 | 115 | 16.44 | 2456 | STND | 24432 | 9040 | 42.83 | IB |
| SWAN 43 (S&S) | 108 | 117 | 16.60 | 2426 | STND | 19850 | 10400 | 42.78 | IB |
| SWAN 431 | 84 | 95 | 19.70 | 2510 | STND | 26500 | 10000 | 43.25 | IB |
| TAILWIND 38 | 114 | 125 | 13.55 | 2180 | STND | 15232 | 5820 | 38.17 | IB |
| TARTAN 10 ODR | 126 | 130 | 7.62 | 1927 | STND | 7100 | 3340 | 33.15 | IB |
| TARTAN 101 | 75 | 84 | 5.48 | 2053 | STND | 8100 | 3050 | 33.00 | IB |
| TARTAN 27 | 231 | 237 | 22.39 | 1492 | STND | 7400 | 2400 | 27.00 | IB |
| TARTAN 28 | 178 | 187 | 15.47 | 1648 | STND | 7450 | 3200 | 28.25 | IB |
| TARTAN 30 | 171 | 181 | 16.19 | 1731 | STND | 8750 | 3600 | 29.92 | IB |
| TARTAN 30C | 165 | 176 | 15.96 | 1744 | STND | 8750 | 3600 | 29.92 | IB |

Compiled: Monday, June 30, 2025

PHRF-SS BASE HANDICAP LIST

(as of Monday, June 30, 2025)

| DESIGN | HCP | NSP | PPF | CWT | CERT | DSPL | BLST | LOA | PWR |
|-------------------|-----|-----|-------|------|------|-------|------|-------|-----|
| TARTAN 33 | 162 | 168 | 10.18 | 1905 | STND | 10000 | 4400 | 33.67 | IB |
| TARTAN 33R | 132 | 142 | 10.09 | 1955 | STND | 10000 | 4400 | 33.67 | IB |
| TARTAN 3400 CB | 120 | 126 | 8.43 | 2032 | STND | 10800 | 6000 | 34.42 | IB |
| TARTAN 345 DK | 95 | 103 | 8.43 | 2069 | STND | 10800 | 3500 | 34.43 | IB |
| TARTAN 345 KCB | 101 | 109 | 9.37 | 2060 | STND | 11500 | 4200 | 34.43 | IB |
| TARTAN 3500 FK | 114 | 123 | 9.70 | 2066 | STND | 11400 | 4200 | 35.21 | IB |
| TARTAN 3500 SD BT | 126 | 135 | 10.71 | 2048 | STND | 12100 | 4900 | 35.21 | IB |
| TARTAN 41 | 102 | 113 | 13.47 | 2319 | STND | 17850 | 9200 | 40.63 | IB |
| TARTAN 4100 TM DK | 87 | 95 | 10.19 | 2397 | STND | 19000 | 6400 | 41.25 | IB |
| TARTAN 4100 TM SD | 90 | 98 | 11.47 | 2393 | STND | 20400 | 8000 | 41.25 | IB |
| THOMAS 35 | 72 | 79 | 6.29 | 2168 | STND | 9800 | 4450 | 35.42 | IB |
| TICON 30 | 183 | 190 | 10.36 | 1709 | STND | 9600 | 4250 | 30.00 | IB |
| TRANSPAC 52 JV | -84 | -74 | 1.91 | 3260 | ODR | 17150 | 7393 | 51.98 | IB |
| TRIPP 26 ODR | 120 | 127 | 3.99 | 1641 | STND | 2700 | 1000 | 26.00 | IB |
| ULTIMATE 20 | 144 | 154 | 3.05 | 1398 | STND | 1260 | 450 | 20.83 | OB |
| VIKING 34 | 129 | 140 | 9.86 | 1958 | STND | 8900 | 4500 | 33.58 | IB |
| VIPER 640 | 101 | 111 | 1.18 | 1462 | CLUB | 750 | 220 | 21.08 | NO |
| VIPER 830 | 63 | 73 | 2.15 | 1802 | CLUB | 2500 | 1543 | 27.70 | OB |
| VX-ONE | 84 | 94 | 0.60 | 1413 | CLUB | 450 | 135 | 19.00 | NO |
| WAVELENGTH 24 | 159 | 167 | 5.30 | 1495 | STND | 2500 | 1100 | 24.00 | OB |
| WYLIE 34 | 120 | 124 | 10.48 | 1965 | STND | 8100 | 3235 | 33.75 | IB |
| X-3/4 T | 120 | 123 | 8.78 | 1944 | STND | 7480 | 4850 | 32.75 | IB |
| X-3/4-2 T | 111 | 113 | 7.99 | 1974 | STND | 7275 | 4850 | 32.92 | IB |
| X-34 | 120 | 125 | 9.90 | 2025 | STND | 11684 | 4850 | 34.00 | IB |
| X-402 | 78 | 88 | 8.01 | 2310 | STND | 13200 | 6820 | 39.67 | IB |
| YAMAHA 33 TM | 153 | 163 | 11.80 | 1910 | STND | 9700 | 4409 | 33.33 | IB |
| YANKEE 28 | 198 | 208 | 16.65 | 1580 | STND | 6500 | 2750 | 27.75 | IB |