

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
11 METER	75	81	2.85	0.96	1991	SPRT	3527	1598	33.80
1D 35	30	34	3.01	1.23	2200	STND	6550	2525	35.00
1D 48	-32	-27	4.20	1.55	2967	STND	17967	8818	48.42
ABBOTT 22	231	242	12.04	4.31	1284	STND	3100	1550	22.00
ABBOTT 27	163	172	13.18	5.09	1622	STND	6000	2700	27.33
ABBOTT 33	126	133	6.65	2.73	1909	STND	6057	3304	33.29
ABBOTT 36	104	110	9.47	4.01	2095	STND	10000	4475	36.25
ABLE 20	294	303	17.12	6.64	1069	STND	2500	1000	20.00
ALBERG 35	207	214	25.20	10.16	1871	STND	12600	5300	34.75
ALBIN BALLARD 30	186	197	17.54	6.24	1677	STND	7276	3417	29.92
ALOHA 30	141	145	8.81	3.90	1778	STND	6800	2960	30.00
ANDREWS 26	144	152	9.56	3.80	1603	STND	4000	1700	26.00
ANDREWS 28	93	99	3.58	1.24	1773	STND	3750	1290	28.00
ANDREWS 30 MK I	96	104	9.03	3.57	1864	STND	7000	2500	29.97
ANDREWS 39	60	63	6.88	3.13	2372	STND	12700	6000	39.42
ANDREWS 70	-96	-92	1.72	0.76	4050	SPRT	26300	11900	68.50
ANDREWS ILC 40 FR	15	18	4.65	2.10	2530	STND	12985	7875	40.90
ANTRIM 27	84	91	2.88	0.98	1757	SPRT	2600	1050	27.83
B-25	138	143	3.29	1.40	1557	STND	2000	800	25.00
B-32 IB	69	73	2.81	1.24	1975	SPRT	4100	1650	32.00
BALTIC 38 DP	96	106	10.28	3.83	2239	STND	14330	6500	38.08
BALTIC 42	84	95	12.04	4.33	2454	STND	19715	9000	42.43
BENET 25 PLATU	120	123	4.43	2.01	1583	STND	2755	1124	24.58
BENET 31	147	155	10.01	3.99	1834	STND	8933	2207	31.67
BENET 323	150	157	9.39	3.90	1880	STND	9325	2414	32.83
BENET 34	142	151	12.08	4.65	1950	STND	12566	3208	33.92
BENET 36.7	78	84	10.68	4.51	2165	STND	12795	3748	36.08
BENET 36.7 SD	84	90	10.95	4.62	2153	STND	12939	3748	36.00
BENET 37	120	130	9.23	3.46	2145	STND	14008	4253	37.67
BENET 40	123	129	13.24	5.56	2240	STND	18210	5198	39.83
BENET 50	72	82	7.75	2.88	2856	STND	28660	9315	50.75
BENET FIGARO 1 (SOLO)	102	108	4.17	1.67	1865	STND	5291	1984	29.99
BENET FIGARO 2	63	68	3.42	1.47	2027	STND	6724	2425	32.18
BENET FIGARO 3	51	59	4.04	1.60	2164	EXP	7000	2449	35.75
BENET FIRST 10R	81	90	9.96	3.30	2013	STND	10265	3693	32.75
BENET FIRST 235 FK	189	195	7.62	3.26	1408	STND	2826	825	23.33
BENET FIRST 235 WK	195	201	8.12	3.47	1398	STND	2936	937	23.33
BENET FIRST 285 WK	192	199	11.86	4.80	1594	STND	6160	2115	28.16
BENET FIRST 30	105	114	9.39	3.59	1830	STND	7055	2866	30.50
BENET FIRST 310 SD	153	162	8.49	3.30	1782	STND	7054	2160	31.16
BENET FIRST 310 STD	142	148	6.69	2.84	1820	STND	7054	2160	31.16
BENET FIRST 325 TM	147	156	12.80	4.86	1853	STND	9700	3747	32.48
BENET FIRST 345 TM	123	133	10.39	3.93	1987	STND	10141	4600	34.50

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
BENET FIRST 35-2	75	81	9.24	3.91	2158	STND	12125	3682	35.60
BENET FIRST 35s5	123	127	11.55	5.16	2036	STND	11460	4190	35.42
BENET FIRST 35s5 TM	117	122	10.64	4.68	2064	STND	11460	4190	35.42
BENET FIRST 35s5 TM WK	126	131	10.64	4.68	2050	STND	11460	4190	35.42
BENET FIRST 35s5 WK	132	136	11.55	5.16	2022	STND	11460	4190	35.42
BENET FIRST 36s7 LK	111	118	9.23	3.81	2085	STND	11684	3770	35.75
BENET FIRST 40.7	51	57	7.62	3.21	2373	STND	15211	5953	39.25
BENET FIRST 40.7 WK	60	66	7.63	3.22	2363	STND	15211	5953	39.30
BENET FIRST 42s7 IK SM	81	87	9.95	4.16	2435	STND	18220	6283	42.50
BENET FIRST 50	63	69	8.37	3.54	2874	STND	30379	10516	49.16
BENET OCE 30.1	147	156	10.88	4.11	1804	STND	8807	2145	31.27
BENET OCE 311	150	157	7.44	3.05	1855	STND	7716	2425	32.33
BENET OCE 321	162	170	9.65	3.82	1859	STND	9700	3000	32.64
BENET OCE 323	150	157	9.39	3.90	1880	STND	9325	2414	32.83
BENET OCE 331	156	164	10.94	4.36	1911	STND	11173	3253	33.92
BENET OCE 343	150	158	8.15	3.23	1990	STND	11861	5555	35.42
BENET OCE 373	120	128	11.22	4.43	2114	STND	14550	4844	36.92
BENET OCE 393	138	146	11.51	4.49	2142	STND	17152	5357	38.16
BENET OCE 411	117	127	7.34	2.74	2299	STND	17191	5500	41.00
BENET OCE 423	129	139	9.47	3.55	2369	STND	19500	5836	43.14
BENET OCE 473	78	87	7.35	2.77	2658	STND	24277	8157	46.92
BENET OCE 50 DK SM	84	90	8.49	3.44	2775	STND	27454	8265	49.50
BENET OCE 50 DK TM	60	68	7.78	3.07	2845	STND	27454	8265	49.54
BENET OCE 50 SD SM	96	102	9.13	3.70	2758	STND	28668	9480	49.50
BENET OCE 50 SD TM	72	80	8.36	3.30	2829	STND	28668	9477	49.54
BENET OCE 500	75	84	9.29	3.53	2830	STND	30700	10800	50.25
BRISTOL 27 OB	234	242	26.82	10.68	1474	STND	6600	2575	27.16
C&C 110 AL	84	92	6.75	2.71	2185	STND	10900	4200	36.33
C&C 110 CF	81	89	6.75	2.71	2189	STND	10900	4200	36.33
C&C 110 DK AL	78	86	6.75	2.71	2193	STND	10900	4200	36.33
C&C 110 DK CF	75	83	6.75	2.71	2197	STND	10900	4200	36.33
C&C 110 SD	87	95	6.75	2.71	2180	STND	10900	4200	36.33
C&C 110 XP	72	80	6.75	2.71	2201	STND	10900	4200	36.33
C&C 115 AL	63	70	6.06	2.49	2294	STND	11800	4200	37.75
C&C 115 POLE	60	67	6.06	2.49	2298	STND	11800	4200	37.75
C&C 115 SD	69	76	6.06	2.49	2285	STND	11800	4200	37.75
C&C 115 SPRIT	66	75	6.06	2.07	2289	STND	11800	4200	37.75
C&C 121 AL	60	68	6.42	2.58	2403	STND	14600	6000	40.00
C&C 121 SD	66	74	6.42	2.58	2394	STND	14600	6000	40.00
C&C 121 XP	56	64	6.42	2.58	2408	STND	14600	6000	40.00
C&C 24	237	248	10.34	3.65	1343	STND	3200	1050	24.00
C&C 25 IB	228	238	12.46	4.53	1413	STND	4150	1880	25.08
C&C 25 OB	222	232	12.46	4.53	1425	STND	4150	1880	25.08

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
C&C 27 MK I (1-167)	207	217	15.00	5.54	1542	STND	5500	2512	27.33
C&C 27 MK II (168-451)	207	218	14.99	5.35	1542	STND	5500	2512	27.33
C&C 27 MK III (452-914)	195	205	10.69	3.89	1593	STND	5500	2116	27.88
C&C 27 MK IV (915-979)	195	205	12.10	4.48	1589	STND	5500	2116	27.88
C&C 27 MK V >1984	180	188	7.94	3.12	1562	STND	4420	1715	26.50
C&C 29	180	191	14.45	5.17	1694	STND	7500	2700	29.58
C&C 29 SD	186	197	14.45	5.17	1684	STND	7500	2700	29.58
C&C 29-2	177	187	15.02	5.67	1653	STND	6700	2700	28.50
C&C 29-2 SD	183	193	15.02	5.67	1643	STND	6700	2700	28.50
C&C 30 SD	183	193	12.54	4.59	1718	STND	8000	3450	30.00
C&C 30-1 (1-506)	174	184	12.54	4.59	1733	STND	8000	3450	30.00
C&C 30-2	147	156	11.82	4.54	1777	STND	8275	3100	29.92
C&C 30-2 SD	156	165	11.82	4.54	1763	STND	8275	3100	29.92
C&C 30-2 WK	156	165	11.82	4.54	1763	STND	8275	3100	29.92
C&C 30-2 XL	144	153	11.82	4.54	1782	STND	8275	3100	29.92
C&C 32 CB	171	181	17.63	6.55	1789	STND	9680	3900	31.50
C&C 33-1	150	161	13.50	4.82	1885	STND	9800	4075	32.87
C&C 33-2	138	148	12.82	4.76	1898	STND	9450	3975	32.58
C&C 34	144	155	14.58	5.24	1923	STND	10100	4100	33.50
C&C 34 DK	141	150	8.92	3.42	2057	STND	12000	4700	35.50
C&C 34/36+	90	99	8.92	3.42	2133	STND	12000	4700	35.50
C&C 34/36+ R	81	90	8.92	3.42	2145	STND	12000	4700	35.50
C&C 34/36+ WK	108	117	8.92	3.42	2107	STND	12000	4700	35.50
C&C 34/36+ XL WK	105	114	8.92	3.42	2111	STND	12000	4700	35.50
C&C 35-2	126	136	12.77	4.77	2047	STND	13800	5620	35.00
C&C 35-3 (DK)	117	126	11.71	4.45	2026	STND	10825	4500	34.67
C&C 38-1	117	128	14.42	5.16	2168	STND	14700	4400	37.58
C&C 41	69	79	10.91	4.05	2404	STND	17500	8000	40.75
CAL 25-1 OB	225	233	12.24	4.77	1411	STND	4000	1700	25.00
CAL 25-2 OB	222	232	10.19	3.73	1436	STND	4500	2000	25.25
CAL 27-1 IB	198	209	12.05	4.32	1561	STND	5400	2725	27.34
CAL 27-3	195	204	10.30	3.92	1539	STND	5200	2000	26.67
CAL 29 IB	183	192	15.25	5.81	1670	STND	8000	3350	29.00
CAL 33	150	160	13.17	4.84	1892	STND	10800	4800	32.67
CAL 33-2	138	147	12.76	4.84	1929	STND	10800	4475	33.00
CAL 33-2 SD	144	153	12.84	4.87	1919	STND	10800	4750	33.00
CAPRI 25 OB	174	183	8.67	3.29	1484	STND	2950	900	24.58
CAPRI 30 OB	114	123	6.25	2.43	1810	STND	4985	2300	29.50
CAT 25 FK	231	241	11.80	4.36	1393	STND	4550	1900	25.00
CAT 25 FK TM	222	231	10.80	4.06	1420	STND	4550	1900	25.00
CAT 25 SK	234	244	10.12	3.74	1388	STND	4150	1500	25.00
CAT 25 SK TM	225	234	10.80	4.06	1415	STND	4550	1900	25.00
CAT 27 IB	207	217	19.54	7.29	1525	STND	6850	2700	26.83

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
CAT 27 OB	204	214	19.54	7.29	1531	STND	6850	2700	26.83
CAT 275 SPORT FK S	156	164	6.33	2.16	1969	STND	5000	2268	37.49
CAT 275 SPORT WK S	183	191	6.33	2.16	1586	STND	5000	2039	27.49
CAT 30	186	195	19.54	7.52	1701	STND	10200	4250	29.92
CAT 30 BS	183	193	18.92	6.79	1712	STND	10200	4250	29.92
CAT 30 SD	189	198	19.54	7.52	1696	STND	10200	4250	29.92
CAT 30 SD TM	180	189	19.54	7.52	1712	STND	10200	4250	29.92
CAT 30 TM	174	183	19.54	7.52	1722	STND	10200	4250	29.92
CAT 30 TM BS	174	184	18.92	6.79	1727	STND	10200	4250	29.92
CAT 30 TM BS SD	177	187	18.92	6.79	1722	STND	10200	4250	29.92
CAT 30 TM BS WK	177	187	18.92	6.79	1722	STND	10200	4250	29.92
CAT 30 TM WK	177	186	19.54	7.52	1717	STND	10200	4250	29.92
CAT 30 WK	192	201	19.54	7.52	1691	STND	10200	4250	29.92
CAT 309	165	172	12.82	5.23	1866	STND	9800	4000	32.75
CAT 315	159	164	15.00	6.54	1829	STND	10201	3999	31.92
CAT 320	153	162	13.57	5.29	1880	STND	11300	4000	32.50
CAT 320 WK	162	170	14.68	5.80	1861	STND	11700	4400	32.50
CAT 34	153	163	12.51	4.65	1945	STND	11950	5000	34.50
CAT 34 MK II	147	157	12.39	4.63	1957	STND	11950	5000	34.50
CAT 350	141	150	10.57	4.01	2032	STND	12937	5137	35.42
CAT 350 MKII WK	145	154	12.03	4.55	2027	STND	14013	6213	35.42
CAT 36 MK I WK	150	160	16.52	6.05	2000	STND	15000	6000	35.58
CAT 38	117	128	15.80	5.64	2172	STND	15900	6850	38.08
CAT 400 WK MK II	117	125	18.62	7.45	2325	STND	20500	8300	40.50
CAT 42	99	108	11.47	4.36	2396	STND	20500	8300	41.86
CAT 42 SD	104	113	11.47	4.36	2389	STND	20500	8300	41.86
CAT 42 WK	105	114	11.47	4.36	2388	STND	20500	8300	41.86
CAT 42-2	108	117	11.47	4.36	2383	STND	20500	8300	41.86
CAT 42-2 TM	108	117	11.47	4.36	2383	STND	20500	8300	41.86
CLUBSWAN 36	-30	-26	2.07	0.91	2361	SPRT	6923	3207	36.00
COLGATE 26	162	166	6.02	2.69	1542	STND	2600	1050	25.67
COLUMBIA 28-2 IB	231	241	18.17	6.75	1504	STND	6500	2800	27.58
COLUMBIA 30 SPORT	75	83	2.45	0.69	1877	SPRT	3400	1400	30.00
COLUMBIA 43 MK III	111	123	17.34	5.92	2446	STND	22000	10300	43.75
COLUMBIA 8.7	222	232	19.01	7.14	1585	STND	8500	3500	28.58
COLUMBIA 9.6	195	205	21.79	7.97	1747	STND	10200	4500	31.50
CONTESSA 35	132	143	13.30	4.74	2052	STND	13500	6900	35.50
CONTESSA 43	75	86	12.53	4.50	2494	STND	21000	10800	42.75
COOKSON/FARR 53 MOD	-42	-41	3.35	1.59	3302	STND	22000	14101	52.74
CORBY 33	63	70	5.16	2.13	2064	STND	9370	4409	32.81
CS 33	150	160	13.91	5.12	1879	STND	10000	4250	32.67
CS 33 SD	153	163	14.14	5.20	1875	STND	10100	4400	32.67
DASH 34	107	111	3.46	1.54	1987	STND	5200	2450	34.04

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
DEHLER 34	135	141	10.54	4.38	1914	STND	8818	3968	33.13
DEHLER 38	102	107	9.08	3.88	2211	STND	12125	4850	38.71
DEHLER 39	81	87	7.69	3.24	2321	STND	15435	6492	39.00
DRAGON	214	209	12.78	6.71	1567	CLUB	3740	2200	29.17
DUFOUR 45E	82	88	9.24	3.89	2622	STND	23964	7341	45.76
ELLIOTT 770 LK	114	116	2.26	1.04	1621	SPRT	2400	772	25.26
ERICSON 27 IB	234	244	23.23	8.58	1465	STND	6600	2900	26.75
ERICSON 27 OB	231	241	23.23	8.58	1470	STND	6600	2900	26.75
ERICSON 27 TM OB	213	223	21.52	7.94	1514	STND	6600	2900	26.75
ERICSON 29	198	207	22.71	8.57	1624	STND	8500	3900	28.58
ERICSON 32-2	186	195	16.70	4.35	1763	STND	8800	4000	31.58
ERICSON 32-3	153	163	14.58	5.30	1866	STND	9800	4200	32.50
ERICSON 33	138	144	11.44	4.85	1898	STND	9500	3950	32.04
ERICSON 34	144	155	10.85	3.87	1935	STND	10000	5000	34.12
ERICSON 34-2	126	136	13.77	5.03	2027	STND	13000	5200	34.83
ERICSON 35-2	162	172	18.00	6.68	1941	STND	11600	5000	34.67
ERICSON 37	132	143	19.90	7.14	2116	STND	16000	8000	37.42
EVELYN 32-2 IB	99	108	3.45	1.31	1912	STND	4500	2000	32.10
EVELYN 32-2 OB	96	105	3.45	1.31	1916	STND	4500	2000	32.10
EXPRESS 27	138	144	3.35	1.40	1627	STND	2450	1100	27.25
EXPRESS 30	143	152	13.35	5.07	1788	STND	8200	3500	30.00
EXPRESS 34	96	105	8.10	3.12	2018	STND	8500	3700	34.00
EXPRESS 37	72	81	6.67	2.54	2201	STND	9800	4600	37.08
FAREAST 28 RF	60	66	1.84	0.77	1813	SPRT	2866	1323	27.99
FARR 280 ODR	42	51	2.83	0.85	1879	SPRT	3582	1437	28.61
FARR 36 ODR	0	8	2.45	0.75	2315	SPRT	6744	3078	36.10
FARR 40 OD FR	3	8	3.61	1.57	2541	STND	10902	4960	40.72
FARR 40 OD MH	-9	-3	3.61	1.37	2556	STND	10902	4960	40.72
FARR 47 CUS	-24	-20	4.23	1.88	2928	STND	17020	9500	47.44
FARR 49	-28	-22	3.79	1.41	3030	STND	17271	0	49.00
FARR ILC 40 FR	12	15	4.50	2.03	2542	STND	12478	7930	40.98
FARR/MUMM 30	51	57	3.29	1.29	1964	SPRT	4561	1997	30.90
FREEDOM 21 SLP	230	231	7.39	3.21	1256	STND	1800	500	21.67
FREEDOM 25	210	0	13.49	13.49	1429	STND	3500	1025	25.67
FREEDOM 25 IB	216	0	13.49	13.49	1418	STND	3500	1025	25.67
FREEDOM 25 SLP	207	203	9.22	4.79	1473	STND	3500	1025	25.67
FREEDOM 25 SLP IB	213	209	9.22	4.79	1462	STND	3500	1025	25.67
FRERS F3	96	106	9.21	3.47	2138	STND	10900	5730	36.35
FRERS F3 TM	90	99	8.66	3.32	2163	STND	10900	5730	36.35
FT 10M ODR	48	58	2.63	0.75	2040	SPRT	4900	1918	32.65
G&S 35	75	83	7.51	3.02	2176	STND	11281	0	35.76
GRAMPIAN CLASSIC 22	237	238	5.82	2.72	1273	STND	1650	850	22.33
GULFSTAR 50 KTH	135	144	18.62	7.02	2683	STND	35000	10500	50.00

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
HENDERSON 30	45	54	2.31	0.68	1960	SPRT	3850	1750	30.83
HERITAGE ONE TON	111	122	15.11	5.45	2148	STND	13628	4850	37.00
HINCKLEY 41 CUSTOM	138	147	19.44	7.53	2286	STND	19000	8000	41.17
HOBIE 33	87	94	2.30	0.93	1955	STND	4000	1900	33.00
HOBIE 33 ODR	93	100	2.30	0.93	1947	STND	4000	1900	33.00
HUGHES 38	150	159	20.82	7.95	2093	STND	14500	6400	37.90
HUGHES 40	180	189	37.19	14.43	2144	STND	28000	9200	40.00
HUNTER 25.5 OB	204	213	11.04	4.22	1469	STND	4500	1800	25.58
HUNTER 26.6 OB	198	204	9.60	4.06	1518	STND	4400	1800	26.58
HUNTER 30	192	202	15.85	5.88	1714	STND	9700	4100	30.40
HUNTER 33	156	167	14.42	5.15	1867	STND	10600	4100	32.67
HUNTER 33.5	147	152	15.07	6.53	1913	STND	11000	4500	33.33
HUNTER 33-2 SD	174	179	15.96	6.87	1849	STND	12400	3459	33.50
HUNTER 336	150	154	11.34	5.00	1936	STND	11030	4100	33.50
HUNTER 35 LEGEND	136	141	11.36	4.87	2037	STND	12100	4600	35.58
HUNTER 36-2 SD	141	151	13.72	5.09	2046	STND	13500	6000	35.92
ILC 46	-16	-12	4.29	1.90	2939	STND	18916	13215	47.51
IMX-38	60	68	7.75	3.08	2261	STND	11800	6173	37.42
ISLNDR 30 MK II	183	192	15.17	5.76	1713	STND	8600	3500	30.00
J-100	87	93	5.40	2.27	1968	STND	6500	2450	32.80
J-100 ODR	93	99	5.40	2.27	1959	STND	6500	2450	32.80
J-105	81	91	6.74	2.13	2074	STND	8575	3400	34.50
J-105 ODR	90	100	6.74	2.13	2061	STND	8575	3400	34.50
J-109	69	79	8.15	2.54	2143	STND	10900	3900	35.25
J-109 ODR	78	88	8.15	2.54	2131	ODR	10900	3900	35.25
J-111 ODR	39	50	5.02	1.41	2230	ODR	9370	3516	36.42
J-112e	60	71	7.10	2.05	2202	STND	11300	3900	36.00
J-120 AL ODR	48	58	6.98	2.17	2393	ODR	13900	6000	40.00
J-120 CF ODR	45	55	6.98	2.17	2397	ODR	13900	6000	40.00
J-122 AL ODR	33	40	6.43	2.66	2447	ODR	14900	5600	40.00
J-124 AL	33	39	5.30	2.13	2428	STND	12600	5000	40.70
J-145	-19	-12	4.21	1.69	2929	STND	19000	8350	48.10
J-160 AL ODR	-4	6	5.83	1.86	3169	ODR	31200	12000	52.70
J-22	171	178	4.81	1.98	1403	STND	1790	700	22.50
J-22 ODR	174	181	4.81	1.98	1398	ODR	1790	700	22.50
J-24 ODR	171	178	8.78	3.59	1465	ODR	3100	950	24.00
J-27	123	128	5.45	2.36	1693	STND	3800	1530	27.50
J-28	168	173	15.28	6.67	1675	STND	7900	3000	28.50
J-29 FR IB	120	126	7.78	3.16	1799	STND	6000	2100	29.50
J-29 FR OB	114	120	7.29	2.96	1808	STND	5770	2100	29.50
J-29 MH IB	117	126	7.84	3.00	1802	STND	6000	2100	29.50
J-29 MH OB	111	120	7.34	2.81	1811	STND	5770	2100	29.50
J-30	147	153	9.58	3.89	1767	STND	6700	2100	29.92

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
J-32	120	124	10.51	4.69	1927	STND	10000	3840	32.60
J-33	84	91	7.38	2.99	2026	STND	8100	3180	33.42
J-34	120	129	10.23	3.90	1972	STND	8100	3400	34.00
J-34 C	126	134	7.81	3.13	2023	STND	10000	4500	34.50
J-35	72	81	8.15	3.11	2145	STND	10500	4400	35.50
J-35C	105	112	10.14	4.13	2082	STND	11800	4300	35.20
J-36	84	90	7.54	3.14	2154	STND	10570	4600	35.95
J-37	72	80	8.33	3.34	2257	STND	13500	5700	37.42
J-39	48	56	7.19	2.83	2380	STND	12900	5900	39.42
J-40	78	88	7.99	3.00	2364	STND	14100	6600	40.90
J-42	69	75	10.72	4.48	2441	STND	18700	7000	42.00
J-42 CM	66	72	10.72	4.48	2445	STND	18700	7000	42.00
J-42 SD	75	81	11.70	4.88	2432	STND	19700	8000	42.00
J-44 AL ODR	27	35	8.04	3.24	2703	STND	22000	9000	44.92
J-70 ODR	111	121	3.79	1.04	1505	SPRT	1790	628	22.74
J-80	114	124	4.57	1.31	1656	SPRT	2900	1400	26.25
J-80 ODR	120	130	4.57	1.31	1647	SPRT	2900	1400	26.25
J-88	78	89	4.78	1.26	1844	SPRT	4990	1830	29.19
J-88 ODR	84	95	4.78	1.26	1835	SPRT	4990	1830	29.19
J-90 ODR	48	57	2.31	0.66	1921	SPRT	3300	1860	30.20
J-92	102	111	5.92	1.86	1849	STND	5500	2275	30.00
J-92S	96	106	5.13	1.57	1872	STND	5610	2317	30.00
J-95	111	120	5.48	1.71	1864	STND	6001	2251	31.20
J-97	105	115	10.71	3.26	1907	STND	8600	2900	31.53
J-97E	105	115	10.71	3.26	1907	STND	8600	2900	31.53
J-99	72	81	7.25	2.34	2020	STND	8415	3350	32.61
JEAN 36i SUN OD	120	128	9.81	3.86	2064	STND	12566	3463	35.89
JEAN 37 SUN OD	114	122	13.06	5.22	2119	STND	14175	4453	37.44
JEAN 379 SUN OD	111	119	9.92	3.96	2145	STND	14771	3900	37.20
JEAN 40.3 SUN OD	99	107	11.26	4.53	2286	STND	17835	5357	40.03
JEAN 409 SUN OD	99	106	8.12	3.32	2337	STND	16424	4982	40.49
JEAN 50 DS SD	93	101	9.90	3.85	2763	STND	29542	8267	49.44
KERNAN 44 - ES 44	-21	-13	2.29	0.74	2751	SPRT	12750	6700	44.00
KIRBY 1/2 Ton	153	163	14.62	5.39	1733	STND	7600	0	29.30
KIRBY 25 OB	177	180	7.29	3.25	1503	STND	3150	1150	25.17
KIRBY 30	135	139	8.08	3.58	1775	STND	5350	2300	29.67
KIRBY 36	93	95	7.27	3.40	2152	STND	10500	4200	35.90
LASER 28 ODR	135	138	5.74	2.58	1705	ODR	3950	1500	28.41
LINDENBERG 26 OB	171	182	11.98	4.32	1549	STND	5350	2600	26.00
MARINER 32 KTH	222	232	26.78	9.77	1689	STND	12400	4000	31.83
MELGES 20 ODR	111	118	2.08	0.69	1446	SPRT	1146	0	20.00
MELGES 24 ODR	81	88	2.29	0.76	1613	SPRT	1750	650	24.00
MELGES 30	36	45	2.26	0.63	2010	SPRT	3800	1600	31.83

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
MELGES 30 OB	30	39	2.26	0.63	2018	SPRT	3800	1600	31.83
MELGES 32 ODR	15	24	1.98	0.55	2062	SPRT	3774	1570	31.83
MERIT 22 OB	219	227	6.71	2.66	1304	STND	2000	600	22.00
MERIT 25 OB	171	179	7.45	2.96	1486	STND	2900	1050	24.50
MERIT 28	117	125	4.86	1.92	1732	STND	4000	2100	27.92
MIRAGE 236 OB	198	206	8.67	3.43	1408	STND	2800	1050	23.50
MIRAGE 28 (KELLEY) IB	174	184	14.08	5.17	1604	STND	5900	2400	27.50
MIRAGE 28 (KELLEY) OB	168	178	12.52	4.60	1614	STND	5500	2400	27.50
MIRAGE 338/34	90	97	5.46	2.06	2007	STND	6742	2400	33.67
MORGAN 24/25 OB	225	232	12.92	5.22	1417	STND	4900	1900	24.92
MORGAN 27 OB	180	190	12.25	4.46	1606	STND	7000	3300	27.50
MORGAN 30-2	174	184	12.34	4.49	1731	STND	10000	5000	29.41
MORGAN 35	171	179	15.02	5.94	1943	STND	11900	5000	35.00
MORGAN 36-4/6 CB	123	133	10.89	4.10	2083	STND	11900	4000	36.00
MORGAN 41	138	146	18.79	7.45	2298	STND	19500	9000	41.00
MORGAN 42-2	114	123	16.53	6.26	2367	STND	18500	8700	42.00
MORGAN 45 R N/M	45	55	11.19	4.22	2619	CUS	23000	9950	44.50
MORGAN 45-4 CB	72	82	11.13	4.16	2603	STND	22500	9950	45.33
MUMM 36	42	46	4.45	1.96	2200	STND	8150	3500	35.83
NA 40	87	98	12.86	4.65	2329	STND	17477	7900	39.73
NELSON MAREK 3/4 TON	108	112	8.82	3.86	1972	STND	7640	3500	33.00
NELSON MAREK 30	90	98	7.30	2.93	1890	STND	6109	2650	30.00
NEWPORT 27 S-2	198	208	15.03	5.59	1557	STND	6400	0	27.00
NEWPORT 28-2 SD	195	205	13.89	5.10	1606	STND	7000	3200	28.00
NEWPORT 33	156	167	12.93	4.68	1866	STND	9500	4000	33.00
NIAGARA 26 OB	192	199	7.29	2.98	1536	STND	4000	1700	26.67
NIAGARA 31	162	171	12.70	4.87	1808	STND	8000	3550	31.25
NONSUCH 30	174	0	10.91	10.91	1776	STND	10500	4500	30.33
NORTH STAR 500	234	244	13.19	4.81	1395	STND	4298	1710	24.98
ODAY 272 WK IB	228	237	12.75	4.85	1472	STND	5375	1930	26.92
ODAY 30 FK	180	191	18.25	6.45	1713	STND	10150	4000	29.92
ODAY 32-2	162	171	15.93	6.16	1809	STND	11000	3575	31.58
ODAY 34	153	163	13.08	4.81	1928	STND	11500	4600	34.00
ODAY 35	153	163	13.08	4.81	1963	STND	11500	4600	35.00
OLSON 25 OB	165	173	5.87	2.30	1519	STND	2900	1300	25.00
OLSON 30 OB	105	114	2.92	1.11	1813	STND	3600	1800	30.03
PEARSON 26	213	223	14.12	5.15	1485	STND	5400	2200	26.17
PEARSON 30	174	184	13.66	5.13	1721	STND	8320	3560	29.79
PEARSON 323	183	194	19.63	7.04	1801	STND	12800	4500	32.25
PEARSON 33-2 WK	153	162	16.42	6.23	1871	STND	11000	4000	32.50
PEARSON 36	138	148	14.28	5.29	2070	STND	13500	6100	36.52
PEARSON ENSIGN	261	264	15.75	7.20	1240	CLUB	3000	1200	22.50
PEARSON FLYER ODR	138	141	8.02	3.66	1787	STND	6135	2700	29.92

Compiled: Saturday, August 15, 2020



# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
PETERSON 42	66	76	11.32	4.22	2472	STND	17095	0	42.10
PRETORIAN 35	138	148	11.62	4.23	2038	STND	13000	6613	35.43
RANGER 26	198	209	16.01	5.76	1515	STND	5860	2050	26.25
RANGER 28 TM	189	199	10.55	3.95	1614	STND	5081	2792	28.00
RANGER 29	180	190	13.29	4.97	1656	STND	6700	3130	28.58
REDWING 30 (C&C)	198	205	20.40	8.29	1674	STND	7650	3630	30.25
ROCKET 22	106	110	1.96	0.88	1524	SPRT	1600	600	22.00
S2 10.3	120	129	11.31	4.35	1987	STND	10500	4500	33.75
S2 27	183	190	9.37	3.78	1559	STND	5000	2100	26.58
S2 7.9 DB IB	177	182	10.61	4.55	1541	STND	4577	1550	25.92
S2 7.9 DB OB	171	176	10.09	4.33	1551	STND	4441	1550	25.92
S2 9.1	132	140	11.28	4.51	1806	STND	7850	3200	29.83
SABRE 28-1	195	204	18.25	6.94	1619	STND	7800	3100	28.42
SABRE 28-1 SD	204	213	19.04	7.24	1589	STND	8000	3300	28.00
SABRE 28-2	201	211	18.16	6.73	1609	STND	7800	3100	28.42
SABRE 28-2 SD	210	220	18.94	7.02	1593	STND	8000	3300	28.42
SABRE 28-3	186	196	18.15	6.61	1625	STND	7900	3100	28.00
SABRE 28-3 SD	195	205	18.15	6.61	1609	STND	7900	3100	28.00
SABRE 30-1	183	194	16.86	6.06	1704	STND	8600	3400	29.92
SABRE 30-2	171	182	16.03	5.82	1733	STND	8600	3600	29.92
SABRE 30-3	174	183	15.24	5.77	1753	STND	9400	3800	30.58
SABRE 32	162	172	16.23	5.92	1835	STND	10500	4100	32.17
SABRE 34	153	164	17.54	6.32	1927	STND	11400	4600	34.18
SABRE 34-2	147	157	17.48	6.48	1950	STND	13500	5700	34.17
SABRE 36	120	130	13.33	5.01	2083	STND	13200	5400	36.00
SABRE 36 CB	129	139	13.84	5.21	2069	STND	13500	5700	36.00
SABRE 362	129	137	12.35	4.90	2085	STND	13800	5520	36.17
SABRE 38-1 CB	126	136	12.95	4.81	2170	STND	15600	7000	37.83
SABRE 38-1 K	117	127	12.40	4.60	2183	STND	15200	6400	37.83
SABRE 38-2 CB	123	132	15.01	5.86	2204	STND	17300	7000	38.67
SABRE 38-2 K	114	123	14.44	5.64	2218	STND	16900	6600	38.67
SANTA CRUZ 70	-69	-61	1.53	0.61	3910	STND	24000	9600	68.00
SANTANA 30	186	197	13.75	4.93	1692	STND	8000	3800	29.92
SANTANA 30-30GP	117	128	8.51	3.05	1802	STND	6000	2435	29.92
SANTANA 35	126	132	9.62	4.06	2015	STND	8500	3300	35.00
SCHOCK 35	72	81	7.86	3.07	2129	STND	10000	4500	35.00
SCHOCK 35 WK	78	87	7.22	2.82	2120	STND	9500	4000	35.00
SCHOCK 40 TM AL	-18	-10	2.29	0.71	2456	SPRT	7000	1800	40.00
SCHOCK Wavelength 24 OB	159	167	5.29	2.09	1495	STND	2500	1100	24.00
SEIDELMANN 295	210	219	12.58	4.85	1631	STND	7200	3200	29.42
SEIDELMANN 299	186	195	15.01	5.76	1698	STND	8000	3600	29.92
SERENDIPITY 43	60	71	8.64	3.13	2492	STND	16400	10000	42.50
SOVEREL 26 OB	162	172	7.57	2.78	1569	STND	4000	2000	26.00

Compiled: Saturday, August 15, 2020

# PHRF-SS BASE HANDICAP LIST

(as of Saturday, August 15, 2020)

DESIGN	HCP	JAM	PPFUW	PPFDW	CWT	CERT	DISP	BAL	LOA
SOVEREL 33-1 CB	186	194	10.76	4.24	1836	STND	11000	0	32.92
SOVEREL 33-2 (Keel)	90	99	3.41	1.28	1995	STND	5800	2600	33.00
SOVEREL 39	74	82	5.44	2.17	2287	STND	11783	6500	38.42
SR-21	174	176	4.01	1.82	1346	SPRT	1380	439	21.08
SR-27	102	107	4.91	2.14	1727	SPRT	3750	1200	27.50
SR-33	69	74	3.97	1.68	2027	STND	5372	2400	33.07
SWAN 43 (Holland)	105	115	16.37	6.09	2456	STND	24432	9040	42.83
SWAN 43 (S&S)	108	117	16.53	6.22	2426	STND	19850	10400	42.78
SWAN 431	84	95	19.62	7.09	2510	STND	26500	10000	43.25
TAILWIND 38	114	123	11.45	3.76	2226	STND	15232	5820	38.17
TARTAN 10 ODR	126	130	7.59	3.31	1927	STND	7100	3340	33.15
TARTAN 101	75	84	5.46	1.85	2053	STND	8100	3050	33.00
TARTAN 27	231	237	22.31	9.41	1492	STND	7400	2400	27.00
TARTAN 28	178	187	15.42	5.94	1648	STND	7450	3200	28.25
TARTAN 30	171	181	16.14	5.99	1731	STND	8750	3600	29.92
TARTAN 30C	165	176	15.91	5.75	1744	STND	8750	3600	29.92
TARTAN 33	162	168	10.15	4.27	1905	STND	10000	4400	33.67
TARTAN 33R	132	142	10.05	3.74	1955	STND	10000	4400	33.67
TARTAN 3400 CB	120	126	8.40	3.50	2032	STND	10800	6000	34.42
TARTAN 3500	117	125	9.62	3.77	2063	STND	11400	4500	35.21
TARTAN 41	102	113	13.41	4.71	2319	STND	17850	9200	40.63
THOMAS 35	72	79	6.27	2.56	2168	STND	9800	4450	35.42
TICON 30	183	190	10.32	4.22	1709	STND	9600	4250	30.00
TRIPP 26 ODR	120	127	3.98	1.48	1641	STND	2700	1000	26.00
ULIMATE 20	144	153	3.04	0.89	1398	SPRT	1260	450	20.83
VIKING 34	129	140	9.82	3.47	1958	STND	8900	4500	33.58
VIPER 640	101	110	1.18	0.32	1462	SPRT	750	220	21.08
VX-ONE	93	103	0.60	0.16	1400	CLUB	450	135	19.00
WAVELENGTH 24	159	167	5.29	2.09	1495	STND	2500	1100	24.00
WYLIE 34	120	124	10.44	4.62	1965	STND	8100	3235	33.75
X-3/4 T	120	123	8.76	3.99	1944	STND	7480	4850	32.75
X-3/4-2 T	111	113	7.96	3.70	1974	STND	7275	4850	32.92
X-402	78	88	7.98	2.95	2310	STND	13200	6820	39.67
YAMAHA 33 TM	153	163	11.76	4.31	1910	STND	9700	4409	33.33
YANKEE 28	198	208	16.59	6.02	1580	STND	6500	2750	27.75