



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 150 sec/nm
JAM (Jib & Main): 156 sec/nm
PPF (Perf Prediction Factor): 9.58
TCF (Time Correction Factor): 0.9628

CREW WEIGHT LIMIT: 1763 LBS.

YACHT NAME: **SOLIDARITY**
DESIGN: J-30
OWNER: Paul Blonski
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 84
POWER: IB
CLUB: EWYC

LOA: 29.92 FT.
LWL: 25.00 FT.
BEAM: 11.20 FT.
DRAFT: 5.25 FT.
DISPLACEMENT: 6700 LBS.
BALLAST: 2100 LBS.
SAIL AREA: 443 SQ. FT.
BASE SPIN: 591 SQ. FT.
EST. FORESTAY: 35.89 FT.

I: 34.00 FT.
ISP: 34.19 FT.
J: 11.50 FT.
JSP/TPS: 12.50 FT.
P: 38.00 FT.
E: 13.00 FT.
SADR: 19.98
DLR: 191.43



HANDICAP ADJUSTMENTS

+3RFG

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **93 sec/nm**
JAM (Jib & Main): **101 sec/nm**
PPF (Perf Prediction Factor): **11.43**
TCF (Time Correction Factor): **1.0710**

CREW WEIGHT LIMIT: 2388 LBS.

YACHT NAME: **VOYAGER**
DESIGN: TARTAN 4100 TM SD
OWNER: Hunter Chisholm
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 4100
POWER: IB
CLUB: LYC

LOA: 41.25 FT.
LWL: 35.75 FT.
BEAM: 13.50 FT.
DRAFT: 5.33 FT.
DISPLACEMENT: 20400 LBS.
BALLAST: 8000 LBS.
SAIL AREA: 811 SQ. FT.
BASE SPIN: 1198 SQ. FT.
EST. FORESTAY: 56.04 FT.

I: 54.00 FT.
ISP: 54.00 FT.
J: 15.00 FT.
JSP/TPS: 15.00 FT.
P: 47.75 FT.
E: 17.00 FT.
SADR: 17.44
DLR: 199.32



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/21/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **168 sec/nm**
JAM (Jib & Main): **176 sec/nm**
PPF (Perf Prediction Factor): **9.65**
TCF (Time Correction Factor): **0.9330**

CREW WEIGHT LIMIT: 1849 LBS.

YACHT NAME: **MOYA-MANZI**
DESIGN: OCEANIS (BENET) 321
OWNER: Mark Corson
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 60661
POWER: IB
CLUB: EWYC

LOA: 32.64 FT.
LWL: 29.36 FT.
BEAM: 11.22 FT.
DRAFT: 4.26 FT.
DISPLACEMENT: 9700 LBS.
BALLAST: 3000 LBS.
SAIL AREA: 502 SQ. FT.
BASE SPIN: 767 SQ. FT.
EST. FORESTAY: 43.76 FT.

I: 42.00 FT.
ISP: 42.00 FT.
J: 12.30 FT.
JSP/TPS: 12.30 FT.
P: 35.90 FT.
E: 13.60 FT.
SADR: 17.73
DLR: 171.10



HANDICAP ADJUSTMENTS

+6RFG

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **166 sec/nm**
JAM (Jib & Main): **174 sec/nm**
PPF (Perf Prediction Factor): **14.68**
TCF (Time Correction Factor): **0.9362**

CREW WEIGHT LIMIT: 1855 LBS.

YACHT NAME: **SNIPERDOG**
DESIGN: CAT 320 WK
OWNER: Phillip Dubiel
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 365
POWER: IB
CLUB: EWYC

LOA: 32.5 FT.
LWL: 28 FT.
BEAM: 11.75 FT.
DRAFT: 4.3 FT.
DISPLACEMENT: 11700 LBS.
BALLAST: 4400 LBS.
SAIL AREA: 520 SQ. FT.
BASE SPIN: 796 SQ. FT.
EST. FORESTAY: 45.29 FT.

I: 43.58 FT.
ISP: 43.58 FT.
J: 12.33 FT.
JSP/TPS: 12.33 FT.
P: 38 FT.
E: 13.25 FT.
SADR: 16.21
DLR: 237.94



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **81 sec/nm**
JAM (Jib & Main): **89 sec/nm**
PPF (Perf Prediction Factor): **2.29**
TCF (Time Correction Factor): **1.0969**

CREW WEIGHT LIMIT: 1613 LBS.

YACHT NAME: **EVIL DUER**
DESIGN: **MELGES 24**
OWNER: **Nate Duer**
CERTIFICATE: **STND**
CLASSIFICATION: **HPRF**
SAIL NO: **106**
POWER: **OB**
CLUB: **EWYC**

LOA: 24.00 FT.
LWL: 22.00 FT.
BEAM: 8.20 FT.
DRAFT: 5.00 FT.
DISPLACEMENT: 1750 LBS.
BALLAST: 650 LBS.
SAIL AREA: 291 SQ. FT.
BASE SPIN: 371 SQ. FT.
EST. FORESTAY: 28.96 FT.

I: 27.85 FT.
ISP: 31.80 FT.
J: 7.95 FT.
JSP/TPS: 12.00 FT.
P: 28.90 FT.
E: 12.45 FT.
SADR: 32.09
DLR: 73.37



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/24/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 90 sec/nm
JAM (Jib & Main): 100 sec/nm
PPF (Perf Prediction Factor): 6.74
TCF (Time Correction Factor): 1.0773

CREW WEIGHT LIMIT: 2061 LBS.

YACHT NAME: **OVATION**
DESIGN: J-105 ODR
OWNER: Tom & Cindy Einhouse
CERTIFICATE: **ODR**
CLASSIFICATION: DSPL
SAIL NO: 393
POWER: IB
CLUB: EWYC

LOA: 34.50 FT.
LWL: 29.50 FT.
BEAM: 11.00 FT.
DRAFT: 6.50 FT.
DISPLACEMENT: 8575 LBS.
BALLAST: 3400 LBS.
SAIL AREA: 577 SQ. FT.
BASE SPIN: 851 SQ. FT.
EST. FORESTAY: 42.79 FT.

I: 40.60 FT.
ISP: 42.10 FT.
J: 13.50 FT.
JSP/TPS: 19.00 FT.
P: 41.50 FT.
E: 14.60 FT.
SADR: 22.11
DLR: 149.11



HANDICAP ADJUSTMENTS

ODR 102% JIB/89 SQM ASYM

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/28/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 171 sec/nm
JAM (Jib & Main): 180 sec/nm
PPF (Perf Prediction Factor): 14.12
TCF (Time Correction Factor): 0.9282

CREW WEIGHT LIMIT: 1840 LBS.

YACHT NAME: VERKTADUE
DESIGN: IRWIN 32 CITATION
OWNER: Jeff Geisinger
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 321
POWER: IB
CLUB: EWYC

LOA: 32.33 FT.
LWL: 26.75 FT.
BEAM: 11.08 FT.
DRAFT: 4.00 FT.
DISPLACEMENT: 10500 LBS.
BALLAST: 4600 LBS.
SAIL AREA: 518 SQ. FT.
BASE SPIN: 846 SQ. FT.
EST. FORESTAY: 44.98 FT.

I: 43.00 FT.
ISP: 43.00 FT.
J: 13.20 FT.
JSP/TPS: 13.20 FT.
P: 37.50 FT.
E: 12.50 FT.
SADR: 17.35
DLR: 244.89



HANDICAP ADJUSTMENTS

+3 RFG

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/28/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **75 sec/nm**
JAM (Jib & Main): **82 sec/nm**
PPF (Perf Prediction Factor): **9.26**
TCF (Time Correction Factor): **1.1104**

CREW WEIGHT LIMIT: 2158 LBS.

YACHT NAME: **GLASS PONY**
DESIGN: **FIRST (BENET) 35-2**
OWNER: **Jason Huffman**
CERTIFICATE: **STND**
CLASSIFICATION: **DSPL**
SAIL NO: **25649**
POWER: **IB**
CLUB: **SSC**

LOA: 35.60 FT.
LWL: 30.58 FT.
BEAM: 11.94 FT.
DRAFT: 7.55 FT.
DISPLACEMENT: 12125 LBS.
BALLAST: 3682 LBS.
SAIL AREA: 672 SQ. FT.
BASE SPIN: 917 SQ. FT.
EST. FORESTAY: 49.03 FT.

I: 47.24 FT.
ISP: 47.24 FT.
J: 13.12 FT.
JSP/TPS: 14.73 FT.
P: 45.93 FT.
E: 15.75 FT.
SADR: 20.43
DLR: 189.29



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/3/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 126 sec/nm
JAM (Jib & Main): 130 sec/nm
PPF (Perf Prediction Factor): 7.59
TCF (Time Correction Factor): 1.0056

CREW WEIGHT LIMIT: 1927 LBS.

YACHT NAME: ONE PASS
DESIGN: TARTAN 10 ODR
OWNER: Todd Imbler
CERTIFICATE: STND
CLASSIFICATION: DSPL
SAIL NO: 350
POWER: IB
CLUB: EWYC

LOA: 33.15 FT.
LWL: 27.00 FT.
BEAM: 9.25 FT.
DRAFT: 5.83 FT.
DISPLACEMENT: 7100 LBS.
BALLAST: 3340 LBS.
SAIL AREA: 488 SQ. FT.
BASE SPIN: 633 SQ. FT.
EST. FORESTAY: 37.00 FT.

I: 35.00 FT.
ISP: 35.00 FT.
J: 12.00 FT.
JSP/TPS: 12.00 FT.
P: 40.30 FT.
E: 13.80 FT.
SADR: 21.21
DLR: 161.03



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/28/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **54 sec/nm**
JAM (Jib & Main): **61 sec/nm**
PPF (Perf Prediction Factor): **8.16**
TCF (Time Correction Factor): **1.1601**

CREW WEIGHT LIMIT: 2658 LBS.

YACHT NAME: **UNCIVILIZED**
DESIGN: DUF04R 45e
OWNER: Russell Krock
CERTIFICATE: **PRLM**
CLASSIFICATION: DSPL
SAIL NO: 87
POWER: IB
CLUB: SSC

LOA: 44.62 FT.
LWL: 39.92 FT.
BEAM: 14.14 FT.
DRAFT: 6.38 FT.
DISPLACEMENT: 23671 LBS.
BALLAST: 7341 LBS.
SAIL AREA: 1044 SQ. FT.
BASE SPIN: 1452 SQ. FT.
EST. FORESTAY: 58.69 FT.

I: 59.55 FT.
ISP: 59.71 FT.
J: 16.45 FT.
JSP/TPS: 17.43 FT.
P: 55.94 FT.
E: 19.82 FT.
SADR: 20.34
DLR: 166.11



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **228 sec/nm**
JAM (Jib & Main): **234 sec/nm**
PPF (Perf Prediction Factor): **8.33**
TCF (Time Correction Factor): **0.8459**

CREW WEIGHT LIMIT: 1325 LBS.

YACHT NAME: **SISU**
DESIGN: **SANTANA 2023A TM**
OWNER: **Jeff Lehtinen**
CERTIFICATE: **STND**
CLASSIFICATION: **DSPL**
SAIL NO: **2023**
POWER: **OB**
CLUB: **GRSC**

LOA: 23.25 FT.
LWL: 20.62 FT.
BEAM: 8.50 FT.
DRAFT: 5.33 FT.
DISPLACEMENT: 2880 LBS.
BALLAST: 1300 LBS.
SAIL AREA: 222 SQ. FT.
BASE SPIN: 308 SQ. FT.
EST. FORESTAY: 24.70 FT.

I: 23.10 FT.
ISP: 23.10 FT.
J: 8.75 FT.
JSP/TPS: 8.75 FT.
P: 24.20 FT.
E: 10.00 FT.
SADR: 17.60
DLR: 146.65



HANDICAP ADJUSTMENTS

Water ballast must be kept on-board

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/24/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 69 sec/nm
JAM (Jib & Main): 79 sec/nm
PPF (Perf Prediction Factor): 6.27
TCF (Time Correction Factor): 1.1241

CREW WEIGHT LIMIT: 2172 LBS.

YACHT NAME: **WAVELENGTH**
DESIGN: THOMAS 35
OWNER: Al Linne
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 60812
POWER: IB
CLUB: EWYC

LOA: 35.42 FT.
LWL: 30.50 FT.
BEAM: 11.50 FT.
DRAFT: 6.83 FT.
DISPLACEMENT: 9800 LBS.
BALLAST: 4450 LBS.
SAIL AREA: 702 SQ. FT.
BASE SPIN: 1017 SQ. FT.
EST. FORESTAY: 50.07 FT.

I: 48.00 FT.
ISP: 48.00 FT.
J: 14.25 FT.
JSP/TPS: 18.73 FT.
P: 48.00 FT.
E: 15.00 FT.
SADR: 24.61
DLR: 154.20



HANDICAP ADJUSTMENTS

-3CM / 133% ASYM /FRAC

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **172 sec/nm**
JAM (Jib & Main): **180 sec/nm**
PPF (Perf Prediction Factor): **14.68**
TCF (Time Correction Factor): **0.9267**

CREW WEIGHT LIMIT: 1845 LBS.

YACHT NAME: **LONGSHOT**
DESIGN: CAT 320 WK
OWNER: David Long
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 44
POWER: IB
CLUB: FCYC

LOA: 32.50 FT.
LWL: 28.00 FT.
BEAM: 11.75 FT.
DRAFT: 4.30 FT.
DISPLACEMENT: 11700 LBS.
BALLAST: 4400 LBS.
SAIL AREA: 520 SQ. FT.
BASE SPIN: 796 SQ. FT.
EST. FORESTAY: 45.29 FT.

I: 43.58 FT.
ISP: 43.58 FT.
J: 12.33 FT.
JSP/TPS: 12.33 FT.
P: 38.00 FT.
E: 13.25 FT.
SADR: 16.21
DLR: 237.94



HANDICAP ADJUSTMENTS

+3(2BX); +6RFG

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/13/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **162 sec/nm**
JAM (Jib & Main): **168 sec/nm**
PPF (Perf Prediction Factor): **10.15**
TCF (Time Correction Factor): **0.9427**

CREW WEIGHT LIMIT: 1905 LBS.

YACHT NAME: **AMIGA**
DESIGN: TARTAN 33
OWNER: David Mills
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 30556
POWER: IB
CLUB: EWYC

LOA: 33.67 FT.
LWL: 28.83 FT.
BEAM: 10.96 FT.
DRAFT: 4.56 FT.
DISPLACEMENT: 10000 LBS.
BALLAST: 4400 LBS.
SAIL AREA: 531 SQ. FT.
BASE SPIN: 729 SQ. FT.
EST. FORESTAY: 40.95 FT.

I: 39.00 FT.
ISP: 39.00 FT.
J: 12.50 FT.
JSP/TPS: 12.50 FT.
P: 41.75 FT.
E: 13.75 FT.
SADR: 18.36
DLR: 186.30



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/9/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 162 sec/nm
JAM (Jib & Main): 170 sec/nm
PPF (Perf Prediction Factor): 8.97
TCF (Time Correction Factor): 0.9427

CREW WEIGHT LIMIT: 1903 LBS.

YACHT NAME: BACCHANAL
DESIGN: OCEANIS (BENET) 331 SD
OWNER: Rebecca Nelson
CERTIFICATE: STND
CLASSIFICATION: DSPL
SAIL NO: 61409
POWER: IB
CLUB: EWYC

LOA: 33.96 FT.
LWL: 30.51 FT.
BEAM: 11.22 FT.
DRAFT: 5.25 FT.
DISPLACEMENT: 9920 LBS.
BALLAST: 3086 LBS.
SAIL AREA: 500 SQ. FT.
BASE SPIN: 754 SQ. FT.
EST. FORESTAY: 42.89 FT.

I: 41.08 FT.
ISP: 41.08 FT.
J: 12.34 FT.
JSP/TPS: 12.34 FT.
P: 34.58 FT.
E: 14.27 FT.
SADR: 17.39
DLR: 155.93



HANDICAP ADJUSTMENTS

+3RFG / +6RFM

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/31/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **135 sec/nm**
JAM (Jib & Main): **141 sec/nm**
PPF (Perf Prediction Factor): **10.54**
TCF (Time Correction Factor): **0.9891**

CREW WEIGHT LIMIT: 1914 LBS.

YACHT NAME: **EN PASSANT**
DESIGN: **DEHLER 34**
OWNER: **Jeffrey Posner**
CERTIFICATE: **STND**
CLASSIFICATION: **DSPL**
SAIL NO: **85**
POWER: **IB**
CLUB: **ELYC**

LOA: 33.13 FT.
LWL: 27.23 FT.
BEAM: 11.15 FT.
DRAFT: 5.74 FT.
DISPLACEMENT: 8818 LBS.
BALLAST: 3968 LBS.
SAIL AREA: 492 SQ. FT.
BASE SPIN: 691 SQ. FT.
EST. FORESTAY: 40.52 FT.

I: 38.71 FT.
ISP: 38.71 FT.
J: 11.97 FT.
JSP/TPS: 11.97 FT.
P: 38.71 FT.
E: 13.45 FT.
SADR: 18.50
DLR: 194.98



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 84 sec/nm
JAM (Jib & Main): 96 sec/nm
PPF (Perf Prediction Factor): 4.78
TCF (Time Correction Factor): 1.0903

CREW WEIGHT LIMIT: 1835 LBS.

YACHT NAME: SPACEMAN SPIFF
DESIGN: J-88
OWNER: Rob Ruhlman
CERTIFICATE: **STND**
CLASSIFICATION: HPRF
SAIL NO: 111
POWER: IB
CLUB: LYC

LOA: 29.19 FT.
LWL: 26.84 FT.
BEAM: 9.50 FT.
DRAFT: 6.50 FT.
DISPLACEMENT: 4990 LBS.
BALLAST: 1830 LBS.
SAIL AREA: 439 SQ. FT.
BASE SPIN: 693 SQ. FT.
EST. FORESTAY: 40.28 FT.

I: 38.67 FT.
ISP: 41.60 FT.
J: 11.28 FT.
JSP/TPS: 18.77 FT.
P: 36.82 FT.
E: 12.00 FT.
SADR: 24.12
DLR: 115.21



HANDICAP ADJUSTMENTS

105% JIB, 95 SQM (1023 SQ. FT)

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/13/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 39 sec/nm
JAM (Jib & Main): 51 sec/nm
PPF (Perf Prediction Factor): 5.02
TCF (Time Correction Factor): 1.1985

CREW WEIGHT LIMIT: 2230 LBS.

YACHT NAME: SPACEMAN SPIFF
DESIGN: J-111
OWNER: Rob Ruhlman
CERTIFICATE: ODR
CLASSIFICATION: DSPL
SAIL NO: 134
POWER: IB
CLUB: LYC

LOA: 36.42 FT.
LWL: 32.71 FT.
BEAM: 10.80 FT.
DRAFT: 7.18 FT.
DISPLACEMENT: 9370 LBS.
BALLAST: 3516 LBS.
SAIL AREA: 659 SQ. FT.
BASE SPIN: 1047 SQ. FT.
EST. FORESTAY: 49.71 FT.

I: 47.74 FT.
ISP: 51.23 FT.
J: 13.85 FT.
JSP/TPS: 21.33 FT.
P: 45.24 FT.
E: 14.50 FT.
SADR: 23.79
DLR: 119.52



HANDICAP ADJUSTMENTS

106% JIB, 130 SQM (1399 SQ. FT)

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/13/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **144 sec/nm**
JAM (Jib & Main): **154 sec/nm**
PPF (Perf Prediction Factor): **3.04**
TCF (Time Correction Factor): **0.9731**

CREW WEIGHT LIMIT: 1398 LBS.

YACHT NAME: **ULTIMATE RUSH**
DESIGN: **ULTIMATE 20**
OWNER: **Matthew Rush**
CERTIFICATE: **STND**
CLASSIFICATION: **PHRF**
SAIL NO: **38**
POWER: **OB**
CLUB: **LeYC**

LOA: 20.83 FT.
LWL: 18.00 FT.
BEAM: 8.50 FT.
DRAFT: 5.00 FT.
DISPLACEMENT: 1260 LBS.
BALLAST: 450 LBS.
SAIL AREA: 231 SQ. FT.
BASE SPIN: 282 SQ. FT.
EST. FORESTAY: 26.99 FT.

I: 26.08 FT.
ISP: 27.58 FT.
J: 6.96 FT.
JSP/TPS: 12.79 FT.
P: 27.32 FT.
E: 10.25 FT.
SADR: 31.71
DLR: 96.45



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/1/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 51 sec/nm
JAM (Jib & Main): 62 sec/nm
PPF (Perf Prediction Factor): 2.63
TCF (Time Correction Factor): 1.1676

CREW WEIGHT LIMIT: 2036 LBS.

YACHT NAME: RUSH
DESIGN: FT 10M
OWNER: Laurence Rush
CERTIFICATE: STND
CLASSIFICATION: HPRF
SAIL NO: 789
POWER: IB
CLUB: FCYC

LOA: 32.65 FT.
LWL: 30.31 FT.
BEAM: 9.15 FT.
DRAFT: 7.62 FT.
DISPLACEMENT: 4900 LBS.
BALLAST: 1918 LBS.
SAIL AREA: 537 SQ. FT.
BASE SPIN: 810 SQ. FT.
EST. FORESTAY: 41.11 FT.

I: 39.28 FT.
ISP: 45.28 FT.
J: 12.12 FT.
JSP/TPS: 19.13 FT.
P: 40.16 FT.
E: 14.89 FT.
SADR: 29.87
DLR: 78.56



HANDICAP ADJUSTMENTS

105% JIB, 107 SQM (1150 SQ. FT.)

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 126 sec/nm
JAM (Jib & Main): 130 sec/nm
PPF (Perf Prediction Factor): 7.59
TCF (Time Correction Factor): 1.0056

CREW WEIGHT LIMIT: 1927 LBS.

YACHT NAME: **CRACKER**
DESIGN: TARTAN 10 ODR
OWNER: Karen Sackett-Rampe
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 33
POWER: IB
CLUB: MHYC

LOA: 33.15 FT.
LWL: 27.00 FT.
BEAM: 9.25 FT.
DRAFT: 5.83 FT.
DISPLACEMENT: 7100 LBS.
BALLAST: 3340 LBS.
SAIL AREA: 488 SQ. FT.
BASE SPIN: 633 SQ. FT.
EST. FORESTAY: 37.00 FT.

I: 35.00 FT.
ISP: 35.00 FT.
J: 12.00 FT.
JSP/TPS: 12.00 FT.
P: 40.30 FT.
E: 13.80 FT.
SADR: 21.21
DLR: 161.03



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/9/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): **72 sec/nm**
JAM (Jib & Main): **81 sec/nm**
PPF (Perf Prediction Factor): **8.15**
TCF (Time Correction Factor): **1.1172**

CREW WEIGHT LIMIT: 2145 LBS.

YACHT NAME: **COLTRANE**
DESIGN: J-35
OWNER: Michael Savage
CERTIFICATE: **STND**
CLASSIFICATION: DSPL
SAIL NO: 42207
POWER: IB
CLUB: EWM

LOA: 35.50 FT.
LWL: 30.00 FT.
BEAM: 11.80 FT.
DRAFT: 6.90 FT.
DISPLACEMENT: 10500 LBS.
BALLAST: 4400 LBS.
SAIL AREA: 636 SQ. FT.
BASE SPIN: 1031 SQ. FT.
EST. FORESTAY: 48.89 FT.

I: 46.60 FT.
ISP: 46.60 FT.
J: 14.80 FT.
JSP/TPS: 14.80 FT.
P: 41.60 FT.
E: 14.00 FT.
SADR: 21.30
DLR: 173.61



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/28/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 90 sec/nm
JAM (Jib & Main): 100 sec/nm
PPF (Perf Prediction Factor): 6.74
TCF (Time Correction Factor): 1.0773

CREW WEIGHT LIMIT: 2061 LBS.

YACHT NAME: FALL LINE
DESIGN: J-105 ODR
OWNER: Chip Schaffner
CERTIFICATE: ODR
CLASSIFICATION: DSPL
SAIL NO: 144
POWER: IB
CLUB: EWYC

LOA: 34.50 FT.
LWL: 29.50 FT.
BEAM: 11.00 FT.
DRAFT: 6.50 FT.
DISPLACEMENT: 8575 LBS.
BALLAST: 3400 LBS.
SAIL AREA: 577 SQ. FT.
BASE SPIN: 851 SQ. FT.
EST. FORESTAY: 42.79 FT.

I: 40.60 FT.
ISP: 42.10 FT.
J: 13.50 FT.
JSP/TPS: 19.00 FT.
P: 41.50 FT.
E: 14.60 FT.
SADR: 22.11
DLR: 149.11



HANDICAP ADJUSTMENTS

ODR 102% JIB/89 SQM ASYM

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/1/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 156 sec/nm
JAM (Jib & Main): 166 sec/nm
PPF (Perf Prediction Factor): 14.14
TCF (Time Correction Factor): 0.9527

CREW WEIGHT LIMIT: 1870 LBS.

YACHT NAME: **APONIVI**
DESIGN: CS 33 SD
OWNER: Bron Taoras
CERTIFICATE: **TEMP**
CLASSIFICATION: DSPL
SAIL NO: 3312
POWER: IB
CLUB: EWYC

LOA: 32.67 FT.
LWL: 26.42 FT.
BEAM: 10.67 FT.
DRAFT: 4.58 FT.
DISPLACEMENT: 10100 LBS.
BALLAST: 4400 LBS.
SAIL AREA: 503 SQ. FT.
BASE SPIN: 864 SQ. FT.
EST. FORESTAY: 45.94 FT.

I: 44.00 FT.
ISP: 44.00 FT.
J: 13.20 FT.
JSP/TPS: 13.20 FT.
P: 38.00 FT.
E: 11.20 FT.
SADR: 17.29
DLR: 244.50



HANDICAP ADJUSTMENTS

+3RFG

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/21/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 90 sec/nm
JAM (Jib & Main): 100 sec/nm
PPF (Perf Prediction Factor): 6.74
TCF (Time Correction Factor): 1.0773

CREW WEIGHT LIMIT: 2061 LBS.

YACHT NAME: TRIO
DESIGN: J-105 ODR
OWNER: Paul Uhler
CERTIFICATE: STND
CLASSIFICATION: DSPL
SAIL NO: 50259
POWER: IB
CLUB: EWYC

LOA: 34.50 FT.
LWL: 29.50 FT.
BEAM: 11.00 FT.
DRAFT: 6.50 FT.
DISPLACEMENT: 8575 LBS.
BALLAST: 3400 LBS.
SAIL AREA: 577 SQ. FT.
BASE SPIN: 851 SQ. FT.
EST. FORESTAY: 42.79 FT.

I: 40.60 FT.
ISP: 42.10 FT.
J: 13.50 FT.
JSP/TPS: 19.00 FT.
P: 41.50 FT.
E: 14.60 FT.
SADR: 22.11
DLR: 149.11



HANDICAP ADJUSTMENTS

ODR 102% JIB/89 SQM ASYM

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/27/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 105 sec/nm
JAM (Jib & Main): 114 sec/nm
PPF (Perf Prediction Factor): 9.99
TCF (Time Correction Factor): 1.0462

CREW WEIGHT LIMIT: 2742 LBS.

YACHT NAME: HUMA
DESIGN: JEANNEAU 50 DS SD
OWNER: Marc & Jen Uhrich
CERTIFICATE: STND
CLASSIFICATION: DSPL
SAIL NO: 50
POWER: IB
CLUB: EWYC

LOA: 49.44 FT.
LWL: 43.04 FT.
BEAM: 14.73 FT.
DRAFT: 5.54 FT.
DISPLACEMENT: 29542 LBS.
BALLAST: 9038 LBS.
SAIL AREA: 985 SQ. FT.
BASE SPIN: 1548 SQ. FT.
EST. FORESTAY: 57.85 FT.

I: 54.77 FT.
ISP: 55.27 FT.
J: 18.63 FT.
JSP/TPS: 20.74 FT.
P: 51.67 FT.
E: 18.37 FT.
SADR: 16.56
DLR: 165.42



HANDICAP ADJUSTMENTS

+3 RFG / +9 RFM / 100% Asym declared

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/24/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 15 sec/nm
JAM (Jib & Main): 25 sec/nm
PPF (Perf Prediction Factor): 1.98
TCF (Time Correction Factor): 1.2655

CREW WEIGHT LIMIT: 2062 LBS.

YACHT NAME: TEAM VANPIRE
DESIGN: MELGES 32 ODR
OWNER: Willem van Heeckeren
CERTIFICATE: STND
CLASSIFICATION: HPRF
SAIL NO: 235
POWER: IB
CLUB: EWYC

LOA: 31.83 FT.
LWL: 28.50 FT.
BEAM: 9.83 FT.
DRAFT: 7.00 FT.
DISPLACEMENT: 3774 LBS.
BALLAST: 1570 LBS.
SAIL AREA: 554 SQ. FT.
BASE SPIN: 760 SQ. FT.
EST. FORESTAY: 41.34 FT.

I: 39.90 FT.
ISP: 48.20 FT.
J: 10.80 FT.
JSP/TPS: 19.43 FT.
P: 44.00 FT.
E: 15.40 FT.
SADR: 36.68
DLR: 72.78



HANDICAP ADJUSTMENTS

104% JIB / 103SQM - 121SQM

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 3/21/2024

Certificate Expires: 3/31/2025



SOUTH SHORE PHRF HANDICAP CERTIFICATE

PHRF-SS, LLC., PO Box 347021, Cleveland, OH 44134

<http://phrfss.org>


HCP (Handicap): 48 sec/nm
JAM (Jib & Main): 58 sec/nm
PPF (Perf Prediction Factor): 6.98
TCF (Time Correction Factor): 1.1752

CREW WEIGHT LIMIT: 2393 LBS.

YACHT NAME: VIVA LA VIDA
DESIGN: J-120 AL ODR
OWNER: Tim Yanda
CERTIFICATE: ODR
CLASSIFICATION: DSPL
SAIL NO: 46722
POWER: IB
CLUB: EWYC

LOA: 40.00 FT.
LWL: 34.50 FT.
BEAM: 12.00 FT.
DRAFT: 7.00 FT.
DISPLACEMENT: 13900 LBS.
BALLAST: 6000 LBS.
SAIL AREA: 780 SQ. FT.
BASE SPIN: 1115 SQ. FT.
EST. FORESTAY: 52.54 FT.

I: 50.50 FT.
ISP: 52.00 FT.
J: 14.50 FT.
JSP/TPS: 21.50 FT.
P: 46.50 FT.
E: 17.80 FT.
SADR: 21.66
DLR: 151.12



HANDICAP ADJUSTMENTS

Adjustments must be requested by the owner and are only made based on visual inspection and/or physical measurement by an authorized PHRF-SS measurer. Fixed Prop credit is for 3-bladed or more fixed prop in aperture or on exposed strut. Asymmetric credit is for an aftermarket sprit pole per Section 20 – Asymmetric Spinnakers. If Asymmetric Credit is given, a symmetrical spinnaker may not be flown at any event designated PHRF-SS. Codes appear in Section 8 - Handicap Adjustments of the PHRF-SS Rules & Bylaws.

Owner Signature: _____

My signature attests to the fact that all the information contained on this certificate is true and correct to the best of my knowledge and that I have not made any modifications to the boat which have not been reported to PHRF-SS.

Certificate Issue: 2/28/2024

Certificate Expires: 3/31/2025