Model:

ANCHOR SL



Drew Burns Victoria Scott Paul Bobinger JoJo Redman Hikaru Minami

A

CANNON GOLF - TECH PACK

Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/Revision 3/13/23 Rev A

TABLE OF CONTENTS

FACTORY EMAIL MARKETING BRIEF CAD - BLANK	PAGE 3 PAGE 4 PAGE 5
CAD-LATERAL & MEDIAL	PAGE 6
CAD-TOP & HEEL	PAGE 7
COLOR	PAGE 8
COMPONENT CALLOUTS - MEDIAL	PAGE 9
COMPONENT CALLOUTS - LATERAL & T	PAGE 10
MATERIAL CALLOUTS	PAGE 11
CONSTRUCTION CALLOUTS	PAGE 12
LAYERING CALLOUTS	PAGE 13
MEASURING GUIDE	PAGE 14
SHELL PATTERN	PAGE 15
TOOLING	PAGE 16
ВОМ	PAGE 17-20
PACKAGING INFO	PAGE 21
REFERENCE IMAGES	PAGE 22
BUDGET	PAGE 23
WORKBACK CALENDER	PAGE 24
WEAR TEST PLAN	PAGE 25
NOTES	PAGE 26



Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

FACTORY EMAL

Dear Manufacturing Partners,

We are Cannon Golf team and we are excited to begin working together. My name is Drew Burns and I will be the primary factory contact. Greg has briefed us on the strong relationship that you have had with our program and we're excited to share with you a project that we have worked very hard on. We are hoping to create the Anchor SL, a spikeless golf shoe that provides stability for golfers in slick conditions, comfort, waterproofing, and performance.

We planned on using a Men's size 9 of our custom golf/weightlifting last as our sample size. We hope to launch in Fall '24 with 35,000 SKUs between a 7-12M size run as well as a 5-10W size run.

The defining parts of our project are our breathable-waterproof knit upper, our ability to provide heel and midfoot lockdown with our BOA lacing system, and a flexible toe box to create stability. We chose this sole design because the midsole will wrap around the edges of the foot, it will provide cushioning, and will grip the ground when the golfer is swinging.

Some challenges that we are facing are materials for the knit upper and that our prototype is quite heavy. We're hoping to find solutions to these problems without compromising our defining characteristics. We also hope that our product coatings are in line with the California 2025 regulations and bluesign standards of being PFC-Free. Some fabric samples are on their way and we are excited to connect.

We want our sample round 1 to arrive at our HQ 3/15, our sample round 2 to arrive on 7/15, and we want our sample round 3 to arrive on 12/15. Then, we should be able to start production in 03/2024, expecting your shipments in 06/2024 to be able to launch in 07/2024 Please do not hesitate if you have any questions or need additional information. Thank you!

Cannon Golf



PRODUCT

BRAND: CANNON Golf MODEL: ANCHOR SL



DISTRIBUTION: Wholesale

FORECAST: 35,000 pairs TIER: Performance

LAST: Custom Weightlifting/ Golf Last

COSTING: Target FOB: \$36, MSRP \$180

PRODUCT CLASSIFICATION: Footwear, Golf

PRODUCT CREATION TEAM

OPPORTUNITY



CONSUMER

- Always up-to-date with latest technology
 Living and spending time in any weather condition (rain, dew, snow)

PRODUCT FEATURES

MATERIALS

OUR COMPETITION










Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A
Design JoJo Redman

CAD





Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A
Design JoJo Redman

CAD



LATERAL






Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A
Design JoJo Redman

CAD



*BOA Lacing will actually be black but for better visibility it is represented with red in this tech pack



HEEL



Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A
Design JoJo Redman

COLORWAY

LIGHT TAN

#C7B885

C: 24%

M: 23%

Y: 54%

K: 0%

NAVY BLUE

#0D1C34

C: 94%

M: 83%

Y: 49%

K: 61%

BURNT ORANGE

#B96D32

C: 22%

M: 63%

Y: 93% K: 8%



Colorway Season

TFOB

Cannon Sand Fall 2024 \$36

The Sample Factory

Date/ Revision 3/13/23 Rev A

COMPONENT CALLOUTS - MEDIAL






Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

COMPONENT CALLOUTS - LATERAL & TOP






Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

MATERIAL CALLOUTS - LATERAL & TOP







Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

CONSTRUCTION CALLOUTS







Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A


CONSTRUCTION CALLOUTS & LAYERING



LATERAL SIDE VIEW



MEDIAL SIDE VIEW




TOP VIEW OF INSTEP STRAP



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

MEASURING GUIDE



LATERAL VIEW OF INSTEP STRAP WORDMARK



MEDEAL VIEW OF INSTEP STRAP WORDMARK



SIZE TAG LATERAL COLLAR LINING (25 X 25)



LATERAL VIEW OF LATERAL HEEL LOGO




(mm)




Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

SHELL PATTERN





Midfoot Flex Strap


Instep Strap Underlay



Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory
Date/ Revision

3/13/23 Rev A

TOOLING





Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 **The Sample Factory**Date/ Revision 3/13/23 Rev A
Developer Hikaru Minami

Part Type	Component	Mtl	Vendor	Mtl comments	Color	Comments
Jpper	Tip	WP PU Overlay- Skin Avis Mesh Tinted	the sample factory		Transluscent	
II	Toe Box Puff	Texon Sportflex SR Toe Box Puff	Texon		NA	Reference texon sportflex SR series 2016. High stiffness toe counter for golf shwing follow through
"	Vamp/ Quarter	Waterproof 1mm Stretch Woven	the sample factory	Add a PFC-FREE ECO DWR coating	Light Tan	The coating must be in line with the California 2025 regulations and bluesign standards
"	Forefoot Medial Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex heatpress(heatpr ess on the interior	Navy Blue	Reinforcement that lets the lace guice
"	Forefoot Lateral Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex heatpress(heatpr ess on the interior	Navy Blue	Reinforcement that lets the lace guice
"	Midfoot Medial Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex heatpress(heatpr ess on the interior	Navy Blue	Reinforcement that lets the lace guice
"	Midfoot Lateral Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex heatpress(heatpr ess on the interior	Navy Blue	Reinforcement that lets the lace guice
п	Heel Medial Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex heatpress(heatpr ess on the interior	Navy Blue	Reinforcement that lets the lace guice



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 **The Sample Factory**Date/ Revision 3/13/23 Rev A
Developer Hikaru Minami

II .	Heel Lateral Lace Guide	.5mm Reinforcement	Texon	Reference the Texon ultratex	Navy Blue	Reinforcement that lets the lace guide
	Lace Guide	Kemorcement		heatpress(heatpr ess on the interior		guide
11	Instep Strap	Two Way Strech Foam Package Sandwich Mesh	the sample factory		Navy Blue	
11	Instep Strap Overlay	Water Resistant Poly/Spandex Blend	the sample factory		Navy Blue	Same stretch as the instep strap underlay. This should be fully cover so use chapest color.
"	Instep Strap Wordmark	Framas Laser Cut Label Dream 5500	the sample factory	Heatpress	Light Tan	
"	Midfoot Flex Strap	Sandwich Flexing Mesh	the sample factory	Include points referenced for where to cut	Burnt Orange	High fabric recovery/ water resistant
"	Midfoot Flex Strap Lateral Incision Reinforcement	TPU	the sample factory	.2mm thickeness TPU	grey	
"	Midfoot Flex Strap Medial Incision Reinforcement	TPU	the sample factory	.2mm thickeness TPU	grey	
"	Tongue	Waterproof 1mm Stretch Woven	the sample factory	Same material as vamp/quarter, Add a PFC-FREE ECO DWR coating	Light Tan	
"	Medial Dynamic Eyelets	Dynamic Eyelets	the sample factory	Behind the midfoot flex strap and comes through at incisions loop lacing	Black	



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory
Date/ Revision 3/13/23 Rev A
Developer Hikaru Minami

"	Lateral Dynamic Eyelets	Dynamic Eyelets	the sample factory	Behind the midfoot flex strap and comes through at incisions loop lacing	Black	
"	Medial Flex Strap	Corduro Jaquard Knit	the sample factory		Burnt Orange	High fabric recovery
"	Lateral Flex Strap	Corduro Jaquard Knit	the sample factory		Burnt Orange	High fabric recovery
"	Back Strap	Water Resistant Poly/Spandex Blend	the sample factory		Navy Blue	
"	Collar Lining	Collar Lining Material	the sample factory		Burnt Orange	
"	Heel Counter	Texon 87 Series Heel Counter	Texon		NA	Reference texon 87 series 2016
II	Heel Overlay	WP PU Overlay- Skin Sheer Coating	the sample factory		Navy Blue	
"	Heel Pull Tab	Grosgrain	the sample factory		Burnt Orange	
11	Lateral Heel Logo	Framas Laser Cut Label Dream 5500	Framas	Heatpress	CANNON Golf Logo	
"	Lacing	BOA Lacing System	BOA		Black	BOA knob on the heel
"	Sockliner	Ortholite Eco 15 Degree/- 4Degree Asker C	Ortholite		Light Tan	
II	Sockliner Wordmark	Framas Laser Cut Label Dream 5500	Framas	Heatpress	CANNON Golf Wordmark	Put where the heel would sit wit tip of logo facing the toe



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 **The Sample Factory**Date/ Revision 3/13/23 Rev A
Developer Hikaru Minami

"	Thread	Repel PFC-Free thread	AMERICA N & EFIRD		Light Tan	waterproof stitching
"	Ankle Backtab Foam	KF Foam	the sample factory		-	
"	Size Tag	PU Paper	Sample Factory			
Midsole	Midsole	EVA Foam	Maotai(Fuj ian) Soles Co.	MT-89096	Light Navy Blue	
Outsole	Wave SL Sole	Rubber	Maotai(Fuj ian) Soles Co.	MT-89096	Light Gray	
Packaging	Box	Cardboard	OIA Packaging		Grey	
"	Wrapping Paper	Recycled Tissue Paper 55"x45"	OIA Packaging		White	
"	Carton	Cardboard	OIA Packaging			
"	Inner Box	Cardboard	OIA Packaging			
"	Inner Label	Paper Label	OIA Packaging			
"	Box Tag Size Label	Sticker Label	OIA Packaging			
"	Carton Label	Paper Label	OIA Packaging			
"	Shoe Tree	Recycled Tissue Paper	OIA Packaging			
"	Silica Gel	Silica Gel	OIA Packaging			



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

PACKAGING INFO



260L x 200W x 320H mm



285L x 240W x 180H mm



Box tag on short face

40 x 80 mm



Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TF0B \$36 The Sample Factory
Date/ Revision

n 3/13/23 Rev A

REFERENCE MAGES





Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

BUDGET FOR UPPER, TOOLING, LOP

Cost Elements	Amount		% of FOB
Upper	\$	13.00	
Midsole	\$	4.00	
Outsole	\$	3.80	
Packaging	\$	0.50	
Material Subtotal	44	21.30	59%
M/O Tooling Mids	\$	1.50	
O/S Tooling Outso		1.50	
Total Mold	\$	3.00	8%
Labor	4	4.70	13%
Overhead	\$	4.00	11%
Profit	49	2.50	7%
Net FOB	\$	35.50	99%
Sourcing Commiss		0.50	1%
Total FOB W/SC	\$	36.00	100%
Duty	\$	7.20	
Shipping	\$	0.50	
Landed Cost	\$	43.70	
Wholesale Price		\$90	
Retail Price		\$180	
Gross Margin	\$	136.30	76%

Model Sample

Model ANCHOR SL Sample Size Men's US9 Colorway Cannon Sand Season Fall 2024 TFOB \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

WORKBACK CALENDER

CANNON GOLF		
Fall '24 launch date		
	Start	End
Product Brief Creation		1/1/23
Initial Design Phase	1/1/23	1/15/23
Design to Development		1/15/23
Tech Pack Creation	1/15/23	1/31/23
Tech Pack Release		2/1/23
Tooling design start		1/31/23
Pull over sample shipped		2/10/23
Pull over sample revisions		2/17/23
Tooling completed		3/1/23
Round 1 sample shipped		3/15/23
Round 1 Revisions		3/31/23
Short Term Wear Testing	4/15/23	6/15/23
Revisions		7/1/23
Round 2 Sample		7/15/23
Round 2 Revisions		7/31/23
Long Term Wear Testing	8/15/23	10/15/23
Revisions		11/1/23
Round 3 Sample		12/15/23
Round 3 Revisions		1/1/24
Product Confirmation Sample		1/15/24
Product code release		1/20/24
Order Window	1/20/24	2/15/24
Full size tooling	1/20/24	2/15/24
Materials ordered		2/15/24
Full size Run trials		2/25/24
Production	3/1/24	5/1/24
Shipping		6/1/24
Launch Date		7/1/24



Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

WEAR TEST PLAN

Wear Test Plan

Our wear test plan for the ANCHOR SL must test our different product heroes of stability, restriction, waterproofing, and versatility. This means our tester needs to use the shoe for his golf games at least three times per week over a period of 6-8 weeks. This should get our shoe exposed to at least 20 golf games. Further, our testers are encouraged to keep casually wearing the shoe after and before their games. We envision 15-20 testers between the ages of 20-35 years. This means our factory needs to supply at least 20 test samples in our sample size. Our testers should be located in humid or wet climates to test for the performance and durability in rough weather conditions.

Wear testers will be sent a log to track wear data and multiple surveys with specific questions. We plan on sending out 3 surveys, 1 initial survey, 1 halfway through the trial, and 1 at the end of the trial. The survey will gather a more in-depth look into the tester's ease of entry, upper comfort, irritation issues, fit, perceived stability, durability, and flexibility. We also want to know how long the shoes are worn, what additional activities the tester did while wearing them, washing/ cleaning conditions if any, and what the weather was like while wearing the shoe. After completion of the 6-8 week wear test trial, we request our footwear back for lab analysis. There we will examine wear of our traction outsole, durability of our lacing system and waterproofing of the upper.

Some possible survey questions:

- 1) What were your initial impressions?
- 2) How would you compare the wear and feel on your first round and your last round?
- 3) How easy was the lacing system and entry into the shoe?
- 4) Did the upper of the shoe fit loose or tight? Did the lacing lock you well?
- 5) How would you describe your experience with the bottom of the shoe? Did you have better traction while swinging?
- 6) Were you able to move your toes in the toebox? Did this support your grip?
- 7) Did you have any pain points when walking? Any irritation points during play?
- 8) Any additionally thoughts or comments?

Wear Test Plan (6-8 Week Plan)	Dates
Ship shoes to wear testing pool	4/15/2023
Email record log to wear testers	4/17/2023
Send 1 st survey to testers	4/17/2023
Send 2 nd survey to testers	5/17/2023
Send 3 rd survey to testers	6/15/2023
Return shoes from testers	6/15/2023
Analyze shoes from tester	6/22/2023
Receive all survey results	6/31/2023



CANNON GOLF

Model ANCHOR SL Sample Size Men's US9 Colorway Season TFOB Cannon Sand Fall 2024 \$36 The Sample Factory

Date/ Revision 3/13/23 Rev A

NOTES