Post-Surgical Discharge Instructions: Laceration Repair

Thank you for trusting us with your pet's care. Proper post-surgical care is essential for a smooth recovery. Please follow the instructions below, and contact us if you have any questions or concerns.

Activity Restrictions

Restriction Level: Mild to Moderate

Your pet's activity should be limited for **10 to 14 days** to allow proper healing and prevent complications.

- No running, jumping, or rough play.
- Dogs: Leash walks only—no off-leash activity.
- Cats: Keep strictly indoors.
- Prevent interaction with other pets to avoid licking or reopening the wound.
- Use an Elizabethan collar (e-collar) to prevent licking or chewing at the sutures.

Re-Evaluation Appointments

A follow-up visit is recommended in 10 to 14 days for:

- Suture or staple removal (if applicable)
- Wound assessment
- Additional follow-ups as needed
- If a drain was placed, return in 3-5 days for removal.

Please schedule your pet's recheck appointment before leaving today.

Pain Management

Your pet has been prescribed pain medication. Please follow the given instructions carefully.

- Administer all medications as directed.
- **Do not give human pain medications** (such as Aspirin or Tylenol), as these can be toxic to pets.
- If your pet shows signs of excessive pain (whining, restlessness, or lack of appetite), contact us.

Anesthesia Recovery

Your pet may be **groggy or disoriented** for the next 12 hours due to anesthesia. During this time:

- Assist your pet when moving, as coordination may be temporarily affected.
- Your pet may vocalize, pace, or appear disoriented—this can last up to 6-8 hours.
- Monitor food and water intake; offer small amounts at first.
- Keep children and other pets away from your pet for at least 18-24 hours.
- A mild sore throat or cough may occur due to the anesthesia tube but should resolve within 24 hours.

If abnormal behavior persists beyond 24 hours, contact us immediately.

Wound & Incision Care

- Check the wound site daily for redness, swelling, or discharge.
- A **small amount of redness and swelling** is normal, but increased inflammation or drainage should be reported.
- Do not allow licking or biting of the wound—use an e-collar if needed.
- No baths or swimming until the wound is fully healed (at least 10-14 days).
- Do not clean the wound with hydrogen peroxide—use warm, soapy water if necessary.
- If a bandage was applied, **keep it clean and dry**. If it becomes wet, dirty, or starts slipping, contact us immediately.

When to Contact Your Veterinarian

Please call or text us if your pet experiences any of the following:

- Vomiting or diarrhea
- Loss of appetite for more than 24 hours
- Pale gums
- Discharge, swelling, or bleeding from the wound
- Signs of infection (foul odor, excessive redness, pus)
- Difficulty urinating
- Labored breathing
- Lethargy lasting more than 24 hours
- Signs of severe pain (crying, restlessness, reluctance to move)

If you notice any of these signs, contact us immediately at 606-392-2030.

We appreciate your commitment to your pet's recovery and are here to help every step of the way!	