
Ex 21.1

Areas of Bounded Regions Ex 21.1 Q1

Given equations are

$$x = 2$$
 --- (1)
and $y^2 = 8x$ --- (2)

Equation (1) represents a line parallel to y-axis and equation (2) represents a parabola with vertex at origin and x-axis as its axis, A rough sketch is given as below:-



We have to find the area of shaded region . We sliced it in vertical rectangle width of rectangle = Δx ,

Length =
$$(y - 0) = y$$

Area of rectangle =
$$y \Delta x$$

This rectangle can move horizontal from x = 0 to x = 2

Required area = Shaded region OCBO

- = 2 (Shaded region OABO)
- $=2\int_{0}^{2}y\,dx$
- $= 2 \int_{0}^{2} \sqrt{8x} \, dx$
- $= 2.2\sqrt{2} \int_0^2 \sqrt{x} \, dx$

$$=4\sqrt{2}\left[\frac{2}{3}x\sqrt{x}\right]_{0}^{2}$$

$$= 4\sqrt{2} \left[\left(\frac{2}{3} . 2\sqrt{2} \right) - \left(\frac{2}{3} . 0 . \sqrt{0} \right) \right]$$

$$= 4\sqrt{2} \left(\frac{4\sqrt{2}}{3} \right)$$

Required area = $\frac{32}{3}$ square units


Million Stars Practice
Anni Arinh

To find area of region bounded by x-axis the ordinates x = -2 and x = -2

$$y - 1 = x \qquad \qquad - - - (1)$$

Equation (1) is a line that meets at axes at (0,1) and (-1,0).

A rough sketch of the curve is as under:-



Shaded region is required area.

Required area = Region ABCA + Region ADEA

$$A = \int_{-1}^{3} y dx + \left| \int_{-2}^{-1} y dx \right|$$

$$= \int_{-1}^{3} (x+1) dx + \left| \int_{-2}^{-1} (x+1) dx \right|$$

$$= \left(\frac{x^{2}}{2} + x \right)_{-1}^{3} + \left| \left(\frac{x^{2}}{2} + x \right)_{-2}^{-1} \right|$$

$$= \left[\left(\frac{9}{2} + 3 \right) - \left(\frac{1}{2} - 1 \right) \right] + \left| \left(\frac{1}{2} - 1 \right) - (2 - 2) \right|$$


$$= \left[\frac{15}{2} + \frac{1}{2} \right] + \left| -\frac{1}{2} \right|$$

$$= 8 + \frac{1}{2}$$

$$A = \frac{17}{2}$$
 sq. units

We have to find the area of the region bounded by

Equation (1) represents a line parallel to y-axis and equation (2) represents a parabola with vertex at origin and axis as x-axis. A rough sketch of the two curves is as below:-



We have to find the area of the shaded region. Now, we slice it in rectangles. Width $= \Delta x$, Length = y - 0 = y

Area rectangle = $y \Delta x$

This approximating rectangle can move from x = 0 to x = a.

Required area = Region *OCBO*
= 2 (Region *OABO*)
=
$$2J_0^s \sqrt{4ax} dx$$

$$= 2.2\sqrt{a} \int_0^a \sqrt{x} \, dx$$
$$= 4\sqrt{a} \left(\frac{2}{3} x \sqrt{x}\right)_0^a$$


$$=4\sqrt{a}\cdot\left(\frac{2}{3}a\sqrt{a}\right)$$

Required area = $\frac{8}{3}a^2$ square units

We have to find area bounded by x-axis and parabola $y = 4x - x^2$

$$\Rightarrow x^2 - 4x + 4 = -y + 4 \Rightarrow (x - 2)^2 = -(y - 4) ---(1)$$

Equation (1) represents a downward parabola with vertex (2,4) and passing through (0,0) and (0,4). A rough sketch is as below:-



the shaded region represents the required area. We slice the region in approximation rectangles with width $= \Delta x$, length = y - 0 = y

Area of rectangle = $y \Delta x$.

This approximation rectangle slide from x = 0 to x = a, so

Required area = Region *OABO*
=
$$\int_0^4 \left(4x - x^2\right) dx$$

= $\left(4\frac{x^2}{2} - \frac{x^3}{3}\right)_0^4$
= $\left(\frac{4 \times 16}{2} - \frac{64}{3}\right) - (0 - 0)$
= $\frac{64}{6}$

Required area = $\frac{32}{3}$ square units


Wondershare **Remove Watermark PDFelement**

Areas of Bounded Regions Ex 21.1 Q5

To find area bounded by

Equation (1) represents a parabola with vertex at origin and axis as x-axis and equation (2) represents a line parallel to y-axis.

A rough sketch of the equations is as below:-



Shaded region represents the required area we slice this area with approximation rectangles with Width $= \Delta x$, length = y - 0 = y

Area of rectangle = $y \triangle x$.

This approximation rectangle can slide from x = 0 to x = 3, so

Required area = Region OCBO

= 2 (Region OABO)

 $= 2 \int_0^3 y dx$

 $= 2 \int_{0}^{3} \sqrt{4x} dx$

 $=4\int_{0}^{3}\sqrt{x}dx$

 $=4\left(\frac{2}{3}x\sqrt{x}\right)_0^3$

 $=\frac{8}{3}.3\sqrt{3}$

Required area = $8\sqrt{3}$ square units

Areas of Bounded Regions Ex 21.1 Q6

Million Stars edulaciice Williams Araciice


We have to find the area enclosed by

$$y = 4 - x^{2}$$

 $\Rightarrow x^{2} = -(y - 4)$ ---(1)
 $x = 0$ ---(2)
 $x = 2$ ---(3)

Equation (1) represent a downward parabola with vertex at (0,4) and passing through (2,0), (-2,0). Equation (2) represents y-axis and equation (3) represents a line parallel to y-axis.

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice this region into approximation rectangles with Width $= \Delta x$, length = y - 0 = y

Area of rectangle = $y \triangle x$.

This approximation rectangle move from x = 0 to x = 2, so

$$= \int_{0}^{2} (4 - x^{2}) dx$$

$$= \left(4x - \frac{x^{3}}{3}\right)_{0}^{2}$$

$$= \left[4(2) - \frac{(2)^{3}}{3}\right] - [0]$$

$$= \left[\frac{24 - 8}{3}\right]$$

Required area = $\frac{16}{3}$ square units


We have to find area enclosed by x-axis and

$$y = \sqrt{x+1}$$

$$\Rightarrow y^2 = x+1 \qquad ---(1)$$
and $x = 0 \qquad ---(2)$

$$x = 4 \qquad ---(3)$$

Equation (1) represent a parabola with vertex at (-1,0) and passing through (0,1) and (0,-1). Equation (2) is y-axis and equation (3) is a line parallel to y-axis passing through (4,0). So rough sketch of the curve is as below:-



We slice the required region in approximation rectangle with its Width = Δx , and length = y - 0 = y

Area of rectangle = $y \Delta x$.

Approximation rectangle moves from x = 0 to x = 4. So

Required area = Shaded region
=
$$\left(\text{Re gion OECDO}\right)$$


= $\int_0^4 y dx$
= $\int_0^4 \sqrt{x+1} dx$
= $\left(\frac{2}{3}(x+1)\sqrt{x+1}\right)_0^4$
= $\frac{2}{3}\left[\left((4+1)\sqrt{4+1}\right) - \left((0+1)\sqrt{0+1}\right)\right]$

Required area = $\frac{2}{3} \left[5\sqrt{5} - 1 \right]$ square units

Thus, Required area =
$$\frac{2}{3} \left(5^{\frac{3}{2}} - 1 \right)$$
 square units

We have to find area enclosed by x-axis

Equation (1) represents y-axis and a line parallel to y-axis passing through (2,0) respectively. Equation (2) represents a parabola with vertex at $\left[-\frac{2}{3},0\right]$ and passes through the points (0,2), (0,-2), so rough sketch of the curves is as below:-



Shaded region represents the required area. It is sliced in approximation rectangle with its Width = Δx , and length = (y - 0) = y

Area of rectangle = $y \Delta x$.

Required area = $\frac{56}{9}$ square units




https://millionstar.godaddysites.com/ Areas of Bounded Regions Ex 21.1 Q9

Remove Watermark Wondershare PDFelement

We have to find area endosed by

Equation (1) is a parabola with vertex at (1,0) and axis as x-axis. Equation (2) represents a line parallel to y-axis passing through (2,0).

A rough sketch of curves is as below:-



Shaded region shows the required area. We slice it in approximation rectangle with its Width $= \Delta x$ and length = y - 0 = y


Area of the rectangle = $y \triangle x$.

This rectangle can slide from x = 1 to x = 2, so

Required area = Region ABCA
= 2 (Region AOCA)
=
$$2\int_{1}^{2} y dx$$

= $2\int_{1}^{2} \sqrt{x - 1} dx$
= $2\left(\frac{2}{3}(x - 1)\sqrt{x - 1}\right)_{1}^{2}$
= $\frac{4}{3}\left[\left((2 - 1)\sqrt{2 - 1}\right) - \left((1 - 1)\sqrt{1 - 1}\right)\right]$
= $\frac{4}{3}(1 - 0)$

Required area = $\frac{4}{3}$ square units



It can be observed that ellipse is symmetrical about x-axis.

 $= 3 \left[\frac{x}{2} \sqrt{4 - x^2} + \frac{4}{2} \sin^{-1} \frac{x}{2} \right]_0^2$ $= 3 \left[1(0) + 2 \sin^{-1} (1) - 0 - 2 \sin^{-1} (0) \right]$ $= 3 \left[\pi \right]$ $= 3\pi \text{ sq. units}$


$$= 2 \int_{0}^{2} 3 \sqrt{1 - \frac{x^{2}}{4}} dx$$

$$= 3 \int_{0}^{2} \sqrt{4 - x^2} dx$$

$$= 3 \left[\frac{x}{2} \sqrt{4 - x^2} + \frac{4}{2} \sin^{-1} \frac{x}{2} \right]_0^2$$

$$= 3[1(0) + 2\sin^{-1}(1) - 0 - 2\sin^{-1}(0)]$$

$$=3\pi$$
 sq. units



= 6p sq. units

Areas of Bounded Regions Ex 21.1 Q12

Million Stars & Practice
William Rearing Practice

We have to find area enclosed between the curve and x-axis.


$$y=2\sqrt{1-x^2},\,x\in\left[0,1\right]$$

$$\Rightarrow \qquad y^2 + 4x^2 = 4, \, x \in \left[0, 1\right]$$

$$\Rightarrow \frac{x^2}{1} + \frac{y^2}{4} = 1, x \in [0, 1] \qquad ---(1)$$

Equation (1) represents an ellipse with centre at origin and passes through (±1,0) and $(0,\pm 2)$ and $x \in [0,1]$ as represented by region between y-axis and line x = 1.

A rough sketch of curves is as below:-



Shaded region represents the required. We slice it into approximation rectangles of Width = 4X and length = y

Area of the rectangle = $y \Delta x$.

The approximation rectangle slides from x = 0 to x = 1, so

$$= \int_{0}^{1} 2\sqrt{1 - x^{2}} dx$$

rectangle =
$$y \Delta x$$
.

Imation rectangle slides from $x = 0$ to $x = 1$, so

ea = Region $OAPBO$

$$= \int_0^1 y dx$$

$$= \int_0^1 2\sqrt{1 - x^2} dx$$

$$= 2\left[\frac{x}{2}\sqrt{1 - x^2} + \frac{1}{2}\sin^{-1}(x)\right]_0^1$$

$$= 2\left[\left(\frac{1}{2}\sqrt{1 - 1} + \frac{1}{2}\sin^{-1}(1)\right) - (0 + 0)\right]$$

$$= 2\left[0 + \frac{1}{2} \cdot \frac{\pi}{2}\right]$$

$$=2\left[0+\frac{1}{2}.\frac{\pi}{2}\right]$$

Required area = $\frac{\pi}{2}$ square units


To find area under the curves

$$y = \sqrt{a^2 - x^2}$$

 $\Rightarrow x^2 + y^2 = a^2$ ---(1)
Between $x = 0$ ---(2)
 $x = a$ ---(3)

Equation (1) represents a circle with centre (0,0) and passes axes at (0,±a) ($\pm a$,0) equation (2) represents y-axis and equation x = a represent a line parallel to y-axis passing through (a,0).

A rough sketch of the curves is as below:-



Shaded region represents the required area. We slice it into approximation rectangles of Width = &x and length = y - 0 = y

Area of the rectangle = $y \Delta x$.

$$=\int_0^s ydy$$

$$= \int_0^a \sqrt{a^2 - x^2} dx$$

Area of the rectangle =
$$y \Delta x$$
.

The approximation rectangle can slide from $x = 0$ to $x = a$, so

Required area = Region $OAPBO$

$$= \int_0^a y dx$$

$$= \int_0^a \sqrt{a^2 - x^2} dx$$

$$= \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \left(\frac{x}{a} \right) \right]_0^a$$

$$= \left[\left(\frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} \left(1 \right) \right) - \left(0 \right) \right]$$


$$= \left[0 + \frac{a^2}{2} \cdot \frac{\pi}{2}\right]$$

Required area = $\frac{\pi}{4}a^2$ square units

2v = 5x + 7x = 2

Equation (1) represents line passing through $\left(-\frac{7}{5},0\right)$ and $\left(0,\frac{7}{2}\right)$ equation (2),(3)shows line parallel to y-axis passing through (2,0),(8,0) respectively.

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice the region into approximation rectangles of Width = AX and length = y

Area of the rectangle = $y \Delta x$.

This approximation rectangle slides from x = 2 to x = 8, so

Required area = (Region ABCDA)

$$= \int_2^8 \left(\frac{5x + 7}{2} \right) dx$$

$$=\frac{1}{2}\left(\frac{5x^2}{2}+7x\right)$$

rectangle =
$$y \Delta x$$
.
imation rectangle slides from $x = 2$ to $x = 8$, so

ea = {Region $ABCDA$ }
$$= J_2^8 \left(\frac{5x + 7}{2}\right) dx$$

$$= \frac{1}{2} \left[\frac{5x^2}{2} + 7x\right]_2^8$$

$$= \frac{1}{2} \left[\left(\frac{5(8)^2}{2} + 7(8)\right) - \left(\frac{5(2)^2}{2} + 7(2)\right)\right]$$

$$= \frac{1}{2} \left[\left(160 + 56\right) - \left(10 + 14\right)\right]$$

$$= \frac{192}{2}$$
ea = 96 square units


Required area = 96 square units

Million Stars Practice
Anima Practice

We have to find the area of circle

$$x^2 + y^2 = a^2 --- (1)$$

Equation (1) represents a circle with centre (0,0) and radius a, so it meets the axes at (±a,0), (0,±a). A rough sketch of the curve is given below:-



Shaded region is the required area. We slice the region AOBA in rectangles of width Δx and length = y - 0 = y

Area of rectangle = $y \Delta x$.

This approximation rectangle can slide from x = 0 to x = a, so

$$=4\iint_{0}^{s}ydx$$

$$=4\int_{0}^{a}\sqrt{a^{2}-x^{2}}dx$$

$$= 4 \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]$$

This approximation rectangle can slide from
$$x = 0$$
 to $x = a$, so Required area = Region $ABCDA$ = $4 \left(\text{Region } ABOA \right)$ = $4 \left(J_0^s y dx \right)$ = $4 J_0^s \sqrt{a^2 - x^2} dx$ = $4 \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]_0^s$ = $4 \left[\left(\frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} \frac{a}{a} \right) - (0 + 0) \right]$ = $4 \left[0 + \frac{a^2}{2} \cdot \frac{\pi}{2} \right]$ = $4 \left(\frac{a^2 \pi}{4} \right)$ Required area = πa^2 sq.units

$$=4\left[0+\frac{a^2}{2},\frac{\pi}{2}\right]$$

$$= 4 \left(\frac{a^2 \pi}{4} \right)$$

Required area = πa^2 sq.units

To find area enclosed by


x = -2, x = 3, y = 0 and y = 1 + |x + 1|

$$\Rightarrow y = 1 + x + 1, \text{ if } x + 1 \ge 0$$

$$\Rightarrow y = 2 + x \qquad --- (1), \text{ if } x \ge -1$$

And
$$y = 1 - (x + 1)$$
, if $x + 1 < 0$
 $\Rightarrow y = 1 - x - 1$, if $x < -1$
 $\Rightarrow y = -x$ $---(2)$, if $x < -1$

So, equation (1) is a straight line that passes through (0,2) and (-1,1). Equation (2) is a line passing through (-1,1) and (-2,2) and it is enclosed by line x=2 and x = 3 which are lines parallel to y-axis and pass through (2,0) and (3,0) respectively y = 0 is x-axis. So, a rough sketch of the curves is given as:-



Shaded region represents the required area.

region ECDFE is sliced into approximation rectangle with width Δx and length y_1 . Area of those approximation rectangle is $y_1 \triangle x$ and these slids from x = -2 to x = -1.

Region ABEFA is sliced into approximation rectangle with width Δx and length y_2 . Area of those rectangle is $y_{2} \triangle x$ which slides from x = -1 to x = 3. So, using equation (1),

Required area =
$$\int_{-2}^{-1} y_1 dx + \int_{-1}^{3} y_2 dx$$


= $\int_{-2}^{-1} (-x) dx + \int_{-1}^{3} (x+2) dx$
= $-\left[\frac{x^2}{2}\right]_{-2}^{-1} + \left[\frac{x^2}{2} + 2x\right]_{-1}^{3}$
= $-\left[\frac{1}{2} - \frac{4}{2}\right] + \left[\left(\frac{9}{2} + 6\right) - \left(\frac{1}{2} - 2\right)\right]$
= $\frac{3}{2} + \left(\frac{21}{2} + \frac{3}{2}\right)$
= $\frac{27}{2}$

Required area =
$$\frac{27}{2}$$
 sq.units

Willion Stars Practice
Williams Practice



Consider the sketch of the given graph: y = |x - 5|



Therefore,

Required area =
$$\int_0^1 y dx$$

$$= \int_0^1 |x - 5| dx$$

$$= \int_0^1 -(x-5)dx$$

$$= \left[\frac{-x^2}{2} + 5x \right]_0^1$$

$$= \left[-\frac{1}{2} + 5 \right]$$

$$=\frac{9}{2}sq.$$
 units

Therefore, the given integral represents the area bounded by the curves, x = 0, y = 0, x = 1 and y = -(x - 5).





https://millionstar.godaddysites.com/


Areas of Bounded Regions Ex 21.1 Q18

The given equation is y = |x+3|

The corresponding values of x and y are given in the following table.

x	- 6	- 5	-4	-3	-2	- 1	0
y	3	2	1	0	1	2	3

On plotting these points, we obtain the graph of y = |x+3| as follows.



It is known that, $(x+3) \le 0$ for $-6 \le x \le -3$ and $(x+3) \ge 0$ for $-3 \le x \le 0$

$$\therefore \int_{-6}^{0} |(x+3)| dx = -\int_{-6}^{-3} (x+3) dx + \int_{-3}^{0} (x+3) dx$$

$$= -\left[\frac{x^{2}}{2} + 3x \right]_{-6}^{-3} + \left[\frac{x^{2}}{2} + 3x \right]_{-3}^{0}$$

$$= -\left[\left(\frac{(-3)^{2}}{2} + 3(-3) \right) - \left(\frac{(-6)^{2}}{2} + 3(-6) \right) \right] + \left[0 - \left(\frac{(-3)^{2}}{2} + 3(-3) \right) \right]$$

$$= -\left[-\frac{9}{2} \right] - \left[-\frac{9}{2} \right]$$

$$= 9$$

Remove Watermark Wondershare PDFelement

Million Stars & Practice
Williams Stars & Practice

We have,

$$y = |x+1| = \begin{cases} x+1, & \text{if } x+1 \ge 0 \\ -(x+1), & \text{if } x+1 < 0 \end{cases}$$
$$y = \begin{cases} (x+1), & \text{if } x \ge -1 \\ -x-1, & \text{if } x < -1 \end{cases}$$

$$\Rightarrow$$
 $y = x + 1$


(1)

and
$$y = -x - 1$$

(2)

Equation (1) represents a line which meets axes at (0,1) and (-1,0). Equation (2) represents a line passing through (0,-1) and (-1,0)

A rough sketch is given below:-



$$\int_{-4}^{2} \left| x + 1 \right| dx = \int_{-4}^{-1} - \left(x + 1 \right) dx + \int_{-1}^{2} \left(x + 1 \right) dx$$

$$= -\left[\frac{x^2}{2} + x\right]_{-4}^{-1} + \left[\frac{x^2}{2} + x\right]_{-1}^{2}$$

$$= -\left[\left(\frac{1}{2} - 1\right) - \left(\frac{16}{2} - 4\right)\right] + \left[\left(\frac{4}{2} + 2\right) - \left(\frac{1}{2} - 1\right)\right]$$

$$= -\left[\left(-\frac{1}{2} - 4\right)\right] + \left[4 + \frac{1}{2}\right]$$

$$= \frac{9}{2} + \frac{9}{2}$$


$$=\frac{18}{2}$$

Required area = 9 sq. unit

Million Stars Practice
William Rearing Practice

$$\Rightarrow$$
 $y = \frac{3x + 10}{x^2 + 2}$

A rough sketch of the curves is given below:-



Shaded region is required region.

It is sliced in rectangle with width $= \Delta x$ and length = y

Area of rectangle = $y \triangle x$

This approximation rectangle slide from x = 3 to x = 4. So,

Required area = Region ABCDA

$$= \int_{3}^{4} y dx$$

$$= \int_{3}^{4} \left(\frac{3x + 10}{x - 2} \right) dx$$

$$= \int_{3}^{4} \left(3 + \frac{16}{x - 2} \right) dx$$

$$= \left(3x \right)_{3}^{4} + 16 \left\{ \log |x - 2| \right\}_{3}^{4}$$

$$= \left(12 - 9 \right) + 16 \left(\log 2 - \log 1 \right)^{4}$$

Required area = $(3 + 16 \log 2)$ sq. units





Wondershare

Areas of Bounded Regions Ex 21.1 Q21


To find area bounded by $y = \frac{\pi}{2} + 2\sin^2 x$,

x-axis, x = 0 and $x = \pi$

A table for values of $y = \frac{\pi}{2} + 2\sin^2 x$ is:-

X	0	<u>π</u>	$\frac{\pi}{4}$	$\frac{\pi}{3}$	<u>π</u> 2	<u>2я</u> 3	<u>Зя</u> 4	<u>5π</u> 6	Я
$\frac{\pi}{2}$ + 2 sin ² x	1.57	2.07	2.57	3.07	3.57	3.07	2.57	2.07	1.57

A rough sketch of the curves is given below:-



Shaded region represents required area. We slice it into rectangles of width $= \Delta x$ and length = y

Area of rectangle = $y \Delta x$

The approximation rectangle slides from x = 0 to $x = \pi$. So,

$$= \int_0^x y dx$$

$$= \int_0^x \left(\frac{\pi}{2} + 2\sin^2 x\right) dx$$

$$= \int_0^x \left(\frac{\pi}{2} + 1 - \cos 2x\right) dx$$

$$= \left[\frac{\pi}{2}x + x - \frac{\sin 2x}{2}\right]_0^{\pi}$$
$$= \left\{\left(\frac{\pi^2}{2} + \pi - \frac{\sin 2x}{2}\right) - \{0\}\right\}$$

$$=\frac{\pi^2}{2}+\pi$$

Required area = $\frac{\pi}{2} (\pi + 2)$ sq. units



Wondershare **Remove Watermark PDFelement**


Areas of Bounded Regions Ex 21.1 Q22

To find area between by x-axis, x = 0, x = π and

$$y = \frac{x}{\pi} + 2\sin^2 x \qquad ---(1$$

The table for equation (1) is:-

Х	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	<u>я</u> 3	$\frac{\pi}{2}$	$\frac{2\pi}{3}$	$\frac{3\pi}{4}$	<u>5π</u> 6	я
У	0	0.66	1.25	1.88	2.5	1.88	1.25	0.66	0



Shaded region is the required area. We slice the area into rectangles with width $=\Delta x$, length = y

Area of rectangle = $y \Delta x$

The approximation rectangle slides from x=0 to $x=\pi$. So,

Required area = (Region ABOA)

$$= \int_0^x y dx$$

$$= \int_0^x \left(\frac{x}{\pi} + 2\sin^2 x\right) dx$$

$$= \int_0^x \left(\frac{x}{\pi} + 1 - \cos 2x\right) dx$$


$$= \left[\frac{x^2}{2\pi} + x - \frac{\sin 2x}{2}\right]_0^x$$

$$= \left(\frac{\pi^2}{2\pi} + \pi - 0\right) - \left(0\right)$$

Required area =
$$\frac{3\pi}{2}$$
 sq. units

Million Stars & Practice
Anny Aright Aright

Million Stars Practice
Anima Practice



From the figure, we notice that

The required area= area of the region OABO + area of the region BCDB + area of the region DEFD

Thus, the reqd. area =
$$\int_0^{\pi/2} \cos x \, dx \, + \, \left| \int_{\pi/2}^{3\pi/2} \cos x \, dx \right| + \int_{3\pi/2}^{2\pi} \cos x \, dx$$

$$= \left[\sin x \right]_0^{\pi/2} + \left[\sin x \right]_{\pi/2}^{3\pi/2} \left| + \left[\sin x \right]_{3\pi/2}^{2\pi} \right|$$

$$= \left[\sin \frac{\pi}{2} - \sin 0 \right] + \left| \sin \frac{3\pi}{2} - \sin \frac{\pi}{2} \right| + \left[\sin 2\pi - \sin \frac{3\pi}{2} \right]$$

$$= 1 + 2 + 1 = 4 \text{ square units}$$

Areas of Bounded Regions Ex 21.1 Q24


To find area under the curve

$$y = \sin x$$
 $--- (1)$
and $y = \sin 2x$ $--- (2)$

between x = 0 and $x = \frac{\pi}{3}$.

	,				
Х	0	<u>π</u>	$\frac{\pi}{4}$	3	<u>π</u> 2
Y=sin x	0	0.5	0.7	0.8	1
Y=sin 2 x	0	0.8	1 0	0.8	0
					1

A rough sketch of the curve is given below:-



Area under curve $y = \sin 2x$

It is sliced in rectangles with width $= \Delta x$ and length $= y_1$

Area of rectangle = $y_1 \Delta x$

This approximation rectangle slides from x = 0 to $x = \frac{\pi}{3}$. So,



Required area = Region OPACO

$$A_{1} = \int_{0}^{\frac{\pi}{3}} y_{1} dx$$

$$= \int_{0}^{\frac{\pi}{3}} \sin 2x \, dx$$

$$= \left[\frac{-\cos 2x}{2} \right]_{0}^{\frac{\pi}{3}}$$

$$= -\left[-\frac{1}{4} - \frac{1}{2} \right]$$

$$A_1 = \frac{3}{4}$$
 sq.units

Area under curve $y = \sin x$:

It is sliced in rectangles with width Δx and langth y_2 Area of rectangle = $y_2 \Delta x$

This approximation rectangle slides from x=0 to $x=\frac{\pi}{3}$. So,

Mondershare

Required area = Region OQACO

$$= \int_{0}^{\frac{\pi}{3}} y_{2} dx$$

$$= \int_{0}^{\frac{\pi}{3}} \sin x \, dx$$

$$= \left[-\cos x \right]_{0}^{\frac{\pi}{3}}$$

$$= -\left[\cos \frac{\pi}{3} - \cos 0 \right]$$

$$= -\left(\frac{1}{2} - 1 \right)$$

$$A_2 = \frac{1}{2}$$
 sq.units

So.

$$A_2: A_1 = \frac{1}{2}: \frac{3}{4}$$

$$A_2: A_1 = 2:3$$




Remove Watermark

Wondershare

To compare area under curves $y = \cos^2 x$ and $y = \sin^2 x$ between x = 0 and $x = \pi$.

Table for $v = \cos^2 x$ and $v = \sin^2 x$ is

	Table for y = cos x and y = sin x is									
	Х	0	<u>я</u> 6	$\frac{\pi}{4}$	<u>я</u> З	<u>я</u>	$\frac{2\pi}{3}$	$\frac{3\pi}{4}$	<u>5π</u> 6	π
1	√=cos²x	1	0.75	0.5	0.25	0	0.25	0.5	0.75	1
	Y≕sin²x	0	0.25	0.5	0.75	1	0.75	0.5	0.25	0



Area of region enclosed by $y = \cos^2 x$ and axis

 A_1 = Region OABO + Region BCDB

=
$$2 (Region BCDB)$$

$$=2\int_{\frac{\pi}{2}}^{\pi}\cos^2 x\,dx$$

$$=2\int_{\frac{\pi}{2}}^{\pi} \left(\frac{1-\cos 2x}{2}\right) dx$$

$$= \left[x - \frac{\sin 2x}{2} \right]_{\frac{x}{2}}^{x}$$

$$= \left[\left(\pi - 0 \right) - \left(\frac{\pi}{2} - 0 \right) \right]$$

$$=\pi-\frac{\pi}{2}$$

$$A_1 = \frac{\pi}{2}$$
 sq.units

Area of region enclosed by $y = \sin^2 x$ and axis

$$A_2$$
 = Region *OEDO*

$$= \int_0^{\pi} \sin^2 x \, dx$$

$$= \int_0^{\pi} \left(\frac{1 - \cos 2x}{2} \right) dx$$

$$= \frac{1}{2} \left[x - \frac{\sin 2x}{2} \right]_0^x$$

$$=\frac{1}{2}\left[\left(\pi-0\right)-\left(0\right)\right]$$

$$A_2 = \frac{\pi}{2}$$
 sq. units

From equation (1) and (2),

$$A_1 = A_2$$

Area enclosed by $y = \cos^2 x = \text{Area enclosed by } y = \sin^2 x$

Million Stars Practice
Williams Stars Practice



The required area fig., of the region BOB'RFSB is enclosed by the ellipse and the lines x = 0 and x = ae.


Note that the area of the region BOB'RFSB
$$= 2 \int_0^{ae} y dx = 2 \frac{b}{a} \int_0^{ae} \sqrt{a^2 - x^2} dx$$

$$= \frac{2b}{a} \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{2} \right]^{ae}$$

$$= \frac{2b}{a} \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]_0^{ae}$$


$$= \frac{2b}{2a} \left[ae \sqrt{a^2 - a^2 e^2} + a^2 \sin^{-1} e \right]$$

$$= ab \left[e\sqrt{1 - e^2} + \sin^{-1} e \right]$$





Million State & Practice



Area of the minor segment of the circle
$$=2\int_{\frac{\pi}{2}}^{3} \sqrt{a^2 - x^2} dx$$


$$=2\left[\frac{x}{2}\sqrt{a^2 - x^2} + \frac{a^2}{2}\sin^{-1}\frac{x}{2}\right]_{\frac{\pi}{2}}^{3}$$

$$=2\left[\frac{a}{2}(0) + \frac{a^2}{2}\sin^{-1}\left(\frac{a}{2}\right) - \frac{a}{4}\sqrt{a^2 - \frac{a^2}{4}} - \frac{a^2}{2}\sin^{-1}\frac{a}{4}\right]$$

$$=2\left[\frac{a^2}{2}\sin^{-1}\left(\frac{a}{2}\right) - \frac{a}{4}\sqrt{a^2 - \frac{a^2}{4}} - \frac{a^2}{2}\sin^{-1}\frac{a}{4}\right]$$

$$=\frac{a^2}{12}\left(4\pi - 3\sqrt{3}\right) \text{sq. units}$$





Area of the bounded region

$$=2\int_{0}^{2}y\frac{dx}{dt}dt$$

$$=2\int\limits_{1}^{2}(2at)(2at)dt$$

$$=8a^2\int_1^2 t^2 dt$$


$$=8a^2\left[\frac{t^3}{3}\right]_1^2$$

$$= 8a^2 \left[\frac{8}{3} - \frac{1}{3} \right]$$

$$= \frac{56a^2}{3} \text{ sq. units}$$







Area of the bounded region

- $=4\int_{0}^{\frac{\pi}{2}} 2\sin t \, dt$
- = -8[cost]\$
- = -8[0-1]
- = 8sq units




Willions are a practice with the property of t

To find the area enclosed in first quadrant by

$$x = 0, y = 1, y = 4$$
 and $y = 4x^2$ --- (1)

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. x = 0 is y-axis and y = 1, y = 4 are lines parallel to x-axis passing through (0,1) and (0,4) respectively. A rough sketch of the curves is given as:-



Shaded region is required area and it is sliced into rectangles with area $x \triangle y$ it slides from y = 1 to y = 4, so

Required area = Region ABCDA

$$= \int_{1}^{4} x dy$$

$$= \int_{1}^{4} \sqrt{\frac{y}{4}} dy$$

$$= \frac{1}{2} \int_{1}^{4} \sqrt{y} dy$$

$$= \frac{1}{2} \left[\frac{2}{3} y \sqrt{y} \right]_{1}^{4}$$

$$= \frac{1}{2} \left[\left(\frac{2}{3} \cdot 4 \cdot \sqrt{4} \right) - \left(\frac{2}{3} \cdot 1 \cdot \sqrt{1} \right) \right]$$


$$= \frac{1}{2} \left[\frac{16}{3} - \frac{2}{3} \right]$$

Required area = $\frac{7}{3}$ sq. units

To find region in first quadrant bounded by y = 1, y = 4 and y-axis and

Equation (1) represents a parabola with vertex (0,0) and axes as y-axis.

A rough sketch of the curves is as under:-



Shaded region is required area it is sliced in rectangles of area $x \triangle y$ which slides from y = 1 to y = 4, so

Required area = Region ABCDA

$$A = \int_{1}^{4} x dy$$


$$= \int_{1}^{4} 4 \sqrt{y} dy$$

$$= 4 \cdot \left[\frac{2}{3} y \sqrt{y} \right]_{1}^{4}$$

$$= 4 \cdot \left[\left(\frac{2}{3} \cdot 4 \sqrt{4} \right) - \left(\frac{2}{3} \cdot 1 \cdot \sqrt{1} \right) \right]$$

$$=4\left[\frac{16}{3}-\frac{2}{3}\right]$$

$$A = \frac{56}{3}$$
 sq. units



Area of the region = $2 \times \int_{0}^{4} \left(a - \frac{x^2}{4a} \right) dx$

$$= 2 \times \left[a \times - \frac{x^3}{12a} \right]_0^{2a}$$


$$= 2 \left[a(2a - 0) - \frac{(2a)^3 - 0^3}{12a} \right]$$

$$= 2 \left[2a^2 - \frac{8a^3}{12a} \right]$$

$$=2\left[\frac{16a^3}{12a}\right]$$

$$=\frac{8}{3}a^2$$
sq. units

Areas of Bounded Regions Ex-21-2 Q4



Area of the region = $2 \times \int_{0}^{8} \left[-\frac{x^2}{16} - (-4) \right] dx$

$$=2\times\left[-\frac{x^3}{48}+4x\right]_0^8$$

$$=2 \times \left[4 \times -\frac{x^3}{48}\right]_0^8$$

$$=2\times\left[4(8-0)-\frac{(8)^3-0^3}{48}\right]$$


$$=2\times \left[32-\frac{512}{48}\right]$$

$$= 2 \times \left[32 - \frac{32}{3} \right]$$

$$= 2 \times \left[\frac{96 - 32}{3} \right]$$

$$=2 \times \frac{64}{3} = \frac{128}{3}$$
 sq. units

Million Stars & Practice
Annih R. Learn



Area of the bounded region

$$= \int_{0}^{2\pi} \left(ay^{2}\right)^{\frac{1}{3}} dy$$

$$=a^{\frac{1}{3}}\int_{0}^{2}y^{\frac{2}{3}}dy$$


$$= a^{\frac{1}{3}} \left[\frac{3}{5} y^{\frac{5}{3}} \right]_{0}^{2}$$

$$=\frac{3}{5}\left(2^{\frac{5}{3}}-1\right)a^2$$
 sq units



Ex 21.3

Areas of Bounded Regions Ex-21-3 Q1




Area of the bounded region

$$=\int\limits_0^6 \sqrt{6x} \cdot \frac{x^2}{6} \ dx$$

$$= \left[\sqrt{6} \frac{x^{\frac{3}{2}}}{\frac{3}{2}} - \frac{x^3}{18} \right]_0^6$$
$$= \left[\sqrt{6} \frac{(6)^{\frac{3}{2}}}{\frac{3}{2}} - \frac{(6)^3}{18} - 0 \right]$$

Areas of Bounded Regions Ex-21-3 Q2



$$= \left[\times^{\frac{3}{2}} - \frac{\times^3}{16} \right]_0^4$$


$$= \left[(4)^{\frac{3}{2}} - \frac{(4)^3}{16} \right]$$

e to find area of region bounded by

and y = x

Equation (1) represents parabola with vertex (0,0) and axis as x-axis and equation (2) represents a line passing through origin and intersecting parabola at (0,0) and (1,1).

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice it in rectangle with Width = 4X, $length = y_1 - y_2$

Area of rectangle = $(y_1 - y_2)\Delta x$

The approximation triangle can slide from x = 0 to x = 1.

Required area = region AOBPA

$$= \int_0^1 \left(y_1 - y_2 \right) dx$$

$$= \int_0^1 \left(\sqrt{x} - x \right) dx$$

$$= \left[\frac{2}{3}x\sqrt{x} - \frac{x^2}{2}\right]_0^1$$
$$= \left[\frac{2}{3} \cdot 1 \cdot \sqrt{1} - \frac{\left(1\right)^2}{2}\right] - \left[0\right]$$

$$=\left[\frac{2}{3}-\frac{1}{2}\right]$$


Required area = $\frac{1}{6}$ square units

$$y = 4 - x^{2}$$

 $\Rightarrow x^{2} = -(y - 4)$ --- (1)
and $y = 0$ --- (2)
 $y = 3$ --- (3)

Equation (1) represents a parabola with vertex (0,4) and passes through (0,2),(0,-2)Equation (1) is x-axis and equation (3) is a line parallel to x-axis passing through (0,3).

A rough sketch of curves is below:-



Shaded region represents the required area. We slice it in approximation rectangle with its Width $= \Delta x$ and length = y - 0 = y

Area of the rectangle = $y \triangle x$.

This approximation rectangle can slide from x = 0 to x = 2 for region *OABCO*.

Required area = Region ABDEA
= 2 (Region OABCO)
=
$$2\int_0^2 y dx$$

= $2\int_0^2 \left(4 - x^2\right) dx$
= $2\left(4x - \frac{x^3}{3}\right)_0^2$
= $2\left[\left(8 - \frac{8}{3}\right) - \left(0\right)\right]$

Required area = $\frac{32}{3}$ square units

Here to find area $\left\{ \left(x,y\right): \frac{x^2}{a^2} + \frac{y^2}{b^2} \le 1 \le \frac{x}{a} + \frac{y}{b} \right\}$


So,

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

$$\frac{x}{a} + \frac{y}{b} = 1$$

Equation (1) represents ellipse with centre at origin and passing through $(\pm a,0)$, $(0,\pm b)$ equation (2) represents a line passing through (a,0) and (0,b).

A rough sketch of curves is below: - let a > b



Shaded region is the required region as by substituting (0,0) in $\frac{x^2}{a^2} + \frac{y^2}{b^2} \le 1$ gives a true statement and by substituting (0,0) in $1 \le \frac{x}{a} + \frac{y}{b}$ gives a false statement.

We slice the shaded region into approximation rectangles with Width = αx , length = $(y_1 - y_2)$

Area of the rectangle = $(y_1 - y_2)$

The approximation rectangle can slide from x=0 to x=a, so


Required area =
$$\int_0^a \left[\frac{b}{a} \sqrt{a^2 - x^2} - \frac{b}{a} (a - x) \right] dx$$

= $\frac{b}{a} \int_0^a \left[\sqrt{a^2 - x^2} - (a - x) \right] dx$
= $\frac{b}{a} \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \left(\frac{x}{a} \right) - ax + \frac{x^2}{2} \right]_0^a$
= $\frac{b}{a} \left[\left(\frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} \left(1 \right) - a^2 + \frac{a^2}{2} \right) - \left(0 + 0 + 0 + 0 \right) \right]$
= $\frac{b}{a} \left[\frac{a^2}{2} \cdot \frac{\pi}{2} - \frac{a^2}{2} \right]$
= $\frac{b}{a} \frac{a^2}{2} \left(\frac{\pi - 2}{2} \right)$

Required area = $\frac{ab}{4}(\pi-2)$ square units

Willion Stars & Practice

ve find area of the triangle whose vertices are A(2,1) , B(3,4) and C(5,2)



Equation of AB,

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) (x - x_1)$$
$$y - 1 = \left(\frac{4 - 1}{3 - 2}\right) (x - 2)$$

$$y-1=\frac{3}{1}(x-2)$$

$$y = 3x - 6 + 1$$

$$y = 3x - 5$$

Equation of BC,

$$y - 4 = \left(\frac{2 - 4}{5 - 3}\right)(x - 3)$$
$$= \frac{-2}{2}(x - 3)$$
$$y - 4 = -x + 3$$

$$y = -x + 7$$

$$y-1=\left(\frac{2-1}{5-2}\right)(x-2)$$

$$y-1=\frac{1}{3}(x-2)$$

$$y = \frac{1}{3}x - \frac{2}{3} + 1$$

$$y = \frac{1}{3}x + \frac{1}{3}$$

Mondershare

Shaded area ABC is the required area. $ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$

For $ar(\triangle ABD)$: we slice the region into approximation rectangle with width $= \triangle X$ and length $(y_1 - y_3)$ area of rectangle = $(y_1 - y_3) \Delta x$

This approximation rectangle slides from x = 2 to x = 3

$$ar \left(\triangle ABD \right) = \int_{2}^{3} \left(y_{1} - y_{3} \right) dx$$

$$= \int_{2}^{3} \left[\left(3x - 5 \right) - \left(\frac{1}{3}x + \frac{1}{3} \right) \right] dx$$

$$= \int_{2}^{3} \left(3x - 5 - \frac{1}{3}x - \frac{1}{3} \right) dx$$

$$= \int_{2}^{3} \left(\frac{8x}{3} - \frac{16}{3} \right) dx$$

$$= \frac{8}{3} \left(\frac{x^{2}}{2} - 12x \right)_{2}^{3}$$

$$= \frac{8}{3} \left[\left(\frac{9}{2} - 6 \right) - \left(2 - 4 \right) \right]$$

$$= \frac{8}{3} \left[-\frac{3}{2} + 2 \right]$$

$$= \frac{8}{3} \times \frac{1}{2}$$

$$ar\left(\triangle ABD\right) = \frac{4}{3}$$
 sq. unit

For $ar(\triangle BDC)$: we slice the region into rectangle with width $= \triangle X$ and length $(y_2 - y_3)$. Area of rectangle = $(y_2 - y_3) \triangle x$

Willion Stars Practice William Practice

Mondershare



roximation rectangle slides from x = 3 to x = 5.

$$DC) = \int_{3}^{5} (y_{2} - y_{3}) dx$$

$$= \int_{3}^{5} \left[(-x + 7) - \left(\frac{1}{3}x + \frac{1}{3} \right) \right] dx$$

$$= \int_{3}^{5} \left(-x + 7 - \frac{1}{3}x - \frac{1}{3} \right) dx$$

$$= \int_{3}^{5} \left(-\frac{4}{3}x + \frac{20}{3} \right) dx$$

$$= -\left(\frac{4x^{2}}{6} - \frac{20}{3}x \right)_{3}^{5}$$

$$= -\left[\left(\frac{4(5)^{2}}{6} + \frac{20(5)}{3} \right) - \left(\frac{4(3)^{2}}{6} - \frac{20}{3}(3) \right) \right]$$

$$= -\left[\left(\frac{50}{3} - \frac{100}{3} \right) - (6 - 20) \right]$$

$$= -\left[-\frac{50}{3} + 14 \right]$$

$$= -\left[-\frac{8}{3} \right]$$

$$ar(\Delta BDC) = \frac{8}{3}$$
 sq. units

So,
$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$


$$= \frac{4}{3} + \frac{8}{3}$$
$$= \frac{12}{3}$$

$$ar(\triangle ABC) = 4 \text{ sq. units}$$



Mondelshate

ind area of the triangle whose vertices are A(-1,1) , B(0,5) , C(3,2)



Equation of AB,

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) (x - x_1)$$

$$y-1=\left(\frac{5-1}{0+1}\right)(x+1)$$

$$y - 1 = \frac{4}{1}(x + 1)$$

 $y = 4x + 4 + 1$

$$y = 4x + 5$$

Equation of BC,

$$y - 5 = \left(\frac{2 - 5}{3 - 0}\right)(x - 0)$$

$$=\frac{-3}{3}(x-0)$$

Equation of AC,

$$y - 5 = \left(\frac{2 - 5}{3 - 0}\right)(x - 0)$$
$$= \frac{-3}{3}(x - 0)$$
$$y - 5 = -x$$

$$y - 5 = -2$$

Equation of AC,

$$y-1=\left(\frac{2-1}{3+1}\right)(x+1)$$

$$y - 1 = \frac{1}{4} (x + 1)$$

$$y = \frac{1}{4}x + \frac{1}{4} + 1$$

$$y = \frac{1}{4} (x + 5)$$

Shaded area $\triangle ABC$ is the required area.

$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

For $ar(\triangle ABD)$: we slice the region into approximation rectangle with width $= \triangle X$ and length $(y_1 - y_3)$ area of rectangle = $(y_1 - y_3)\Delta x$

This approximation rectangle slides from x = -1 to x = 0, so

$$\begin{aligned} \partial r \left(\triangle ABD \right) &= \int_{-1}^{0} \left(y_1 - y_3 \right) dx \\ &= \int_{-1}^{0} \left[\left(4x + 5 \right) - \frac{1}{4} \left(x + 5 \right) \right] dx \\ &= \int_{-1}^{0} \left(4x + 5 - \frac{x}{4} - \frac{5}{4} \right) dx \\ &= \int_{-1}^{0} \left(\frac{15}{4} x + \frac{15}{4} \right) dx \\ &= \frac{15}{4} \left(\frac{x^2}{2} + x \right)_{-1}^{0} \\ &= \frac{15}{4} \left[\left(0 \right) - \left(\frac{1}{2} - 1 \right) \right] \end{aligned}$$



C): we slice the region into rectangle with width $= \Delta x$ $(y_2 - y_3)$. Area of rectangle = $(y_2 - y_3)\Delta x$

The approximation rectangle slides from x = 0 to x = 3.

Area (
$$\triangle BDC$$
) = $\int_0^3 (y_2 - y_3) dx$
= $\int_0^3 \left[(5 - x) - \left(\frac{1}{4} x + \frac{5}{4} \right) \right] dx$
= $\int_0^3 \left(5 - x - \frac{1}{4} x - \frac{5}{4} \right) dx$
= $\int_0^3 \left(-\frac{5}{4} x + \frac{15}{4} \right) dx$
= $\frac{5}{4} \left(3x - \frac{x^2}{2} \right)_0^3$
= $\frac{5}{4} \left[9 - \frac{9}{2} \right]$

$$ar(\Delta BDC) = \frac{45}{8}$$
 sq. units

So,
$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

$$= \frac{15}{8} + \frac{45}{8}$$
$$= \frac{60}{8}$$

$$ar\left(\triangle ABC\right) = \frac{15}{2}$$
 sq. units

Areas of Bounded Regions Ex-21-3 Q8

To find area of triangular region bounded by

$$y = 2x + 1$$
 (Say, line AB) ---(1)
 $y = 3x + 1$ (Say, line BC) ---(2)

y = 4 (Say, line AC)

equation (1) represents a line passing through points (0,1) and $\left(-\frac{1}{2},0\right)$, equation

(2) represents a line passing through points (0,1) and $\left(-\frac{1}{3},0\right)$. Equation (3) represents a line parallel to y-axis passing through (4,0)

Solving equation (1) and (2) gives point B(0,1)Solving equation (2) and (3) gives point C (4,13) Solving equation (1) and (3) gives point A(4, 9)

.. region into approximation

x = 4, so Shaded region ABCA gives required triangular region. We slice this region rectangle with width $= \Delta x$, length $= (y_1 - y_2)$.

Area of rectangle = $(y_1 - y_2)\Delta x$

This approximation rectangle slides from x = 0 to x = 4

Required area = (Region ABCA)

$$= \int_0^4 (y_1 - y_2) dx$$

$$= \int_0^4 [(3x+1)-(2x+1)]dx$$

$$=\int_0^4 x dx$$


$$=\left[\frac{x^2}{2}\right]^2$$

Required area = 8 sq. units

To find area $\{(x,y): y^2 \le 8x, x^2 + y^2 \le 9\}$ given equation is

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a circle with centre (0,0) and radius $\sqrt{9}$ = 3, so it meets area at (±3,0), (0,±3), point of intersection of parabola and circle is $(1,2\sqrt{2})$ and $(1,-2\sqrt{2})$.

A rough sketch of the curves is as below:-



Shaded region is the required region.

Required area = Region OABCO

= 2 (Region OBCO)

Required area = 2 (region ODCO + region DBCD)

$$= 2 \left[\int_0^1 \sqrt{8x} dx + \int_1^3 \sqrt{9 - x^2} dx \right]$$

$$\begin{split} &=2\left[\left(2\sqrt{2}.\frac{2}{3}x\sqrt{x}\right)_{0}^{1}+\left(\frac{x}{2}\sqrt{9-x^{2}}+\frac{9}{2}\sin^{-1}\frac{x}{3}\right)_{1}^{3}\right]\\ &=2\left[\left(\frac{4\sqrt{2}}{3}.1.\sqrt{1}\right)+\left\{\left(\frac{3}{2}.\sqrt{9-9}+\frac{9}{2}\sin^{-1}\left(1\right)\right)-\left(\frac{1}{2}\sqrt{9-1}+\frac{9}{2}\sin^{-1}\frac{1}{3}\right)\right\}\right]\\ &=2\left[\frac{4\sqrt{2}}{3}+\left\{\left(\frac{9}{2}.\frac{\pi}{2}\right)-\left(\frac{2\sqrt{2}}{2}-\frac{9}{2}\sin^{-1}\left(\frac{1}{3}\right)\right)\right\}\right] \end{split}$$

$$= 2 \left[\frac{4\sqrt{2}}{3} + \frac{9\pi}{4} - \sqrt{2} - \frac{9}{2} \sin^{-1} \left(\frac{1}{3} \right) \right]$$


Required area = $2\left[\frac{\sqrt{2}}{3} + \frac{9\pi}{4} - \frac{9}{2}\sin^{-1}\left(\frac{1}{3}\right)\right]$ square units

Willion Stars & Practice
Williams Stars & Practice

To find the area of common to

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a circle with centre (0,0) and radius $\sqrt{16}$ = 4, so it meets areas at (±4,0), (0,±4,0), points of intersection of parabola and circle are (2,2 $\sqrt{3}$) and (2,-2 $\sqrt{3}$).

A rough sketch of the curves is as below:-



Shaded region represents the required area.

Required area = Region OB CAO

Required area = 2 (region ODAO + region DCAD) ---(1

Region *ODAO* is divided into approximation rectangle with area $y_1 \triangle x$ and slides from x=0 to x=2. And region *DCAD* is divided into approximation rectangle with area $y_2 \triangle x$ and slides from x=2 and x=4. So using equation (1),

Required area = $2\left(\int_{0}^{2}y_{1}dx + \int_{2}^{4}y_{2}dx\right)$ = $2\left[\int_{0}^{2}\sqrt{6x}dx + \int_{2}^{4}\sqrt{16-x^{2}}dx\right]$ = $2\left[\left\{\sqrt{6}\cdot\frac{2}{3}x\sqrt{x}\right\}_{0}^{2} + \left\{\frac{x}{2}\sqrt{16-x^{2}} + \frac{16}{2}\sin^{-1}\frac{x}{4}\right\}_{2}^{4}\right]$ = $2\left[\left\{\sqrt{6}\cdot\frac{2}{3}2\sqrt{2}\right\} + \left\{\left(\frac{4}{2}\sqrt{16-16} + \frac{16}{2}\sin^{-1}\frac{4}{4}\right) - \left(\frac{2}{2}\sqrt{16-4} + \frac{16}{2}\sin^{-1}\frac{2}{4}\right)\right\}\right]$ = $2\left[\frac{4}{3}\sqrt{12} + \left\{\left(0 + 8\sin^{-1}\left(1\right)\right) - \left(1\sqrt{12} + 8\sin^{-1}\left(\frac{1}{2}\right)\right)\right\}\right]$ = $2\left[\frac{8\sqrt{3}}{3} + \left\{\left(8\cdot\frac{\pi}{2}\right) - \left(2\sqrt{3} + 8\cdot\frac{\pi}{6}\right)\right\}\right]$ = $2\left\{\frac{8\sqrt{3}}{3} + 4\pi - 2\sqrt{3} - \frac{4\pi}{3}\right\}$

$$=2\left\{\frac{2\sqrt{3}}{3}+\frac{8\pi}{3}\right\}$$

Required area = $\frac{4}{3} \left(4\pi + \sqrt{3} \right)$ sq.units

Willion Stars bractice



https://millionstar.godaddysites.com/

Areas of Bounded Regions Ex-21-3 Q11

Equation of the given circles are

 $x^2 + y^2 = 4$ $(x - 2)^2 + y^2 = 4$

Or


...(2)

And Equation (1) is a circle with centre O at eh origin and radius 2. Equation (2) is a circle with centre C (2,0) and radius 2. Solving equations (1) and (2), we have $(x-2)^2+y^2=x^2+y^2$

 $x^2 - 4x + 4 + y^2 = x^2 + y^2$ x = 1 which gives $y \pm \sqrt{3}$

Thus, the points of intersection of the given circles are A $(1,\sqrt{3})$ and A' $(1,-\sqrt{3})$ as shown in the fig.,

Required area of the enclosed region OACA'O between circle



Million Stars Practice
Williams And Stars Practice

Wondershare


PDFelement

Remove Watermark

To find region enclosed by

Equation (1) represents a parabola with vertex at origin and its axis as x-axis, equation (2) represents a line passing through (2,0) and (0,2), points of intersection of line and parabola are (1,1) and (4,-2).

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice it in rectangles of width Δy and length = $(x_1 - x_2)$.

Area of rectangle = $(x_1 - x_2)\Delta y$.

This approximation rectangle slides from y = -2 to y = 1, so

Required area = Region AOBA

$$= \int_{-2}^{1} (x_1 - x_2) dy$$

$$= \int_{-2}^{1} (2 - y - y^2) dy$$

$$= \left[2y - \frac{y^2}{2} - \frac{y^3}{3} \right]_{-2}^{1}$$

$$= \left[\left(2 - \frac{1}{2} - \frac{1}{3} \right) - \left(-4 - 2 + \frac{8}{3} \right) \right]$$

$$= \left[\left(\frac{12 - 3 - 2}{6} \right) - \left(\frac{-12 - 6 + 8}{3} \right) \right]$$

$$= \frac{7}{6} + \frac{10}{3}$$

Required area = $\frac{9}{2}$ sq.units

To find area $\{(x,y): y^2 \le 3x, 3x^2 + 3y^2 \le 16\}$

$$y^{2} = 3x \qquad ---(1)$$


$$3x^{2} + 3y^{2} = 16$$

$$x^{2} + y^{2} = \frac{16}{2} \qquad ---(2)$$

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis,

equation (2) represents a circle with centre (0,0) and radius $\frac{4}{\sqrt{3}}$ and meets axes at

 $\left(\pm \frac{4}{\sqrt{3}}, 0\right)$ and $\left(0, \pm \frac{4}{\sqrt{3}}\right)$. A rough sketch of the curves is given below:-



$$=2\left[\int_{0}^{3}\sqrt{3x}dx+\int_{3}^{4}\sqrt{\left(\frac{4}{\sqrt{3}}\right)^{2}-x^{2}}dx\right]$$

$$= 2 \left[\int_{0}^{3} \sqrt{3}x \, dx + \int_{2}^{3} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^{2} - x^{2}} dx \right]$$

$$A = 2 \left[\left(\sqrt{3} \cdot \frac{2}{3} x \sqrt{x} \right)_{0}^{3} + \left(\frac{x}{2} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^{2} - x^{2}} + \frac{16}{6} \sin^{-1} \frac{x \sqrt{3}}{4} \right)_{2}^{4} \right]$$

$$= 2 \left[\left(\frac{2}{\sqrt{3}} a \sqrt{a} \right) + \left\{ \left(0 + \frac{8}{3} \sin^{-1} \left(1 \right) \right) - \left(\frac{a}{2} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^{2} - a^{2}} + \frac{8}{3} \sin^{-1} \frac{a \sqrt{3}}{4} \right) \right\} \right]$$

Thus,
$$A = \frac{4}{\sqrt{3}}a^{\frac{3}{2}} + \frac{8\pi}{3} - a\sqrt{\frac{16}{3} - a^2} - \frac{16}{3}sin^{-1}\left(\frac{\sqrt{3}a}{4}\right)$$

Where,
$$a = \frac{-9 + \sqrt{273}}{6}$$

Million Stars Practice
Anillion Stars Practice

To find area $\{(x,y): y^2 \le 5x, 5x^2 + 5y^2 \le 36\}$

$$\Rightarrow y^2 = 5x$$

$$5x^2 + 5y^2 = 36$$


$$x^2 + y^2 = \frac{36}{5} \qquad --- \{2\}$$

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis.

Equation (2) represents a circle with centre (0,0) and radius $\frac{6}{\sqrt{E}}$ and meets axes at

 $\left(\pm \frac{6}{\sqrt{5}}, 0\right)$ and $\left(0, \pm \frac{6}{\sqrt{5}}\right)$. x ordinate of point of intersection of circle and parabola is

a where $a = \frac{-25 + \sqrt{1345}}{10}$. A rough sketch of curves is:-



Required area = Region OCBAO

$$A = 2$$
 (Region $OBAO$)

$$= 2 \left[\int_0^3 \sqrt{5x} dx + \int_0^{\frac{6}{\sqrt{5}}} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^2 - x^2} dx \right]$$

$$= 2 \left[\sqrt[3]{\sqrt{5} \times dx} + \sqrt[3]{\frac{6}{\sqrt{5}}} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^2 - x^2 dx} \right]$$

$$= 2 \left[\left(\sqrt{5} \cdot \frac{2}{3} \times \sqrt{x} \right)_0^3 + \left(\frac{x}{2} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^2 - x^2} + \frac{36}{10} \sin^{-1} \left(\frac{x\sqrt{5}}{6} \right) \right]_0^{\frac{6}{\sqrt{5}}} \right]$$

$$= \frac{4\sqrt{5}}{2} \sqrt[3]{6} \sqrt[3]{6} + 2 \left\{ \left(0 + \frac{18}{5} \cdot \frac{\pi}{6} \right) - \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right)^2 - \sigma^2 + \frac{18}{5} \sin^{-1} \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) \right\}_0^{\frac{1}{2}} = \frac{4\sqrt{5}}{2} \sqrt[3]{6} \sqrt[3]{6} + 2 \left\{ \left(0 + \frac{18}{5} \cdot \frac{\pi}{6} \right) - \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right)^2 - \sigma^2 + \frac{18}{5} \sin^{-1} \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) \right\}_0^{\frac{1}{2}} = \frac{4\sqrt{5}}{2} \sqrt[3]{6} \sqrt[3]{6} + 2 \left\{ \left(0 + \frac{18}{5} \cdot \frac{\pi}{6} \right) - \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right)^2 - \sigma^2 + \frac{18}{5} \sin^{-1} \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) \right\}_0^{\frac{1}{2}} = \frac{4\sqrt{5}}{2} \sqrt[3]{6} \sqrt[3]{6} + 2 \left\{ \left(0 + \frac{18}{5} \cdot \frac{\pi}{6} \right) - \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) - \frac{3}{2} \sqrt[3]{6} + \frac{18}{5} \sin^{-1} \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) \right]_0^{\frac{1}{2}} = \frac{18}{5} \sin^{-1} \left(\frac{3}{2} \sqrt{\frac{6}{5}} \right) + \frac{18}{5} \sin^{-1} \left(\frac{$$

$$= \frac{4\sqrt{5}}{3} a\sqrt{a} + 2\left\{ \left(0 + \frac{18}{5} \cdot \frac{\pi}{2}\right) - \left(\frac{a}{2}\sqrt{\left(\frac{6}{\sqrt{5}}\right)^2 - a^2} + \frac{18}{5}\sin^{-1}\left(\frac{a\sqrt{5}}{6}\right)\right) \right\}$$

Thus,
$$A = \frac{4\sqrt{5}}{a} a^{\frac{3}{2}} + \frac{18\pi}{5} - a \sqrt{\frac{36}{5} - a^2} - \frac{36}{5} sin^{-1} \left(\frac{a\sqrt{5}}{6} \right)$$
 Where,
$$a = \frac{-25 + \sqrt{1345}}{10}$$


To find area bounded by

$$y^2 = 4x$$

$$x^2 = 4y$$

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis. Equation (2) represents a parabola with vertex (0,0) and axis as y-axis. Points of intersection of parabolas are (0,0) and (4,4).

A rough sketch is given as:-



The shaded region is required area and it is sliced into rectangles with width ΔX and length $(y_1 - y_2)$. Area of rectangle = $(y_1 - y_2)\Delta X$.

This approximation rectangle slide from x = 0 to x = 4, so

Required area = Region OQAPO

$$A = \int_0^4 (y_1 - y_2) dx$$

$$= \int_0^4 (2\sqrt{x} - \frac{x^2}{4}) dx$$

$$= \left[2 \cdot \frac{2}{3} x \sqrt{x} - \frac{x^3}{12} \right]_0^4$$

$$= \left[\left(\frac{4}{3} \cdot 4\sqrt{4} - \frac{64}{12} \right) - (0) \right]$$


$$A = \frac{32}{3} - \frac{16}{3}$$

$$A = \frac{16}{3}$$
 sq.units

To find area enclosed by

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a parabola with vertex (0,0) and axis as y-axis, points of intersection of parabolas are (0,0) and $\left(4a\frac{1}{3}b\frac{2}{3},4a\frac{2}{3}b\frac{1}{3}\right)$

A rough sketch is given as:-



The shaded region is required area and it is sliced into rectangles of width = Δx and length $(y_1 - y_2)$.

Area of rectangle = $(y_1 - y_2)\Delta x$.

This approximation rectangle slides from x = 0 to $x = 4a\frac{1}{3}b\frac{2}{3}$, so

Required area = Region OQAPO

$$= \int_{0}^{49\frac{1}{3}} b^{\frac{2}{3}} (y_{1} - y_{2}) dx$$

$$= \int_{0}^{49\frac{1}{3}} b^{\frac{2}{3}} \left(2\sqrt{a} \cdot \sqrt{x} - \frac{x^{2}}{4b} \right) dx$$

$$= \left[2\sqrt{a} \cdot \frac{2}{3} x \sqrt{x} - \frac{x^{3}}{12b} \right]_{0}^{49\frac{1}{3}} b^{\frac{2}{3}}$$

$$= \frac{32\sqrt{a}}{3} \cdot a^{\frac{1}{3}} b^{\frac{2}{3}} a^{\frac{1}{6}} b^{\frac{1}{3}} - \frac{64ab^{2}}{12b}$$

$$= \frac{32}{3} ab - \frac{16}{3} ab$$


$$A = \frac{16}{3} ab \text{ sq.units}$$

Million Stars Practice
William Stars Practice

To find area in first quadrant enclosed by x-axis.

Equation (1) represents a line passing through $(0,0), (-\sqrt{3},-1), (\sqrt{3},1)$. Equation (2) represents a circle with centre (0,0) and passing through (±2,0),(0,±2). Points of intersection of line and circle are $\left(-\sqrt{3},-1\right)$ and $\left(\sqrt{3},1\right)$.

A rough sketch of curves is given below:-



Required area = Region OABO

$$= \int_0^{\sqrt{3}} y_1 dx + \int_{\sqrt{3}}^2 y_2 dx$$

$$= \int_{0}^{\sqrt{3}} \frac{x}{\sqrt{3}} dx + \int_{\sqrt{3}}^{2} \sqrt{4 - x^{2}} dx$$

$$= \left(\frac{x^2}{2\sqrt{3}}\right)_0^{\sqrt{3}} + \left[\frac{x}{2}\sqrt{4 - x^2} + \frac{4}{2}\sin^{-1}\left(\frac{x}{2}\right)\right]_{\sqrt{3}}^2$$

Required area = Region *OABO*

$$A = \text{Region } OCBO + \text{Region } ABCA$$

$$= \int_{0}^{\sqrt{3}} y_{1} dx + \int_{\sqrt{3}}^{2} y_{2} dx$$

$$= \int_{0}^{\sqrt{3}} \frac{x}{\sqrt{3}} dx + \int_{\sqrt{3}}^{2} \sqrt{4 - x^{2}} dx$$

$$= \left(\frac{x^{2}}{2\sqrt{3}}\right)_{0}^{\sqrt{3}} + \left[\frac{x}{2}\sqrt{4 - x^{2}} + \frac{4}{2}\sin^{-1}\left(\frac{x}{2}\right)\right]_{\sqrt{3}}^{2}$$

$$= \left(\frac{3}{2\sqrt{3}} - 0\right) + \left[\left(0 + 2\sin^{-1}\left(1\right)\right) - \left(\frac{\sqrt{3}}{2} \cdot 1 + 2\sin^{-1}\left(\frac{\sqrt{3}}{2}\right)\right)\right]$$


$$= \frac{\sqrt{3}}{2} + 2 \cdot \frac{\pi}{2} - \frac{\sqrt{3}}{2} - 2 \cdot \frac{\pi}{3}$$

$$A = \frac{\pi}{3} \text{ sq.units}$$

$$=\frac{\sqrt{3}}{2}+2\cdot\frac{\pi}{2}-\frac{\sqrt{3}}{2}-2\cdot\frac{\pi}{3}$$

$$A = \frac{\pi}{3}$$
 sq.units





Area of the bounded region
$$= \int_{0}^{3} \sqrt{x} \, dx + \int_{3}^{9} \sqrt{x} - \left(\frac{x-3}{2}\right) \, dx$$

$$= \left[\frac{x^{\frac{9}{2}}}{\frac{3}{2}}\right]_{0}^{3} + \left[\frac{x^{\frac{9}{2}}}{\frac{3}{2}} - \frac{x^{2}}{4} + \frac{3x}{2}\right]_{3}^{9}$$

$$= \left[\frac{(3)^{\frac{3}{2}}}{\frac{3}{2}} - 0\right] + \left[\frac{(9)^{\frac{9}{2}}}{\frac{3}{2}} - \frac{(9)^{2}}{4} + \frac{3(9)}{2} - \frac{(3)^{\frac{9}{2}}}{\frac{3}{2}} + \frac{(3)^{2}}{4} - \frac{3(3)}{2}\right]$$

$$= 9 \text{ sq. units}$$


Millions are a practice

To find area in enclosed by

$$x^2 + y^2 = 16a^2$$
 --- (1)
and $y^2 = 6ax$ --- (2)

Equation (1) represents a circle with centre (0,0) and meets axes $(\pm 4a,0)$, $(0,\pm 4a)$. Equation(2) represents a parabola with vertex (0,0) and axis as x-axis. Points of intersection of circle and parabola are $(2a, 2\sqrt{3}a), (2a, -2\sqrt{3}a)$.

A rough sketch of curves is given as:-



Region ODCO is sliced into rectangles of area = $y_1 \triangle x$ and it slides from x = 0 to x = 2a.

Region BCDB is sliced into rectangles of area = $y_{2} \Delta x$ it slides from x = 2a to x = 4a. So,

Required area = 2 [Region OD CO + Region BCDB]

$$= 2 \left[\int_{0}^{29} y_{1} dx + \int_{29}^{49} y_{2} dx \right]$$

$$= 2 \left[\int_{0}^{29} \sqrt{6ax} dx + \int_{29}^{49} \sqrt{16a^{2} - x^{2}} dx \right]$$

$$= 2 \left[\sqrt{6a} \left(\frac{2}{3} x \sqrt{x} \right)_{0}^{29} + \left[\frac{x}{2} \sqrt{16a^{2} - x^{2}} + \frac{16a^{2}}{2} \sin^{-1} \left(\frac{x}{4a} \right) \right]_{29}^{49} \right]$$

$$= 2 \left[\left(\sqrt{6a} \cdot \frac{2}{3} 2a \sqrt{2a} \right) + \left[\left(0 + 8a^{2} \cdot \frac{\pi}{2} \right) - \left(a \sqrt{12a^{2}} + 8a^{2} \cdot \frac{\pi}{6} \right) \right] \right]$$

$$= 2 \left[\frac{8\sqrt{3}a^{2}}{3} + 4a^{2}\pi - 2\sqrt{3}a^{2} - \frac{4}{3}a^{2}\pi \right]$$

$$= 2 \left[\frac{2\sqrt{3}a^{2}}{3} + \frac{8a^{2}\pi}{3} \right]$$

 $A = \frac{4a^2}{3} \left(4\pi + \sqrt{3} \right) \text{ sq.units}$


To find area lying above x-axis and included in the circle

$$x^{2} + y^{2} = 8x$$

 $(x - 4)^{2} + y^{2} = 16$ --- (1)
and $y^{2} = 4x$ --- (2)

Equation (1) represents a circle with centre (4,0) and meets axes at (0,0) and (8,0). Equation(2) represent a parabola with vertex (0,0) and axis as x-axis. They intersect at (4,-4) and (4,4).

A rough sketch of the curves is as under:-



Shaded region is the required region

Required area = Region OABO

Required area = Region ODBO + Region DABD

Region *ODBO* is sliced into rectangles of area $y_1 \triangle x$. This approximation rectangle can slide from x = 0 to x = 4. So,

Region ODBO =
$$\int_0^4 y_1 dx$$

= $\int_0^4 2\sqrt{x} dx$
= $2\left(\frac{2}{3}x\sqrt{x}\right)_0^4$

Region *ODBO* =
$$\frac{32}{3}$$
 sq. units

Region DABD is sliced into rectangles of area $y_{2} \triangle x$. Which moves from x = 4 to x = 8. So,

Region DABD =
$$\int_{4}^{8} y_{2} dx$$

= $\int_{4}^{8} \sqrt{16 - (x - 4)^{2}} dx$
= $\left[\frac{(x - 4)}{2} \sqrt{16 - (x - 4)^{2}} + \frac{16}{2} \sin^{-1} \left(\frac{x - 4}{4} \right) \right]_{4}^{8}$
= $\left[\left(0 + 8 \cdot \frac{\pi}{2} \right) - \left(0 + 0 \right) \right]$

Region
$$DABD = 4\pi$$
 sq. units

Using (1),(2) and (3), we get

Required area =
$$\left(\frac{32}{3} + 4\pi\right)$$

$$A = 4\left(\pi + \frac{8}{3}\right) \text{ sq.units}$$

-(3)

Willion Stars Practice


Williams Practice

To find area enclosed by

$$y = 5x^2$$
 --- (1)
 $y = 2x^2 + 9$ --- (2)

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. Equation (2) represents a parabola with vertex (0,9) and axis as y-axis. Points of intersection of parabolas are $(\sqrt{3}, 15)$ and $(-\sqrt{3}, 15)$.

A rough sketch of curves is given as:-



Region AOCA is sliced into rectangles with area $(y_1 - y_2) \Delta x$. It slides from x = 0to $x = \sqrt{3}$, so

Required area = Region AOBCA

$$= 2\int_0^{\sqrt{3}} (y_1 - y_2) dy$$

$$= 2\int_0^{\sqrt{3}} \left(2x^2 + 9 - 5x^2\right) dx$$

$$=2\int_{0}^{\sqrt{3}} (9-3x^2)d$$

$$= 2[9x - x^3]_0^{\sqrt{3}}$$

ea = Region
$$AOBCA$$

= $2(Region AOCA)$
= $2[\sqrt[3]{3}(y_1 - y_2) dx$
= $2[\sqrt[3]{3}(9 - 3x^2) dx$
= $2[\sqrt[3]{9} - 3x^2) dx$
= $2[9x - x^3]_0^{\sqrt{3}}$
= $2[(9\sqrt{3} - 3\sqrt{3}) - (0)]$
ea = $12\sqrt{3}$ sq.units

Required area = $12\sqrt{3}$ sq.units

Million Stars Practice
Anni Arink Learn


To find area enclosed by

$$y = 2x^2$$

$$y = 2x^2$$
 --- (1)
 $y = x^2 + 4$ --- (2)

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. Equation (2) represents a parabola with vertex (0,4) and axis as y-axis. Points of intersection of parabolas are (2,8) and (-2,8).

A rough sketch of curves is given as:-



Region AOCA is sliced into rectangles with area $(y_1 - y_2) \Delta x$. And it slides from x = 0to x = 2

Required area = Region AOBCA

$$A = 2$$
 (Region $AOCA$)

$$=2\int_{0}^{2}(y_{1}-y_{2})dx$$

$$=2\int_{0}^{2}\left(x^{2}+4-2x^{2}\right) dx$$


$$=2\int_{0}^{2} (4-x^{2}) dx$$

$$=2\left[4x-\frac{x^3}{3}\right]_0^2$$

$$=2\left[\left(8-\frac{8}{3}\right)-\left(0\right)\right]$$

$$A = \frac{32}{3}$$
 sq.units

Wordershalle nent



Equation of side AB

$$\frac{x+1}{1+1} = \frac{y-2}{5-2}$$

$$\Rightarrow \frac{x+1}{2} = \frac{y-2}{3}$$

$$\Rightarrow 3x+3 = 2y-4$$

$$\Rightarrow 2y-3x = 7$$

$$\therefore y = \frac{3x+7}{2}$$
.....(i)

Equation of side BC

$$\frac{3-1}{3-1} = \frac{4-5}{4-5}$$

$$\Rightarrow \frac{x-1}{2} = \frac{y-5}{-1}$$

$$\Rightarrow -x+1 = 2y-10$$

$$\Rightarrow 2y = 11-x$$

$$\therefore y = \frac{11-x}{2} \dots (ii)$$

$$\frac{x+1}{3+1} = \frac{y-2}{4-2}$$

$$\Rightarrow \frac{x+1}{4} = \frac{y-2}{2}$$

$$\Rightarrow \frac{x+1}{2} = \frac{y-2}{1}$$

$$\Rightarrow x+1 = 2y-4$$


$$\Rightarrow 2y = 5+x$$

$$\therefore y = \frac{5+x}{2}$$

=4 squnits

Area of required region = Area of EABFE + Area of BFGCB - Area of AEGCA $=\int_{1}^{1}y_{AB}dx+\int_{1}^{3}y_{BC}dx-\int_{1}^{3}y_{AC}dx$ $= \int_{1}^{1} \frac{3x+7}{2} dx + \int_{1}^{3} \frac{11-x}{2} dx - \int_{1}^{3} \frac{5+x}{2} dx$ $= \frac{1}{2} \left[\frac{3x^2}{2} + 7x \right]^1 + \frac{1}{2} \left[11x - \frac{x^2}{2} \right]^3 - \frac{1}{2} \left[5x + \frac{x^2}{2} \right]^3$ $= \frac{1}{2} \left[\frac{3(1^2 - 1^2)}{2} + 7(1 - (-1)) \right] + \frac{1}{2} \left[11(3 - 1) - \frac{(3)^2 - 1^2}{2} \right]$ $-\frac{1}{2}\left[5(3-(-1))+\frac{(3)^2-1^2}{2}\right]$ $= \frac{1}{2}[0+14] + \frac{1}{2}[22-4] - \frac{1}{2}[20+4]$ $=7+\frac{1}{2}\times18-\frac{1}{2}\times24$ =7+9-12

Million Stars Practice
Anillion Stars Practice



Area of the bounded region


Fred of the BC
$$= \int_{0}^{1} \sqrt{x} - x \, dx$$

$$= \left[\frac{x^{3/2}}{3/2} - \frac{x^2}{2} \right]_{0}^{1}$$

$$= \left[\frac{2}{3} - \frac{1}{2} \right]$$

$$= \frac{1}{6} \text{ sq. units}$$

Consider the following graph.



We have, $y = \sqrt{3}x$

Substituting this value in $x^2 + y^2 = 16$,

$$x^2 + \left(\sqrt{3}x\right)^2 = 16$$

$$\Rightarrow x^2 + 3x^2 = 16$$

$$\Rightarrow 4x^2 = 16$$

$$\Rightarrow x^2 = 4$$

$$\Rightarrow x = \pm 2$$

Since the shaded region is in the first quadrant, let us take the positive value of x.

Therefore, x = 2 and $y = 2\sqrt{3}$ are the coordinates

of the intersection point A.

Thus, area of the shaded region OAB = Area OAC + Area ACB

$$\Rightarrow Area OAB = \int_0^2 \sqrt{3} x dx + \int_2^4 \sqrt{16 - x^2} dx$$

→ Area OAB =
$$\left(\frac{\sqrt{3}x^2}{2}\right)_0^2 + \frac{1}{2}\left[x\sqrt{16-x^2} + 16\sin^{-1}\left(\frac{x}{4}\right)\right]_2^4$$

⇒ Area OAB =
$$\left(\frac{\sqrt{3} \times 4}{2}\right) + \frac{1}{2}\left[16\sin^{-1}\left(\frac{4}{4}\right)\right] - \frac{1}{2}\left[4\sqrt{16 - 12} + 16\sin^{-1}\left(\frac{2}{4}\right)\right]$$

⇒ Area OAB =
$$2\sqrt{3} + \frac{1}{2} \left[16 \times \frac{\pi}{2} \right] - \frac{1}{2} \left[4\sqrt{3} + 16\sin^{-1}\left(\frac{1}{2}\right) \right]$$

$$\Rightarrow Area OAB = 2\sqrt{3} + 4\pi - 2\sqrt{3} - \frac{4\pi}{3}$$

$$\Rightarrow$$
 Area OAB = $4\pi - \frac{4\pi}{3}$


⇒ Area OAB =
$$\frac{8\pi}{3}$$
 sq. units.

 $y^2 = 2x + 1$

Equation (1) is a parabola with vertex $\left(-\frac{1}{2},0\right)$ and passes through (0,1),(0,-1).

Equation (2) is a line passing through (1,0) and (0,-1). Points of intersection of parabola and line are (3,2) and (0,-1).

A rough sketch of the curves is given as:-



Shaded region represents the required area. It is sliced in rectangles of area $(x_1 - x_2)\Delta y$. It slides from y = -1 to y = 3, so

It slides from
$$y = -1$$
 to $y = 3$, so

Required area = Region $ABCDA$

$$= \int_{-1}^{3} (x_1 - x_2) dy$$

$$= \int_{-1}^{3} (1 + y - \frac{y^2 - 1}{2}) dy$$

$$= \frac{1}{2} \int_{-1}^{3} (2 + 2y - y^2 + 1) dy$$

$$= \frac{1}{2} \int_{-1}^{3} (3 + 2y - y^2) dy$$

$$= \frac{1}{2} \left[3y + y^2 - \frac{y^3}{3} \right]_{-1}^{3}$$

$$= \frac{1}{2} \left[(9 + 9 - 9) - \left(-3 + 1 + \frac{1}{3} \right) \right]$$

$$= \frac{1}{2} \left[9 + \frac{5}{3} \right]$$

$$= \frac{32}{6}$$


Required area = $\frac{16}{3}$ sq. units

To find region bounded by curves



Equation (1) represents a line passing through (1,0) and (0,-1) equation (2) represents a parabola with vertex (-1,1) passes through (0,3), (0,-1), $\left(-\frac{3}{4},0\right)$. Their points of intersection (0,-1) and (8,7).

A rough sketch of curves is given as:-



Shaded region is required area. It is sliced in rectangles of area $(x_1 - x_2)\Delta y$. It slides from y = -1 to y = 7, so

Required area = Region ABCDA

Required area = Region ABCDA
$$A = \int_{-1}^{7} (x_1 - x_2) dy$$

$$= \int_{-1}^{7} (y + 1 - \frac{(y - 1)^2}{4} + 1) dy$$

$$= \frac{1}{4} \int_{-1}^{7} (4y + 4 - y^2 - 1 + 2y + 4) dy$$

$$= \frac{1}{4} \int_{-1}^{7} (6y + 7 - y^2) dy$$


$$= \frac{1}{4} \left[3y^2 + 7y - \frac{y^3}{3} \right]_{-1}^{7}$$

$$= \frac{1}{4} \left[(147 + 49 - \frac{343}{3}) - (3 - 7 + \frac{1}{3}) \right]$$

$$=\frac{1}{4}\left[\frac{245}{3}+\frac{11}{3}\right]$$

$$A = \frac{64}{3}$$
 sq. units





Area of the bounded region

$$= \int_{1}^{2} -x^{2} - (-2-x) dx$$

$$= \left[-\frac{x^{2}}{3} + 2x + \frac{x^{2}}{2} \right]_{1}^{2}$$

$$= \left[-\frac{8}{3} + 6 \right] - \left(\frac{1}{3} + \frac{1}{2} - 2 \right)$$

$$= \frac{9}{2} \text{sq.units}$$




To find area bounded by

$$y = 2 - x^2$$
 ---(1)
and $y + x = 0$ ---(2)

Equation (1) represents a parabola with vertex (0,2) and downward, meets axes at $(\pm\sqrt{2},0)$.

Equation (2) represents a line passing through (0,0) and (2,-2). The points of intersection of line and parabola are (2,-2) and (-1,1).

A rough sketch of curves is as follows:-



Shaded region is sliced into rectangles with area = $(y_1 - y_2)\Delta x$. It slides from x = -1 to x = 2, so

Required area = Region ABPCOA

$$A = \int_{-1}^{2} (y_1 - y_2) dx$$

$$= \int_{-1}^{2} (2 - x^2 + x) dx$$

$$= \left[2x - \frac{x^3}{3} + \frac{x^2}{2} \right]_{-1}^{2}$$


$$= \left[\left(4 - \frac{8}{3} + 2 \right) - \left(-2 + \frac{1}{3} + \frac{1}{2} \right) \right]$$

$$= \left[\frac{10}{3} + \frac{7}{6} \right]$$

$$=\frac{27}{6}$$

$$A = \frac{9}{2}$$
 sq. units





Area of the bounded region

Area of the bounded region
$$= \int_{0}^{3} 3x - 3 - \left(\frac{x-1}{2}\right) dx + \int_{3}^{5} 12 - 2x - \left(\frac{x-1}{2}\right) dx$$

$$= \left[\frac{3x^{2}}{2} - 3x - \frac{x^{2}}{4} + \frac{1}{2}x\right]_{0}^{3} + \left[12x - 2\frac{x^{2}}{2} - \frac{x^{2}}{4} + \frac{1}{2}x\right]_{3}^{5}$$

$$= \left[\frac{27}{2} - 9 - \frac{9}{4} + \frac{3}{2}\right] + \left[60 - 25 - \frac{25}{4} + \frac{5}{2} - 36 + 9 + \frac{9}{4} - \frac{3}{2}\right]$$

$$= 11 \text{ sq.units}$$




To find area bounded by x = 0, x = 1

and

$$y = x - - - (3$$

Equation (1) is a line passing through (2,2) and (0,0). Equation (2) is a parabola upward with vertex at (0,2). A rough sketch of curves is as under:-



Shaded region is sliced into rectangles of area = $(y_1 - y_2)\Delta x$. It slides from x = 0to x = 1, so

Required area = Region OABCO

$$A = \int_0^1 (y_1 - y_2) dx$$

$$= \int_0^1 \left(x^2 + 2 - x \right) dx$$

$$=\left[\frac{x^3}{3} + 2x - \frac{x^2}{2}\right]_0^1$$

$$= \left[\left(\frac{1}{3} + 2 - \frac{1}{2} \right) - \left(0 \right) \right]$$

$$=\left(\frac{2+12-3}{6}\right)$$

$$A = \frac{11}{6}$$
 sq. units

To find area bounded by


$$x = y^2 \qquad \qquad - - - (1)$$

and

$$x = 3 - 2y^2$$

$$2y^2 = -(x-3)$$
 $---(2)$

Equation (1) represents an upward parabola with vertex (0,0) and axis -y. Equation (2) represents a parabola with vertex (3,0) and axis as x-axis. They intersect at (1,-1) and (1,1). A rough sketch of the curves is as under:-



Required area = Region OABCO

A = 2 Region OBCO

$$= 2 \left[\int_0^1 y_1 dx + \int_1^3 y_2 dx \right]$$

$$= 2 \left[\int_0^1 \sqrt{x} \, dx + \int_1^3 \sqrt{\frac{3-x}{2}} \, dx \right]$$

Required area = Region OABCO
$$A = 2 \text{ Region } OBCO$$

$$= 2 \left[\text{Region } ODCO + \text{Region } BDCB \right]$$

$$= 2 \left[\int_0^1 y_1 dx + \int_1^3 y_2 dx \right]$$

$$= 2 \left[\left(\frac{2}{3} x \sqrt{x} \right)_0^1 + \left(\frac{2}{3} \cdot \left(\frac{3-x}{2} \right) \sqrt{\frac{3-x}{2}} \cdot (-2) \right)_1^3 \right]$$

$$= 2 \left[\left(\frac{2}{3} - 0 \right) + \left\{ (0) - \left(\frac{2}{3} \cdot 1 \cdot 1 \cdot (-2) \right) \right]$$

$$= 2 \left[\frac{2}{3} + \frac{4}{3} \right]$$

$$A = 4 \text{ so whits}$$

$$=2\left[\left(\frac{2}{3}-0\right)+\left\{\left(0\right)-\left(\frac{2}{3},1,1,\left(-2\right)\right)\right\}$$

$$=2\left[\frac{2}{3}+\frac{4}{3}\right]$$

A = 4 sq. units

Million Stars Practice Anillion Stars Practice

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) \left(x - x_1\right)$$

$$y-1=\left(\frac{6-1}{6-4}\right)(x-4)$$

$$y - 1 = \frac{5}{2}x - 10$$

$$y = \frac{5}{2}x - 9$$

Equation of BC,

$$y - 6 = \left(\frac{4 - 6}{8 - 6}\right)(x - 6)$$
$$= -1(x - 6)$$

$$y = -x + 12$$

Equation of AC,

$$y-1=\left(\frac{4-1}{8-4}\right)(x-4)$$

$$y-1=\frac{3}{4}\left(x-4\right)$$

$$\Rightarrow \qquad y = \frac{3}{4}x - 3 + 1$$


$$y = \frac{3}{4}x - 2$$

A rough sketch is as under:-



Million Stars & Practice
William Rain
William Real Research

Remove Watermark



Clearly, Area of $\triangle ABC = Area \ ADB + Area \ BDC$

Area ADB: To find the area ADB, we slice it into vertical strips.

We observe that each vertical strip has its lower end on side AC and the upper end on AB. So the approximating rectangle has

Length = $y_2 - y_1$

 $Width = \Delta x$

 $Area = (y_2 - y_1) \Delta x$

Since the approximating rectangle can move from x = 4 to 6,

the area of the triangle ADB = $\int_{4}^{6} (y_2 - y_1) dx$

⇒ area of the triangle ADB =
$$\int_4^6 \left[\left(\frac{5x}{2} - 9 \right) - \left(\frac{3}{4} x - 2 \right) \right] dx$$

⇒ area of the triangle ADB =
$$\int_4^6 \left(\frac{5x}{2} - 9 - \frac{3}{4}x + 2 \right) dx$$

⇒ area of the triangle ADB =
$$\int_4^6 \left(\frac{7x}{4} - 7\right) dx$$

$$\Rightarrow$$
 area of the triangle ADB = $\left(\frac{7x^2}{4\times2} - 7x\right)_4^6$

⇒ area of the triangle ADB =
$$\left(\frac{7 \times 36}{8} - 7 \times 6\right) - \left(\frac{7 \times 16}{8} - 7 \times 4\right)$$

MILLIONST

- ⇒ area of the triangle ADB = $\left(\frac{63}{2} 42 14 + 28\right)$
- ⇒ area of the triangle ADB = $\left(\frac{63}{2} 28\right)$

Similarly, Area BDC = $\int_6^8 (y_4 - y_3) dx$

$$\Rightarrow$$
 Area BDC = $\int_{6}^{8} (y_4 - y_3) dx$

$$\Rightarrow Area BDC = \int_{6}^{8} \left[(-x + 12) - \left(\frac{3}{4}x - 2 \right) \right] dx$$

$$\Rightarrow Area BDC = \int_{6}^{8} \left[\frac{-7x}{4} + 14 \right] dx$$

$$\Rightarrow Area BDC = \left[-\frac{7x^2}{8} + 14x \right]_{6}^{8}$$

$$\Rightarrow Area \ BDC = \left[-\frac{7 \times 64}{8} + 14 \times 8 \right] - \left[-\frac{7 \times 36}{8} + 14 \times 6 \right]$$

⇒ Area BDC =
$$\left[-56 + 112 + \frac{63}{2} - 84 \right]$$

⇒ Area BDC =
$$\left(\frac{63}{2} - 28\right)$$

Thus, Area ABC = Area ADB + Area BDC

$$\Rightarrow Area \ ABC = \left(\frac{63}{2} - 28\right) + \left(\frac{63}{2} - 28\right)$$

- ⇒ Area ABC = 63 56
- ⇒ Area ABC = 7 sq. units

Areas of Bounded Regions Ex-21-3 Q34

To find area of region

$$\{(x,y): |x-1| \le y \le \sqrt{5-x^2}\}$$


$$\Rightarrow |x-1| = y$$

$$\Rightarrow y = \begin{cases} 1-x, & \text{if } x < 1 \\ x-1, & \text{if } x \ge 1 \end{cases}$$

$$= \begin{cases} ---(1) \\ ---(2) \end{cases}$$

Equation (1) and (2) represent straight lines and equation (3) is a circle with centre (0,0), meets axes at $(\pm\sqrt{5},0)$ and $(0,\pm\sqrt{5})$.

A rough sketch of the curves is as under:



Shaded region represents the required area.

Willion Stars Bractice
Williams Stars Bractice



Required area = Region BCDB + Region CADC

$$A = \int_{-1}^{1} (y_1 - y_2) dx + \int_{1}^{2} (y_1 - y_2) dx$$

$$= \int_{-1}^{1} \left[\sqrt{5 - x^2} - 1 + x \right] dx + \int_{1}^{2} \left(\sqrt{5 - x^2} - x + 1 \right) dx$$

$$= \left[\frac{x}{2} \sqrt{5 - x^2} + \frac{5}{2} \sin^{-1} \frac{x}{\sqrt{5}} - x + \frac{x^2}{2} \right]_{-1}^{1} + \left[\frac{x}{2} \sqrt{5 - x^2} + \frac{5}{2} \sin^{-1} \frac{x}{\sqrt{5}} - \frac{x^2}{2} + x \right]_{1}^{2}$$

$$= \left[\left(\frac{1}{2} \cdot 2 + \frac{5}{2} \sin^{-1} \left(\frac{1}{\sqrt{5}} \right) - 1 + \frac{1}{2} \right) - \left(-\frac{1}{2} \cdot 2 - \frac{5}{2} \sin^{-1} \left(\frac{1}{\sqrt{5}} \right) + 1 + \frac{1}{2} \right) \right]$$

$$+ \left[\left(1 \cdot 1 \cdot + \frac{5}{2} \sin^{-1} \left(\frac{2}{\sqrt{5}} \right) - 2 + 2 \right) - \left(\frac{1}{2} \cdot 2 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} + 1 \right) \right]$$

$$= \left[1 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} + 1 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{3}{2} \right] + \left[1 + \frac{5}{2} \sin^{-1} \frac{2}{\sqrt{5}} - 1 - \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} \right]$$

$$= 5 \sin^{-1} \frac{1}{\sqrt{5}} + \frac{5}{2} \sin^{-1} \frac{2}{\sqrt{5}} - \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2}$$

$$A = \left[\frac{5}{2} \left(\sin^{-1} \frac{2}{\sqrt{5}} + \sin^{-1} \frac{1}{\sqrt{5}} \right) - \frac{1}{2} \right] \text{ sq. units.}$$

Areas of Bounded Regions Ex-21-3 Q35

To find area bounded by y = 1 and

$$y = |x - 1|$$

$$y = \begin{cases} x - 1, & \text{if } x \ge 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$

$$y = \begin{cases} x - 1, & \text{if } x < 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$


$$y = \begin{cases} x - 1, & \text{if } x < 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$

$$y = \begin{cases} x - 1, & \text{if } x < 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$

$$y = \begin{cases} x - 1, & \text{if } x < 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$

$$y = \begin{cases} x - 1, & \text{if } x < 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$

A rough sketch of the curve is as under:-



Shaded region is the required area. So

Required area = Region ABCA

$$A = \text{Region } ABDA + \text{Region } BCDB$$

$$= \int_0^1 (y_1 - y_2) dx + \int_1^2 (y_1 - y_3) dx$$

$$= \int_0^1 (1 - 1 + x) dx + \int_1^2 (1 - x + 1) dx$$

$$= \int_0^1 x dx + \int_1^2 (2 - x) dx$$

$$= \left(\frac{x^2}{2}\right)_0^1 + \left(2x - \frac{x^2}{2}\right)_1^2$$

$$= \left(\frac{1}{2} - 0\right) + \left[(4 - 2) - \left(2 - \frac{1}{2}\right)\right]$$


$$= \frac{1}{2} + \left(2 - 2 + \frac{1}{2}\right)$$

A = 1 sq. unit

Williams by actice

To find area of in first quadrant enclosed by x-axis, the line y = x and circle

Equation (1) is a circle with centre (0,0) and meets axes at $(\pm 4\sqrt{2},0)$, $(0,\pm 4\sqrt{2})$. And y = x is a line passes through (0,0) and intersect circle at (4,4). A rough sketch of curve is as under:-



Required area is shaded region OABO

Region OABO = Region OCBO + Region CABC

$$= \int_{0}^{4} y_{1} dx + \int_{4}^{4\sqrt{2}} y_{2} dx$$

$$= \int_{0}^{4} x dx + \int_{4}^{4\sqrt{2}} \sqrt{32 - x^{2}} dx$$

$$= \left(\frac{x^{2}}{2}\right)_{0}^{4} + \left[\frac{x}{2}\sqrt{32 - x^{2}} + \frac{32}{2}\sin^{-1}\frac{x}{4\sqrt{2}}\right]_{4}^{4\sqrt{2}}$$

$$= (8 - 0) + \left[\left(0 + 16.\frac{\pi}{2}\right) - \left(8 + 16.\frac{\pi}{4}\right)\right]$$

$$= 8 + 8\pi - 8 - 4\pi$$
wits

 $A = 4\pi$ sq. units

Areas of Bounded Regions Ex-21-3 Q37


Million Stars Practice

Williams Stars Practice

The given equations are

$$x^2 + y^2 = 16 \dots (1)$$

$$y^2 = 6x \dots (2)$$



Area bounded by the circle and parabola

$$= 2\left[\operatorname{Area}(\operatorname{OADO}) + \operatorname{Area}(\operatorname{ADBA})\right]$$

$$= 2\left[\int_{0}^{2} \sqrt{16x} dx + \int_{2}^{1} \sqrt{16 - x^{2}} dx\right]$$

$$= 2\left[\sqrt{6}\left\{\frac{x^{\frac{3}{2}}}{\frac{3}{2}}\right\}_{0}^{2}\right] + 2\left[\frac{x}{2}\sqrt{16 - x^{2}} + \frac{16}{2}\sin^{-1}\frac{x}{4}\right]_{2}^{4}$$

$$= 2\sqrt{6} \times \frac{2}{3}\left[x^{\frac{3}{2}}\right]_{0}^{2} + 2\left[8 \cdot \frac{\pi}{2} - \sqrt{16 - 4} - 8\sin^{-1}\left(\frac{1}{2}\right)\right]$$

$$= \frac{4\sqrt{6}}{3}\left(2\sqrt{2}\right) + 2\left[4\pi - \sqrt{12} - 8\frac{\pi}{6}\right]$$

$$= \frac{16\sqrt{3}}{3} + 8\pi - 4\sqrt{3} - \frac{8}{3}\pi$$

$$= \frac{4}{3}\left[4\sqrt{3} + 6\pi - 3\sqrt{3} - 2\pi\right]$$

$$= \frac{4}{3}\left[\sqrt{3} + 4\pi\right]$$

$$= \frac{4}{3}\left[4\pi + \sqrt{3}\right] \text{ square units}$$

Area of circle = $\pi (r)^2$


$$=\pi (4)^2 = 16\pi$$
 square units

Thus, Required area =
$$16\pi - \frac{4}{3} [4\pi + \sqrt{3}]$$

= $\frac{4}{3} [4 \times 3\pi - 4\pi - \sqrt{3}]$
= $\frac{4}{3} (8\pi - \sqrt{3})$
= $\left(\frac{32}{3}\pi - \frac{4\sqrt{3}}{3}\right)$ sq. units

Areas of Bounded Regions Ex-21-3 Q38

Willion Stars Bractice
Williams Stars Bractice



Area of the bounded region

$$= \int_{1}^{2} x + 2 - x^{2} dx$$

$$= \left[\frac{x^{2}}{2} + 2x - \frac{x^{3}}{3} \right]_{1}^{2}$$

$$= \frac{4}{2} + 4 - \frac{8}{3} - \frac{1}{2} + 2 - \frac{1}{3}$$

$$= \frac{9}{2} \text{ sq.units}$$

Areas of Bounded Regions Ex-21-3 Q39

Millions are a practice with the property of t



To find area of region


$$\left\{ \left(x,y\right) :0\leq y\leq x^{2}+3,\;0\leq y\leq 2x+3,\;0\leq x\leq 3\right\}$$

$$\Rightarrow y = x^2 + 3$$

$$y = 2x + 3$$

and
$$x = 0, x = 3$$

Equation (1) represents a parabola with vertex (3,0) and axis as y-axis. Equation (2) represents a line a passing through (0,3) and $\left(-\frac{3}{2},0\right)$, a rough sketch of curve is as under:-



Required area = Region ABCDOA

A = Region ABCEA + Region ECDOE

Required area = Region ABCDOA

A = Region ABCEA + Region ECDOE

$$= \int_{2}^{3} y_{1} dx + \int_{0}^{2} y_{2} dx$$

$$= \int_{2}^{3} (2x + 3) dx + \int_{0}^{2} (x^{2} + 3) dx$$

$$= \left(x^{2} + 3x\right)_{2}^{3} + \left(\frac{x^{3}}{3} + x\right)_{0}^{2}$$

$$= \left[(9 + 9) - (4 + 6)\right] + \left[\left(\frac{8}{3} + 2\right) - (0)\right]$$

$$= \left[18 - 10\right] + \left[\frac{14}{3}\right]$$

$$= 8 + \frac{14}{3}$$

$$A = \frac{38}{5} \text{ sq. units}$$

$$= 8 + \frac{14}{3}$$

$$A = \frac{38}{3}$$
 sq. units

Areas of Bounded Regions Ex-21-3 Q40

Million Stars Practice
Anima Arina Practice


To find area bounded by positive x-axis and curve

$$y = \sqrt{1 - x^2} x^2 + y^2 = 1 --- (1)$$

Equation (1) represents a circle with centre (0,0) and meets axes at $(\pm 1,0),(0,\pm 1)$.

Equation (2) represents a line passing through $\left(\frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}\right)$ and $\left(-\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$ and

they are also points of intersection. A rough sketch of the curve is as under:-



Required area = Region OABO

$$A = \text{Region } OCBO + \text{Region } CABC$$

$$= \int_{0}^{\frac{1}{2}} y_{1} dx + \int_{\frac{1}{2}}^{1} y_{2} dx$$

$$= \int_{0}^{\frac{1}{2}} x dx + \int_{\frac{1}{2}}^{1} \sqrt{1 - x^{2}} dx$$

$$= \left[\frac{x^{2}}{2} \right]_{0}^{\frac{1}{2}} + \left[\frac{x}{2} \sqrt{1 - x^{2}} + \frac{1}{2} \sin^{-1} x \right]_{\frac{1}{2}}^{1}$$

$$= \left[\frac{1}{4} - 0 \right] + \left[\left(0 + \frac{1}{2} \cdot \frac{\pi}{2} \right) - \left(\frac{1}{2\sqrt{2}} \cdot \frac{1}{\sqrt{2}} + \frac{1}{2} \cdot \frac{\pi}{4} \right) \right]$$

$$= \frac{1}{4} + \frac{\pi}{4} - \frac{1}{4} - \frac{\pi}{8}$$

 $A = \frac{\pi}{8}$ sq. units

Areas of Bounded Regions Ex-21-3 Q41


Million Stars Practice
Anillion Stars Practice

To find area bounded by lines

y = 4x + 5 (Say AB)	(1)
y = 5 - x (Say BC)	(2)
4v = x + 5 (Sav AC)	(3)

By solving equation (1) and (2), we get B(0,5)By solving equation (2) and (3), we get C(3,2)By solving equation (1) and (3), we get A(-1,1)

A rough sketch of the curve is as under:-



Shaded area △ABC is the required area.

Required area =
$$ar(\triangle ABD) + ar(\triangle BDC)$$

$$ar\left(\triangle ABD\right) = \int_{-1}^{0} \left(y_1 - y_3\right) dx$$

$$= \int_{-1}^{0} \left(4x + 5 - \frac{x}{4} - \frac{5}{4}\right) dx$$

$$= \int_{-1}^{0} \left(\frac{15x}{4} + \frac{15}{4}\right) dx$$

$$= \frac{15}{4} \left(\frac{x^2}{2} + x\right)_{-1}^{0}$$

$$= \frac{15}{4} \left[\left(0\right) - \left(\frac{1}{2} - 1\right)\right]$$

$$= \frac{15}{4} \times \frac{1}{2}$$

Million Stars Practice
Annihit Learn

$$ar\left(\triangle ABD\right) = \frac{15}{8}$$
 sq. units

$$ar \left(\triangle BDC \right) = \int_0^3 \left(y_2 - y_3 \right) dx$$

$$= \int_0^3 \left[\left(5 - x \right) - \left(\frac{x}{4} + \frac{5}{4} \right) \right] dx$$

$$= \int_0^3 \left[5 - x - \frac{x}{4} - \frac{5}{4} \right] dx$$

$$= \int_0^3 \left(\frac{-5x}{4} + \frac{15}{4} \right) dx$$

$$= \frac{5}{4} \left(3x - \frac{x^2}{2} \right)$$

$$= \frac{5}{4} \left(9 - \frac{9}{2} \right)$$

$$ar\left(\triangle BDC \right) = \frac{45}{8}$$
 sq. units $---(3)$
Using equation (1),(2) and (3),

$$ar\left(\triangle ABC\right) = \frac{15}{8} + \frac{45}{8}$$
$$= \frac{60}{8}$$

$$ar\left(\triangle ABC\right) = \frac{15}{2}$$
 sq. units

Areas of Bounded Regions Ex-21-3 Q42

To find area enclosed by

Equation (1) represents a circle with centre (0,0) and meets axes at $(\pm 3,0)$, $(0,\pm 3)$.

Equation (2) is a circle with centre (3,0) and meets axes at (0,0), (6,0).

they intersect each other at $\left(\frac{3}{2}, \frac{3\sqrt{3}}{2}\right)$ and $\left(\frac{3}{2}, -\frac{3\sqrt{3}}{2}\right)$. A rough sketch of the curves

is as under:



Shaded region is the required area.

Required area = Region OABCO

$$A = 2 \left(\text{Region } OBCO \right)$$

$$= 2 \left(\text{Region } ODCO + \text{Region } DBCD \right)$$

$$= 2 \left[\int_{0}^{\frac{3}{2}} \sqrt{9 - (x - 3)^{2}} dx + \int_{\frac{3}{2}}^{3} \sqrt{9 - x^{2}} dx \right]$$

$$= 2 \left[\left\{ \frac{(x - 3)}{2} \sqrt{9 - (x - 3)^{2}} + \frac{9}{2} \sin^{-1} \left(\frac{(x - 3)}{3} \right) \right\}_{0}^{\frac{3}{2}} + \left\{ \frac{x}{2} \sqrt{9 - x^{2}} + \frac{9}{2} \sin^{-1} \left(\frac{x}{3} \right) \right\}_{\frac{3}{2}}^{\frac{3}{2}} \right]$$

$$= 2 \left[\left\{ \left(-\frac{3}{4} \sqrt{9 - \frac{9}{4}} + \frac{9}{2} \sin^{-1} \left(-\frac{3}{6} \right) \right) - \left(0 + \frac{9}{2} \sin^{-1} \left(-1 \right) \right) \right\} + \left\{ \left(0 + \frac{9}{2} \sin^{-1} \left(1 \right) \right) - \left(\frac{3}{4} \sqrt{9 - \frac{9}{4}} + \frac{9}{2} \sin^{-1} \left(\frac{1}{2} \right) \right) \right\} \right]$$

$$= 2 \left[\left\{ -\frac{9\sqrt{3}}{8} - \frac{9}{2} \cdot \frac{\pi}{6} + \frac{9}{2} \cdot \frac{\pi}{2} \right\} + \left\{ \frac{9}{2} \cdot \frac{\pi}{2} - \frac{9\sqrt{3}}{8} - \frac{9}{2} \cdot \frac{\pi}{6} \right\} \right]$$

$$= 2 \left[-\frac{9\sqrt{3}}{8} - \frac{3\pi}{4} + \frac{9\pi}{4} + \frac{9\pi}{4} - \frac{9\sqrt{3}}{8} - \frac{3\pi}{4} \right]$$

$$= 2 \left[\frac{12\pi}{4} - \frac{18\sqrt{3}}{8} \right]$$

$$A = \left(6\pi - \frac{9\sqrt{3}}{2} \right) \text{ sq. units}$$




The equation of the given curves are

$$x^2 + y^2 = 4....(1)$$

$$x + y = 2.....(2)$$

Clearly $x^2 + y^2 = 4$ represents a circle and x + y = 2 is the equation of a straight line cutting x and y axes at (0,2) and (2,0) respectively. The smaller region bounded by these two curves is shaded in the following figure.



Length
$$= y_2 - y_1$$

Width =
$$\Delta x$$
 and

$$Area = (y_2 - y_1) \Delta x$$

Since the approximating rectangle can move from x = 0 to x = 2, the required area is given by

$$A = \int_0^2 (\gamma_2 - \gamma_1) dx$$

We have
$$y_1 = 2 - x$$
 and $y_2 = \sqrt{4 - x^2}$

$$A = \int_0^2 (\sqrt{4 - x^2} - 2 + x) dx$$

$$\Rightarrow A = \int_0^2 \left(\sqrt{4 - x^2} \right) dx - 2 \int_0^2 dx + \int_0^2 x dx$$

required area is given by
$$A = \int_0^2 (y_2 - y_1) dx$$
We have $y_1 = 2 - x$ and $y_2 = \sqrt{4 - x^2}$
Thus,
$$A = \int_0^2 (\sqrt{4 - x^2} - 2 + x) dx$$

$$\Rightarrow A = \int_0^2 (\sqrt{4 - x^2}) dx - 2 \int_0^2 dx + \int_0^2 x dx$$

$$\Rightarrow A = \left[\frac{x\sqrt{4 - x^2}}{2} + \frac{a^2}{2} \sin^{-1} \left(\frac{x}{2} \right) \right]_0^2 - 2(x)_0^2 + \left(\frac{x^2}{2} \right)_0^2$$

$$\Rightarrow A = \frac{4}{2} \sin^{-1} \left(\frac{2}{2} \right) - 4 + 2$$

$$\Rightarrow A = 2 \sin^{-1} (1) - 2$$

$$\Rightarrow A = 2 \times \frac{\pi}{2} - 2$$

$$\Rightarrow A = \frac{4}{2} \sin^{-1} \left(\frac{2}{2} \right) - 4 + 2$$

$$A = 2\sin^{-1}(1) - 2$$

$$\Rightarrow A = 2 \times \frac{\pi}{2} - 2$$

$$\rightarrow A = \pi - 2$$
 sq.units

Areas of Bounded Regions Ex-21-3 Q44

Million Stars Practice Anillion Stars Practice

To find area of region


$$\left\{ \left(x,y \right) \colon \frac{x^2}{9} + \frac{y^2}{4} \le 1 \le \frac{x}{3} + \frac{y}{2} \right\}$$

$$\frac{x^2}{9} + \frac{y^2}{4} = 1$$

$$\frac{x}{3} + \frac{y}{2} = 1$$

Equation (1) represents an ellipse with centre at origin and meets axes at (±3,0), $(0,\pm 2)$. Equation (2) is a line that meets axes at (3,0), (0,2).

A rough sketch is as under:



Shaded region represents required area. This is sliced into rectangles with area $(y_1 - y_2)\Delta x$ which slides from x = 0 to x = 3, so

Required area = Region APBQA

$$\begin{cases} y_1 - y_2 \}_{aX} \text{ which slides from } x = 0 \text{ to } x = 3, \text{ so}$$

$$\text{Required area} = \text{Region } APBQA$$

$$A = \int_0^3 \left(y_1 - y_2 \right) dx$$

$$= \int_0^3 \left[\frac{2}{3} \sqrt{9 - x^2} dx - \frac{2}{3} \left(3 - x \right) dx \right]$$

$$= \frac{2}{3} \left[\frac{x}{2} \sqrt{9 - x^2} + \frac{9}{2} \sin^{-1} \left(\frac{x}{3} \right) - 3x + \frac{x^2}{2} \right]_0^3$$

$$= \frac{2}{3} \left[\left\{ 0 + \frac{9}{2} \cdot \frac{\pi}{2} - 9 + \frac{9}{2} \right\} - \left\{ 0 \right\} \right]$$

$$= \frac{2}{3} \left[\frac{9\pi}{4} - \frac{9}{2} \right]$$

$$A = \left(\frac{3\pi}{2} - 3\right) \text{ sq. units}$$

Areas of Bounded Regions Ex-21-3 Q45

Million Stars Practice
Anillion Stars Practice

To find area enclosed by

$$y = |x - 1|$$

$$\Rightarrow y = \begin{cases} -(x - 1), & \text{if } x - 1 < 0 \\ (x - 1), & \text{if } x - 1 \ge 0 \end{cases}$$

$$\Rightarrow \qquad y = \begin{cases} 1-x, & \text{if } x < 1 \\ x-1, & \text{if } x \ge 1 \end{cases} \qquad \qquad \begin{array}{c} ---\left(1\right) \\ ---\left(2\right) \end{cases}$$


And
$$y = -|x-1| + 1$$

$$y = \begin{cases} +(x-1)+1, & \text{if } x-1<0 \\ -(x-1)+1, & \text{if } x-1\geq 0 \end{cases}$$

$$y = \begin{cases} x, & \text{if } x<1 \\ -x+2, & \text{if } x\geq 1 \end{cases}$$

$$y = \begin{cases} -x+2, & \text{if } x\geq 1 \end{cases}$$

A rough sketch of equation of lines (1),(2),(3),(4) is given as:



Shaded region is the required area

Required area = Region ABCDA

Required area = Region BDCB + Region ABDA ---

Region *BDCB* is sliced into rectangles of area = $(y_1 - y_2) \Delta x$ and it slides from $x = \frac{1}{2}$ to x = 1

Region *ABDA* is sliced into rectangle of area = $(y_3 - y_4) \triangle x$ and it slides from x = 1 to $x = \frac{3}{2}$. So, using equation (1),

Required area = Region BDCB + Region ABDA

$$= \int_{\frac{1}{4}}^{1} (y_{1} - y_{2}) dx + \int_{1}^{\frac{3}{2}} (y_{3} - y_{4}) dx$$

$$= \int_{\frac{1}{2}}^{1} (x - 1 + x) dx + \int_{1}^{\frac{3}{2}} (-x + 2 - x + 1) dx$$

$$= \int_{\frac{1}{2}}^{1} (2x - 1) dx + \int_{1}^{\frac{3}{2}} (3 - 2x) dx$$

$$= \left[x^{2} - x \right]_{\frac{1}{2}}^{1} + \left[3x - x^{2} \right]_{1}^{\frac{3}{2}}$$

$$= \left[(1 - 1) - \left(\frac{1}{4} - \frac{1}{2} \right) \right] + \left[\left(\frac{9}{2} - \frac{9}{4} \right) - (3 - 1) \right]$$

$$= \frac{1}{4} + \frac{9}{4} - 2$$

$$A = \frac{1}{2}$$
 sq.units

Areas of Bounded Regions Ex-21-3 Q46

Willion Stars & Practice

To find area endosed by


$$3x^{2} + 5y = 32$$

$$3x^{2} = -5\left(y - \frac{32}{5}\right)$$
And
$$y = |x - 2|$$

$$\Rightarrow \qquad y = \begin{cases} -(x-2), & \text{if } x-2 < 1\\ (x-2), & \text{if } x-2 \ge 1 \end{cases}$$

$$\Rightarrow \qquad y = \begin{cases} 2 - x, & \text{if } x < 2 \\ x - 2, & \text{if } x \ge 2 \end{cases} \qquad ---\{3\}$$

Equation (1) represents a downward parabola with vertex $\left(0, \frac{32}{5}\right)$ and equation (2) represents lines. A rough sketch of curves is given as:



Required area = Region ABECDA

Required area = Region ABECDA

$$A = \text{Region } ABEA + \text{Region } AECDA$$

$$= \int_{2}^{3} (y_{3} - y_{4}) dx + \int_{-2}^{2} (y_{1} - y_{2}) dx$$

$$= \int_{2}^{3} \left(\frac{32 - 3x^{2}}{5} - x + 2 \right) dx + \int_{-2}^{2} \left(\frac{32 - 3x^{2}}{5} - 2 + x \right) dx$$

$$= \int_{2}^{3} \left(\frac{32 - 3x^{2} - 5x + 10}{5} \right) dx + \int_{-2}^{2} \left(\frac{32 - 3x^{2} - 10 + 5x}{5} \right) dx$$

$$= \frac{1}{5} \left[\int_{2}^{3} (42 - 3x^{2} - 5x) dx + \int_{-2}^{2} (22 - 3x^{2} + 5x) dx \right]$$

$$A = \frac{1}{5} \left[\left(42x - x^3 - \frac{5x^2}{2} \right)_2^3 + \left(22x - x^3 + \frac{5x^2}{2} \right)_{-2}^2 \right]$$

$$= \frac{1}{5} \left[\left\{ \left(126 - 27 - \frac{45}{2} \right) - \left(84 - 8 - 10 \right) \right\} + \left\{ \left(44 - 8 + 10 \right) - \left(-44 + 8 + 10 \right) \right\} \right]$$

$$= \frac{1}{5} \left[\left\{ \frac{153}{2} - 66 \right\} + \left\{ 46 + 26 \right\} \right]$$

$$= \frac{1}{5} \left[\frac{21}{2} + 72 \right]$$

$$A = \frac{33}{2}$$
 sq. units



To area enclosed by

$$y = 4x - x^2$$

$$\Rightarrow$$
 $-y = x^2 - 4x + 4 - 4$

$$\Rightarrow -y + 4 = (x - 2)^2$$


$$\Rightarrow -(y-4) = (x-2)^2$$

and
$$y = x^2 - x$$

$$\left(y + \frac{1}{4}\right) = \left(x - \frac{1}{2}\right)^2$$

Equation (1) represents a parabola downward with vertex at (2,4) and meets axes at (4,0), (0,0). Equation (2) represents a parabola upword whose vertex is $\left(\frac{1}{2},-\frac{1}{4}\right)$ and meets axes at (1,0), (0,0). Points of intersection of parabolas are (0,0) and $\left(\frac{5}{2},\frac{15}{4}\right)$.

A rough sketch of the curves is as under:-



Shaded region is required area it is sliced into rectangles with area = $(y_1 - y_2) \Delta x$. It slides from x = 0 to $x = \frac{5}{2}$, so

Required area = Region OQAP

$$A = \int_{0}^{\frac{5}{2}} (y_1 - y_2) dx$$

$$= \int_0^{\frac{5}{2}} \left[4x - x^2 - x^2 + x \right] dx$$

$$= \int_0^{\frac{5}{2}} \left[5x - 2x^2 \right] dx$$

$$= \left[\frac{5x^2}{2} - \frac{2}{3}x^3\right]_0^{\frac{5}{2}}$$

$$= \left[\left(\frac{125}{8} - \frac{250}{24} \right) - (0) \right]$$

$$A = \frac{125}{24} \text{ sq. units}$$

Areas of Bounded Regions Ex-21-3 Q48

Million Stars Practice
Annihit Learn

Remove Watermark

Given curves are

$$y = 4x - x^2$$


$$\Rightarrow -(y-4) = (x-2)^2$$

$$y = x^2 - x$$

$$\Rightarrow \left(y + \frac{1}{4}\right)^2 = \left(x - \frac{1}{2}\right)^2 \qquad --- \left(2x - \frac{1}{2}\right)^2$$

Equation (1) represents a parabola downward with vertex at (2,4) and meets axes at (4,0),(0,0). Equation (2) represents a parabola upward whose vertex is $(\frac{1}{2},-\frac{1}{4})$ and meets axes at (1,0), (0,0) and $(\frac{5}{2},\frac{15}{4})$. A rough sketch of the curves is as under:-

---(1)



Area of the region above x-axis



Mondershare

 A_1 = Area of region OBACO

= Region OBCO + Region BACB

$$= \int_0^1 y_1 dx + \int_1^{\frac{5}{2}} (y_1 - y_2) dx$$
$$= \int_0^1 (4x - x^2) dx + \int_1^{\frac{5}{2}} (4x - x^2 - x^2 + x) dx$$

$$= \left(\frac{4x^2}{2} - \frac{x^3}{3}\right)_0^1 + \left[\frac{5x^2}{2} - \frac{2x^3}{3}\right]_1^{\frac{5}{2}}$$

$$= \left(2 - \frac{1}{3}\right) + \left[\left(\frac{125}{8} - \frac{250}{24}\right) - \left(\frac{5}{2} - \frac{2}{3}\right)\right]$$

$$=\frac{5}{3}+\frac{125}{24}-\frac{11}{6}$$

$$= \frac{121}{24} \text{ sq. units}$$

Area of the region below x-axis

 A_2 = Area of region *OPBO*

= Region OBCO + Region BACB

$$= \left| \int_0^1 y_2 dx \right|$$

$$= \left| \int_0^1 \left\{ x^2 - x \right\} dx \right|$$

$$= \left| \left(\frac{x^3}{3} - \frac{x^2}{2} \right)^1 \right|$$

$$= \left| \left(\frac{1}{3} - \frac{1}{2} \right) - \left(0 \right) \right|$$

$$=\left|-\frac{1}{6}\right|$$

$$A_2 = \frac{1}{6}$$
 sq. units

$$A_1: A_2 = \frac{121}{24}: \frac{1}{6}$$

$$A_1: A_2 = \frac{121}{24}: \frac{1}{6}$$

$$\Rightarrow A_1: A_2 = \frac{121}{24}: \frac{4}{24}$$

$$\Rightarrow A_1: A_2 = 121: 4$$

To find area bounded by the curve

$$y = |x - 1|$$

$$\Rightarrow y = \begin{cases} 1 - x, & \text{if } x < 1 \\ x - 1, & \text{if } x \ge 1 \end{cases}$$


$$---(1)$$

and
$$y = 3 - |x|$$

$$\Rightarrow y = \begin{cases} 3 + x, & \text{if } x < 0 \\ 3 - x, & \text{if } x \ge 0 \end{cases}$$

$$---(3)$$

Drawing the rough sketch of lines (1), (2), (3) and (4) as under:-



Shaded region is the required area

Required area = Region ABCDA

$$A = \text{Region } ABFA + \text{Region } AFCEA + \text{Region } CDEC$$

$$= \int_{1}^{2} (y_{1} - y_{2}) dx + \int_{0}^{1} (y_{1} - y_{3}) dx + \int_{-1}^{0} (y_{4} - y_{3}) dx$$

$$= \int_{1}^{2} (3 - x - x + 1) dx + \int_{0}^{1} (3 - x - 1 + x) dx + \int_{-1}^{0} (3 + x - 1 + x) dx$$

$$= \int_{1}^{2} (4 - 2x) dx + \int_{0}^{1} 2dx + \int_{-1}^{0} (2 + 2x) dx$$

$$= \left[4x - x^{2} \right]_{1}^{2} + \left[2x \right]_{0}^{1} + \left[2x + x^{2} \right]_{-1}^{0}$$

$$= \left[(8 - 4) - (4 - 1) \right] + \left[2 - 0 \right] + \left[(0) - (-2 + 1) \right]$$


$$= (4 - 3) + 2 + 1$$

A = 4 sq. unit

Areas of Bounded Regions Ex-21-3 Q50

Million Stars Practice

(Nink rearing Practice)



Area of the bounded region =
$$\frac{a^2}{12}$$

$$\frac{a^2}{12} = \int_0^2 \sqrt{4ax} - mx \, dx$$

$$\frac{a^2}{12} = \left[2\sqrt{a}\frac{x'''}{\frac{3}{2}} - m\frac{x^2}{2}\right]_0^2$$

$$\frac{a^2}{12} = \frac{4a^2}{3} - m\frac{a^2}{2}$$
 $m = 2$

Area of the bounded region =
$$\frac{1024}{3}$$


 $\frac{1024}{3} = \int_{0}^{169} \sqrt{16ax} - \frac{x^2}{16a} dx$
 $\frac{1024}{3} = \left[4\sqrt{a}\frac{x^{\frac{1}{2}}}{\frac{3}{2}} - \frac{x^3}{48a}\right]_{0}^{169}$
 $\frac{1024}{3} = \frac{(16a)^2 \times 2}{3} - \frac{(16a)^3}{48a}$
 $a = 2$
Note: Answer given in the book is incorrect.



Wondershare

PDFelement

Areas of Bounded Regions Ex-21-4 Q1



Area of the bounded region

$$= \int_{1}^{3} (4y - y^2 - 2y + 3) dy$$

$$= \left[2\frac{y^2}{2} - \frac{y^3}{3} + 3y\right]_{-1}^{3}$$


$$= 9 - 9 + 9 - 1 - \frac{1}{3} + 3 - \frac{(16a)^3}{48a}$$

=
$$\frac{32}{3}$$
 sq. units



Remove Watermark

reas of Bounded Regions Ex-21-4 Q2



Mondershare

Area of the bounded region


$$= \int_{-1}^{3} (5-0) \, dy + \int_{-1}^{3} 8 + 2y - y^2 - 5 \, dy$$

$$= [5y]_{1}^{3} + [3y + y^{2} - \frac{y^{3}}{3}]_{1}^{3}$$

$$= 15 + 5 + 9 + 9 - \frac{27}{3} + 3 - 1 - \frac{1}{3}$$

=
$$\frac{92}{3}$$
sq. units






Area of the bounded region

$$= \int_{2}^{4} \left(\frac{y+4}{2} - \frac{y^{2}}{4} \right) dy$$
$$= \left[\frac{y^{2}}{4} + 2y - \frac{y^{3}}{12} \right]_{2}^{4}$$
$$= 4 + 8 - \frac{16}{3} - 1 + 4 - \frac{2}{3}$$

= 9 sq. units

Areas of Bounded Regions Ex-21-4 Q4



Area of the bounded region

$$= \int_{2}^{4} \left(y + 4 - \frac{y^{2}}{2} \right) dy$$

$$= \left[\frac{y^{2}}{2} + 4y - \frac{y^{3}}{6} \right]_{2}^{4}$$

$$= 8 + 16 - \frac{32}{3} - 2 + 8 - \frac{4}{3}$$