Ex 25.1

Q1(i)

Let P(x,y) be any point on the parabola whose focus is S(3,0) and the directrix 3x + 4y = 1. Draw PM perpendicular from P(x,y) on the directrix 3x + 4y = 1.

Then by definition

$$SP = PM$$

$$\Rightarrow$$
 $SP^2 = PM^2$

$$\Rightarrow (x-3)^2+(y-0)^2=\left(\frac{3x+4y-1}{\sqrt{(3)^2+(4)^2}}\right)^2$$

$$\Rightarrow x^2 + 9 - 6x + y^2 = \left(\frac{3x + 4y - 1}{\sqrt{9 + 16}}\right)^2$$

$$\Rightarrow x^2 - 6x + 9 + y^2 = \frac{\left(3x + 4y - 1\right)^2}{\left(\sqrt{25}\right)^2}$$

$$\Rightarrow x^2 - 6x + y^2 + 9 = \frac{(3x + 4y - 1)^2}{25}$$

$$\Rightarrow 25(x^2 - 6x + y^2 + 9) = (3x + 4y - 1)^2$$

$$\Rightarrow 25x^2 - 150x + 25y^2 + 225 = (3x)^2 + (4y)^2 + (-1)^2 + 2 \times 3x \times 4y + 2 \times 4y \times (-1) + 2 \times (-1) \times 3x$$

$$\Rightarrow 25x^2 - 150x + 25y^2 + 225 \approx 9x^2 + 16y^2 + 1 + 24xy - 8y - 6x$$

$$\Rightarrow 25x^2 - 9x^2 + 25y^2 - 16y^2 - 150x + 6x + 8y - 24xy + 225 - 1 = 0$$

$$\Rightarrow 16x^2 + 9y^2 - 144x + 8y - 24xy + 224 = 0$$

$$\Rightarrow$$
 $16x^2 + 9y^2 - 24xy - 144x + 8y + 224 = 0$

This is the equation of the required parabola.

Q1(ii)

Let P(x,y) be any point on the parabola whose focus is S(1,1) and the directrix x+y+1=0. Draw PM perpendicular from P(x,y) on the directrix x+y+1=0. Then by definition

$$SP = PM$$

 $\Rightarrow SP^2 = PM^2$

$$\Rightarrow (x-1)^{2} + (y-1)^{2} = \left(\frac{x+y+1}{\sqrt{1^{2}+1^{2}}}\right)^{2}$$

$$\Rightarrow x^2 + 1 - 2x + y^2 + 1 - 2y = \left(\frac{x + y + 1}{\sqrt{2}}\right)^2$$

$$\Rightarrow x^2 + y^2 - 2x - 2y + 2 = \frac{(x + y + 1)^2}{2}$$

$$\Rightarrow 2(x^2+y^2-2x-2y+2)=x^2+y^2+1+2xy+2y+2x$$

$$\Rightarrow 2x^2 + 2y^2 - 4x - 4y + 4 = x^2 + y^2 + 1 + 2xy + 2y + 2x$$

$$\Rightarrow 2x^2 - x^2 + 2y^2 - y^2 - 2xy - 4x - 2x - 4y - 2y + 4 - 1 = 0$$

$$\Rightarrow$$
 $x^2 + y^2 - 2xy - 6x - 6y + 3 = 0$

This is the equation of the required parabola.

Millionstans Practice
Annihit Learns Practice

Q1(iii)

Let P(x,y) be any point on the parabola whose focus is S(0,0) and the directrix 2x-y-1=0. Draw PM perpendicular from P(x,y) on the directrix 2x-y-1=0.

Then by definition

$$SP = PM$$

$$\Rightarrow$$
 $SP^2 = PM^2$

$$\Rightarrow (x-0)^2 + (y-0)^2 = \left(\frac{2x-y-1}{\sqrt{(2)^2 + (-1)^2}}\right)^2$$

$$\Rightarrow x^2 + y^2 = \frac{(2x - y - 1)^2}{(\sqrt{5})^2}$$

$$\Rightarrow$$
 $5(x^2+y^2)=(2x-y-1)^2$

$$\Rightarrow 5x^2 + 5y^2 = (2x)^2 + (-y)^2 + (-1)^2 + 2 \times 2x \times (-y) + 2 \times (-y) \times (-1) + 2 \times (-1) \times 2x$$

$$\Rightarrow 5x^2 + 5y^2 = 4x^2 + y^2 + 1 - 4xy + 2y - 4x$$

$$\Rightarrow 5x^{2} + 5y^{2} = 4x^{2} + y^{2} + 1 - 4xy + 2y - 4x$$

$$\Rightarrow 5x^{2} - 4x^{2} + 5y^{2} - y^{2} + 4xy + 4x - 2y - 1 = 0$$

$$\Rightarrow x^{2} + 4y^{2} + 4xy + 4x - 2y - 1 = 0$$

$$\Rightarrow x^2 + 4y^2 + 4xy + 4x - 2y - 1 = 0$$

This is the equation of the required parabola.

Q1(iv)

Let P(x, y) be any point on the parabola whose focus is S(2, 3) and the directrix x - 4y + 3 = 0. Draw PM perpendicular from P(x, y) on the directrix x - 4y + 3 = 0. Then by definition

$$SP = PM$$

$$\Rightarrow$$
 $SP^2 = PM^2$

$$\Rightarrow (x-2)^2 + (y-3)^2 = \left(\frac{x-4y+3}{\sqrt{1^2+(-4)^2}}\right)^2$$

$$\Rightarrow x^2 + 4 - 4x + y^2 + 9 - 6y = \frac{(x - 4y + 3)^2}{(\sqrt{17})^2}$$

$$\Rightarrow x^2 + y^2 - 4x - 6y + 4 + 9 = \frac{(x - 4y + 3)^2}{17}$$

$$\Rightarrow 17(x^2 + y^2 - 4x - 6y + 13) = (x - 4y + 3)^2$$

$$\Rightarrow 17x^2 + 17y^2 - 68x - 102y + 221 = x^2 + (-4y)^2 + 3^2 + 2 \times x \times (-4y) + 2 \times (-4y) \times 3 + 2 \times 3 \times x$$

$$\Rightarrow 17x^2 + 17y^2 - 68x - 102y + 221 = x^2 + 16y^2 + 9 - 8xy - 24y + 6x$$

$$\Rightarrow 17x^2 - x^2 + 17y^2 - 16y^2 + 8xy - 68x - 6x - 102y + 24y + 221 - 9 = 0$$

$$\Rightarrow$$
 $16x^2 + y^2 + 8xy - 74x - 78y + 212 = 0$

This is the equation of the required parabola.

Williams Bracilice Williams Bracilice

Let P(x,y) be any point on the parabola whose focus is S(2,3) and the directrix x - 4y + 3 = 0. Draw PM perpendicular from $P\{x,y\}$ on the directrix x - 4y + 3 = 0. Then by definition

$$SP = PM$$

$$\Rightarrow$$
 $SP^2 = PM^2$

$$\Rightarrow (x-2)^2 + (y-3)^2 = \left(\frac{x-4y+3}{\sqrt{1^2+(-4)^2}}\right)^2$$

$$\Rightarrow x^2 + 4 - 4x + y^2 + 9 - 6y = \frac{(x - 4y + 3)^2}{(\sqrt{17})^2}$$

$$\Rightarrow x^2 + y^2 - 4x - 6y + 4 + 9 = \frac{(x - 4y + 3)^2}{17}$$

$$\Rightarrow 17(x^2 + y^2 - 4x - 6y + 13) = (x - 4y + 3)^2$$

$$\Rightarrow 17x^2 + 17y^2 - 68x - 102y + 221 = x^2 + (-4y)^2 + 3^2 + 2 \times x \times (-4y) + 2 \times (-4y) \times 3 + 2 \times 3 \times x$$

$$\Rightarrow 17x^2 + 17y^2 - 68x - 102y + 221 = x^2 + 16y^2 + 9 - 8xy - 24y + 6x$$

$$\Rightarrow 17x^{2} + 17y^{2} - 68x - 102y + 221 = x^{2} + 16y^{2} + 9 - 8xy - 24y + 6x$$

$$\Rightarrow 17x^{2} - x^{2} + 17y^{2} - 16y^{2} + 8xy - 68x - 6x - 102y + 24y + 221 - 9 = 0$$

$$\Rightarrow 16x^{2} + y^{2} + 8xy - 74x - 78y + 212 = 0$$
This is the equation of the required parabola.

$$\Rightarrow$$
 16 $x^2 + y^2 + 8xy - 74x - 78y + 212 = 0$

This is the equation of the required parabola.

Latus Rectum = Length of perpendicular from focus (2,3) on directrix x - 4y + 3 = 0

$$= 2 \left| \frac{2 - 12 + 3}{\sqrt{1 + 16}} \right|$$

$$= 2 \left| \frac{-7}{\sqrt{17}} \right|$$

$$= \frac{14}{\sqrt{17}}$$

Q3(i)

Given focus (-6, -6)

Vertex(-2,2)

Slope of line connecting vertex and focus is $\frac{2+6}{2+6} = 2$

Slope of directrix will be $-\frac{1}{2}$, because both lines are perpendicular

Vertex is the midpoint of focus and point on directrix which passes through axis

$$-2=\frac{-6+x}{2}$$
; $2=\frac{-6+y}{2}$

$$(x, y) = (2, 10)$$

Equation of directrix is given by

$$y-10=\frac{-1}{2}(x-2)$$

$$2y - 20 = -x + 2$$

$$x + 2y = 22$$

$$x + 2y = 22$$
Equation of Parabola is $(x+6)^2 + (y+6)^2 = \frac{(x+2y-22)^2}{5}$

$$5[x^2 + y^2 + 36 + 36 + 12x + 12y] = [x^2 + 4y^2 + 484 + 4xy - 88y - 4x^2 + 3x^2 + 3x^2 + 124 + 4xy + 148y + 9]$$

$$5[x^2+y^2+36+36+12x+12y] = [x^2+4y^2+484+4xy-88y-44x]$$

$$4x^2 + y^2 - 124 - 4xy + 104x + 148y = 0$$

$$(2x-y)^2 + 4(26x+37y-31) = 0$$

Q3(ii)

In a parahola, vertex is the mid-point of the focus and the point of the intersection of the axis and directrix, so, let (x_1, y_1) be the coordinate of the point of intersection of the axis and directrix. Millionsians Practice
Williams Practice hen (0,0) is the mid-point of the line segment joining (0,-3) and (x_1,y_1) .

$$\frac{x_1 - 0}{2} = 0$$
 and $\frac{y_1 - 3}{2} = 0$

$$\Rightarrow x_1 = 0$$
 and $y_1 = 3$

Thus, the directrix meets the axis at (0,0).

The equation of the directrix sy = 3 Clearly, the required parabola is of the form $x^2 = -4ay$, where a = 0

$$\therefore$$
 equation of parabola is $x^2 = 4 \times 3 \times y$

$$\Rightarrow$$
 $\kappa^2 - 12y$

Q3(iii)

In a parabola, vertex is the mid-point of the focus and the point of intersection of the axis and directrix. So, let (x_1, y_1) be the coordinate of the point of intersection of the axis and directrix. Then (-1, -3) is the mid-point of the line segment joining (0,-3) and (x_1,y_1) .

$$\therefore \quad \frac{x_1 + 0}{2} = -1 \quad \text{and} \quad \frac{y_1 - 3}{2} = -3$$

$$\Rightarrow \quad x_1 = -2 \quad \text{and} \quad y_1 = -3$$

Thus, the directrix meets the axis at (-2, -3).

Let A be the vertex and S be the focus of the required parabola.

Then,

$$m_1 = \text{slope of } AS = \frac{-3 - (-3)}{0 - (-1)} = 0$$

∴ slope of the directrix =
$$\frac{-1}{0}$$
 = ∞

[Directrix is perpendicular to the axis]

Thus, the directrix passes through (-2, -3) and has slope ∞, so its equation is

$$y - (-3) = \infty (x - (-2))$$

$$\frac{y+3}{\infty} = x+2$$

$$y - (-3) = \infty (x - (-2))$$

$$\frac{y+3}{\infty} = x+2$$

$$\Rightarrow x+2 = 0$$
Let $P(x,y)$ be a point on the parabola.

Then, $PS = D$ is tance of P from the directrix.

$$\sqrt{(x-0)^2 + (y+3)^2} = \left| \frac{x+2}{\sqrt{12}} \right|$$

$$\Rightarrow x^2 + (y+3)^2 = (x+2)^2$$

$$\Rightarrow x^2 + y^2 + 9 + 6y = x^2 + 4 + 4x$$

$$\Rightarrow$$
 $x^2 + (y + 3)^2 = (x + 2)^2$

$$\Rightarrow$$
 $x^2 + y^2 + 9 + 6y = x^2 + 4 + 4x$

$$\Rightarrow$$
 $y^2 - 4x + 6y + 9 - 4 = 0$

$$\Rightarrow y^2 - 4x + 6y + 5 = 0$$

Millions are edulaciice Alilions are edulaciice Alilions are edulaciice Alilions are edulaciice are edulaciice



Q3(iv)

In a parabola, vertex is the mid-point of the focus and the point of intersection of the axis and directrix. so, let (x_1, y_1) be the coordinates of the point of intersection of the axis and directrix. Then (a', 0) is the mid-point of the line segment joining (a, 0) and (x_1, y_1) .

$$\therefore \frac{x_1 + a}{2} = a' \quad \text{and} \quad \frac{y_1 + 0}{2} = 0$$

$$\Rightarrow \quad x_1 = 2a' - a \quad \text{and} \quad y_1 = 0$$

Thus, the directrix meets the axis at (2a'-a,0).

So the equation of directrix is x = 2a' - a

Let P(x, y) be any point on the parabola. Then

$$SP = PM$$

$$\Rightarrow$$
 $SP^2 = PM^2$

$$\Rightarrow (x-a)^2 + (y-0)^2 = \left[\frac{x-2a'+a}{\sqrt{12}}\right]^2$$

$$\Rightarrow$$
 $x^2 + a^2 - 2ax + y^2 = (x - 2a' + a)^2$

$$\Rightarrow \qquad x^2 + a^2 - 2ax + y^2 = x^2 + \left(-2a'\right)^2 + a^2 + 2x \times x \cdot \left(-2a'\right) + 2x \cdot \left(-2a'\right) \times a + 2x \cdot \left(a\right) \times \left(x\right)$$

$$\Rightarrow x^2 + a^2 - 2ax + y^2 = x^2 + 4(a')^2 + a^2 - 4xa' - 4a'a + 2ax$$

$$\Rightarrow y^2 = x^2 - x^2 + a^2 - a^2 + 2ax + 4(a')^2 - 4xa' - 4a'a + 2ax$$

$$\Rightarrow$$
 $y^2 = 4ax - 4xa' + 4(a')^2 - 4a'a$

$$y^{2} = 4ax - 4a'a - 4xa' + 4(a')^{2}$$

$$= 4a(x - a') - 4a'(x - a')$$

$$= (4a - 4a')(x - a')$$

$$= 4(a - a')(x - a')$$

$$\therefore y^{2} = 4(a - a')(x - a')$$

$$y^{2} = 4(a-a)(x-a)$$

$$\Rightarrow y^{2} = -4(a'-a)(x-a')$$

Hence, required equation of parabola is
$$y^2 = -4(a'-a)(x-a')$$



Q3(v)

$$x + y = 1$$
 and $x - y = 3$

Intersecting point of above lines is

Focus (0,0)

Vertex is the midpoint of focus and point on directrix which passes through

$$2=\frac{0+x}{2}$$
; $-1=\frac{0+y}{2}$

$$(x,y) = (4,-2)$$

Slope of line passing through focus and vertex is $\frac{-1}{2}$

Slope of directrix is 2, as both are perpendicular lines

$$y+2=2(x-4)$$

$$SP^2 = PM^2$$

$$5(x^2+y^2)=(2x-y-10)^2$$

$$x^2 + 4y^2 - 100 + 4xy - 20y + 40x = 0$$

$$(x+2y)^2 + 20(2x-y-5) = 0$$

Q4(i)

The given parabola $y^2 = 8x$ is of the form $y^2 = 4ax$, where 4a = 8

$$\Rightarrow \qquad a = \frac{8}{4} = 2.$$

Vertex: The coordinates of the vertex are (0,0).

Focus: The coordinates of the focus are (2,0).

Axes: The equation of the axis is y = 0.

Directrix: The equation of the directrix is x = -2

Millions and Stars Practice
Animal Control of the Children of Latus-rectum: The length of the latus-rectum = $4a = 4 \times 2 = 8$.

Q4(ii)

In the given parabola, $a = \frac{1}{16}$

$$Focus(0, -\frac{1}{16})$$

vertex(0,0)

Directrix,
$$y = \frac{1}{16}$$

$$aixs, x = 0$$

$$LR = \frac{1}{4}$$

Q4(iii)

Axis: Equation of the axis of the parabola w.r.t new axes is Y = 0

$$y = 0 + 2$$

$$\Rightarrow$$
 $y=2$

a equation of axis w.r.t old axes is y = 2

Directrix: Equation of the directrix of the parabola w.r.t new axes is $X = \frac{-3}{4}$

$$\therefore \qquad x = \frac{-3}{4} - 1$$

$$\Rightarrow x = \frac{-7}{4}$$

.. Equation of the directrix of the parabola w.r.t old axes is $x = \frac{-7}{4}$

Latus-rectum: The length of the latus-rectum = 4a

$$=4\times\frac{3}{4}$$

Q4(iv)

The given equation is

$$y^2 - 4y + 4x = 0$$

$$\Rightarrow$$
 $y^2 - 4y = -4x$

$$\Rightarrow$$
 $y^2 - 2 \times y \times 2 + (2)^2 = -4x + (2)^2$

$$\Rightarrow (y-2)^2 = -4x + 4$$

$$\Rightarrow (y-2)^2 = -4(x-1)$$

... (i)

Shifting the origin to the point (1,2) without rotating the axes and denoting the new coordinates with respect to these axes by X and Y, we have

$$x = X + 1, \quad y = Y + 2$$
 ... (ii)

Using these relations equation (i), reduces to

$$Y^2 = -4X$$
 ... (iii)

This is of the form $Y^2 = -4aX$.

on comparing, we get, a = 1

Now,

Vertex: The coordinates of the vertex w.r.t to new axes are (X = 0, y = 0).

$$x = 0 + 1, y = 0 + 2$$

[Using equation ii]

$$\Rightarrow$$
 $x = 1$, $y = 2$

... Coordinates of the vertex w.r.t old axes are, (1,2)

Focus: The coordinates of the focus with respect to new axes are $\{X = 1, Y = 0\}$.

Putting X = -1 and Y = 0 in equation (ii), we get

$$x = -1 + 1$$
, $y = 0 + 2$

$$\Rightarrow x = 0$$
.

$$V = 2$$

... Coordinates of the focus w.r.t old axes are (0,2).

Axis: Equation of the axis of the parabola w.r.t new axes is Y = 0

$$y = 0 + 2$$

[Using equation ii]

$$\Rightarrow$$
 $y=2$

: equation of axis w.r.t old axes is y = 2

Directrix: Equation of the directrix of the parabola w.r.t new axes is X = 1

Millions are edulaciice Chink, earn



Q4(v)

The given equation is

$$y^2 + 4x + 4y - 3 = 0$$
.
 $\Rightarrow y^2 + 4y = -4x + 3$

$$\Rightarrow y^2 + 2 \times y \times 2 + 2^2 = -4x + 3 + 2^2$$

$$\Rightarrow (y+2)^2 = -4x + 3 + 4$$

$$\Rightarrow (y+2)^2 = -4x + 7$$

$$\Rightarrow (y+2)^2 = -4\left(x-\frac{7}{4}\right)$$

... (ii)

Shifting the origin to the point $\left(\frac{7}{4}, -2\right)$ without rotating the axes and denoting the new coordinates

with respect to these axes by X and Y, we have

$$x = X + \frac{7}{4}$$
, $y = Y - 2$

Using these relations equation (i), reduces to $V^2 = -4X$... (iii)

This is of the form $Y^2 = -4aX$ on comparing, we get a = 1

Vertex: The coordinates of the vertex w.r.t new axes are $\{X = 0, Y = 0\}$

$$x = 0 + \frac{7}{4}, y = 0 - 2$$

$$\Rightarrow x = \frac{7}{4}, y = -2$$

... Coordinates of the vertex w.r.t old axes are $\left(\frac{7}{4}, -2\right)$

Focus: The coordinates of the focus w.r.t new axes are X = -1,

$$x = -1 + \frac{7}{4}$$
 and $y = 0 - 2$

$$\Rightarrow x = \frac{3}{4}$$
, and $y = -2$

Coordinates oof the focus w.r.t old axes are $\left(\frac{3}{4}, -2\right)$.

Axis: Equation of the axis of the parabola w.r.t new axes is

$$V = 0$$

equation of the w.r.t old axes is y + 2 = 0.

Millionstans Practice
Chink, earn

Q4(vi)

The given equation is

$$y^2 = 8x + 8y$$

$$\Rightarrow$$
 $y^2 - 8y = 8x$

$$\Rightarrow y^2 - 2 \times 4 \times y + 16 = 8x + 16$$

$$\Rightarrow (y-4)^2 = 8(x+2)$$

... (i)

Shifting the origin to the point (-2, 4) without rotating the axes and denoting the new coordinates w.r.t these axes by X and Y, we have

$$x = X - 2$$
, $y = Y + 4$

... (ii)

Using these relations equation (i), reduces to

$$Y^2 = 8X$$

... (iii)

This is of the form $Y^2 = 4aX$, on comparing, we get

Now,

Vertex: The coordinates of the vertex w.r.t new axes are $\{X = 0, Y = 0\}$

$$x = 0 - 2, y = 0 + 4$$

$$\Rightarrow$$
 $x = -2, y = 4$

.. Coordinates of the vertex w.r.t old axes are (-2, 4)

Focus: The coordinates of the focus w.r.t new axes are (X = 2, Y = 0)

$$x = 2 - 2$$
 and $y = 0 + 4$

[Using equation (ii)]

$$\Rightarrow$$
 $x = 0$, and $y = 4$

.. Coordinates of the focus w.r.t old axes are (0,4).

Axis: Equation of the axis of the parabola w.r.t new axes is Y = 0

[Using equation (ii)]

equation of axis w.r.t old axes is y = 4

Directrix: Equation of the directrix of the parabola w.r.t new axes is

$$X = -2$$

Millions are edulaciice Chink, earn

...()

Q4(vii)

The given system of equation is

$$4(y-1)^{2} = -7(x-3)$$

$$(y-1)^{2} = \frac{-7}{4}(x-3)$$

Shifting the origin to the point (3,1) without rotating the axes and denoting the new coordinates w.r.t these axes by X and Y, we have,

$$x = X + 3$$
, $y = Y + 1$... (ii)

Using these relation (i), redus to

$$V^2 = \frac{-7}{4} \times \dots \text{(iii)}$$

This is of the form $Y^2 = -4aX$, on comparing, we get

$$4a = \frac{7}{4}$$

$$\Rightarrow a = \frac{7}{16}$$

Now,

Vertex: The coordinates of the vertex w.r.t new axes are (X = C, Y = 0)

$$x = 0+3$$
, $y = 0+1$ [Using equation (iii)]

$$\Rightarrow$$
 $x = 3, y = 1$

... Coordinates of the vertex w.r.t old axes are (3,1).

Focus: The coordinates of the focus w.r.t rew axes are $\left(x = -\frac{7}{16}, Y = 0\right)$

$$x = \frac{-7}{16} + 3, \quad y = 0 + 1$$

$$\Rightarrow \qquad x = \frac{41}{16}, \ \ y = 1$$

... Coordinates of the focus w.r.t old axes are $\left(\frac{41}{15},1\right)$.

Axis: Equation of the axis of the parabola w.r.t new axes is



Q4(viii)

The given system of equation is

$$y^{2} = 5x - 4y - 9$$

$$\Rightarrow y^{2} + 4y = 5x - 9$$

$$\Rightarrow y^{2} + 4y + 4 = 5x - 9 + 4$$

$$\Rightarrow (y + 2)^{2} = 5x - 5$$

$$\Rightarrow (y + 2)^{2} = 5(x - 1) \qquad \dots (i)$$

Shifting the origin to the point (1,-2) without rotating the axes and denoting the new coordinates w.r.t these axes by X and Y, we have,

$$X = X + 1, \quad y = Y - 2$$
 ... (ii)

using these relations, equation (i) reduces to

This is of the from $Y^2 = 4aX$ on comparing we get

$$\Rightarrow a = \frac{5}{4}$$

Now,

Vertex: The coordinates of the vertex w.r.t new axes are (X = 0, Y = 0)

$$x = 0+1, y = 0-2$$
 [Using equation (ii)]

$$\Rightarrow$$
 $x = 1, y = -2$

 \therefore Coordinates of the vertex w.r.t old axes are (1, -2).

Focus: The coordinates of the focus w.r.t new are $\left(X = \frac{5}{4}, Y = 0\right)$

$$x = \frac{5}{4} + 1, \quad y = 0 - 2$$

$$\Rightarrow \qquad x = \frac{9}{4}, \quad y = -2$$

Millions and Stars Practice
Animal Paring Practice



Q4(ix)

The given of equation is

$$x^2 + y = 6x - 14$$

$$\Rightarrow \qquad x^2 - 6x = -y - 14$$

$$\Rightarrow \qquad x^2 - 2 \times x \times 3 + 9 = -y - 14 + 9$$

$$\Rightarrow (x-3)^2 = -y-5$$

$$\Rightarrow (x-3)^2 = -1(y+5)$$

... (i)

Shifting the origin to the point (3, -5) without rotating the axes and denotinh the new coordinates w.r.t these axes by X and Y, we have,

$$x = X + 3, \quad y = Y - 5$$
 ... (ii)

Using these relations, equation (i) reduces to

$$X^2 = -y \qquad \dots \{iii$$

This is of the form $X^2 = -4aY$, on comparing, we get

$$4a = 1$$

$$\Rightarrow a = \frac{1}{4}$$

Now,

Vertex: The coordinates of the vertex w.r.t new are (X = 0, Y = 0)

$$x = 0 + 3, y = 0 - 5$$

$$\Rightarrow$$
 $x = 3, y = -5$

... Coordinates of the vertex w.r.t old axes are (3, -5).

Focus: The coordinates of the focus w.r.t new axes are $\left(X=0, Y=\frac{-1}{4}\right)$

$$x = 0 + 3, \quad y = \frac{-1}{4} - 5$$

Million Stars Practice
William Stars Practice



Q5

Let PQ be the double ordinate of length 8p of the parabola $y^2 = 4px$. Then, PR = QR = 4p.

let $AR = x_1$. Then, the coordinates of P and Q are $(x_1, 4p)$ and, $(x_1, -4p)$ respectively.

Since P lies on $y^2 = 4px$

$$(4p)^2 = 4px_1$$

$$\Rightarrow$$
 $X_1 = 4p$.

So, coordinates of P and Q are (4p, 4p) and (4p, -4p) respectively.

: The extremities of a double ordinate are (4p, 4p) and (4p, -4p).

Also, the coordinates of the vertex A are (0,0).

$$m_1 = slope of AP$$

$$=\frac{4p-0}{4p-0}$$

and,
$$m_2 = \text{slope of } AQ = \frac{-4p - 0}{4p - 0}$$

Clearly,
$$m_1 m_2 = -1$$
.

Hence, $AP \perp AQ$

.. The lines from the vertex to its extremities are at right angles.

Mondershare

Q6

The given equation of the parabola is

$$x^2 = 12y$$

This is of the form $x^2 = 4ay$, on comparing, we get

$$\Rightarrow a = \frac{12}{4} = 3$$

Coordinates of the focus S is (0,3).

P and Q lies on the parabola.

$$x^2 = 12 \times 3$$

Now, PQ =
$$\sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$-\sqrt{(6+6)^2+(3-3)^2}$$

and,
$$0S = 3$$
.

$$\therefore \text{ Area of DPOQ} = \frac{1}{2} \times PQ \times OS$$

$$-\frac{1}{2} \times 12 \times 3$$

Willion Stars & Practice
Williams Aring Practice



 \Rightarrow

The axis of the parabola is a line 1 to the directrix and passing through focus. The equation of a line 1 to 3x - 4y - 2 = 0 is

$$y = \frac{-4}{3} + \lambda$$

$$\begin{bmatrix} \because m_1 m_2 = -1 \\ \Rightarrow m_2 = \frac{-1}{m_1} \text{ and } y = m_2 x + \lambda \end{bmatrix}$$

Remove Watermark

This will pass through focus (3,3) if,

$$3 \times 3 + 4 \times 3 = 3\lambda$$

 $3y + 4x = 3\lambda$

$$\Rightarrow \lambda = \frac{21}{2} = 7$$

so, the equation of axis is $3y + 4x = 3 \times 7 = 21$

$$\Rightarrow$$
 3y + 4x = 21

And the equation of directrix is

$$3x - 4y = 2$$

Mutiplying equation (i) by 4 and equation (ii) by 3, we get

$$16x + 12y = 84$$

$$9x - 12y = 6$$

No. Fel

Adding equation (iii) and (iv), we get

$$16x + 9x = 84 + 6$$

$$\Rightarrow$$
 25x = 90

$$\Rightarrow \qquad x = \frac{90}{25} = \frac{18}{5}$$

Putting $x = \frac{18}{5}$ in equation (i), we get

Million Stars Practice
William Stars Practice

Million Stars & Practice
Williams Anna China Chi

Q8

Let the ordinates of the required point is y.

- : abscissa = 3y
- .. The coordinates of the points are (3y,y).

These points lies on the parabola $x^2 = 9y$.

$$(3y)^2 = 9y$$

$$\Rightarrow$$
 $9y^2 = 9y$

$$\Rightarrow 9y^2 - 9y = 0$$

$$\Rightarrow$$
 9y (y - 1) = 0

$$\Rightarrow$$
 $y-1=0$

$$[y \neq 0]$$

Hence, the required point is (3,1).

Q9

Let the equation of parabola be

$$y^2 = 4ax$$

...(i) [... axis along x-axis]

If passes through (2,3).

$$\therefore (3)^2 = 4 \times a \times 2$$

$$\Rightarrow a = \frac{9}{6}$$

Putting the value of a in equation (i), we get

$$y^2 = 4 \times \frac{9}{8} \times x$$

$$\Rightarrow y^2 = \frac{9}{2} \times x$$

$$\Rightarrow$$
 $2y^2 = 9x$

Hence, the required equation of parabola is $2y^2 = 9x$.



Let (x_1, y_1) be the coordinates of the point intersection of the axis and the directrix.

$$(x_1, y_1) = (0, 2)$$
 $[\because y = 2]$

we know that, the vertex is the mid-point of the line segment joining (0,2) and focus (x_2,y_2)

$$\frac{x_2+0}{2}=0 \quad \text{and} \quad \frac{y_2+2}{2}=0$$

[. vertex at the origin]

Remove Watermark

$$x_2 = 0$$
, and $y_2 = -2$

The coordinates of focus is (0, -2).

By the definition of parabola

$$PS = PM$$

$$\Rightarrow PS^2 = PM^2$$

$$\Rightarrow$$
 $(x-0)^2 + (y+2)^2 = \left[\frac{y-2}{\sqrt{1}}\right]^2$

$$\Rightarrow$$
 $x^2 + y^2 + 4 + 4y = (y - 2)^2$

$$\Rightarrow$$
 $x^2 + y^2 + 4 + 4y = y^2 + 4 - 4y$

$$\Rightarrow$$
 $x^2 = -4y - 4y$

$$\Rightarrow$$
 $x^2 = -8y$

Hence, The required equation of parabola is $x^2 = -8y$.

Million Stars Practice
William Stars Practice

In a parabola, vertex is the mid point of the focus and the point of intersection of the axis and directrix. So let (x,y) be the coordinates of the point of intersection of the axis and directrix.

Then (3,2) is the mid point of the line segment joining (5,2) and (x_i,y_i)

$$\frac{x_1+5}{2} = 3$$
 and $\frac{y_1+2}{2} = 2$
 $x_1+5=6$ and $y_1+2=4$
 $x_1=1$ and $y_2=2$

The directrix meets the axis at (1,2)

Let A be the vertex and S be the focus of the required parabola Then

$$m = \text{slope of } AS = \frac{2-2}{5-3}$$

= (

Let m_2 be the slope of the directrix

Then

Thus the directrix passes through (1,2) and the slope ∞ , so its equation is

$$y-2 = \infty(x-1)$$

$$\frac{y-2}{\infty} = x-1$$

$$x-1 = 0$$

Let P(x,y) be a point on the parabola

Then PS=distance of P from the directrix

$$\sqrt{(x-5)^2 + (y-2)^2} = \left| \frac{x-1}{\sqrt{1^2}} \right|$$

$$(x-5)^2 + (y-2)^2 = (x-1)^2$$

$$x^2 + 25 - 10x + y^2 + 4 - 4y = x^2 + 1 - 2x$$

$$y^2 - 4y - 8x + 28 = 0$$

Hence the required equation of the parabola is $y^2 - 4y - 8x + 28 = 0$

Q12

Let CAB be the bridge and LOX be the road way. Let A be the centre of the bridge, we find that the coordinates of A are (0,6).

Clearly, the bridge is in the shope of a parabola having its vertex at A (0,6). Let its equation be $x^2 = 4a(y - 6)$...(i)

It posses through B(50,30). Therefore, $(50)^2 = 4a(30-6)$

$$\Rightarrow \frac{2500}{4 \times 24} = a$$

$$\Rightarrow a = \frac{625}{24}$$

Putting the value of a in (i), we get

$$x^2 = 4 \times \frac{625}{24} (y - 6)$$

$$\Rightarrow x^2 = \frac{625}{6} (y - 6)$$
 ... (ii)

Let l metres be the length of the vertical supporting cable 18 metres from the centre. Then, P(18, l) lies on (ii). Therefore

$$(18)^2 = \frac{625}{6}(7-6)$$

$$\Rightarrow 324 \times 6 = 625 (l - 6)$$

Millions are edulaciice with a practice with a practice of the practice of the

When x=24, then $y=\pm 12$

So two points are A(24, 12) and B(24, -12)

Equation of lines joining vertex and A is

$$y=\frac{1}{2}x$$

Equation of lines joining vertex and B is

$$y = -\frac{1}{2}x$$

Q14

In given parabola

a=2

Given focal distance=a+x=4, so x=2

So points are (2, 4) and (2, -4)

Q15

$$y = x \tan \theta$$

$$y^2 = 4ax$$

Intersection point of both the curves are $(\frac{4a}{\tan^2\theta}, \frac{4a}{\tan\theta})$

So Distance from origin to the above point is

$$\sqrt{\left(\frac{4a}{\tan^2\theta}\right)^2 + \left(\frac{4a}{\tan\theta}\right)^2} = \frac{4a}{\tan^2\theta}\sqrt{1 + \tan^2\theta} = 4a\cot\theta\csc\theta$$

The vertex and focus of the parabola are A(0, 4) and F(0,2) respectively.

$$AF = 2$$

As point A and F lie on y-axis, so y-axis is the axis of the parabola.

If the diretrix meets the axis of parabola at point Z, then AZ = AF = 2.

$$\therefore$$
 OZ = OF + FA + AZ = 2 + 2 + 2 = 6

So equation of diretrix is y = 6

Let P(x, y) be any point in the plane of focus and diretrix, and MP be the perpendicular distance from P to the diretrix, then P lies on parabola iff FP = MP

$$\Leftrightarrow \sqrt{(x-0)^2 + (y-2)^2} = \frac{|y-6|}{1}$$

$$\Leftrightarrow$$
 $\times^2 + (y-2)^2 = (y-6)^2$

$$\Leftrightarrow$$
 $x^2 + y^2 - 4y + 4 = y^2 - 12y + 36$

$$\Leftrightarrow$$
 $x^2 + 8y = 32$

 $x^2 + 8y = 32$ is the required equation of the parabola.

Q17

The line y = mx + 1 is tangent to the parabola $y^2 = 4x$.

$$\therefore (mx+1)^2 = 4x$$

$$m^2x^2 + 2mx + 1 = 4x$$

$$m^2x^2 + (2m - 4)x + 1 = 0$$

Millionstans Practice
Chink, earn As we know tangent touches the parabola, so the roots of the above quadratic will be equal.

$$\Rightarrow$$
 D = b^2 - $4ac$ = 0

$$\Rightarrow (2m-4)^2-4(m^2)(1)=0$$

$$\Rightarrow 4m^2 + 16 - 16m - 4m^2 = 0$$

$$\Rightarrow$$
 m = 1