

Isocyanate

01. Toluene 2,4 diisocyanate [TDI] 2%	
02. Hexamethylene diisocyanate [HDI] 0.1%	
03. Isophorone diamine 0.1%	
04. Isophorone diisocyanate 1%	
05. 4,4-diaminodiphenylmethane [MDA] 0.5%	
06. Diphenylmethane diisocyanate [MDI] 0.5%	
07. Polymeric diphenylmethane diisocyanate 2%	

Leg ulcer, wound care, ostomy

01. Imidazolidinyl urea 2%	
02. Diazolidinyl urea 2%	
03. Propylene glycol 5%	
04. Sorbitan sesquioleate 20%	
05. 4 tert butylphenolformaldehyde resin 1%	
06. Cocamide DEA 0.5%	
07. Polysorbate 80 5%	
08. Iodopropynyl butyl carbamate 0.2%	
09. Benzyl salicylate 1%	
10. Pramoxine hydrochloride 2%	
11. Chlorhexidine diacetate 0.5%	
12. Chlorhexidine digluconate 0.5%	
13. Lidocaine 15%	
14. Benzocaine 5%	
15. Chlorocresol 1%	
16. Triethanolamine 2%	
17. chloroxylenol 1%	
18. DMDM hydantoin	
19. Sodium metabisulfite 1%	
20. Amerchol 50%	
21. Decyl glucoside 5%	
22. Polyethylene glycol 100%	
23. Panthenol 5%	
24. Tocopheryl acetate 10%	
25. Sodium benzoate 5%	
26. Benzoic acid 5%	
27. Hydroxy propyl methacrylate 2%	
28. Ecyanoacrylate 10%	
29. Hhydroxy ethyl methacrylate	
30. Bacitracin 20%	
31. Fusidic acid 2%	
32. Wood tar mix 12%	
33. Hydrocortisone 17 butyrate 1% alc	
34. Hydrocortisone 21 acetate1%	
35. Betamethasone 17 valerate 1%	
36. Clobetasol 17 propionate 1%	
37. Methyl prednisolone aceponate 1%	
38. Triamcinalone acetoneide 1%	
39. Betamethasone 17,21 dipropionate 1.0%	

Medications, topical

01. Benzoyl peroxide 1%	
02. Bacitracin 5%	
03. Fusidic acid 2%	
04. Gentamicin sulfate 20%	
05. Miconazole 1%	
06. Clioquinol 5%	
07. Ketoprofen 1%	
08. Ibuprofen 5%	
09. Etofenomate 2%	

Oil and cooling fluid

01. Abietic acid 10%	
02. Benzotriazole 1%	
03. Cocamide DEA 0.5%	
04. Dichlorophene 1%	
05. 7 ethylbicyclooxazolidine 1%	
06. Bioban CS 1135 1%	
07. 2n Octyl isothiazolinone 0.1%	
08. Bioban P1487	
09. Benzisothiazolinone 0.1%	
10. Hexahydro 1,3,5 tris(2 OH ethyl)triazine 1%	
11. Tris (hydroxymethyl)nitromethane 1%	
12. Thimerosal 0.1%	
13. Chloracetamide 0.02%	
14. Chlorocresol 1%	
15. Propylene glycol 5%	
16. Chlorocetamide 0.2%	
17. Phenoxyethanol 1%	
18. Triethanolamine 2%	
19. Chloroxlenol 1%	
20. Triclosan 2%	
21. Amerchol 50%	
22. Iodopropynyl butyl carbamate 0.2%	
23. Methyldibromogutaronitrile 0.5%	
24. Triclocarban 1%	
25. Monoethanolamine 2%	
26. 2(2aminoethoxy) ethanol 1%	

Nail cosmetics

01. 2-hydroxypropyl methacrylate 2%	
02. Ethyl cyanoacrylate 10%	
03. 2 hydroxyethyl methacrylate	
04. Toluenesulfonamide formaldehyde resin10%	
05. Butyl acrylate 0.1%	
06. Ethyl acrylate 0.1%	
07. Ethyl methacrylate 2%	
08. 2 ethyl hexyl acrylate 0.1%	
09. Isobornyl acrylate 0.1%	
10. Benzoyl peroxide 1%	
11. Triethylene glycol dimethacrylate 2%	
12. Ethylene glycol dimethacrylate 2%	
13. Hydroquinone 1%	
14. Tetrahydrofurfuryl methacrylate 2%	
15. Urethane dimethacrylate 2%	
16. BHT 2%	
17. Tocopherol acetate 10%	
18. Dibutyl phthalate 5%	
19. 2 tert butyl methoxyphenol (BHA) 2%	
20. Isopropyl alcohol 100%	

Nursing / medical

01. Chlorhexidine diacetate	
02. Chlorhexidine digluconate	
03. Glutaral 0.2%	
04. Lidocaine 15%	
05. Benzocaine 5%	
06. Imidazolidinyl urea 2%	
07. Diazolidinyl urea 2%	
08. Propylene glycol 5%	
09. Bronopol 0.5%	
10. Sorbitan monooleate 5%	
11. Benzyl alcohol 10%	
12. Cocamide DEA 0.5%	
13. Phenoxyethanol 1%	
14. Sorbitan sesquioleate 20%	
15. Isopropyl myristate 10%	
16. Triethanolamine 2.5%	
17. Chloroxylenol 1%	
18. Triclosan 2%	
19. DMDM hydantoin 2%	
20. Amerchol L 101 50%	
21. Iodopropynyl butyl carbamate 0.2%	
22. Decyl glucoside 5%	
23. 1,3 Diphenylguanidine 1%	

Orthopaedic implant

01. Manganese chloride 2%	
02. Titanium oxalate hydrate 5%	
03. Molybdenum 5%	
04. Iron chloride 2%	
05. Tungsten 5%	
06. Aluminium chloride hexahydrate 2%	
07. Tantalum 1%	
08. Titanium dioxide 10%	
09. Vanadium 5%	
10. Niobium (V) chloride 0.2%	
11. n,n dimethyl-4-toluidine 5%	
12. Titanium 10%	
13. 2-hydroxyethylmethacrylate 2%	
14. Hydroquinone 1%	
15. Methylmethacrylate 2%	
16. Benzoyl peroxide 1%	
17. Gentamicin sulphate 20%	