



# Soils Map













State: **South Dakota**  
 County: **Codington**  
 Location: **10-116N-52W**  
 Township: **Sheridan**  
 Acres: **159.26**  
 Date: **3/10/2023**

Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2023 [www.AgriDataInc.com](http://www.AgriDataInc.com)



Soils data provided by USDA and NRCS.

Area Symbol: SD029, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Productivity Index	*n NCCPI Soybeans	
Z160A	Moritz, occasionally flooded-Lamoure, frequently flooded, complex, 0 to 2 percent slopes	72.37	45.4%		Ils	65	57	
Z167A	Renwash loam, 0 to 2 percent slopes, rarely flooded	29.18	18.3%		IIIs	47	21	
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	11.78	7.4%		IIIs	54	32	
Z162A	La Prairie loam, coteau, 0 to 2 percent slopes, occasionally flooded	11.10	7.0%		Is	93	69	
Z142C	Barnes-Buse-Svea loams, 2 to 9 percent slopes	10.90	6.8%		IIle	64	64	
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	8.65	5.4%		Ile	86	68	
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	5.60	3.5%		VIle	41	49	
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	3.39	2.1%		IVs	34	28	
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	3.38	2.1%		Vw	23	9	
Z177	Udorthents, coteau (gravel pits)	2.91	1.8%		VIIIs	2	3	
<b>Weighted Average</b>						<b>2.61</b>	<b>60.4</b>	<b>*n 47.6</b>

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.