Mattress and bases

Folding bed base
Portable folding bed base for your extra bed need











Technical Specifications				
Freezer Capacity	60 L			
Dimensions (WxDxH)	482x505x570 mm			
Power consumption	0,23 (Kwh /24 H)			
Voltage	220-240/50 (V/hz)			
Refrigeran	R600a			
Net Weight	22kg			
Feature	Compressor			
Operating Range	+2 - +8			









Technical Specifications				
Freezer Capacity	60 L			
Dimensions (WxDxH)	482x505x570 mm			
Power consumption	1,10 (Kwh /24 H)			
Voltage	220-240/50 -60(V/hz)			
Refrigeran	NH3			
Net Weight	17 kg			
Feature	ABSORBE			
Operating Range	+4 - +8			

kmb60std minibar



- 3-6 digit locking and opening with customer code
- Possibility of opening with 6 digit master code
- When the battery runs out emergency opening part or possibility of opening with mechanic with pass switch by intervention from outside
- Possibility of seeing battery level on the digital screen.
- If entered incorrect 4 times consecutively, the safe will be blocked for 15 minutes.
- Thanks to servo motor lower-batter consumption
- Operates with four 1,5 alkaline batteries
- Using with fee case by magnetic swicth
- Possibility of montage from inside box
- Hidden hinge system
- Nickel plating bolt system
- With credit card opening and closing feature.

Technical Specifications

Model	Feature	External Dimensions	İnternal Dimen- sions	Weight
SA1219	Digital Electronic	225x360x250	192x356x195	10 kg
SA1220-L15	Digital Electronic	225x360x250	192x356x190	10 kg
SA1220-L15	Digital Electronic	225x400x430	192x396x375	14 kg

hotel room

equipment

Technical Specifications

Model	Feature	External Dimensions	İnternat Di- mensions	Weight
SA1109	Swicthed	180x290x220	147x286x165	7 kg
SA1114	Swicthed	225x300x250	192x356x195	10 kg
SA1119-L15	Swicthed	225x400x430	192x396x375	14 kg





hotel room hair dryers

Technical Specifications						
Model Power Voltage Flittent Frekans					Speed Selector	
Cool-001	1000 Walt	220-240 V	3,7 Amp	50/60 Hz	90 °C	One

4,5 Amp

50/60 Hz

90°C

Two

220-240 V

Wall-mounted fixing part, flexible spiral cable, safety switch.

		Technical	Specification	IS		
Model	Power	Voltage	Current	Frekans	Blowing Temperature	Speed Selector
Cool-003	1200 Walt	220-240 V	4,5 Amp	50/60 Hz	110 °C	Two







Technical Specifications						
Model	Power	Voltage	Current	Frekans	Blowing Temperature	Speed Selector
KFM-010	1200 Walt	220-110 V	3,7 Amp	50/60 Hz	110 °C	Two

Kleo Hair dryer with shaving socket

Cool-002

1200 Walt

1200 Watt two-stage heat settings - led warning lights Alert system working-On/off button on the main unit- in case of over-heating automatic shut down 220voltage - 110 voltage Shaving & Energy Socket – Water Protection Case




hair dryers























wood luggage rack

- It is produced from exotic solid wood.
- Any alternative colors are walnut,oak and mahoganu.
- It is linked with inseparably seat belt.(changable belt color)
- You can save space witheasy foldable and portable feature.
- It prevents from wall scratches thanks to curved backrest.
- Elegant design with filled materials.
- Optional selection: assisted back

Technical Specifications						
Model	Height	Width	Depth			
VLZ-A01	52 cm	52 cm	45 cm			
VLZ-A02	64 cm	52 cm	45 cm			

metal luggage rack

- · chrome plating on the metal surface,
- 2 years manufacturer warranty,
- resistant seat belt connection,
- chrome polishing.
- Optional selection: assisted back



	12.7 VOC. 17
Technical	Specifications

Model	Height	Width	Depth
VLZ-M01	52 cm	64 cm	43 cm
VLZ-M02	64 cm	52 cm	45 cm



VLZ-P01





Stainless Steel luggage racks

- 304 quality stainless steel
- 2 years manufacturer warranty
- resistant seat belt connection.
- Optional selection: assisted back



It is resistant and sturdy machine with 15 liter large dust bag capacity. Not only It optimizes its intelligent design air current mode but also it decreases energy loss .As a result It has perfect emission with sound of operating in the background







VP300 eco is a well built, thoroughly reliable unit that can be relied upon to do the job day in and day out. It is ideal for cleaning offices, hotel rooms, retail outlets, and similar light to medium duty applications







	Technical Specifications					
Model	Net We- ight	Sound Pressure Level	Suction power and of tube	Dust bag capa- city	Motor power	Dimensions
GD930	7,5 kg	42/47 DB(A) BS5415	235 W	15 L	800 W	45x39x33
VP300	5,2 kg	50 DB(A) BS5415	200 W	10 L	900 W	39,5x34x39





Vestel hts Air Conditioner Serials

- Vestel HTS 9000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS 12000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS 18000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS 24000 BTU A+Energy Class Split Air Conditioner

Energy Class (cooling): A Energy Class, Refrigerant: R410A Green Gas, Quite Operation: Yes

-15 ° C with heating

lyonizer

GOLDEN TECH Quiet Operation

Vestel HTS Inverter Air conditioner Serials

- Vestel HTS Inverter 9000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS Inverter 12000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS Inverter 18000 BTU A+Energy Class Split Air Conditioner
- Vestel HTS Inverter 24000 BTU A+Energy Class Split Air Conditioner

Energy Class(cooling): %10 of up more efficient than A Energy Class, Refrigerant:R410A Green Gas,DC Inverter Technology:Yes, heating in -15 °C:Yes, cooling in+54 °C:Yes,Follow me buton: Yes, Ionizer:Yes

Working to protect the compressor

Activated carbon filter

Removable washable pre-filter

Quiet Operation





22" (56 screen) Slim Case LED TV FULL HD

- 1920*1080 Resolution
- Super Dinamic Contrast
- Slim Case
- HDMI*1- SCART- VGA-DVI-AV-AUX-RF
- Both being Television Screen and Computer Screen feature
- Digital Tuner DVB-T/C/S2



32"(82 Screen) Slim Case LED TV

- HD Ready
- 1366768 Resolution
- Super Dynamic Contrast
- Slim Box
- HDMI*1- SCART- VGA-DVI-AV-AUX-RF
- TV and computer monitor speciality
- Digital Tuner DVB-T/C/S2



All elektronic products in stand by use enery By renewable teknology there are new genetic Vestel tv's in stand by mod instead of 3 walt it uses less than 1 walt.



By HDMI sockets ,the other products with HDMI sockets you can easly connect your TV's You can easly transfer High resolution your digital data from multiply devices to your TV'S with high speed



By Vestel patented display improvement technology "pixellence" displays will be more real and clear.



in Vestel TV'S existed internal HD digital satalite reciever speciality, The Satalite like a wire without extra device HD quality you can comfortly watching achieves



32"(82 Ekran) SMART LED TV 40"(102 Ekran) SMART LED TV 50"(127 Ekran) SMART LED TV



- İnternal HD Statellite Receiver
- DLNA Compatibility
- Smart Remote
- Social TV (Twitter, Facebook)
- LIG TV, DIGIPLAY, YOUTUBE
- SMART CENTER smart screen technology.

- FULL HD 1920*1080 Resolution
- Ultra Dynamic Contrast
- HDMI*1- SCART- VGA-DVI-AV-AUX-RF
- TV and computer monitor speciality
- 2*USB Video, Audio, Picture
- Digital Tuner DVB-T/C/S2
- Thernet (LAN)
- Wifi compatibility



All elektronic products in stand by use enery By renewable teknology there are new genetic Vestel tv's in stand by mod instead of 3 watt it uses less than 1 watt.



By HDMI sockets ,the other products with HDMI sockets you can easly connect your TV's You can easly transfer High resolution your digital data from multiply devices to your TV'S with high speed



By Vestel patented display improvement technology "pixellence" displays will be more real and clear.



In Vestel TV'S existed internal HD digital satalite reciever speciality, The Satalite like a wire without extra device HD quality you can comfortly watching achieves



Hotel textiles









Black Out Curtain
Roller Blind
Net Curtain
Folding curtain
Curtain blinds
Fund Curtain
Jalousie curtain
Vertical Curtain
Rope Curtain

GNTRADE

Hotel textiles



Linen-pique-mattress protector



Bathrope



Original designs Chrome plating over bell metal surface



Soap dish

toothbrush holder

Toilet roll holder (stainless steel cover)

Toilet roll holder (without cover)













Toilet roll holder (waiting mode)





Long towel ring (50cm)

Robe hook

Double robe hook













Oval soap dish holder

Paper towel ring

Paper towel ring (with cover)

Toilet brush (glass)









SNITRADE



Wood tray set

Tray preporties:

Made of beech tree's wood with vertical merging system. In light and dark colors there is dark polymare based and covering system. is applicared with one lazer and curved (easy to cleaning). United system with traceless plastic legs.



Kettle preporties:

Pressless stanless steal with 1.2 capacity. 1800 Walt(220-240 Volt/50-60HZ) Otomatik chrome cap. Italian Otter brand. Wirless system and usable for hotel. Stanless steal straight inside cap Blue LED shows light. 360 degree turnable bottom. Watreless working preventer system and steam controling. Safety handle system.

Arbitrary special logo and print application.



Tray proporties:

3-13mm thikness made from plexsi materials with wanted dimensions and design production. increasable sections pieces and movement sections.

Arbitrary special logo and print application.



LANDE CO.



GIGASET DA310



GIGASET DA210 Proporties:

GİGASET DA210

- Available for all central devices
- Calling memory with one key
- 10 pieces calling records,
- 3 melodies and sound volume, silent mod and silent LED.
- Pause button and DTMF adjustable flaş time.
- Extendible to 3 meter wire+2 meter
- · Assembly ability to wall proporty.

Weighbridge

Technical Specifications

Model	Width	Height	Depth	Capacity
KBT 010S	8,5 cm	42,5 cm	28,5 cm	150 kg
KBT 020L	7,8 cm	35,5 cm	35,5 cm	130 kg

Table and wall-mounted wired phones

KAREL TM-115 Proporties

- Available for all cantral devices
- Flash and recalling mode
- Setable 3 tones electronic bell,
- Busy bell warning light.



KAREL TM-115



KAREL TM-900

KAREL TM-900 Proporties:

- Recalling button
- Taransfering button
- 3 levels bell sound.
- 2 level handset -headset sound.
- Silent proporty



Brass suitcase transport carriage General proporties:

- Brass construction
- surface covered with carpet
- 2 wheels with brake and 2 wheels without brake.
- · Anti shock protector rabber.
- 1 piece openable cap.
- Usable for assembly to wall

Brass suitcase transport carriage General proporties:

- Brass construction
- surface covered with carpet
- 2 wheels with brake and 2 wheels without brake.
- · Anti shock protector rabber.



Resturant service carrage General proporties:

- Surface covered with carpet with back
- rabber wheels



Resturant service carrage General proporties:

- H.D.F shelfs
- Chrom shelf frames

Resturant service carrage General proporties:

- Wood construction
- 1 shelf with sliding ability



Floor cleaning carrage

- M.D.F and painted steal construction
- FLEX board bags
- Dimensions:

(L-H-W)1450× 490 × 1300 mm

Floor cleaning carrage

- FLEX board bags
- Dimensions:

(L-H-W)1450× 490 × 1300 mm





39"(100 SCREEN)SLIM BOX LED

- FULL HD
- 1920*1080 pixels
- Süper dynamic contrast
- Slim box
- HDMIX2-SCARTVGA-DVI-AV-AUX-RF
- TV and computer monitor speciality
- USB video ,audio,Picture
- Digital tuner DVB-T/C/S2



42"(106 SCREEN)SLİM BOX LED

- FULL HD
- 1920*1080 resolution
- Süper dynamic contrast
- Slim box
- HDMIX2-SCARTVGA-DVI-AV-AUX-RF
- TV and computer monitor speciality
- USB video ,audio,Picture
- Digital tuner DVB-T/C/S2



All elektronic products in stand by use enery By renewable teknology thers are new genetic Vestel tv's in stand by mod instead of 3 watt it uses less than 1 watt.



By HDMI sockets ,the other products with HDMI sockets you can easly connect your TV's You can easly transfer High resolution your digital data from multiply devices to your TV'S with high speed



By Vestel patented display improvement technology "pixellence" displays will be more real and clear.



In Vestel TV'S existed internal HD digital satalite reciever speciality, The Satalite like a wire without extra device HD quality you can comfortly watching achieves



Wall plug on table



Furniture handle



Elektronic Safe



Minibar



Wanify mirror and hair dryer



unimpeded bath accesories



Bath setting



Special sink and armature



Shower setting



Floor elevator with control system



Administration soft ware integration



Wall terminal



Dialock elektronic locking system



Minilock locker locking system

LATERADE CO.

Door Accessories

All solutions about the door here include locks, the door handles, fire resistant door hardwares, elektronic locking system.



Hafele brand metarials are used in our products.



Hafele brand metarials are used in our products.



Hafele brand metarials are used in our products.