

The image shows the front of a dark-colored road sweeper vehicle. The windshield is large and reflects the surroundings. On the lower right of the windshield, there is a white logo consisting of a stylized 'C' with a circular arrow inside, and the word 'CONVOCUS' in bold, white, sans-serif capital letters below it. The vehicle has a large side mirror on the left and a smaller one on the right. The overall image has a dark, slightly desaturated tone.

ANTI POLLUTANT ROAD SWEEPER

MODEL NO:CE-E180MD-E

COMFORT AND EASE

Aviation Lights for Restricted Areas

Inbuilt Back Camera for Safety

Adjustable Steering


Wider Windshield for Better View

Comfortable Cabin

4 Side Brush, 1 Central Brush



FEATURES OF MACHINE



FULLY ELECTRICAL

- Driven by 48 V
- Non Maintenance Battery

HOPPER CAPACITY

- 180 Litres
- 200 Litres



ANTI SMOG CANON

- For pollution and dust suppression.
- With Throw upto 5 m

JETTING SYSTEM

- High Pressure jetting pump
- Jetting hose reel and Jetting gun



ADJUSTABLE SWEEPING WIDTH

- From 1700mm to 2200 mm
- As per space availability and requirement

BIGGER WATER TANK

- 100 Litres to 200 Litres
- For fogging, jetting and sprinkling function.



BASIC PARAMETERS



ITEM	UNIT	PARAMETER
SWEEPING WIDTH	MM	1700 (MIN) (WITH TWO BRUSHES) 2000 (MIN) (WITH FOUR BRUSHES)
BATTERY	KWH	48V
CLIMBING	%	25
MAX SPEED	KM/H	10
WATER TANK	LT	200 (MIN)
WASTE BIN/HOPPER CAPACITY	LT	200 (MIN)
FILTER SURFACE	m ²	6*2
TURNING RADIUS	M M	2000 (MAX)
WORKING TIME	H	5 - 7
CLEANING EFFICIENCY	SQM	12000 -14000
SIDE BRUSHES	NO	4
ROLLER/MAIN BRUSH	NO	1
WATER JETTING ARRANGEMENT	1 NOS	JETTING WITH JETTING PUMP, HOSE REEL OF MIN 05 M AND JETTING GUN.
ANIT SMOG CANNON FOR POLLUTION CONTROL	1 NOS	ANIT SMOG CANNON WITH 3 - 5 MT WATER THROW

MACHINE DIFFERENT VIEWS



FRONT VIEW



BACK VIEW



SIDE VIEW



CONVOCUS ENTERPRISES

Registered Office and Works:
C2/20, Rawalpindi Garden,
U.P Border Ghaziabad,
Uttar Pradesh-201006

Contact Details:

9310795704/9911498663
info@convocus.in
sales@convocus.in
www.convocus.in