



Quality Crafted Fiberglass Exterior Doors



Scan for brochure

visit us at www.fortissupply.com





Table of Contents

DOOR FEATURES

Fortis Advantages	4-5
Lite Frame & Glass Obscurity Details	6
Door Unit Configurations	7

DOOR COLLECTIONS

Modern Flushglazed (Blanca Glass)	8
Modern Flushglazed (Clear Glass)	9
Contemporary (Clear Glass)	10
Contemporary (Frosted Glass)	11
Craftsman	12
Shaker	13
Flushglazed	14-15

DECORATIVE SERIES

Edgewood	16-17
Oak Park	18-19
Nouveau	20-21

DESIGNER SERIES

Blanca	22-23
Blanca (Flushglazed)	24

RETRO-FIT PATIO DOORS

Patio Double Doors	25
--------------------	----

STANDARD COLLECTIONS

Shaker Panel & Clear Glass	26-27
Standard Panel & Clear Glass	28-31

MULTI-POINT HARDWARE

Lever Handle Collection	32
Grip Handle Collection	33

COMPONENTS & CHARTS

Door Components	34
Door Size & Handing Charts	35

Fortis Advantages

CHOICES

From modern to traditional & shaker to chic, Fortis offers the perfect door style to fit your home.

MODERN

Stylish & Contemporary




CRAFTSMAN & SHAKER

Simple & Charming



TRADITIONAL

Warm & Inviting



Continue exploring to see our entire selection of styles and designs

ENERGY SAVINGS

Fortis doors meet and exceed most regional energy code requirements and our Hi-Density Foam Core, Low-E Glass*, and Hi-Performance weatherstripping improve energy efficiency and increase cost savings.

*Low-E Glass is optional

ENERGY PERFORMANCE RATINGS

ENERGY PERFORMANCE RATINGS								
								
PRODUCT	1/4 Lite		1/2 Lite		3/4 Lite		Full Lite	
	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC
Decorative Glass	0.18	0.09	0.22	0.016	0.25	0.021	0.30	0.28
Privacy/Textured Glass	0.20	0.10	0.25	0.19	0.29	0.25	0.33	0.33
Clear Glass (1" LowE)	0.18	0.04	0.21	0.07	0.23	0.09	0.26	0.12
Flush-Glazed Clear Glass (1" LowE)	0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12
Flush or Paneled Door (OPAQUE/NO GLASS)	0.21 (U-Factor) / 0.01 (SHGC)							
GLAZING LEVEL	U-Factor	SHGC	All values are in a Standard Build Door and assume a standard frame unless otherwise noted. Thermal performance values are calculated in accordance to NFRC 100 & 200. This information is for reference only. Please reference NFRC Certified Product Directory for latest information.					
Opaque	< or = 0.17	No Criteria						
< or = 1/2 Doorlite	< or = 0.23	< or = 0.23						
> or = 1/2 Doorlite	< or = 0.26	< or = 0.40						
U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)								



Low-E Glass


(Low-Emissivity Glass)

Is clear glass with a lite transparent metallic coating that reflects UV rays and heat back outside during hot seasons, and helps keep heat inside during cold weather, improving energy cost savings year round.



QUALITY DESIGN

Fortis doors are built with the industry's most innovative design features for long-lasting performance and durability.



DOOR FEATURES:

- 1. Fiberglass Skin**
(Durable and resilient skin that won't dent or rot)
- 2. Foam Core**
(Hi-Density polyurethane foam core improves insulation value to save energy costs and reduces sound transmission)
- 3. Solid LVL Stiles w/Composite Edge**
(Provides solid internal structure to prevent warp and thermal bow, and composite edge stops moisture and prevents rot)
- 4. Composite Top Rail**
(Composite doesn't absorb moisture preventing rot and deterioration)
- 5. Composite Bottom Rail**
(Composite doesn't absorb moisture preventing rot and deterioration)

SECURITY FEATURES

Fortis offers a variety of styles and designs of multi-point hardware.

*Multi-Point hardware is optional
(See all options on pages 32-33)

Multi-Point Hardware

Multi-point hardware gives a door additional latch points which increases resistance against break-in force and improves security.
(See options on pages 32-33)

Multi-Point Handlesets

(See more options on pages 32-33)



Monaco Classique
Satin Nickel - US15



Zenia Delta
Matte Black - US1D



CURB APPEAL

From classic to contemporary, Fortis doors offer the features to match the design theme of any home for your desired curb-appeal.



Fiberglass Door Skin

Quality satin smooth fiberglass skin is the ideal door for any style for your home and the fine brushed surface makes for longer lasting paint adhesion.




Standard Raised Panel

Intricate and stylish raised panel design details makes the perfect door for eye-catching curb appeal.



Flat Panel

Distinct, square-edge, flat-panel design offers a realistic shaker look or perfectly complements a chic modern appearance.



Flushglazed

Simple, sleek design offers a well-defined contemporary look and striking impression for any home.

Lite Frame & Glass Obscurity Details

LITE FRAME PROFILES



Classic Scroll Frame

Classic scroll frame design with screw fasteners, provides timeless style and beauty along with tried-and-true performance.

*Available on most Standard Collection doors
(See pages 26-31)



Contemporary Frame

The contemporary frame is screw fastened and has square outside edge and tapered inside edge for a simple yet distinctive contemporary look.

*Available on all Contemporary Collection doors
(See pages 10-11)




Low-Profile Frame

This low-profile frame is snap fastened with no screw plugs for a clean, seamless appearance. It is tapered on both inside and outside edges for a look that complements any modern design theme.

*Available on all Decorative, Craftsman, and Blanca Series doors.


GLASS OBSCURITY DETAILS



Clear Low-E Glass


Available in select door collections.

- Flushglazed pgs 9, 14-15
- Contemporary... pg 10
- Craftsman pg 12
- Standard pgs 26-31



Frosted Glass

Contemporary Collection Only
(See pg 11)



Blanca Glass

Blanca Series Only
(See pgs 8 & 22-23)

OUR COMMITMENT TO OUR CUSTOMERS

As a family owned company, Fortis Supply knows the value of quality products, and professional customer service. With over 100 years of combined experience in the door industry, we understand the needs of our customers and are committed to providing the highest quality door products that offer years of hassle-free performance and satisfaction, along with friendly, respectful customer service. We greatly appreciate your business and look forward to serving your exterior door needs for years to come!


Door Unit Configurations



SINGLE DOOR




SINGLE DOOR W/ (1)
SIDELITE




SINGLE DOOR W/ (2)
SIDELITES




SINGLE DOOR
W/ TRANSOM




SINGLE DOOR W/ (1)
SIDELITE & TRANSOM




SINGLE DOOR W/ (2)
SIDELITES & TRANSOM




DOUBLE DOOR




DOUBLE DOOR W/ (1)
SIDELITE




DOUBLE DOOR W/ (2)
SIDELITES



DOUBLE DOOR W/ TRANSOM



DOUBLE DOOR W/ (1)
SIDELITE & TRANSOM



DOUBLE DOOR W/ (2)
SIDELITES & TRANSOM

*****UNIT CONFIGURATION NOTES*****

- Sidelites shipped loose for double doors
- Transom's shipped loose for 8° doors
- Direct Set sidelites are "boxed" frame configuration only
- Full-width transoms may not be available with some glass types and may require "boxed" configuration

Satin Smooth Fiberglass Modern Flushglazed Collection

Blanca Flushglazed Detail



Blanca Glass Detail



 Low-E Glass

BLANCA GLASS SERIES



FG-BLF1183B
(3-1/2" Bars)
6" - 30" 2" 2"
8" - 30" 2" 2"



FG-LBLF163B
(3-1/2" Bars)
12" & 14"
6" & 8"



FG-BLF1184B
(3-1/2" Bars)
6" - 30" 2" 2"
8" - 30" 2" 2"



FG-LBLF164B
(3-1/2" Bars)
12" & 14"
6" & 8"



FG-BLF1185B
(3-1/2" Bars)
6" - 30" 2" 2"
8" - 30" 2" 2"



FG-LBLF165B
(3-1/2" Bars)
12" & 14"
6" & 8"



FG-LBLF16
(Blanca)
12" & 14"
6" & 8"

Satin Smooth Fiberglass Modern Flushglazed Collection

Flushglazed Bar Detail



Clear Low-E Glass


CLEAR GLASS SERIES



FG-F1183B
(3-1/2" Bars)
6° - 3° 2¹⁰ 2° 2°
8° - 3° 2° 2°



FG-LF163B
(3-1/2" Bars)
12" & 14"
6° & 8°



FG-F1183B
(3-1/2" Bars)
6° - 3° 2¹⁰ 2° 2°
8° - 3° 2° 2°



FG-LF164B
(3-1/2" Bars)
12" & 14"
6° & 8°



FG-F1183B
(3-1/2" Bars)
6° - 3° 2¹⁰ 2° 2°
8° - 3° 2° 2°



FG-LF165B
(3-1/2" Bars)
12" & 14"
6° & 8°



FG-LF16
(Clear)
12" & 14"
6° & 8°


Satin Smooth Fiberglass Contemporary Glass Insert Collection




CLEAR GLASS SERIES




FS-F16C (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰




FS-F16L (Clear)
FS-F16R (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰




FS-F26 (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F30C (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F30L (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F30R (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F321 (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F421 (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸




FS-F521 (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F520 (Clear)
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-LF16M
(Clear)
12" & 14"
6^s & 7⁰



Clear Glass Detail


**Contemporary Collection is available with Contemporary lite frames only.
(See lite frame profile detail on pg 6)

Satin Smooth Fiberglass Contemporary Glass Insert Collection



****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" bottom rail


FROSTED GLASS SERIES




FS-FRF16C (Frosted)
6" - 3" 3" 2'10" 2" 2"
7" - 3" 3"



FS-FRF16L (Frosted)
FS-FRF16R (Frosted)
6" - 3" 3" 2'10" 2" 2"
7" - 3" 3"



FS-FRF26 (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"



FS-FRF30C (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-FRF30L (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-FRF30R (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-FRF321 (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-FRF421 (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"




FS-FRF521 (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-FRF520 (Frosted)
6" - 3" 3" 2'10" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-LFRF16M (Frosted)
12" & 14"
6" & 7"



Frosted Glass Detail

**Contemporary Collection is available with Contemporary lite frames only.
(See lite frame profile detail on pg 6)

Satin Smooth Fiberglass Craftsman Collection



CLEAR GLASS SERIES



FH-C115
6" - 3" 2"
8" - 3"



FH-C1153F
6" - 3" 2"
8" - 3"



FH-C1153G
6" - 3" 2"
8" - 3"



FH-C1156F
6" - 3" 2"
8" - 3"



FH-C1156G
6" - 3" 2"
8" - 3"



FH-LC13
12" & 14"
6" & 8"



FS-LF16Z
12" & 14"
6" & 8"



DECORATIVE GLASS SERIES



FH-EWC115P
6" - 3" 2"
8" - 3"




FS-LEWF16P
12" & 14"
6" & 8"



FH-OPC115P
6" - 3" 2"
8" - 3"



FH-LOPC13P
12" & 14"
6" & 8"



FS-LOPF16P
12" & 14"
6"

Satin Smooth Fiberglass Shaker Collection



Doors with Clear Low-E Glass

Shaker Panel Detail
Square-edge, flat-panel design for true shaker appearance.



Flushglazed

FH-1
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FH-2
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FH-3
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FH-C
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FH-LC13
12⁸ & 14⁸
6⁸ & 8⁰

FH-5
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FS-LF16Z
12⁸ & 14⁸
6⁸ & 8⁰

FG-LF16
12⁸ & 14⁸
6⁸ & 8⁰

Satin Smooth Fiberglass Flushglazed Clear Glass Collection



FG-C115
6" - 3" 2"
8" - 3"



FG-LC13
12" & 14"
6" & 8"



FG-LF16
12" & 14"
6" & 8"



External Applied Grid

FG-C1153A
6" - 3" 2"
8" - 3"



FG-LC13
12" & 14"
6" & 8"



External Applied Grid

FG-C1156A
6" - 3" 2"
8" - 3"



External Applied Grid

FG-LC132A
12" & 14"
6" & 8"



External Applied Grid

FG-1116
6" - 3" 2"



FG-11164A
6" - 3" 2"



FG-1117
6" - 3" 2"
8" - 3"



FG-L115
12" & 14"
6" & 8"



External Applied Grid

FG-11174A
6" - 3" 2"
8" - 3"



External Applied Grid

FG-L1152A
12" & 14"
6" & 8"



Flushglazed Detail



External Applied Grid

FG-11176A
6" - 3" 2"
8" - 3"




External Applied Grid

FG-L1153A
12" & 14"
6" & 8"




**Obscure glass options available on page 24.

FG-F118
6" - 3" 2" 2" 2"
8" - 3" 2" 2"



FG-LF16
12" & 14"
6" & 8"

Satin Smooth Fiberglass Flushglazed Clear Glass Collection



Dentil Shelf

(Optional for Craftsman doors)



Clear Low-E Glass

ADA Compliant

Applied Grid Detail



External Applied Grid



FG-F1184A

6" - 3" 2¹⁰ 2" 2" 6"
8" - 3" 2" 2" 6"

External Applied Grid



FG-LF162A

12" & 14"
6" & 8"

External Applied Grid



FG-F1186A

6" - 3" 2¹⁰ 2" 2" 6"
8" - 3" 2" 2" 6"

External Applied Grid



FG-LF163A

12" & 14"
6" & 8"

External Applied Grid



FG-F1188A

6" - 3" 2¹⁰ 2" 2" 6"
8" - 3" 2" 2" 6"

External Applied Grid



FG-LF164A

12" & 14"
6" & 8"

Raise & Lower Mini-Blind (White)



FG-F118MB

6" - 3" 2" 2" 6"
8" - 3"

Satin Smooth Fiberglass Edgewood Series



FS-EW1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-EW2116P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-EW224P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸




FS-LEW114P
12" & 14"
6⁸ & 8⁰



FS-EW1117P
6⁸ - 3⁰
8⁰ - 3⁰



FS-LEW115P
12" & 14"
6⁸ & 8⁰



FS-EWF118P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-EWF16PC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-EWF16PL (LEFT)
FS-EWF16PR (RIGHT)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-LEWF16P
12" & 14"
6⁸ - 7⁰ - 8⁰

Glass Obscurity Detail

Satin Smooth Fiberglass Edgewood Series




Dentil Shelf

(Optional for Craftsman doors)



****The Edgewood Series features
Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE:** 7/0 Full-Lite Doors &
Sidelites have 12-1/2" bottom rail



FS-EWF26P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FH-EW1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-EWC115P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰




FH-EW2115P
6⁸ - 3⁰ 2⁸




FH-EWF315P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass Oak Park Series



FS-OP1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰




FS-OP2116P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸




FS-OP224P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸




FS-LOP114P
12" & 14"
6⁸ & 8⁰




FS-OP1117P
6⁸ - 3⁰
8⁰ - 3⁰




FS-LOP115P
12" & 14"
6⁸ & 8⁰



FS-OPF118P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸




FS-OPF16PC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-OPF16PL (LEFT)
FS-OPF16PR (RIGHT)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰




Glass Obscurity Detail



FS-LOPF16P
12" & 14"
6⁸ & 7⁰

Satin Smooth Fiberglass Oak Park Series



Dentil Shelf

(Optional for Craftsman doors)




****The Oak Park Series features
Low-Profile lite frames**

(See lite frame profile detail on pg 6)

****NOTE: 7/0 Full-Lite Doors &
Sidelites have 12-1/2" bottom rail**

Oak Park Transoms




TS-OP6613P (66-7/8" X 13-7/8")

For: 14" Sdlit / 3" Door / 14" Sdlit

TS-OP6211P (62-7/8" X 11-7/8")

For: 12" Sdlit / 3" Door / 12" Sdlit




FS-OPF26P

6" - 3" 3" 2" 2"
7" - 3" 3"



FH-OP1116P

6" - 3" 2"
8" - 3"




FH-OPC115P

6" - 3" 2"
8" - 3"




FH-LOPC13P

12" & 14"
6" & 8"



FH-OP2115P


6" - 3" 2"



FH-OPF315P

6" - 3" 3" 2" 2"
7" - 3" 3"
8" - 3" 3" 2"

Satin Smooth Fiberglass Nouveau Series



FS-NV1116N (Nickel)
FS-NV1116P (Patina)
6" - 3" 2"
8" - 3"



FS-NV2116N (Nickel)
FS-NV2116P (Patina)
6" - 3" 2" 2"
8" - 3" 2"



FS-NV224N (Nickel)
FS-NV224P (Patina)
6" - 3" 2" 2"
8" - 3" 2"




FS-LNV114N (Nickel)
FS-LNV114P (Patina)
12" & 14"
6" & 8"




FS-NV1117N (Nickel)
FS-NV1117P (Patina)
6" - 3"
8" - 3"



FS-LNV115N (Nickel)
FS-LNV115P (Patina)
12" & 14"
6" & 8"




FS-NVF118N (Nickel)
FS-NVF118P (Patina)
6" - 3" 3" 2" 2"
7" - 3" 3"



FS-NVF16NC (Nickel)
FS-NVF16PC (Patina)
6" - 3" 3" 2" 2" 2"
7" - 3" 3"



FS-LNVF16N (Nickel)
FS-LNVF16P (Patina)
12" & 14"
6" & 7"




Glass Obscurity Detail


Satin Smooth Fiberglass Nouveau Series



Caming Color Options




Satin Nickel




Patina

****The Nouveau Series features
Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE: 7/0 Full-Lite Doors &
Sidelites have 12-1/2" bottom rail**



FS-NVF16NL (Nickel)
FS-NVF16PL (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-NVF16NR (Nickel)
FS-NVF16PR (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-NVF26N (Nickel)
FS-NVF26P (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰



FH-NV1116N (Nickel)
FH-NV1116P (Patina)
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Nouveau Transoms



TS-NV6613N (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-NV6211N (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt



TS-NV6613P (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-NV6211P (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt

Satin Smooth Fiberglass Blanca Series



FS-BL1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-BL2116
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸



FS-BL224
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸




FS-LBL114
12" & 14"
6⁸ & 8⁰




FS-BL1117
6⁸ - 3⁰
8⁰ - 3⁰



FS-LBL115
12" & 14"
6⁸ & 8⁰



FS-BLF118
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF16C
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-BLF16L (Left)
FS-BLF16R (Right)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-BLF26
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33L
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33R
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33VC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



Glass Obscurity Detail



FS-LBLF16
12" & 14"
6⁸ - 7⁰ - 8⁰

Satin Smooth Fiberglass Blanca Series



Dentil Shelf

(Optional for Craftsman doors)



****The Blanca Series features
Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE: 7/0 Full-Lite Doors &
Sidelites have 12-1/2" bottom rail**

 Low-E Glass



**FS-BLF33VL (Left)
FS-BLF33VR (Right)**
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FH-BL1116
6^s - 3⁰ 2⁸
8⁰ - 3⁰



FH-BLC115
6^s - 3⁰ 2⁸
8⁰ - 3⁰



FH-LBLC13
12" & 14"
6^s & 8⁰




FH-BL2115
6^s - 3⁰ 2⁸



FH-BLF315
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸


Satin Smooth Fiberglass Blanca Flushglazed Series



Blanca Flushglazed Detail



Blanca Glass Detail



-  Low-E Glass
-  ADA Compliant



FG-BLF118
6" - 3' 2" 2"
8" - 3' 2" 2"




FG-LBLC13
12" & 14"
6" & 8"



FG-BLF1184A
6" - 3' 2" 2"
8" - 3' 2" 2"



FG-LBLC132A
12" & 14"
6" & 8"



FG-BLF1186A
6" - 3' 2" 2"
8" - 3' 2" 2"



FG-LBLC133A
12" & 14"
6" & 8"



FG-BLF1188A
6" - 3' 2" 2"
8" - 3' 2" 2"



FG-LBLC134A
12" & 14"
6" & 8"

Satin Smooth Fiberglass Retro-Fit Patio Double Doors



Retro-Fit Patio Double Doors


Offers the ideal upgrade solution for replacing existing old, and worn-out slider-style patio doors.

Available **STYLES**:

- Clear Low-E Glass
- White Grids Between Glass (8-Lite)
- White Raise & Lower Mini-Blinds

Available **SWINGS**:

- Inswing
- Outswing



Retro-Fit Patio Double Door Sizes

DOOR CALL-OUT SIZE	NET UNIT WIDTH	NET UNIT HEIGHTS		
		INSWING SILL	OUTSWING SILL	ADA SILL
5/0	59"	79-1/2"	78-1/4"	78-5/8"
6/0	71"	79-1/2"	78-1/4"	78-5/8"

Classic Lite Frame Detail



(FRONT VIEW)



(SIDE VIEW)

Clear Low-E Glass



FR-F118
6" - 6" 5"

Grids Between Glass (White)



FR-F11810G
6" - 6" 5"

Raise & Lower Mini-Blind (White)



FR-F118MB
6" - 6" 5"


Satin Smooth Fiberglass Shaker Panel & Clear Glass Series



FH-1
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰




FH-2
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-3
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-5
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



Flushglazed

FG-LF16
12" & 14"
6⁸ & 8⁰



Low-Profile Lite Frame

FH-C115
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



External Grid

Low-Profile Lite Frame

FH-C1153F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



Grids Between Glass (White)

Low-Profile Lite Frame

FH-C1153G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



External Grid

Low-Profile Lite Frame


FH-C1156F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



Grids Between Glass (White)

Low-Profile Lite Frame

FH-C1156G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



Low-Profile Lite Frame

FH-LC13
12" & 14"
6⁸ & 8⁰



FH-1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



Grids Between Glass (White)

FH-11169G
6⁸ - 3⁰ 2⁸



Raise & Lower Mini-Blind (White)

FH-1116MB
6⁸ - 3⁰ 2⁸



Low-Profile Lite Frame

FH-2115
6⁸ - 3⁰ 2⁸



Low-Profile Lite Frame

FH-1215
6⁸ - 3⁰ 2⁸



Low-Profile Lite Frame

FH-F315
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass Shaker Panel & Clear Glass Series



Dentil Shelf

(Optional for Craftsman doors)



****See all lite frame profile details
featured on pg 6**

Ⓞ Doors with Clear Low-E Glass

****NOTE: 7/0 Full-Lite Doors &
Sidelites have 12-1/2" bottom rail**

Shaker Panel

Crisp, square-edge, flat-panel design
for true shaker appearance.



FS-LF16Z
12" & 14"
6" - 7" - 8"



FH-4121
6" - 3" 2"



FH-3221
6" - 3" 2"



FH-2321
6" - 3" 2"



FH-1421
6" - 3" 2"




FH-F521
6" - 3" 3" 2" 2"
7" - 3" 3"
8" - 3" 3" 2"



FS-LF16M
12" & 14"
6" & 7"

Satin Smooth Fiberglass Standard Panel & Clear Glass Series



FS-F
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-2
6^s - 3⁰ 2⁸
8⁰ - 3⁰



FS-32
6^s - 3⁰
8⁰ - 3⁰



FS-6
6^s - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸



FS-4124G
6^s - 3⁰ 2⁸



FS-4121 (Clear)
FS-FR4121 (Frosted)
6^s - 3⁰ 2⁸



FS-4112
6^s - 3⁰ 2⁸



FS-4113
6^s - 3⁰ 2⁸



FS-41135F
6^s - 3⁰ 2⁸



FS-41135G
6^s - 3⁰ 2⁸



FS-421
6^s - 3⁰ 2⁸

Classic Lite Frame Detail



(FRONT VIEW)




(SIDE VIEW)



FS-F14
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-224
6^s - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-F116
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F1169G
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F116MB
6^s - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-1116
6^s - 3⁰ 2⁸
8⁰ - 3⁰

Satin Smooth Fiberglass Standard Panel & Clear Glass Series



 Doors with Clear Low-E Glass

Grids Between Glass (White) 	Raise & Lower Mini-Blind (White) 		Grids Between Glass (White) 	Raise & Lower Mini-Blind (White) 		
FS-11169G 6" - 3" 2"	FS-1116MB 6" - 3" 2"	FS-2116 6" - 3" 2" 2" 2" 8" - 3" 2"	FS-21169G 6" - 3" 2" 2" 2" 2"	FS-2116MB 6" - 3" 2" 2" 2" 2"	FS-L114 12" & 14" 6" & 8"	FS-L115 12" & 14" 6" & 8"

Satin Smooth Fiberglass Standard Panel & Clear Glass Series



FS-F117
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶




FS-1117
6⁸ - 3⁰
8⁰ - 3⁰



FS-L115
12" & 14"
6⁸ & 8⁰

Low-Profile Lite Frame




FS-F17C (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶

Low-Profile Lite Frame



FS-F17L (Clear)
FS-F17R (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶

Low-Profile Lite Frame



FS-F27 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Low-Profile Lite Frame



FS-LF16Z
12" & 14"
6⁸ - 7⁰ - 8⁰

Satin Smooth Fiberglass Standard Panel & Clear Glass Series



 Doors with Clear Low-E Glass

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" bottom rail



FS-F118
6" - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7" - 3⁶ 3⁰
8" - 3⁶ 3⁰ 2⁸ 2⁶



FS-F11810G
6" - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7" - 3⁶ 3⁰
*8" - 3⁶ 3⁰ 2⁸ 2⁶



FS-F118MB
6" - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7" - 3⁶ 3⁰
8" - 3⁶ 3⁰ 2⁸ 2⁶



FS-LF16E
12" & 14"
6" - 7" - 8"



FS-LF165G
12" & 14"
6" - 7" - 8"

Classic Lite Frame Detail






(FRONT VIEW)



(SIDE VIEW)

Multi-Point Hardware- Lever Handle Collection



Multi-Point Deadbolt

The heavy-duty deadbolt adds a fourth latch point when engaged, increasing resistance against break-in force for improved security

Multi-Point Triple Latch

Adds additional latch points near the upper and lower edge of the door that engage when door is closed, helping maintain tighter seal and improved support against thermal bow



Multi-Point Hardware- Grip Handle Collection



Multi-Point Deadbolt & Tongue Latch Bolts

When the heavy-duty deadbolt is engaged, it also extends the tongue latches near the upper and lower edge of the door which helps maintain tighter seal and improved support against thermal bow and increases resistance against break-in force for improved security

Multi-Point Latch Bolt

During normal use, the latch bolt keeps the door closed and is opened by disengaging the bolt by pressing down on the thumb release on the outside or the lever handle on the inside.



CONTEMPORARY DOOR PULLS

w/ROLLER-CATCH LATCHING
(60" & 48" lengths available)



Matte Black
US1D

Brushed Stainless Steel
US32D

****NOTE:** Only available for doors 3" or wider and shipped loose.

Door Components

JAMBS



PRIMED FINGERJOINT
(Wood)



COMPOSITE
(PVC)

JAMB REINFORCEMENT



Heavy-Duty Steel Plate

Reinforces the jamb against break-in force for increased security.

*Available on single prehung door units only


SILLS (All sills available in MILL or BRONZE finish)



FIXED CAP SILL
(Inswing Doors)



ADJUSTABLE CAP SILL
(Inswing Doors)



BUMPER SILL
(Outswing Doors)



LOW-PROFILE ADA SILL
(Inswing or Outswing Doors)

HINGES (Fortis STANDARD hinges are commercial grade, ball-bearing hinges for smooth, reliable performance)



POLISHED BRASS
US3

SATIN CHROME
US26D

POLISHED CHROME
US26



STAINLESS STEEL
US32
(Non-Ferrous)

SATIN NICKEL
US15

OIL RUBBED BRONZE
US10BP

MATTE BLACK
US1D

DOOR SHIELD PACKAGING

Fortis Door Shield offers durable cardboard cover and plastic wrap of the door to protect against dirt and damage during handling and construction.



DENTIL SHELF (Optional for Craftsman doors)




Door Size & Hanging Charts

NET UNIT WIDTHS								NET UNIT HEIGHTS		
DOOR CALL-OUT SIZE	NET SLAB SIZE	NET UNIT WIDTH	DOOR + (1) 12" SIDELITE	DOOR + (2) 12" SIDELITES	DOOR + (1) 14" SIDELITE	DOOR + (2) 14" SIDELITES	INSWING SILL	OUTSWING SILL	ADA SILL	
6/8 DOORS	2/0 x 6/8	23-3/4" x 79"	25-1/2"	39"	52-1/2"	41"	56-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/4 x 6/8	27-3/4" x 79"	29-1/2"	43"	56-1/2"	45"	60-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/6 x 6/8	29-3/4" x 79"	31-1/2"	45"	58-1/2"	47"	62-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/8 x 6/8	31-3/4" x 79"	33-1/2"	47"	60-1/2"	49"	64-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/10 x 6/8	33-3/4" x 79"	35-1/2"	49"	62-1/2"	51"	66-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/0 x 6/8	35-3/4" x 79"	37-1/2"	51"	64-1/2"	53"	68-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/6 x 6/8	41-3/4" x 79"	43-1/2"	57"	70-1/2"	59"	74-1/2"	81-3/4"	80-1/2"	80-7/8"
	4/0 x 6/8 DBL	-	50"	63-1/2"	77"	65-1/2"	81"	81-3/4"	80-1/2"	80-7/8"
	4/8 x 6/8 DBL	-	58"	71-1/2"	85"	73-1/2"	89"	81-3/4"	80-1/2"	80-7/8"
	5/0 x 6/8 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	81-3/4"	80-1/2"	80-7/8"
	5/4 x 6/8 DBL	-	66"	79-1/2"	93"	81-1/2"	97"	81-3/4"	80-1/2"	80-7/8"
	5/8 x 6/8 DBL	-	70"	83-1/2"	97"	85-1/2"	101"	81-3/4"	80-1/2"	80-7/8"
	6/0 x 6/8 DBL	-	74"	87-1/2"	101"	89-1/2"	105"	81-3/4"	80-1/2"	80-7/8"
	7/0 x 6/8 DBL	-	86"	99-1/2"	113"	101-1/2"	117"	81-3/4"	80-1/2"	80-7/8"
8/0 DOORS	2/6 x 8/0	29-3/4" x 95"	31-1/2"	45"	58-1/2"	47"	62-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/8 x 8/0	31-3/4" x 95"	33-1/2"	47"	60-1/2"	49"	64-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/10 x 8/0	33-3/4" x 95"	35-1/2"	49"	62-1/2"	51"	66-1/2"	97-3/4"	96-1/2"	96-7/8"
	3/0 x 8/0	35-3/4" x 95"	37-1/2"	51"	64-1/2"	53"	68-1/2"	97-3/4"	96-1/2"	96-7/8"
	5/0 x 8/0 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	97-3/4"	96-1/2"	96-7/8"
	5/4 x 8/0 DBL	-	66"	79-1/2"	93"	81-1/2"	97"	97-3/4"	96-1/2"	96-7/8"
	5/8 x 8/0 DBL	-	70"	83-1/2"	97"	85-1/2"	101"	97-3/4"	96-1/2"	96-7/8"
	6/0 x 8/0 DBL	-	74"	87-1/2"	101"	89-1/2"	105"	97-3/4"	96-1/2"	96-7/8"

TRANSOMS	TYPE #	NET GLASS SIZE					
	6211	62-7/8" x 11-7/8"	6/8 Doors	Use with 3/0 Door + (2) 12" Sidelites	95-1/4"	94"	94-3/8"
	6613	66-7/8" x 13-7/8"	6/8 Doors	Use with 3/0 Door + (2) 14" Sidelites	97-1/4"	96"	96-3/8"
	6211	62-7/8" x 11-7/8"	8/0 Doors	Use with 3/0 Door + (2) 12" Sidelites	111-1/4"	110"	110-3/8"
	6613	66-7/8" x 13-7/8"	8/0 Doors	Use with 3/0 Door + (2) 14" Sidelites	113-1/4"	112"	112-3/8"

DOOR HANDING



Fortis doors have a **LIFETIME LIMITED WARRANTY** which is the assurance that Fortis doors will operate and perform consistent with the Door Performance Standards (DPS) within the Conditions for which the product(s) was designed and manufactured as set forth by the Manufacturer.



