FORTIS SUPPLY

Quality Crafted Fiberglass Exterior Doors



Scan for brochure

visit us at www.fortissupply.com





Table of Contents

DOOR FEATURES
Fortis Advantages 4-5
Lite Frame & Glass Obscurity Details 6
Door Unit Configurations 7

DOOR COLLECTIONS
Modern Flushglazed (Blanca Glass) 8
Modern Flushglazed (Clear Glass) 9
Contemporary (Clear Glass) 10
Contemporary (Frosted Glass) 11
Craftsman 12
Shaker 13
Flushglazed 14-15

DECORATIVE SERIES
Edgewood 16-17
Oak Park 18-19
Nouveau 20-21

DESIGNER SERIES
Blanca 22-23
Blanca (Flushglazed) 24

RETRO-FIT PATIO DOORS
Patio Double Doors 25

STANDARD COLLECTIONS
Shaker Panel & Clear Glass 26-27
Standard Panel & Clear Glass 28-31

MULTI-POINT HARDWARE
Lever Handle Collection 32
Grip Handle Collection 33

COMPONENTS & CHARTS
Door Components 34
Door Size & Handing Charts 35

Fortis Advantages

CHOICES

From modern to traditional & shaker to chic,
Fortis offers the perfect door style to fit your home.

MODERN
Stylish & Contemporary



CRAFTSMAN & SHAKER
Simple & Charming



TRADITIONAL
Warm & Inviting



Continue exploring to see our entire selection of styles and designs

ENERGY SAVINGS

Fortis doors meet and exceed most regional energy code requirements and our Hi-Density Foam Core, Low-E Glass*, and Hi-Performance weatherstripping improve energy efficiency and increase cost savings.
*Low-E Glass is optional

ENERGY PERFORMANCE RATINGS

PRODUCT	1/4 Lite		1/2 Lite		3/4 Lite		Full Lite	
	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC
Decorative Glass	0.18	0.09	0.22	0.016	0.25	0.021	0.30	0.28
Privacy/Textured Glass	0.20	0.10	0.25	0.19	0.29	0.25	0.33	0.33
Clear Glass (1" LowE)	0.18	0.04	0.21	0.07	0.23	0.09	0.26	0.12
Flush-Glazed Clear Glass (1" LowE)	0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12
Flush or Paneled Door (OPAQUE/NO GLASS)	0.21 (U-Factor) / 0.01 (SHGC)							

GLAZING LEVEL	U-Factor	SHGC
Opaque	< or = 0.17	No Criteria
< or = 1/2 Doorlite	< or = 0.23	< or = 0.23
> or = 1/2 Doorlite	< or = 0.26	< or = 0.40

All values are in a Standard Build Door and assume a standard frame unless otherwise noted. Thermal performance values are calculated in accordance to NFRC 100 & 200. This information is for reference only. Please reference NFRC Certified Product Directory for latest information.

ENERGY STAR PARTNER

U-FACTOR (BTU/HR-FT2-ºF) / SOLAR HEAT GAIN COEFFICIENT (SHGC)

Low-E Glass
(Low-Emissivity Glass)

Is clear glass with a lite transparent metallic coating that reflects UV rays and heat back outside during hot seasons, and helps keep heat inside during cold weather, improving energy cost savings year round.

Fortis Advantages

QUALITY DESIGN

Fortis doors are built with the industry's most innovative design features for long-lasting performance and durability.



DOOR FEATURES:

1. Fiberglass Skin
(Durable and resilient skin that won't dent or rot)

2. Foam Core
(Hi-Density polyurethane foam core improves insulation value to save energy costs and reduces sound transmission)

3. Solid LVL Stiles w/Composite Edge
(Provides solid internal structure to prevent warp and thermal bow, and composite edge stops moisture and prevents rot)

4. Composite Top Rail
(Composite doesn't absorb moisture preventing rot and deterioration)

5. Composite Bottom Rail
(Composite doesn't absorb moisture preventing rot and deterioration)

SECURITY FEATURES

Fortis offers a variety of styles and designs of multi-point hardware.
*Multi-Point hardware is optional
(See all options on pages 32-33)

Multi-Point Hardware
Multi-point hardware gives a door additional latch points which increases resistance against break-in force and improves security.
(See options on pages 32-33)



Multi-Point Handlesets
(See more options on pages 32-33)



Monaco Classique
Satin Nickel - US15



Zenia Delta
Matte Black - US1D

CURB APPEAL

From classic to contemporary, Fortis doors offer the features to match the design theme of any home for your desired curb-appeal.



Fiberglass Door Skin
Quality satin smooth fiberglass skin is the ideal door for any style for your home and the fine brushed surface makes for longer lasting paint adhesion.



Standard Raised Panel
Intricate and stylish raised panel design details makes the perfect door for eye-catching curb appeal.



Flat Panel
Distinct, square-edge, flat-panel design offers a realistic shaker look or perfectly complements a chic modern appearance.



Flushglazed
Simple, sleek design offers a well-defined contemporary look and striking impression for any home.

Lite Frame & Glass Obscurity Details

LITE FRAME PROFILES



Classic Scroll Frame
Classic scroll frame design with screw fasteners, provides timeless stye and beauty along with tried-and-true performance.

*Available on most Standard Collection doors
(See pages 26-31)



Contemporary Frame
The contemporary frame is screw fastened and has square outside edge and tapered inside edge for a simple yet distinctive contemporary look.

*Available on all Contemporary Collection doors
(See pages 10-11)



Low-Profile Frame
This low-profile frame is snap fastened with no screw plugs for a clean, seamless apperance. It is tapered on both inside and outside edges for a look that complements any modern design theme.

*Available on all Decorative, Craftsman, and Blanca Series doors.

GLASS OBSCURITY DETAILS



Clear Low-E Glass
Available in select door collections.
-Flushglazed..... pgs 9, 14-15
-Contemporary... pg 10
-Craftsman..... pg 12
-Standard.....pgs 26-31



Frosted Glass
Contemporary Collection Only
(See pg 11)



Blanca Glass
Blanca Series Only
(See pgs 8 & 22-23)

OUR COMMITMENT TO OUR CUSTOMERS

As a family owned company, Fortis Supply knows the value of quality products, and professional customer service. With over 100 years of combined experience in the door industry, we understand the needs of our customers and are committed to providing the highest quality door products that offer years of hassle-free performance and satisfaction, along with friendly, respectful customer service. We greatly appreciate your business and look forward to serving your exterior door needs for years to come!

Door Unit Configurations



SINGLE DOOR



SINGLE DOOR W/ (1) SIDELITE



SINGLE DOOR W/ (2) SIDELITES



SINGLE DOOR W/ TRANSOM



SINGLE DOOR W/ (1) SIDELITE & TRANSOM



SINGLE DOOR W/ (2) SIDELITES & TRANSOM



DOUBLE DOOR



DOUBLE DOOR W/ (1) SIDELITE



DOUBLE DOOR W/ (2) SIDELITES



DOUBLE DOOR W/ TRANSOM



DOUBLE DOOR W/ (1) SIDELITE & TRANSOM



DOUBLE DOOR W/ (2) SIDELITES & TRANSOM

*****UNIT CONFIGURATION NOTES*****

-Sidelites shipped loose for double doors

-Transom's shipped loose for 8º doors

-Direct Set sidelites are "boxed" frame configuration only

-Full-width transoms may not be available with some glass types and may require "boxed" configuration

Satin Smooth Fiberglass
Modern Flushglazed Collection



Blanca Flushglazed Detail

Blanca Glass Detail

Low-E Glass

BLANCA GLASS SERIES



FG-BLF1183B
(3-1/2" Bars)
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLF163B
(3-1/2" Bars)
12" & 14"
6⁸ & 8⁰



FG-BLF1184B
(3-1/2" Bars)
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLF164B
(3-1/2" Bars)
12" & 14"
6⁸ & 8⁰



FG-BLF1185B
(3-1/2" Bars)
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLF165B
(3-1/2" Bars)
12" & 14"
6⁸ & 8⁰



FG-LBLF16
(Blanca)
12" & 14"
6⁸ & 8⁰

Satin Smooth Fiberglass
Modern Flushglazed Collection



Flushglazed Bar Detail

Clear Low-E Glass

CLEAR GLASS SERIES



FG-F1183B
(3-1/2” Bars)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LF163B
(3-1/2” Bars)
12” & 14”
6⁸ & **8⁰**



FG-F1183B
(3-1/2” Bars)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LF164B
(3-1/2” Bars)
12” & 14”
6⁸ & **8⁰**



FG-F1183B
(3-1/2” Bars)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LF165B
(3-1/2” Bars)
12” & 14”
6⁸ & **8⁰**



FG-LF16
(Clear)
12” & 14”
6⁸ & **8⁰**

Satin Smooth Fiberglass
Contemporary Glass Insert Collection



CLEAR GLASS SERIES



FS-F16C (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F16L (Clear)
FS-F16R (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F26 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F30C (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F30L (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F30R (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F321 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F421 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F521 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F520 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-LF16M
(Clear)
12" & 14"
6⁸ & 7⁰



Clear Glass Detail

**Contemporary Collection is available with Contemporary lite frames only.
(See lite frame profile detail on pg 6)

Satin Smooth Fiberglass
Contemporary Glass Insert Collection



****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail

FROSTED GLASS SERIES



FS-FRF16C (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-FRF16L (Frosted)
FS-FRF16R (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-FRF26 (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰



FS-FRF30C (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF30L (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF30R (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF321 (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF421 (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF521 (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-FRF520 (Frosted)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-LFRF16M
(Frosted)
12" & 14"
6⁸ & 7⁰



Frosted Glass Detail

**Contemporary Collection is available with Contemporary lite frames only.
(See lite frame profile detail on pg 6)

Satin Smooth Fiberglass
Craftsman Collection



****The Craftsman Collection features Low-Profile lite frames**
(See lite frame profile detail on pg 6)

CLEAR GLASS SERIES



FH-C115
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

External Grid



FH-C1153F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Grids Between Glass (White)



FH-C1153G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

External Grid



FH-C1156F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Grids Between Glass (White)



FH-C1156G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LC13
12” & 14”
6⁸ & 8⁰



FS-LF16Z
12” & 14”
6⁸ & 8⁰



DECORATIVE GLASS SERIES



FH-EWC115P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-LEWF16P
12” & 14”
6⁸ & 8⁰



FH-OPC115P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LOPC13P
12” & 14”
6⁸ & 8⁰



FS-LOPF16P
12” & 14”
6⁸

Satin Smooth Fiberglass Shaker Collection

FORTIS SUPPLY



Dentil Shelf
(Optional for Craftsman doors)

Doors with Clear Low-E Glass

Shaker Panel Detail
Square-edge, flat-panel design for true shaker appearance.



FH-1
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-2
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-3
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LC13
12" & 14"
6⁸ & 8⁰



FH-5
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-LF16Z
12" & 14"
6⁸ & 8⁰



FG-LF16
12" & 14"
6⁸ & 8⁰

Satin Smooth Fiberglass
Flushglazed Clear Glass Collection



FG-C115
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-LC13
12” & 14”
6⁸ & **8⁰**



FG-LF16
12” & 14”
6⁸ & **8⁰**



FG-C1153A
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-LC13
12” & 14”
6⁸ & **8⁰**



FG-C1156A
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-LC132A
12” & 14”
6⁸ & **8⁰**



FG-1116
6⁸ - 3⁰ 2⁸



FG-11164A
6⁸ - 3⁰ 2⁸



FG-1117
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-L115
12” & 14”
6⁸ & **8⁰**



FG-11174A
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-L1152A
12” & 14”
6⁸ & **8⁰**



Flushglazed Detail



FG-11176A
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-L1153A
12” & 14”
6⁸ & **8⁰**



FG-F118
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LF16
12” & 14”
6⁸ & **8⁰**

Satin Smooth Fiberglass
Flushglazed Clear Glass Collection



External Applied Grid



**Obscure glass options available on page 24.

FG-F1184A
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶

External Applied Grid



FG-LF162A
12” & 14”
6⁸ & 8⁰

External Applied Grid



**Obscure glass options available on page 24.

FG-F1186A
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶

External Applied Grid



FG-LF163A
12” & 14”
6⁸ & 8⁰

External Applied Grid



**Obscure glass options available on page 24.

FG-F1188A
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶

External Applied Grid



FG-LF164A
12” & 14”
6⁸ & 8⁰

Raise & Lower Mini-Blind (White)



FG-F118MB
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰

Satin Smooth Fiberglass
Edgewood Series



FS-EW1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-EW2116P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-EW224P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-LEW114P
12" & 14"
6⁸ & **8⁰**



FS-EW1117P
6⁸ - 3⁰
8⁰ - 3⁰



FS-LEW115P
12" & 14"
6⁸ & **8⁰**



FS-EWF118P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸





FS-EWF16PC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-EWF16PL (LEFT)
FS-EWF16PR (RIGHT)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



Glass Obscurity Detail



FS-LEWF16P
12" & 14"
6⁸ - **7⁰** - **8⁰**

Satin Smooth Fiberglass
Edgewood Series

Dentil Shelf
(Optional for Craftsman doors)



****The Edgewood Series features Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail



FS-EWF26P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FH-EW1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-EWC115P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-EW2115P
6⁸ - 3⁰ 2⁸



FH-EWF315P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass
Oak Park Series



FS-OP1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-OP2116P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-OP224P
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-LOP114P
12” & 14”
6⁸ & **8⁰**



FS-OP1117P
6⁸ - 3⁰
8⁰ - 3⁰



FS-LOP115P
12” & 14”
6⁸ & **8⁰**



FS-OPF118P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸





FS-OPF16PC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-OPF16PL (LEFT)
FS-OPF16PR (RIGHT)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



Glass Obscurity Detail



FS-LOPF16P
12” & 14”
6⁸ & **7⁰**

Satin Smooth Fiberglass
Oak Park Series

Dentil Shelf
(Optional for Craftsman doors)



****The Oak Park Series features Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail

Oak Park Transoms



TS-OP6613P (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-OP6211P (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt



FS-OPF26P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰



FH-OP1116P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-OPC115P
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LOPC13P
12" & 14"
6⁸ & **8⁰**



FH-OP2115P
6⁸ - 3⁰ 2⁸



FH-OPF315P
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass
Nouveau Series



FS-NV1116N (Nickel)
FS-NV1116P (Patina)
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-NV2116N (Nickel)
FS-NV2116P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-NV224N (Nickel)
FS-NV224P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-LNV114N
(Nickel)
FS-LNV114P
(Patina)
12" & 14"
6⁸ & **8⁰**



FS-NV1117N (Nickel)
FS-NV1117P (Patina)
6⁸ - 3⁰
8⁰ - 3⁰



FS-LNV115N
(Nickel)
FS-LNV115P
(Patina)
12" & 14"
6⁸ & **8⁰**



FS-NVF118N (Nickel)
FS-NVF118P (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰





FS-NVF16NC (Nickel)
FS-NVF16PC (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-LNVF16N
(Nickel)
FS-LNVF16P
(Patina)
12" & 14"
6⁸ & **7⁰**



Glass Obscurity Detail

Satin Smooth Fiberglass
Nouveau Series

FORTIS SUPPLY



Caming Color Options

Satin Nickel

Patina

****The Nouveau Series features Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail



FS-NVF16NL (Nickel)
FS-NVF16PL (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-NVF16NR (Nickel)
FS-NVF16PR (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-NVF26N (Nickel)
FS-NVF26P (Patina)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰



FH-NV1116N (Nickel)
FH-NV1116P (Patina)
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Nouveau Transoms



TS-NV6613N (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-NV6211N (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt



TS-NV6613P (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-NV6211P (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt

Satin Smooth Fiberglass
Blanca Series



FS-BL1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-BL2116
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸



FS-BL224
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-LBL114
12" & 14"
6⁸ & **8⁰**



FS-BL1117
6⁸ - 3⁰
8⁰ - 3⁰



FS-LBL115
12" & 14"
6⁸ & **8⁰**



FS-BLF118
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF16C
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-BLF16L (Left)
FS-BLF16R (Right)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-BLF26
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33L
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33R
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-BLF33VC
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶





Glass Obscurity Detail



FS-LBLF16
12" & 14"
6⁸ - **7⁰** - **8⁰**

Satin Smooth Fiberglass
Blanca Series



Dentil Shelf
(Optional for Craftsman doors)

****The Blanca Series features Low-Profile lite frames**
(See lite frame profile detail on pg 6)

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail

Low-E Glass



FS-BLF33VL (Left)
FS-BLF33VR (Right)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FH-BL1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-BLC115
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LBLC13
12" & 14"
6⁸ & **8⁰**



FH-BL2115
6⁸ - 3⁰ 2⁸



FH-BLF315
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass
Blanca Flushglazed Series



Blanca Flushglazed Detail

Blanca Glass Detail

Low-E Glass
ADA Compliant



FG-BLF118
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLC13
12” & 14”
6⁸ & **8⁰**



FG-BLF1184A
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLC132A
12” & 14”
6⁸ & **8⁰**



FG-BLF1186A
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLC133A
12” & 14”
6⁸ & **8⁰**



FG-BLF1188A
6⁸ - 3⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸ 2⁶



FG-LBLC134A
12” & 14”
6⁸ & **8⁰**

Satin Smooth Fiberglass Retro-Fit Patio Double Doors



Retro-Fit Patio Double Doors

Offers the ideal upgrade solution for replacing existing old, and worn-out slider-style patio doors.

Available **STYLES:**

- Clear Low-E Glass
- White Grids Between Glass (8-Lite)
- White Raise & Lower Mini-Blinds

Available **SWINGS:**

- Inswing
- Outswing



Retro-Fit Patio Double Door Sizes

DOOR CALL-OUT SIZE	NET UNIT WIDTH	NET UNIT HEIGHTS		
		INSWING SILL	OUTSWING SILL	ADA SILL
5/0	59"	79-1/2"	78-1/4"	78-5/8"
6/0	71"	79-1/2"	78-1/4"	78-5/8"

Classic Lite Frame Detail



(FRONT VIEW)



(SIDE VIEW)



FR-F118
6⁸ - 6º 5º

Grids Between Glass (White)



FR-F11810G
6⁸ - 6º 5º

Raise & Lower Mini-Blind (White)



FR-F118MB
6⁸ - 6º 5º

Satin Smooth Fiberglass
Shaker Panel & Clear Glass Series



FH-1
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-2
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-3
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-5
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FG-LF16
12” & 14”
6⁸ & **8⁰**



FH-C115
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C1153F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C1153G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C1156F
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-C1156G
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-LC13
12” & 14”
6⁸ & **8⁰**



FH-1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FH-11169G
6⁸ - 3⁰ 2⁸



FH-1116MB
6⁸ - 3⁰ 2⁸



FH-2115
6⁸ - 3⁰ 2⁸



FH-1215
6⁸ - 3⁰ 2⁸



FH-F315
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸

Satin Smooth Fiberglass
Shaker Panel & Clear Glass Series

Dentil Shelf
(Optional for Craftsman doors)



**See all lite frame profile details featured on pg 6

Doors with Clear Low-E Glass

**NOTE: 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail



Shaker Panel
Crisp, square-edge, flat-panel design for true shaker appearance.



Low-Profile Lite Frame

FS-LF16Z
12" & 14"
6⁸ - 7⁰ - 8⁰



Contemporary Lite Frame

FH-4121
6⁸ - 3⁰ 2⁸



Contemporary Lite Frame

FH-3221
6⁸ - 3⁰ 2⁸



Contemporary Lite Frame

FH-2321
6⁸ - 3⁰ 2⁸



Contemporary Lite Frame

FH-1421
6⁸ - 3⁰ 2⁸



Contemporary Lite Frame

FH-F521
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



Contemporary Lite Frame

FS-LF16M
12" & 14"
6⁸ & 7⁰

Satin Smooth Fiberglass
Standard Panel & Clear Glass Series

FS-F
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-2
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰



FS-32
6⁸ - 3⁰
8⁰ - 3⁰



FS-6
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸



FS-4124G
6⁸ - 3⁰ 2⁸



FS-4121 (Clear)
FS-FR4121 (Frosted)
6⁸ - 3⁰ 2⁸



FS-4112
6⁸ - 3⁰ 2⁸



FS-4113
6⁸ - 3⁰ 2⁸



FS-41135F
6⁸ - 3⁰ 2⁸



FS-41135G
6⁸ - 3⁰ 2⁸



FS-421
6⁸ - 3⁰ 2⁸

Classic Lite Frame Detail



(FRONT VIEW)



(SIDE VIEW)



FS-F14
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-224
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸



FS-F116
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-F1169G
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-F116MB
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰



FS-1116
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Satin Smooth Fiberglass
Standard Panel & Clear Glass Series



Doors with Clear Low-E Glass



Grids Between Glass (White)

FS-11169G
6⁸ - 3⁰ 2⁸



Raise & Lower Mini-Blind (White)

FS-1116MB
6⁸ - 3⁰ 2⁸



FS-2116
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸



Grids Between Glass (White)

FS-21169G
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶



Raise & Lower Mini-Blind (White)

FS-2116MB
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶



FS-L114
12” & 14”
6⁸ & **8⁰**



FS-L115
12” & 14”
6⁸ & **8⁰**

Satin Smooth Fiberglass
Standard Panel & Clear Glass Series





FS-F117
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-1117
6⁸ - 3⁰
8⁰ - 3⁰



FS-L115
12" & 14"
6⁸ & 8⁰



FS-F17C (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-F17L (Clear)
FS-F17R (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸ 2⁶
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



FS-F27 (Clear)
6⁸ - 3⁶ 3⁰ 2¹⁰ 2⁸
7⁰ - 3⁶ 3⁰
8⁰ - 3⁶ 3⁰ 2⁸



FS-LF16Z
12" & 14"
6⁸ - 7⁰ - 8⁰

Satin Smooth Fiberglass
Standard Panel & Clear Glass Series



Doors with Clear Low-E Glass

****NOTE:** 7/0 Full-Lite Doors & Sidelites have 12-1/2" botttom rail



FS-F118
6^8 - 3^6 3^0 2^{10} 2^8 2^6
7^0 - 3^6 3^0
8^0 - 3^6 3^0 2^8 2^6



FS-F11810G
6^8 -3^6 3^0 2^{10} 2^8 2^6
7^0 - 3^6 3^0
***8⁰** - 3^6 3^0 2^8 2^6



FS-F118MB
6^8 -3^6 3^0 2^{10} 2^8 2^6
7^0 - 3^6 3^0
8^0 - 3^6 3^0 2^8 2^6



FS-LF16E
12" & 14"
6^8 - 7^0 - 8^0



FS-LF165G
12" & 14"
6^8 - 7^0 - 8^0

Classic Lite Frame Detail



(FRONT VIEW)



(SIDE VIEW)

Multi-Point Hardware-
Lever Handle Collection



Times Delta
Satin Nickel - US15



Times Delta
Matte Black - US1D



Times Delta
Polished Chrome - US26



Verano Dahli
Satin Nickel -US15



Verano Dahli
Oil Rubbed Bronze - US10B



Monaco Classique
Satin Nickel - US15



Monaco Classique
Matte Black - US1D







Multi-Point Deadbolt
The heavy-duty deadbolt adds a fourth latch point when engaged, increasing resistance against break-in force for improved security

Multi-Point Triple Latch
Adds additional latch points near the upper and lower edge of the door that engage when door is closed, helping maintain tighter seal and improved support against thermal bow



Sapphire Classique
Satin Nickel - US!5



Sapphire Classique
Matte Black - US1D



Aqua Delta
Satin Nickel - US15



Aqua Delta
Matte Black - US1D

Multi-Point Hardware-
Grip Handle Collection



Windsor Classique
Satin Nickel - US15



Windsor Classique
Matte Black
US1D



Zenia Delta
Satin Nickel - US15
Polished Chrome - US26



Zenia Delta
Matte Black
US1D

Multi-Point Deadbolt & Tongue Latch Bolts
When the heavy-duty deadbolt is engaged, it also extends the tongue latches near the upper and lower edge of the door which helps maintain tighter seal and improved support against thermal bow and increases resistance against break-in force for improved security

Multi-Point Latch Bolt
During normal use, the latch bolt keeps the door closed and is opened by disengaging the bolt by pressing down on the thumb release on the outside or the lever handle on the inside.



CONTEMPORARY DOOR PULLS

w/ROLLER-CATCH LATCHING
(60” & 48” lengths available)



Matte Black
US1D



Brushed Stainless Steel
US32D

****NOTE: Only available for doors 3⁰ or wider and shipped loose.**

Door Components

JAMBS



PRIMED FINGERJOINT
(Wood)



COMPOSITE
(PVC)

JAMB REINFORCEMENT



Heavy-Duty Steel Plate
Reinforces the jamb against break-in force for increased security.

*Available on single prehung door units only

SILLS (All sills available in MILL or BRONZE finish)



FIXED CAP SILL
(Inswing Doors)



ADJUSTABLE CAP SILL
(Inswing Doors)



BUMPER SILL
(Outswing Doors)



LOW-PROFILE ADA SILL
(Inswing or Outswing Doors)

HINGES (Fortis STANDARD hinges are commercial grade, ball-bearing hinges for smooth, reliable performance)



POLISHED BRASS
US3

SATIN CHROME
US26D

POLISHED CHROME
US26



STAINLESS STEEL
US32
(Non-Ferrous)

SATIN NICKEL
US15

OIL RUBBED BRONZE
US10BP

MATTE BLACK
US1D

DENTIL SHELF (Optional for Craftsman doors)



DOOR SHIELD PACKAGING

Fortis Door Shield offers durable cardboard cover and plastic wrap of the door to protect against dirt and damage during handling and construction.



Door Size & Handing Charts

	NET UNIT WIDTHS							NET UNIT HEIGHTS		
	DOOR CALL-OUT SIZE	NET SLAB SIZE	NET UNIT WIDTH	DOOR + (1) 12" SIDELITE	DOOR + (2) 12" SIDELITES	DOOR + (1) 14" SIDELITE	DOOR + (2) 14" SIDELITES	INSWING SILL	OUTSWING SILL	ADA SILL
6/8 DOORS	2/0 x 6/8	23-3/4" x 79"	25-1/2"	39"	52-1/2"	41"	56-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/4 x 6/8	27-3/4" x 79"	29-1/2"	43"	56-1/2"	45"	60-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/6 x 6/8	29-3/4" x 79"	31-1/2"	45"	58-1/2"	47"	62-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/8 x 6/8	31-3/4" x 79"	33-1/2"	47"	60-1/2"	49"	64-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/10 x 6/8	33-3/4" x 79"	35-1/2"	49"	62-1/2"	51"	66-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/0 x 6/8	35-3/4" x 79"	37-1/2"	51"	64-1/2"	53"	68-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/6 x 6/8	41-3/4" x 79"	43-1/2"	57"	70-1/2"	59"	74-1/2"	81-3/4"	80-1/2"	80-7/8"
	4/0 x 6/8 DBL	-	50"	63-1/2"	77"	65-1/2"	81"	81-3/4"	80-1/2"	80-7/8"
	4/8 x 6/8 DBL	-	58"	71-1/2"	85"	73-1/2"	89"	81-3/4"	80-1/2"	80-7/8"
	5/0 x 6/8 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	81-3/4"	80-1/2"	80-7/8"
	5/4 x 6/8 DBL	-	66"	79-1/2"	93"	81-1/2"	97"	81-3/4"	80-1/2"	80-7/8"
	5/8 x 6/8 DBL	-	70"	83-1/2"	97"	85-1/2"	101"	81-3/4"	80-1/2"	80-7/8"
	6/0 x 6/8 DBL	-	74"	87-1/2"	101"	89-1/2"	105"	81-3/4"	80-1/2"	80-7/8"
	7/0 x 6/8 DBL	-	86"	99-1/2"	113"	101-1/2"	117"	81-3/4"	80-1/2"	80-7/8"
8/0 DOORS	2/6 x 8/0	29-3/4" x 95"	31-1/2"	45"	58-1/2"	47"	62-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/8 x 8/0	31-3/4" x 95"	33-1/2"	47"	60-1/2"	49"	64-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/10 x 8/0	33-3/4" x 95"	35-1/2"	49"	62-1/2"	51"	66-1/2"	97-3/4"	96-1/2"	96-7/8"
	3/0 x 8/0	35-3/4" x 95"	37-1/2"	51"	64-1/2"	53"	68-1/2"	97-3/4"	96-1/2"	96-7/8"
	5/0 x 8/0 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	97-3/4"	96-1/2"	96-7/8"
	5/4 x 8/0 DBL	-	66"	79-1/2"	93"	81-1/2"	97"	97-3/4"	96-1/2"	96-7/8"
	5/8 x 8/0 DBL	-	70"	83-1/2"	97"	85-1/2"	101"	97-3/4"	96-1/2"	96-7/8"
	6/0 x 8/0 DBL	-	74"	87-1/2"	101"	89-1/2"	105"	97-3/4"	96-1/2"	96-7/8"

TRANSOMS	TYPE #	NET GLASS SIZE					
	6211	62-7/8" x 11-7/8"	**6/8 Doors**	Use with 3/0 Door + (2) 12" Sidelites	95-1/4"	94"	94-3/8"
	6613	66-7/8" x 13-7/8"	**6/8 Doors**	Use with 3/0 Door + (2) 14" Sidelites	97-1/4"	96"	96-3/8"
	6211	62-7/8" x 11-7/8"	**8/0 Doors**	Use with 3/0 Door + (2) 12" Sidelites	111-1/4"	110"	110-3/8"
	6613	66-7/8" x 13-7/8"	**8/0 Doors**	Use with 3/0 Door + (2) 14" Sidelites	113-1/4"	112"	112-3/8"



LIFE TIME LIMITED WARRANTY

Fortis doors have a LIFETIME LIMITED WARRANTY which is the assurance that Fortis doors will operate and perform consistent with the Door Performance Standards (DPS) within the Conditions for which the product(s) was designed and manufactured as set forth by the Manufacturer.

FORTIS SUPPLY

FORTIS SUPPLY