



Quality Crafted Fiberglass Exterior Doors



visit us at www.fortissupply.com



Table of Contents

DOOR FEATURES
 Fortis Advantages..... 4-5
 Lite Frame & Glass Obscurity Details.....6
 Door Unit Configurations7

DOOR COLLECTIONS
 Modern Flushglazed9
 Contemporary (Clear Glass).....10
 Contemporary (Frosted Glass)..... 11
 Craftsman12
 Shaker13
 Flushglazed 14-15

DECORATIVE SERIES
 Edgewood..... 16-17
 Oak Park..... 18-19
 Nouveau 20-21

DESIGNER SERIES
 Blanca..... 22-23

STANDARD COLLECTIONS
 Shaker Panel & Clear Glass..... 24-25
 Standard Panel & Clear Glass..... 26-27

MULTI-POINT HARDWARE
 Lever Handle Collection28
 Grip Handle Collection.....29

COMPONENTS & CHARTS
 Door Components30
 Door Size & Handing Charts31

CHOICES

From modern to traditional & shaker to chic, Fortis offers the perfect door style to fit your home.

MODERN
Stylish & Contemporary

CRAFTSMAN & SHAKER
Simple & Charming


TRADITIONAL
Warm & Inviting



Continue exploring to see our entire selection of styles and designs

QUALITY DESIGN

Fortis doors are built with the industry's most innovative design features for long-lasting performance and durability.




DOOR FEATURES:

- Fiberglass Skin**
(Durable and resilient skin that won't dent or rot)
- Foam Core**
(Hi-Density polyurethane foam core improves insulation value to save energy costs and reduces sound transmission)
- Solid LVL Stiles w/Composite Edge**
(Provides solid internal structure to prevent warp and thermal bow, and composite edge stops moisture and prevents rot)
- Composite Top Rail**
(Composite doesn't absorb moisture preventing rot and deterioration)
- Composite Bottom Rail**
(Composite doesn't absorb moisture preventing rot and deterioration)

SECURITY FEATURES

Fortis offers a variety of styles and designs of multi-point hardware.

*Multi-Point hardware is optional
(See all options on pages 28-29)



ENERGY SAVINGS

Fortis doors meet and exceed most regional energy code requirements and our Hi-Density Foam Core, Low-E Glass*, and Hi-Performance weatherstripping improve energy efficiency and increase cost savings.

*Low-E Glass is optional

ENERGY PERFORMANCE RATINGS

PRODUCT	1/4 Lite		1/2 Lite		3/4 Lite		Full Lite		
	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC	U-Factor	SHGC	
Decorative Glass	0.18	0.09	0.22	0.016	0.25	0.021	0.30	0.28	
Privacy/Textured Glass	0.20	0.10	0.25	0.19	0.29	0.25	0.33	0.33	
Clear Glass (1" LowE)	0.18	0.04	0.21	0.07	0.23	0.09	0.26	0.12	
Flush-Glazed Clear Glass (1" LowE)	0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12	
Flush or Paneled Door (OPAQUE/NO GLASS)	0.21 (U-Factor) / 0.01 (SHGC)								
GLAZING LEVEL	U-Factor	SHGC	All values are in a Standard Build Door and assume a standard frame unless otherwise noted. Thermal performance values are calculated in accordance to NFRC 100 & 200. This information is for reference only. Please reference NFRC Certified Product Directory for latest information.						
Opaque	< or = 0.17	No Criteria							
< or = 1/2 Doorlite	< or = 0.23	< or = 0.23							
> or = 1/2 Doorlite	< or = 0.26	< or = 0.40							
U-FACTOR (BTU/HR-FT2-°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)									

Low-E Glass
(Low-Emissivity Glass)

Is clear glass with a lite transparent metallic coating that reflects UV rays and heat back outside during hot seasons, and helps keep heat inside during cold weather, improving energy cost savings year round.

CURB APPEAL

From classic to contemporary, Fortis doors offer the features to match the design theme of any home for your desired curb-appeal.




Fiberglass Door Skin
Quality smooth fiberglass skin is the ideal door for any style for your home and the fine brushed surface makes for longer lasting paint adhesion.



Standard Raised Panel
Intricate and stylish raised panel design details makes the perfect door for eye-catching curb appeal.



Flat Panel
Distinct, square-edge, flat-panel design offers a realistic shaker look or perfectly complements a chic modern appearance.



Flushglazed
Simple, sleek design offers a well-defined contemporary look and striking impression for any home.

LITE FRAME PROFILES



Classic Scroll Frame
Classic scroll frame design with screw fasteners, provides timeless style and beauty along with tried-and-true performance.
*Available on most Standard Collection doors (See pages 24-27)




Contemporary Frame
The contemporary frame is screw fastened and has square outside edge and tapered inside edge for a simple yet distinctive contemporary look.
*Available on all Contemporary Collection doors (See pages 10-11)




Low-Profile Frame
This low-profile frame is snap fastened with no screw plugs for a clean, seamless appearance. It is tapered on both inside and outside edges for a look that complements any modern design theme.
*Available on all Decorative, Craftsman, and Blanca Series doors.

GLASS OBSCURITY DETAILS




Clear Low-E Glass
Available in select door collections.
-Flushglazed..... pgs 9, 14-15
-Contemporary... pg 10
-Craftsman..... pg 12
-Standard.....pgs 24-27



Frosted Glass
Contemporary Collection Only
(See pg 11)



Blanca Glass
Blanca Series Only
(See pgs 22-23)




*****UNIT CONFIGURATION NOTES*****

- Sidelites shipped loose for double doors
- Transom's shipped loose for 8° doors
- Direct Set sidelites are "boxed" frame configuration only
- Full-width transoms may not be available with some glass types and may require "boxed" configuration

OUR COMMITMENT TO OUR CUSTOMERS

As a family owned company, Fortis Supply knows the value of quality products, and professional customer service. With over 100 years of combined experience in the door industry, we understand the needs of our customers and are committed to providing the highest quality door products that offer years of hassle-free performance and satisfaction, along with friendly, respectful customer service. We greatly appreciate your business and look forward to serving your exterior door needs for years to come!



Flushglazed Bar Detail



Doors with Clear Low-E Glass



FG-F1183B 6" - 3° 2' 0" 2° 8" - 3° 2°	FG-LF163B 12" & 14" 6" & 8"	FG-F1184B 6" - 3° 2' 0" 2° 8" - 3° 2°	FG-LF164B 12" & 14" 6" & 8"	FG-F1185B 6" - 3° 2' 0" 2° 8" - 3° 2°	FG-LF165B 12" & 14" 6" & 8"	FG-LF16 12" & 14" 6" & 8"
----------------------------------------------------	------------------------------------------	----------------------------------------------------	------------------------------------------	----------------------------------------------------	------------------------------------------	----------------------------------------

Smooth Fiberglass Contemporary Glass Insert Collection


Smooth Fiberglass Contemporary Glass Insert Collection




CLEAR GLASS SERIES



FROSTED GLASS SERIES




FS-F16C (Clear) 6^s - 3^o 2¹⁰ 2^s 2^s
FS-F16L (Clear) 6^s - 3^o 2¹⁰ 2^s 2^s
FS-F26 (Clear) 6^s - 3^o 2¹⁰ 2^s
FS-F30C (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-F30L (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-F30R (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s



FS-FRF16C (Frosted) 6^s - 3^o 2¹⁰ 2^s 2^s
FS-FRF16L (Frosted) 6^s - 3^o 2¹⁰ 2^s 2^s
FS-FRF26 (Frosted) 6^s - 3^o 2¹⁰ 2^s
FS-FRF30C (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-FRF30L (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-FRF30R (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s




FS-F321 (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-F421 (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-F521 (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-F520 (Clear) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-LF16M (Clear) 12" & 14" 6^s



Clear Glass Detail
 **Contemporary Collection is available with Contemporary lite frames only.
 (See lite frame profile detail on pg 6)



FS-FRF321 (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-FRF421 (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-FRF521 (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-FRF520 (Frosted) 6^s - 3^o 2¹⁰ 2^s 8^o - 3^s 3^o 2^s
FS-LFRF16M (Frosted) 12" & 14" 6^s



Frosted Glass Detail
 **Contemporary Collection is available with Contemporary lite frames only.
 (See lite frame profile detail on pg 6)

Smooth Fiberglass Craftsman Collection

Smooth Fiberglass Shaker Collection



Clear Glass Collection

**The Craftsman Collection features
Low-Profile lite frames
(See lite frame profile detail on pg 6)

FH-C115 6" - 3" 2" 8" - 3"	FH-C1153F 6" - 3" 2" 8" - 3"	FH-C1153G 6" - 3" 2" 8" - 3"	FH-C1156F 6" - 3" 2" 8" - 3"	FH-C1156G 6" - 3" 2" 8" - 3"	FH-LC13 12" & 14" 6" & 8"	FS-LF16Z 12" & 14" 6" & 8"

External Grid (between FH-C115 and FH-C1153F)
Grids Between Glass (White) (between FH-C1153G and FH-C1156F)



Dentil Shelf
(Optional for Craftsman doors)



Shaker Panel
Square-edge, flat-panel design for
true shaker appearance.

Doors with Clear Low-E Glass



Decorative Glass Collection


FH-EWC115P 6" - 3" 2" 8" - 3"	FS-LEWF16P 12" & 14" 6" & 8"	FH-OPC115P 6" - 3" 2" 8" - 3"	FH-LOPC13P 12" & 14" 6" & 8"	FS-LOPF16P 12" & 14" 6"

FH-1 6" - 3" 2" 8" - 3"	FH-2 6" - 3" 2" 8" - 3"	FH-3 6" - 3" 2" 8" - 3"	FH-C 6" - 3" 2" 8" - 3"	FH-LC13 12" & 14" 6" & 8"	FH-5 6" - 3" 2" 8" - 3"	FS-LF16Z 12" & 14" 6" & 8"	FG-LF16 12" & 14" 6" & 8"


Flushglazed (between FS-LF16Z and FG-LF16)

Smooth Fiberglass Flushglazed Clear Glass Collection

Smooth Fiberglass Flushglazed Clear Glass Collection





Flushglazed Detail



Dentil Shelf
(Optional for Craftsman doors)

Doors with Clear Low-E Glass



Smooth Fiberglass Edgewood Series

Smooth Fiberglass Edgewood Series



FS-EW1116P 6" - 3" 2" 8" - 3"
FS-EW2116P 6" - 3" 2" 2" 8" - 3" 2"
FS-EW224P 6" - 3" 2" 2" 8" - 3" 2"
FS-LEW114P 12" & 14" 6" & 8"
FS-EW1117P 6" - 3" 8" - 3"
FS-LEW115P 12" & 14" 6" & 8"
FS-EWF118P 6" - 3" 2" 2" 8" - 3" 3" 2"



FS-EWF16PC 6" - 3" 2" 2" 2" 8" - 3" 3" 2" 2"
FS-EWF16PL (LEFT) 6" - 3" 2" 2" 2" 8" - 3" 3" 2" 2"
FS-EWF16PR (RIGHT) 6" - 3" 2" 2" 2" 8" - 3" 3" 2" 2"



FS-LEW16P 12" & 14" 6" & 8"
Glass Obscurity Detail





**The Edgewood Series features Low-Profile lite frames (See lite frame profile detail on pg 6)



FS-EWF26P 6" - 3" 2" 2" 8" - 3" 3" 2"
FH-EW1116P 6" - 3" 2" 8" - 3"
FH-EWC115P 6" - 3" 2" 8" - 3"
FH-EW2115P 6" - 3" 2"
FH-EWF315P 6" - 3" 2" 2" 8" - 3" 3" 2"

Smooth Fiberglass Oak Park Series



Smooth Fiberglass Oak Park Series



Glass Obscurity Detail




**The Oak Park Series features
Low-Profile lite frames
(See lite frame profile detail on pg 6)



Smooth Fiberglass Nouveau Series

Smooth Fiberglass Nouveau Series



FS-NV1116N (Nickel)
FS-NV1116P (Patina)
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FS-NV2116N (Nickel)
FS-NV2116P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸

FS-NV224N (Nickel)
FS-NV224P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸

FS-LNV114N (Nickel)
FS-LNV114P (Patina)
12" & 14"
6⁸ & 8⁰

FS-NV1117N (Nickel)
FS-NV1117P (Patina)
6⁸ - 3⁰
8⁰ - 3⁰


FS-LNV115N (Nickel)
FS-LNV115P (Patina)
12" & 14"
6⁸ & 8⁰

FS-NVF118N (Nickel)
FS-NVF118P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸



FS-NVF16NC (Nickel)
FS-NVF16PC (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶

FS-LNVF16N (Nickel)
FS-LNVF16P (Patina)
12" & 14"
6⁸



Glass Obscurity Detail

Caming Color Options



Satin Nickel



Patina



**The Nouveau Series features Low-Profile lite frames (See lite frame profile detail on pg 6)

Nouveau Transoms



TS-NV6613N (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt

TS-NV6211N (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt



TS-NV6613P (66-7/8" X 13-7/8")
For: 14" Sdlt / 3⁰ Door / 14" Sdlt


TS-NV6211P (62-7/8" X 11-7/8")
For: 12" Sdlt / 3⁰ Door / 12" Sdlt



FS-NVF16NL (Nickel)
FS-NVF16PL (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶



FS-NVF16NR (Nickel)
FS-NVF16PR (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶



FS-NVF26N (Nickel)
FS-NVF26P (Patina)
6⁸ - 3⁰ 2¹⁰ 2⁸



FH-NV1116N (Nickel)
FH-NV1116P (Patina)
6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

Smooth Fiberglass Blanca Series

Smooth Fiberglass Blanca Series



FS-BL1116 6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FS-BL2116 6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁰ 2⁸


FS-BL224 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 2⁸

FS-LBL114 12" & 14"
6⁸ & 8⁰

FS-BL1117 6⁸ - 3⁰
8⁰ - 3⁰

FS-LBL115 12" & 14"
6⁸ & 8⁰

FS-BLF118 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁰ 3⁰ 2⁸



FS-BLF16C 6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶

FS-BLF16L (Left)
FS-BLF16R (Right) 6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶

FS-BLF26 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁶ 3⁰ 2⁸

FS-BLF33L 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁶ 3⁰ 2⁸

FS-BLF33R 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁶ 3⁰ 2⁸


FS-BLF33VC 6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶



Glass Obscurity Detail



FS-LBLF16
12" & 14"
6⁸ & 8⁰



Dentil Shelf
(Optional for Craftsman doors)

**The Blanca Series features
Low-Profile lite frames
(See lite frame profile detail on pg 6)



FS-BLF33VL (Left)
FS-BLF33VR (Right) 6⁸ - 3⁰ 2¹⁰ 2⁸ 2⁶
8⁰ - 3⁶ 3⁰ 2⁸ 2⁶

FH-BL1116 6⁸ - 3⁰ 2⁸
8⁰ - 3⁰

FH-BLC115 6⁸ - 3⁰ 2⁸
8⁰ - 3⁰


FH-LBLC13 12" & 14"
6⁸ & 8⁰

FH-BL2115 6⁸ - 3⁰ 2⁸

FH-BLF315 6⁸ - 3⁰ 2¹⁰ 2⁸
8⁰ - 3⁶ 3⁰ 2⁸


Smooth Fiberglass Shaker Panel & Clear Glass Series

Smooth Fiberglass Shaker Panel & Clear Glass Series




Doors with Clear Low-E Glass

**See all lite frame profile details featured on pg 6




Shaker Panel
Crisp, square-edge, flat-panel design for true shaker appearance.



Smooth Fiberglass Standard Panel & Clear Glass Series

Smooth Fiberglass Standard Panel & Clear Glass Series





Doors with Clear Low-E Glass



Multi-Point Hardware- Lever Handle Collection

Multi-Point Hardware- Grip Handle Collection




Multi-Point Deadbolt
The heavy-duty deadbolt adds a fourth latch point when engaged, increasing resistance against break-in force for improved security

Multi-Point Triple Latch
Adds additional latch points near the upper and lower edge of the door that engage when door is closed, helping maintain tighter seal and improved support against thermal bow



Multi-Point Deadbolt & Tongue Latch Bolts
When the heavy-duty deadbolt is engaged, it also extends the tongue latches near the upper and lower edge of the door which helps maintain tighter seal and improved support against thermal bow and increases resistance against break-in force for improved security

Multi-Point Latch Bolt
During normal use, the latch bolt keeps the door closed and is opened by disengaging the bolt by pressing down on the thumb release on the outside or the lever handle on the inside.



JAMBS



PRIMED FINGERJOINT
(Wood)



COMPOSITE
(PVC)

JAMB REINFORCEMENT




Heavy-Duty Steel Plate
Reinforces the jamb against break-in force for increased security.
*Available on single prehung door units only

SILLS (All sills available in MILL or BRONZE finish)



FIXED CAP SILL
(Inswing Doors)



ADJUSTABLE CAP SILL
(Inswing Doors)



BUMPER SILL
(Outswing Doors)



LOW-PROFILE ADA SILL
(Inswing or Outswing Doors)

HINGES (Fortis STANDARD hinges are commercial grade, ball-bearing hinges for smooth, reliable performance)



POLISHED BRASS US3
SATIN CHROME US26D
POLISHED CHROME US26



STAINLESS STEEL US32 (Non-Ferrous)
SATIN NICKEL US15
OIL RUBBED BRONZE US10B
MATTE BLACK US1D

DENTIL SHELF (Optional for Craftsman doors)



DOOR SHIELD PACKAGING


Fortis Door Shield offers durable cardboard cover and plastic wrap of the door to protect against dirt and damage during handling and construction.



	NET UNIT WIDTHS							NET UNIT HEIGHTS		
	DOOR CALL-OUT SIZE	NET SLAB SIZE	NET UNIT WIDTH	DOOR + (1) 12" SIDELITE	DOOR + (2) 12" SIDELITES	DOOR + (1) 14" SIDELITE	DOOR + (2) 14" SIDELITES	INSWING SILL	OUTSWING SILL	ADA SILL
6/8 DOORS	2/0 x 6/8	23-3/4" x 79"	25-1/2"	39"	52-1/2"	41"	56-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/4 x 6/8	27-3/4" x 79"	29-1/2"	43"	56-1/2"	45"	60-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/6 x 6/8	29-3/4" x 79"	31-1/2"	45"	58-1/2"	47"	62-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/8 x 6/8	31-3/4" x 79"	33-1/2"	47"	60-1/2"	49"	64-1/2"	81-3/4"	80-1/2"	80-7/8"
	2/10 x 6/8	33-3/4" x 79"	35-1/2"	49"	62-1/2"	51"	66-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/0 x 6/8	35-3/4" x 79"	37-1/2"	51"	64-1/2"	53"	68-1/2"	81-3/4"	80-1/2"	80-7/8"
	3/6 x 6/8	41-3/4" x 79"	43-1/2"	57"	70-1/2"	59"	74-1/2"	81-3/4"	80-1/2"	80-7/8"
	4/0 x 6/8 DBL	-	50"	63-1/2"	77"	65-1/2"	81"	81-3/4"	80-1/2"	80-7/8"
	4/8 x 6/8 DBL	-	58"	71-1/2"	85"	73-1/2"	89"	81-3/4"	80-1/2"	80-7/8"
	5/0 x 6/8 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	81-3/4"	80-1/2"	80-7/8"
8/0 DOORS	2/6 x 8/0	29-3/4" x 95"	31-1/2"	45"	58-1/2"	47"	62-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/8 x 8/0	31-3/4" x 95"	33-1/2"	47"	60-1/2"	49"	64-1/2"	97-3/4"	96-1/2"	96-7/8"
	2/10 x 8/0	33-3/4" x 95"	35-1/2"	49"	62-1/2"	51"	66-1/2"	97-3/4"	96-1/2"	96-7/8"
	3/0 x 8/0	35-3/4" x 95"	37-1/2"	51"	64-1/2"	53"	68-1/2"	97-3/4"	96-1/2"	96-7/8"
	5/0 x 8/0 DBL	-	62"	75-1/2"	89"	77-1/2"	93"	97-3/4"	96-1/2"	96-7/8"
	5/4 x 8/0 DBL	-	66"	79-1/2"	93"	81-1/2"	97"	97-3/4"	96-1/2"	96-7/8"
	5/8 x 8/0 DBL	-	70"	83-1/2"	97"	85-1/2"	101"	97-3/4"	96-1/2"	96-7/8"
	6/0 x 8/0 DBL	-	74"	87-1/2"	101"	89-1/2"	105"	97-3/4"	96-1/2"	96-7/8"

TRANSOMS	TYPE #	NET GLASS SIZE					
	6211	62-7/8" x 11-7/8"	6/8 Doors	Use with 3/0 Door + (2) 12" Sidelites	95-1/4"	94"	94-3/8"
6613	66-7/8" x 13-7/8"	6/8 Doors	Use with 3/0 Door + (2) 14" Sidelites	97-1/4"	96"	96-3/8"	
6211	62-7/8" x 11-7/8"	8/0 Doors	Use with 3/0 Door + (2) 12" Sidelites	111-1/4"	110"	110-3/8"	
6613	66-7/8" x 13-7/8"	8/0 Doors	Use with 3/0 Door + (2) 14" Sidelites	113-1/4"	112"	112-3/8"	

DOOR HANDING



Fortis doors have a **LIFETIME LIMITED WARRANTY** which is the assurance that Fortis doors will operate and perform consistent with the Door Performance Standards (DPS) within the Conditions for which the product(s) was designed and manufactured as set forth by the Manufacturer.



