

GET THE JOB DONE WITH THE  
**PRO SERIES**

CATALOG - 2025



**ALLIANCE**  
OUTDOOR LIGHTING

# WELCOME TO THE PRO SERIES

from Alliance Outdoor Lighting, where rugged durability meets swift installation. Designed with contractors in mind, our Pro Series fixtures are built to withstand the toughest conditions while offering easy, quick installation that maximizes your efficiency and profit.

Whether you're braving the elements or navigating tight deadlines, our robust, high-performance lighting solutions ensure you get the job done right and fast, so you can move on to the next project with confidence and ease. Get ready to tackle your installations head-on and light up your success with the Pro Series.

**ALLIANCE**  
OUTDOOR LIGHTING




<b>Directional Lights</b>	<b>03</b>
<b>Path Lights</b>	<b>05</b>
<b>Hardscape</b>	<b>09</b>
<b>Lamps</b>	<b>11</b>
<b>Transformers</b>	<b>13</b>



**GET  
THE  
JOB  
DONE**



# DIRECTIONAL LIGHTS



**Solid cast brass**

**36" wire lead**

16 awg (UL listed), pre-connected to the fixture, pre-stripped for easy-wire connection.

**Plastic 8.5" slotted ground stake**



**BL115**

AGED BRASS FINISH

USES E-LMR16-LED (SEE PG. 12)

7.5" HEIGHT



**BL115-BLK**

PREMIUM BLACK OVERCOAT

USES E-LMR16-LED (SEE PG. 12)

7.5" HEIGHT



**FL15**

AGED BRASS FINISH

USES E-LBIPIN-LED-250LM (SEE PG. 12)

3.5" HEIGHT

4" WIDTH




**FL15-BLK**

PREMIUM BLACK OVERCOAT

USES E-LBIPIN-LED-250LM (SEE PG. 12)

3.5" HEIGHT

4" WIDTH



# PATH LIGHTS

**Suggested lamp: E-LBIPIN-LED-250lm**  
(see LAMPS pg. 12)

**Solid cast brass**

**36" wire lead**

16 awg (UL listed), pre-connected to the fixture,  
pre-stripped for easy wire connection.

**Plastic 8.5" slotted ground stake**



**PAL105**  
AGED BRASS FINISH  
BRASS AREA LIGHT HAT  
22.5" HEIGHT  
6.5" HAT DIAMETER



**PAL105-BLK**  
PREMIUM BLACK OVERCOAT  
BRASS AREA LIGHT HAT  
22.5" HEIGHT  
6.5" HAT DIAMETER



**PAL705**  
AGED BRASS FINISH  
TWO TIER BRASS AREA LIGHT HAT  
21" HEIGHT  
7.4" HAT DIAMETER



**PAL705-BLK**  
PREMIUM BLACK OVERCOAT  
TWO TIER BRASS AREA LIGHT HAT  
21" HEIGHT  
7.4" HAT DIAMETER



**PAL555-12**

AGED BRASS FINISH  
SMALL BRASS AREA LIGHT HAT  
15" HEIGHT  
3.5" HAT DIAMETER




**PAL555-12-BLK**

PREMIUM BLACK OVERCOAT  
SMALL BRASS AREA LIGHT HAT  
15" HEIGHT  
3.5" HAT DIAMETER



# HARDSCAPE



Integrated LED module

Solid cast brass

10' wire lead

16 awg (UL listed), pre-connected to the fixture,  
pre-stripped for easy wire connection.



---

**SL75-LED**

AGED BRASS FINISH

7" WIDTH

0.75" LED DEPTH



---

**SL75-LED-BLK**

PREMIUM BLACK OVERCOAT

7" WIDTH

0.75" LED DEPTH



# LAMPS



LED

Energy efficient



## E-LMR16-LED-4W

SOFT WHITE - 2900K

ADJUSTABLE BEAM ANGLE  
(25°, 40°, 55°)

4 WATT • 250 LUMENS



## E-LMR16-LED-5W

SOFT WHITE - 2900K

ADJUSTABLE BEAM ANGLE  
(25°, 40°, 55°)

5.5 WATT • 350 LUMENS



## E-LMR16-LED-5W-4K

COOL WHITE - 4000K

ADJUSTABLE BEAM ANGLE  
(25°, 40°, 55°)

5.5 WATT • 350 LUMENS



## E-LBIPIN-LED-250LM

SOFT WHITE -2900K

2.5 WATT • 250 LUMENS



# TRANSFORMERS

+A-LOC connectors

120 volt to 12 and 14 VAC

Built-in photocell and timer

5' grounded power cord

Built-in circuit breaker





## TF150

150 WATT  
PLASTIC HOUSING  
12V TAP



## TF200

200 WATT  
DIGITAL CONTROL CENTER  
STAINLESS STEEL HOUSING  
12V TAP



## TF300

300 WATT  
DIGITAL CONTROL CENTER  
STAINLESS STEEL HOUSING  
12V & 14V TAP



## A-LOC-50

WATERPROOF SILICON FILLED CAPS  
LOCKING BOLT  
(BOLT LOCKS WIRES IN TO PREVENT PULL-OUT)  
CLIP TOGETHER  
50 PIECES

# ALLIANCE

OUTDOOR LIGHTING



[AllianceOutdoorLighting.com](http://AllianceOutdoorLighting.com)



1.888.BT.LIGHT