

 **CP PLUS**
security made simpler



the portfolio

ORANGE

End to end progressive security



Network Solution

NETWORK CAMERAS

CP-UNC-DA10L3S

1MP HD IR IP Dome Camera



► Features:

- 1/4" 1 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@720P(1280 × 720)
- 3.6mm fixed Lens(2.8mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA10L3S

1MP HD IR IP Bullet Camera



► Features:

- 1/4" 1 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@720P(1280 × 720)
- 3.6mm fixed Lens(2.8mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA10L4S

1MP HD IR IP Bullet Camera



► Features:

- 1/4" 1 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@720P(1280 × 720)
- 3.6mm fixed Lens(6mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 40 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TB13FL6-MS

1.3MP HD IR IP Bullet Camera



► Features:

- 1/3" 1.3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@720P(1280 × 720)
- 2.7" 12mm Varifocal Lens
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 60 Mtr., Micro SD, IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-VB13FL3-MS

1.3MP HD IR IP Vandal Dome Camera



► Features:

- 1/3" 1.3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@720P(1280 × 720)
- 2.7" 12mm Varifocal Lens
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67 & IK10
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-DA20L3S

2MP Full HD IR IP Dome Camera



► Features:

- 1/2.7" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920 × 1080)
- 3.6mm fixed lens (6mm optional)
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- Max. IR LEDs length 30m, IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA20L3S

2MP Full HD IR IP Bullet Camera



► Features:

- 1/2.7" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920 × 1080)
- 3.6mm fixed lens (6mm optional)
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- Max. IR LEDs length 30m, IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA20L4S

2MP Full HD IR IP Bullet Camera



► Features:

- 1/2.7" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920 × 1080)
- 3.6mm fixed lens (6mm optional)
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- Max. IR LEDs length 40m, IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-VB20FL3-MS

2MP Full HD IR IP Vandal Dome Camera



► Features:

- 1/2.8" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920 × 1080)
- 2.7" 12mm Varifocal Lens
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- Max. IR LEDs length 30m, Micro SD, IP67 & IK10, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TB20FL6-MS

2MP Full HD IR IP Bullet Camera



► Features:

- 1/2.8" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920 × 1080)
- 2.7" 12mm Varifocal Lens
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- Max. IR LEDs length 60m, Micro SD, IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-DA30L3S

3MP Full HD IR IP Dome Camera



► Features:

- 1/3" 3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3MP(2048x1536)
- 2.8mm fixed Lens(3.6mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA30L3S

3MP Full HD IR IP Bullet Camera



► Features:

- 1/3" 3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3MP(2048x1536)
- 2.8mm fixed Lens(3.6mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TA30L4S

3MP Full HD IR IP Bullet Camera



► Features:

- 1/3" 3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3MP(2048x1536)
- 6mm fixed Lens(8mm Optional)
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 40 Mtr., IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TB30ZL6-MS

3MP Full HD IR IP Bullet Camera



► Features:

- 1/3" 3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3MP(2048x1536)
- 2.7" 12mm Motorized Lens
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., Micro SD, IP67 & IK10
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-VB30ZL3-MS

3MP Full HD IR IP Vandal Dome Camera



► Features:

- 1/3" 3 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3MP(2048x1536)
- 2.7" 12mm Motorized Lens
- DWDR, Day/Night, 3D-DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr., Micro SD, IP67
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-DA40L3

4 MP Full HD IR IP Dome Camera



► Features:

- 1/3" 4 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@4M(2688x1520) & 25/30fps@3M(2304 × 1296)
- 3.6 mm fixed lens
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

Performance Series

CP-UNC-TA40L3

4 MP Full HD IR IP Bullet Camera



► Features:

- 1/3" 4 MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@4M(2688x1520) & 25/30fps@3M(2304x1296)
- 3.6 mm fixed lens
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- IR Range of 30 Mtr., IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-VD40L3-D

4 MP Full HD WDR IR IP Vandal Dome Camera



► Features:

- 1/3" 4Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@4MP(2560x1440) & 25/30fps@3MP(2304x1296)
- 3.6mm fixed lens (6mm optional)
- WDR, Day/Night(ICR), Auto Iris, 3DNR, AWB, AGC, BLC
- Max. IR LEDs length 40m, IP67 & IK10, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-TD40L4-D

4 MP Full HD WDR IR IP Bullet Camera



► Features:

- 1/3" 4Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 20fps@4MP(2560x1440) & 25/30fps@3MP(2304x1296)
- 3.6mm fixed lens (6mm optional)
- WDR, Day/Night(ICR), Auto Iris, 3DNR, AWB, AGC, BLC
- Max. IR LEDs length 40m, IP67, PoE
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNC-CS13L1-VMW

1.3 MP HD IR IP Cube Camera



► Features:

- 1/3" 1.3 Megapixel CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1.3MP(1280x960)
- WiFi, DWDR, Day/Night, 3DNR, AWB, AGC, BLC
- 2.8mm fixed lens, Built-in Mic and Speaker
- Micro SD Card upto 128 GB
- IR Range of 10 Mtr.
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro, vOptimus Pro

PTZs

CP-UNP-2020TL10-P

2MP 20x Full HD IP IR PTZ Camera



► Features:

- 1/2.8" 2MP CMOS Image Sensor
- Triple Stream Encoding
- Max 25/30fps@1080P(1920x1080)
- 4.7 ~ 94mm Lens., 20x Zoom
- DWDR, Day/Night, Ultra DNR, Auto iris, AWB, AGC, BLC
- IR Range of 100 Mtr, Upto 300 Presets, IP66, PoE Plus
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNP-2013TL10-P

1.3MP 20x HD IP IR PTZ Camera



► Features:

- 1/3" 1.3MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1.3MP(1280x960)
- 4.7 ~ 94mm Lens., 20x Zoom
- DWDR, Day/Night, Ultra DNR, Auto iris, AWB, AGC, BLC
- IR Range of 100 Mtr, Upto 300 Presets, IP66, PoE Plus
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNP-0420L3-P

2MP 4x HD IP IR PTZ Camera



► Features:

- 1/2.8" 2MP CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920x1080)
- 2.7mm ~ 11mm, 4x Zoom
- DWDR, Day/Night, Ultra DNR, Auto iris, AWB, AGC, BLC
- IR Range of 30 Mtr, Upto 300 Presets, Micro SD
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

CP-UNP-E2521L15-DAP

2MP 25x Full HD IP IR PTZ Camera



► Features:

- 1/2.8" 2MP CMOS Image Sensor
- H.265 & H.264 triple-stream encoding
- Max 50/60fps@1080P(1920x1080)
- 4.8 ~ 120mm Lens., 25x Zoom
- WDR, Day/Night, Ultra DNR, Auto iris, AWB, AGC, BLC
- IR Range of 150 Mtr, Upto 300 Presets, IP66, PoE Plus
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software: KVMS Pro, vOptimus Pro

NVRs

CP-UNR-204/208/216T1-V2

4/8/16 Ch. Network Video Recorder



► Features:

- 4/8/16 Ch. with 1080p Realtime Live View
- H.264/MJPEG dual codec decoding
- Max 80Mbps incoming bandwidth
- Support Multi-brand network cameras
- HDMI / VGA simultaneous video output
- Support 1 SATA HDDs up to 6TB, 2 USB2.0
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP-UNR-204/208/216T2-V2

4/8/16 Ch. Network Video Recorder



► Features:

- 4/8/16 Ch. with 1080p Realtime Live View
- H.264/MJPEG dual codec decoding
- Max 80Mbps incoming bandwidth
- Support Multi-brand network cameras
- HDMI / VGA simultaneous video output
- Support 2 SATA HDDs up to 12TB, 2 USB2.0,
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP-UNR-4K4162/4K4322-V2

16/32 Ch. Network Video Recorder



► Features:

- Up to 8MP Resolution for Preview and Playback
- H.265/H.264/MJPEG dual codec decoding
- Max 256Mbps incoming bandwidth
- Support Multi-brand network cameras
- HDMI / VGA simultaneous video output
- Support 2 SATA HDDs up to 12TB, 2 USB2.0
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP-UNR-4K4164/4K4324-V2

16/32 Ch. Network Video Recorder



► Features:

- Up to 8MP Resolution for Preview and Playback
- H.265/H.264/MJPEG dual codec decoding
- Max 256Mbps incoming bandwidth
- Support Multi-brand network cameras
- 2 HDMI / VGA simultaneous video output
- Support 4 SATA HDDs up to 24TB, 3 USB2.0
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP-UNR-4K564R4-V2

64 Ch. Network Video Recorder



► Features:

- Upto 12MP Resolution Preview & Playback
- H.265/H.264/MJPEG dual codec decoding
- Max 320Mbps incoming bandwidth
- Support Multi-brand network cameras
- 2 HDMI / VGA simultaneous video output
- Support 4 SATA HDDs up to 24TB, 3 USB (2 USB 2.0, 1 USB 3.0), Support RAID
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP-UNR-4K564R8-V2

64 Ch. Network Video Recorder



► Features:

- Upto 12MP Resolution Preview & Playback
- H.265/H.264/MJPEG dual codec decoding
- Max 320Mbps incoming bandwidth
- Support Multi-brand network cameras
- 2 HDMI / VGA simultaneous video output
- Support 8 SATA HDDs up to 48TB, 4 USB (2 USB 2.0, 2 USB 3.0), Support RAID
- Mobile Software: iCMOB, gCMOB, wCMOB, CMS Software:KVMS, KVMS Pro

CP PLUS GROUP

Australia | Bangladesh | China | Czech Republic | Eastern Europe
Germany | Hong Kong | India | Indonesia | Middle East | Pakistan
Philippines | Saudi Arabia | Singapore | South Africa | Sri Lanka
Taiwan | UAE | Vietnam

Sales@cpplusworld.com | www.cpplusworld.com



CP PLUS security made simpler

CP PLUS Group

AUSTRALIA | BANGLADESH | CHINA | CZECH REPUBLIC | EASTERN EUROPE | GERMANY | HONG KONG | INDIA | INDONESIA
MIDDLE EAST | PAKISTAN | PHILIPPINES | SAUDI ARABIA | SINGAPORE | SOUTH AFRICA | SRI LANKA | TAIWAN | UAE | VIETNAM

Sales@cpplusworld.com | www.cpplusworld.com

