

Product sheet **ComHAND**

Ref: **A0204B2**

Language **English**



INDUSTRIAL RADIO REMOTE CONTROL

COMHAND

HANDS-FREE



SIATECH
run your world

INDUSTRIAL RADIO REMOTE CONTROL COMHAND



Broaden your horizon



First hands-free user-integrated remote control, the ComHand handling device enables you to increase your **productivity** by 20% while ensuring maximum **safety**.

Thanks to its unique design, avoid the loss or breakage of your remote control and keep control of your machine in any situation.

Why ComHAND ?

- ✓ Hands-free
- ✓ Environmental resistance
- ✓ Ease of use
- ✓ Maximum safety
- ✓ Improved comfort
- ✓ Lightness
- 🇫🇷 100% customizable



Speed control

1st patented portable emergency stop

CHs transmitter



One-way motorization
(3 control relays)

CHs+ transmitter



Two-way motorization
(6 control relays)

One-way motorization
with options
(3 control relays)

CH4 transmitter



Three-way motorization
(and/or range of options)


One transmitter, numerous applications

Especially designed for tasks requiring one movement at a time, ComHand can be used on any type of lifting devices and responds to all button box issues.


Its **ergonomic** and **compact** shape, its simplicity, its **robustness** and **safety of use** make this radio control a valuable tool to increase your operational efficiency.




HOISTS



MONORAILS



JIB
CRANES



GANTRY
CRANES



INDUSTRIAL RADIO REMOTE CONTROL COMHAND

Technical data

Series: **CHes**
 Frequency band: **433MHz | 868MHz | 2.4GHz**
 Modulation: **FM**
 Output power: **15 mW**
 Weight: **~ 100g**
 Sealing: **IP65**
 Medium range: **50m to 100m**

Dimensions: **87 x 57 x 25 mm**
 Battery: **Lithium-ion**
 Charging time: **1,5h**
 Operating time (continuous usage): **12h**
 Operating temperature: **-20°C + 70°C**
 Number of buttons: **7**
 Safety level: **SIL 2**



Kit

A **ComHand** kit includes:



Transmitter



Receiver sized to fit the lifting device



Control rings x 2



Wristband



External or internal battery



Charger



Magnetic fastening kit (optional)



User instructions

Product description

On / Horn / Validation button

IP65 jack socket:
Connection of the ring or loading

2 programmable function buttons

Informative LEDs

Functions identification

Emergency stop button
Safety level SIL2

2 programmable function buttons

Double push buttons:
2 speeds

Adjustable ring
for work gloves

In compliance with EU Directives



CE Conformity Declaration of type RED_106 issued by LCIE

FREE YOUR HANDS!



SIATECH
run in your world

✉ contact@siatech.fr

☎ +33 (2) 78 77 53 50

Discover the Hand range for your lifting and handling operations on

www.siatech.fr