



Industrial Safety Controls, Inc.
 1706 - 22nd Avenue, Kenosha, WI 53140
 Phone: 262.652.8660
 Email: safetyensing@earthlink.net
 Website: www.safeworkplace.org


22.5 MM OPERATORS

Features/Applications

Available in Lockable, Push-Pull, and Momentary versions, the following switches are hand operated, control circuit devices, rated ‘Heavy Duty’ normally for use with electromagnetic equipment. The body is made from die-cast zinc. The mushroom shaped plungers are molded from DuPont Delrin 100ST Acetal for improved impact resistance and are solid colors throughout.

- Nema 12/13, IP 65
- Gold Plated Contacts

Each operator will accept up to three tiers



[+ more](#)

1

Item #	Item Photo	Operator Color	Padlock Feature	Switch Type	Positive Opening Contact	Adapter Included	Legend Plate Included	Contact Block(s) Included
22102-012		Red	Yes	Maintained UL/NISD	Yes ➡	No	No	52702 NC NC Opens upon Removal

Item #	Item Photo	Operator Color	Padlock Feature	Switch Type	Positive Opening Contact	Adapter Included	Legend Plate Included	Contact Block(s) Included
22102-014	 22102-014	Yellow	Yes	Maintained	Yes 	No	No	52702 NC NC Opens upon Removal
22102-102	 22102-102	Red	Yes	Maintained UL/NISD	Yes 	No	No	50703- NO/NC
22102-104	 22102-104	Yellow	Yes	Maintained	Yes 	No	No	50703- NO/NC
22102-122	 22102-122	Red	Yes	Maintained UL/NISD	Yes 	No	No	(2) 50703 (2) NO/NC
22102-124	 22102-124	Yellow	Yes	Maintained	Yes 	No	No	(2) 50703 (2) NO/NC
22102-132	 22102-132	Red	Yes	Maintained UL/NISD	Yes 	No	No	50702-NC
22102-142	 22102-142	Red	Yes	Maintained UL/NISD	Yes 	No	No	50703- NO/NC 50702-NC

Item #	Item Photo	Operator Color	Padlock Feature	Switch Type	Positive Opening Contact	Adapter Included	Legend Plate Included	Contact Block(s) Included
22102-142								
22102-202		Red	No	Maintained UL/NISD	Yes 	No	No	50716 50723 NC/NO Make before Break
22102-202								
22102-204		Yellow	No	Maintained	Yes 	No	No	50716 50723 NC/NO Make before Break
22102-204								
22102-212		Red	Yes	Maintained UL/NISD	Yes 	No	No	(2) 52702 + 50724 (2) NC / (1) NO NC Opens upon Removal
22102-222		Red	No	Maintained UL/NISD	N/A	No	No	None
22102-222								
22102-224		Yellow	No	Maintained	N/A	No	No	None
22102-224								
22102-232		Red	Yes	Maintained UL/NISD	Yes 	No	No	(2) 50702 (2) NC
22102-232								

Item #	Item Photo	Operator Color	Padlock Feature	Switch Type	Positive Opening Contact	Adapter Included	Legend Plate Included	Contact Block(s) Included
<u>22102-242</u>	 22102-242	Red	No	Maintained UL/NISD	Yes 	No	No	(2) 52702 50702/50701 (2) NC Open Upon Removal NC/NO
<u>22102-303</u>	 22102-303	Green	No	Momentary	N/A	No	No	(2) 50701 (2) NO
<u>22102-312</u>	 22102-312	Red	Yes	Maintained UL/NISD	Yes 	No	No	(2) 52702 NC NC Opens upon Removal
<u>22102-314</u>	 22102-314	Yellow	Yes	Maintained	Yes 	No	No	(2) 52702 NC NC Opens upon Removal
<u>22102-412</u>	 22102-412	Red	No	Momentary	N/A	No	No	None
<u>22102-413</u>	 22102-413	Green	No	Momentary	N/A	No	No	None
<u>22102-414</u>	 22102-414	Yellow	No	Momentary	N/A	No	No	None

Item #	Item Photo	Operator Color	Padlock Feature	Switch Type	Positive Opening Contact	Adapter Included	Legend Plate Included	Contact Block(s) Included
--------	------------	----------------	-----------------	-------------	--------------------------	------------------	-----------------------	---------------------------

[22102-502](#)


22102-502 includes: 01004-033 Adapter & 09022-004 Legend Plate

22102-502

Red

Yes

Maintained
UL/NISD***N/A**

Yes

Yes

None

[22102-504](#)


22102-504 includes: 01004-033 Adapter

22102-504

Yellow

Yes

Maintained

N/A

Yes

No

None

[22102-522](#)


22102-522

Red

Yes

Maintained
UL/NISD***N/A**

No

No

None

[22102-524](#)


22102-524

Yellow

Yes

Maintained

N/A

No

No

None