


Industrial Safety Controls, Inc.

1706 - 22nd Avenue, Kenosha, WI 53140

Phone: 262.652.8660

 Email: safetysensing@earthlink.net

 Website: www.safeworkplace.org

2.25 INCH PLASTIC MUSHROOM PLUNGER

Features/Applications

The following switches are hand operated, control circuit devices, rated 'Heavy Duty' normally for use with electromagnetic equipment. The body, painted with a dry powder paint, is made from die-cast zinc. The mushroom ergonomic shaped plungers are molded from DuPont Delrin 100ST Acetal for improved impact resistance, improved colors and on the 00662 models improved DC performance. The plunger heads are solid colors throughout. Each captive terminal will accept (2) #14 AWG

[+ more](#)


1

Item #	Item Photo	Plunger Color	Operating Force	Positive Opening Contact	Contact Arrangements (All Momentary)
00222-002	 00222-002	Red	4.3 lb	Yes 	#66 NC Positive Break, Slow-Break
00222-004		Yellow	4.3 lb	Yes 	#66 NC Positive Break, Slow-Break

Item #	Item Photo	Plunger Color	Operating Force	Positive Opening Contact	Contact Arrangements (All Momentary)
00222-004					
00662-001	 00662-001	Black	4.3 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
00662-002	 00662-002	Red	4.8 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
00662-003	 00662-003	Green	4.3 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
00662-004	 00662-004	Yellow	4.3 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
00662-101	 00662-101	Black	3.0 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
00662-103	 00662-103	Green	3.0 lb	Yes 	#09 NO + NC Positive Break, Slow-Make/Slow-Break
				No	#10 NO + NC

Item #	Item Photo	Plunger Color	Operating Force	Positive Opening Contact	Contact Arrangements (All Momentary)
01461-101	 01461-101	Black	3.0 lb	No	#10 NO + NO, Slow-Make
01461-102	 01461-102	Red	5.5 lb	No	#10 NO + NO, Slow-Make
01461-104	 01461-104	Yellow	3.0 lb	No	#10 NO + NO, Slow-Make
01461-202	 01461-202	Red	5.5 lb	Yes 	#11 NC + NC Postive Break, Slow-Break
04948-001	 04948-001	Black	3.5 lb	No	#64 2 NO + 2 NC, Snap-Action
04948-002	 04948-002	Red	3.5 lb	No	#64 2 NO + 2 NC, Snap-Action
04948-003	 04948-003	Green	3.5 lb	No	#64 2 NO + 2 NC, Snap-Action

Item #	Item Photo	Plunger Color	Operating Force	Positive Opening Contact	Contact Arrangements (All Momentary)
04948-004	 04948-004	Yellow	3.5 lb	No	#64 2 NO + 2 NC, Snap-Action
					1