


Industrial Safety Controls, Inc.

1706 - 22nd Avenue, Kenosha, WI 53140

Phone: 262.652.8660

 Email: safetysensing@earthlink.net

 Website: www.safeworkplace.org

CABLE OPERATED SWITCHES

Features/Applications

The following switches are “slack cable” style with ‘Positive Break’ features. This makes the manual reset styles particularly competent for use in Emergency Stop applications as well as for ordinary circuit control. They are offered in manual and automatic reset configuration. The housing is made from high quality die-cast aluminum and painted with a dry powder paint. The white powder paint is TGIC polyester which has no residual heavy metals and contains no lead or

[+ more](#)


1

Item #	Item Photo	Color	Trip Force	Operating Force Between 10 ft. Supports	Reset Type	Contact Arrangement
04944-000	 04944-000	Black	15 lb	3 lb	Manual	NO + NC
04944-020		Red	15 lb	3 lb	Manual	NO + NC

Item #	Item Photo	Color	Trip Force	Operating Force Between 10 ft. Supports	Reset Type	Contact Arrangement
04944-020						
04944-040		Yellow	15 lb	3 lb	Manual	NO + NC
04944-040						
04944-200		Black	15 lb	3.8 lb	Manual	2 NO + 2 NC
04944-200						
04944-220		Red	15 lb	3.8 lb	Manual	2 NO + 2 NC
04944-220						
04944-240		Yellow	15 lb	3.8 lb	Manual	2 NO + 2 NC
04944-240						
04944-500		Black	10 lb	1.2 lb	Manual	NO + NC
04944-500						
04944-520		Red	10 lb	1.2 lb	Manual	NO + NC
04944-520						
04944-600		Black	10 lb	1.8 lb	Manual	2 NO + 2 NC

Item #	Item Photo	Color	Trip Force	Operating Force Between 10 ft. Supports	Reset Type	Contact Arrangement
						
	04944-600					
04944-620		Red	10 lb	1.8 lb	Manual	2 NO + 2 NC
	04944-620					
04944-640		Yellow	10 lb	1.8 lb	Manual	2 NO + 2 NC
	04944-640					
04944-700		Yellow	40 lb	11.0 lb	Automatic	NO + NC
	04944-700					
04944-800		Yellow	40 lb	15.0 lb	Automatic	2 NO + 2 NC
	04944-800					
04944-840		Yellow	28 lb	10.5 lb	Automatic	2 NO + 2 NC
	04944-840					
04944-900		White	15 lb	3 lb	Manual	NO + NC
	04944-900					

Item #	Item Photo	Color	Trip Force	Operating Force Between 10 ft. Supports	Reset Type	Contact Arrangement
04944-920	 04944-920	White	15 lb	3 lb	Manual	2 NO + 2 NC
04944-950	 04944-950	White	40 lb	11.0 lb	Automatic	NO + NC
						1