



Soils data provided by USDA and NRCS.

Area Symbol: IA003, Soil Area Version: 31

| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR | *n NCCPI Soybeans |
|-------------------------|--|-------|------------------|-------------|------------------|-------------|-------------|-------------------|
| 54 | Zook silty clay loam, 0 to 2 percent slopes, occasionally flooded | 31.38 | 28.0% | | IIw | 67 | 70 | 62 |
| 248 | Wabash silty clay loam, occasionally ponded, 0 to 2 percent slopes, occasionally flooded | 23.95 | 21.4% | | VIIIw | 37 | 60 | 44 |
| 54+ | Zook silt loam, 0 to 2 percent slopes, occasionally flooded, overwash | 14.93 | 13.3% | | IIw | 69 | 75 | 60 |
| 7B | Wiota silty clay loam, 2 to 5 percent slopes, rarely flooded | 14.55 | 13.0% | | Ile | 95 | 85 | 84 |
| 16 | Nodaway-Kennebec complex, 0 to 2 percent slopes, occasionally flooded | 13.27 | 11.9% | | IIw | 85 | 86 | 88 |
| 220 | Nodaway silt loam, 0 to 2 percent slopes, occasionally flooded | 8.47 | 7.6% | | IIw | 82 | 85 | 92 |
| 88 | Nevin silty clay loam, 0 to 2 percent slopes, rarely flooded | 5.39 | 4.8% | | Iw | 95 | 90 | 85 |
| Weighted Average | | | | | | 69.1 | 74.5 | *n 67.2 |

**IA has updated the CSR values for each county to CSR2.
 *n: The aggregation method is "Weighted Average using major components"
 *c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.