

Fwd: Exam

From: suhayla sanders (32sakeena@gmail.com)

To: midtown8507@yahoo.com

Date: Wednesday, July 1, 2020, 08:28 PM EDT

Sent from iPhone

Begin forwarded message:

From: bee mcm <brittney.mcmillan129@gmail.com>

Date: July 1, 2020 at 8:25:31 PM EDT

To: 32sakeena@gmail.com

Subject: Exam



Direct Care Worker
Competency Exam

Applicant Name _____

Date _____

Multiple Choice

Circle the correct answer(s)

1. You as a Direct Care Worker
 - a. work alone
 - b. are a part of a healthcare team
 - c. will become leader of the healthcare team
 - d. will never get any further training after orientation

2. Mr. Moore informs you that he has not had a bowel movement in 3 days. What should you do?
 - a. tell him not to worry about it
 - b. tell him to take a laxative
 - c. Notify the Supervising Nurse
 - d. change the patient's position

3. Your patient who has diabetes and takes insulin regularly informs you she is nervous and jittery. What should you do immediately?
 - a. take their temperature
 - b. find out when is their next Dr. Appointment
 - c. have them lie down in bed
 - d. give them a glass of orange juice

4. Which of these actions is the direct care worker permitted to take regarding drug administration?
 - a. Recording and reporting patients reaction to the medication
 - b. handing out nonprescription medications to patient when they ask
 - c. adjusting the dosage of medications prescribed to patient
 - d. adjusting times that medications are to be given out to fit the patient's activity schedule

5. When the patient complains of pain what should the direct care worker do first?
 - a. ask the patient to describe the pain
 - b. call the patients doctor
 - c. change the patients position
 - d. give the patient some warm tea

6. How many times should the water be changed during a bed bath?
- Whenever water is visibly soiled
 - Twice
 - However many times needed
 - None
7. Which one of the following devices is used in the prevention and treatment of bedsores or pressure sores?
- Rubber Sheets
 - Air mattress
 - Donut
 - Emesis Basin
8. Proper feeding techniques include:
- Just one spoonful per bite
 - Feed the patient slowly and make sure all food is swallowed
 - Feed the patient while lying in the bed
 - Allow the spoon to go to the back of the tongue
9. Which of the following is not a sign and symptom of dehydration?
- Light colored urine
 - Weakness and thirst
 - Dried mucous membranes
 - Rapid pulses and Low blood pressures
10. When taking a client's pulse you should take it for how long?
- Until it slows down a little
 - 60 seconds using a watch with a second hand
 - Until you don't feel it anymore
 - 15 seconds