

The Influence of Media on Behavioral Health in America: Trump Derangement Syndrome.

Analyzing Political Polarization and Precipitation of Chronic Stress Through Science

By Mark L. Gordon, MD. Millennium Health Centers. Veterans TBI Project for Neurorecovery. (2024.09)

The "Trump Derangement Syndrome" (TDS) is a colloquial term that has emerged in political discourse to describe the intense emotional, cognitive, and behavioral reactions to Donald Trump's presidency and the associated political landscape. While not formally recognized as a clinical diagnosis, the term has become widely used in media and public discussions, often pejoratively, to label individuals who demonstrate extreme opposition to Trump or his policies. This paper aims to critically explore the phenomenon of TDS through the interdisciplinary lenses of sociology, psychiatry, and neuroendocrinology, offering a nuanced understanding of how political events, media portrayal, and individual biology intersect to create intense emotional responses.

At its core, TDS can be seen as a reaction to the chronic stress generated by exposure to politically charged media narratives and the perceived threat posed by Trump's political actions. What has become evident is constant media coverage, often framed in hyperbolic and emotionally charged terms, may lead to a heightened state of arousal, triggering physiological stress responses that can be amplified by cognitive distortions and a polarized political environment. These stress responses are rooted in the neurobiological effects of cortisol and other stress hormones, which, when repeatedly activated, may contribute to emotional dysregulation, anxiety, and even changes in brain structure and function.

Additionally, the phenomenon of TDS needs to be examined in the context of group identity and political polarization. Drawing on social identity theory, individuals who identify strongly with political opposition to Trump may experience heightened emotional and psychological reactions as a means of defending their worldview. This can lead to the adoption of extreme beliefs and behaviors, contributing to a feedback loop of escalating anxiety and frustration. The influence of cognitive dissonance further exacerbates these reactions, as individuals struggle to reconcile their political beliefs with actions or events that challenge their worldview.

Finally, the paper considers the neuroendocrinological basis of TDS, delving into the impacts of chronic stress on the brain, particularly in relation to the hypothalamic-pituitary-adrenal (HPA) axis and its role in emotional regulation. Stress-induced alterations in brain chemistry, such as the elevation of cortisol levels, may exacerbate the emotional intensity associated with TDS, affecting cognitive function, memory, and decision-making processes.

Through this comprehensive examination, the paper sheds light on the complex interplay between political events, media influence, and neurobiological responses that may contribute to the rise of TDS, providing a deeper understanding of the psychological and physiological mechanisms behind this political phenomenon. It ultimately questions whether TDS represents a unique clinical

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at <u>MillenniumCenters@gmail.com</u>



condition or an exaggerated response to a highly polarized political climate, offering a foundation for further research into the intersection of mental health, media, and politics.

Introduction

The term "**Trump Derangement Syndrome**" (TDS) first gained prominence during Donald Trump's 2016 presidential campaign and continued to be widely used throughout his presidency to describe what many perceived as extreme emotional and cognitive reactions—often rooted in an intense, irrational opposition to Trump and his policies. Proponents of the term commonly use it to characterize individuals or groups who exhibit disproportionate hostility, fixation, or anxiety related to Trump, labeling such responses as evidence of psychological instability or political overreaction. In this view, TDS is framed as a form of emotional and cognitive dysfunction, manifesting as an inability to engage with political opposition rationally.

However, critics of the term argue that it trivializes and delegitimizes the emotional and political responses of those who fundamentally disagree with Trump's views and policies. For these critics, such reactions are seen not as symptoms of a pathological condition, but rather as reasonable responses to a political environment perceived as threatening or morally troubling. These critics suggest that labeling strong opposition to Trump as a "syndrome" may serve to diminish valid political concerns, framing them instead as signs of personal instability or bias. Thus, TDS serves as a cultural and political symbol that is deeply polarized, with differing interpretations depending on political affiliation and personal perspective.

This paper seeks to move beyond the partisan rhetoric surrounding the term and examine whether the emotional and cognitive phenomena attributed to TDS can be understood through established psychological, sociological, and neurobiological frameworks. By exploring TDS in the context of existing research on chronic stress, cognitive dissonance, political polarization, and media influence, the paper aims to provide a more nuanced, scientifically grounded perspective. This approach will allow us to consider whether TDS reflects a clinically identifiable phenomenon or if it is better understood as a complex intersection of socio-political stressors, media narratives, and individual psychological responses.

One of the key challenges in evaluating the validity of TDS is the role of media in shaping public perceptions of Trump's presidency. News outlets, particularly in the digital age, have amplified political discourse, with coverage often framed in emotionally charged, hyperbolic terms. The constant barrage of potentially life-threatening or unprecedented political developments can generate a state of heightened arousal and chronic stress, contributing to the emotional intensity observed in many individuals. This, coupled with the effects of polarization on group identity and political ideation, can fuel extreme reactions, which may, in turn, reinforce a feedback loop of anxiety, anger, and cognitive dissonance. In this sense, TDS may be more than just a cultural term; it could represent a complex manifestation of the physiological and psychological effects of living in a hyper-polarized, high-stress political climate.

By integrating theories from sociology, psychiatry, and neuroendocrinology, this paper will critically examine the phenomenon of TDS, asking whether it is a unique psychiatric condition or merely an exaggerated political response to the stresses and complexities of contemporary politics.



Understanding the psychological, social, and biological factors that contribute to this phenomenon can help to clarify whether TDS is an instance of mass political hysteria or a reflection of real, albeit extreme, political anxiety and stress. Ultimately, this paper aims to offer a framework for understanding how political figures, media framing, and psychological mechanisms converge to produce the emotional and cognitive responses that define the phenomenon of Trump Derangement Syndrome.

Sociological Context

The sociological underpinnings of what has been described as "**Trump Derangement Syndrome**" (TDS) are deeply rooted in the interplay between media-driven polarization and the collective experience of societal stress. These dynamics reveal how political environments and media narratives shape group behavior, emotional responses, and identity formation.

A significant factor in this context is the role of the media. During Trump's presidency, the media landscape became sharply divided, with partisan outlets often adopting sensationalistic and alarmist tones. Trump was frequently portrayed as a symbol of existential threats to democracy, civil rights, and global stability. Studies on media consumption have shown that exposure to such emotionally charged narratives can heighten stress and anxiety in viewers, particularly when these narratives reinforce fears about an uncertain future. In this environment, media hyperbole created a feedback loop, where heightened emotions drove greater engagement with polarized content, which in turn further escalated feelings of distress.

This media-fueled polarization also intensified the dynamics of group identity. Political polarization in the United States during Trump's presidency deepened an "us versus them" dichotomy, creating a stark divide between opposing ideological groups. Social identity theory provides a framework for understanding these reactions, positing that individuals derive a significant portion of their self-concept from their group affiliations. When group values are perceived as being under threat—whether from opposing political factions or transformative social changes—individuals often respond defensively, adopting hyperbolic or extreme positions as a means of protecting their group identity. This dynamic fosters a climate where political debates are not merely about policy but become existential struggles over core values, further fueling the emotional intensity associated with TDS.

Beyond individual responses, the phenomenon can also be examined through the lens of collective stress. Sociological research on mass trauma reveals that societies exposed to prolonged fear-inducing narratives can develop a culture of chronic anxiety. For politically engaged individuals, this stress is often compounded by the perception that long-standing democratic norms and institutions are in jeopardy. The mass trauma paradigm highlights how pervasive fear—driven by concerns about democracy, civil rights, climate policy, or control over one's own body—creates a shared sense of vulnerability and uncertainty. This collective stress manifests not only in heightened emotional reactivity but also in a persistent state of vigilance, as individuals anticipate future threats and interpret political developments through a lens of crisis.

Together, these sociological elements—media polarization, group identity dynamics, and collective stress—create fertile ground for the intense emotional and cognitive responses encapsulated by the



term TDS. Understanding this sociological context sheds light on how political and cultural forces intersect to amplify personal and collective reactions to a polarizing political figure like Donald J. Trump.

Psychiatric Framework

The psychiatric underpinnings of the phenomenon colloquially referred to as "Trump Derangement Syndrome" offer a lens through which to analyze chronic stress, emotional dysregulation, and amplified paranoia. While not constituting a clinical diagnosis, the intense emotional and cognitive reactions associated with Trump's presidency share features with established mental health phenomena and highlight the psychological toll of political polarization.

Central to these reactions is the role of chronic stress and emotional dysregulation. For many individuals, Donald Trump's presidency represented a departure from deeply ingrained values and beliefs regarding leadership, morality, and societal progress. This clash created cognitive dissonance, a state of psychological tension stemming from the disconnect between expectations and reality. Cognitive dissonance often provokes heightened emotional responses, such as anxiety, frustration, or hostility, as individuals struggle to reconcile these incongruities.

These stress responses bear parallels to symptoms associated with post-traumatic stress disorder (PTSD). While not meeting the clinical criteria for PTSD, some individuals exhibited behaviors such as hypervigilance, intrusive thoughts about Trump-related events, and exaggerated emotional reactivity. These reactions often stemmed from a perception of persistent threats to personal or societal stability, evoking trauma-like responses in a context that, while politically charged, is not directly personal.

Paranoia and fear amplification further compounded the phenomenon. Media coverage frequently portrayed Trump's actions and policies in catastrophic terms, emphasizing worst-case scenarios and existential threats. This form of catastrophic thinking—a cognitive distortion that exaggerates the likelihood and severity of negative outcomes—heightened feelings of vulnerability and hopelessness, especially among individuals predisposed to stress. Sensationalized narratives and alarming headlines created an environment where a sense of perpetual crisis dominated.

Social media platforms and online echo chambers added another layer of complexity. Communities on platforms like X (formerly Twitter), Facebook, and partisan blogs allowed individuals with similar fears and anxieties to congregate. These echo chambers validated users' concerns, reinforced perceptions of danger, and excluded opposing viewpoints. This dynamic created a feedback loop, where fears were amplified rather than mitigated, perpetuating cycles of emotional and cognitive distress.

Together, these psychiatric components illustrate how Trump's presidency, magnified by media narratives and social media dynamics, elicited intense emotional responses. By examining these reactions through frameworks of stress, trauma, and cognitive processes, we can better understand their complexity and broader implications. This exploration underscores the profound influence of political developments on mental health, revealing that their impact extends beyond ideological disagreement to shape individual well-being and collective societal behavior.



Case Study: Sarah M., a 38-Year-Old Female with Stress-Induced PTSD-Like Symptoms

Background

Sarah M., a 38-year-old marketing professional, is politically engaged and spends approximately four hours daily consuming news from CNN, MSNBC, and FOX News. She also actively engages on social media platforms such as Meta, X (formerly Twitter), and Instagram. Her feeds frequently expose her to polarized, fear-based narratives and divisive political rhetoric, amplifying her emotional investment in political developments.

Presenting Symptoms

Sarah reports a range of psychological and physical symptoms that began during the 2020 election cycle:

- Emotional Dysregulation: Frequent episodes of anger, frustration, and sadness triggered by political content.
- Hypervigilance: Persistent worry and inability to relax, accompanied by a sense of being "on edge."
- Intrusive Thoughts: Recurrent distressing thoughts about political scenarios, leading to significant anxiety.
- Sleep Disturbances: Insomnia due to late-night doomscrolling on social media.
- Cognitive Impairment: Difficulty concentrating at work and processing contradictory information.
- Social Withdrawal: Avoidance of friends and family with differing political views.

Assessment and Diagnosis

Sarah describes feelings of helplessness and fears of catastrophic societal collapse. Psychological evaluation reveals heightened emotional reactivity and signs of HPA axis dysregulation, including elevated cortisol levels. While not meeting the full criteria for PTSD, her symptoms align with Adjustment Disorder with Anxiety and Depressive Features, driven by chronic stress and excessive exposure to political media.

Treatment Plan

- 1. Media Management:
 - Limit news consumption to one hour daily.
 - Diversify sources to include neutral, evidence-based reporting.
- 2. Psychotherapy:
 - Cognitive-Behavioral Therapy (CBT): To address catastrophic thinking and manage triggers.
 - Mindfulness-Based Stress Reduction (MBSR): To reduce hypervigilance and enhance emotional regulation.

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at <u>MillenniumCenters@gmail.com</u>



- 3. Lifestyle Interventions:
 - Exercise: Daily activity to modulate cortisol levels.
 - Sleep Hygiene: Avoiding social media two hours before bedtime and maintaining a consistent sleep schedule.
 - Nutrition: Omega-3 fatty acids, magnesium, and B vitamins to reduce neuroinflammation and support brain health.
- 4. Hormonal and Neuroinflammatory Support:
 - Testing identifies mild pregnenolone deficiency and HPA axis dysregulation.
 - Supplementation with pregnenolone and anti-inflammatory nutraceuticals, such as curcumin and ashwagandha.
- 5. Social Support:
 - Participation in a support group for individuals coping with political stress.

Follow-Up

After three months, Sarah reports improved sleep, fewer intrusive thoughts, and enhanced emotional stability. She remains politically aware but approaches discourse with a balanced perspective and reduced emotional reactivity.

Discussion

Sarah's case illustrates how excessive exposure to polarized media and social media can lead to stress-induced, PTSD-like symptoms. Her progress highlights the value of a multidisciplinary approach that addresses both the psychological and biological dimensions of stress.

Neuroendocrine Framework

The neuroendocrinological underpinnings of phenomena such as "Trump Derangement Syndrome" (TDS) provide a window into how stress and brain adaptation mechanisms influence emotional and cognitive responses to persistent and politically charged stimuli. At the core of these mechanisms are the interplay between the hypothalamic-pituitary-adrenal (HPA) axis, stress hormones, the immune system's activation of microglia, and the brain's neuroplasticity, all of which demonstrate the profound interconnectedness between chronic stress and neuroinflammatory processes.

One of the primary pathways impacted by chronic stress is cortisol dysregulation. Repeated exposure to stress-inducing stimuli—such as fear-driven media narratives or apocalyptic portrayals of political threats—can over-activate the HPA axis, resulting in sustained elevations of cortisol. Chronic hypercortisolemia alters normal brain function, leading to increased emotional reactivity, heightened anxiety, and difficulty processing new or conflicting information. This dysregulation helps explain why some individuals exhibit intense, persistent, and seemingly disproportionate reactions to political figures or events.

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at <u>MillenniumCenters@gmail.com</u>



Adding to this is the hyperactivation of the amygdala, the brain's emotional processing hub. Under conditions of chronic stress, the amygdala becomes overactive, increasing susceptibility to feardriven narratives and reducing the capacity for rational thought or emotional regulation. Hyperactive amygdalae amplify fear and escalate emotional responses, creating a feedback loop that perpetuates stress and reactivity, particularly in response to perceived threats to safety, values, or identity.

Critically, the prolonged activation of the stress response also initiates the neuroinflammatory cascade through the activation of microglia—the brain's resident immune cells. Chronic stress suppresses the production of fractalkine, a signaling molecule crucial for maintaining the homeostatic balance of microglia. Without sufficient fractalkine, microglia shift into a pro-inflammatory state, releasing cytokines such as interleukin-6 (IL-6) and tumor necrosis factor-alpha (TNF- α). These cytokines, along with free radicals generated during this process, inflict damage on neurons and mitochondria. This damage undermines neurotransmitter production, particularly serotonin, dopamine, and gamma-aminobutyric acid (GABA), which are critical for mood regulation, cognitive flexibility, and stress resilience.

The cumulative effects of neuroinflammation can manifest in a variety of symptoms, including heightened emotional reactivity, intrusive thoughts, impaired memory, reduced capacity for critical thinking, and diminished ability to cope with stress—all symptoms observed in the context of TDS-like reactions. These mechanisms are further compounded by the brain's neuroplasticity, wherein repetitive engagement with politically charged content strengthens neural pathways associated with pre-existing biases. This reinforcement not only entrenches political ideologies but also heightens resistance to alternative viewpoints, perpetuating rigid and polarized perspectives.

Together, these neuroendocrinological and neuroinflammatory processes offer a comprehensive framework for understanding the profound emotional and cognitive reactions observed in politically charged environments. The interplay of cortisol dysregulation, amygdala hyperactivation, microglial activation, and neuroplasticity highlights the biological foundation for heightened stress responses, fear amplification, and entrenched biases. Understanding these mechanisms not only provides insights into TDS-like phenomena but also underscores the importance of mitigating chronic stress and promoting cognitive flexibility for improved societal cohesion.

Interdisciplinary Analysis Sociopolitical Impacts on Mental Health

The intersection of sociopolitical dynamics and mental health underscores the profound ways in which external stressors influence psychological well-being. Prolonged exposure to fear-driven narratives, particularly in the context of polarized political climates, fosters a pervasive atmosphere of psychological fragility. This phenomenon is not confined to reactions surrounding figures like Donald Trump; instead, it reflects a broader trend of political polarization where emotionally charged discourse dominates public and private spheres. Such an environment amplifies stress and anxiety, especially among those deeply invested in political outcomes or susceptible to media influence.

One notable aspect of this dynamic is the normalization of derogatory labels, such as the term "Trump Derangement Syndrome" (TDS). While initially coined to critique exaggerated reactions to political events, its use has evolved into a rhetorical tool for dismissing or ridiculing emotional responses. This practice not only deepens societal divisions but also stigmatizes legitimate



emotional reactions by framing them as irrational. By reducing complex emotional and cognitive experiences to mere caricatures, these labels ignore the sociocultural and psychological underpinnings of such responses, further alienating individuals who may already feel overwhelmed or misunderstood.

From a clinical perspective, the implications of these sociopolitical stressors are significant. Although "TDS" is not a recognized psychological condition, the intense stress and emotional turmoil associated with political events can manifest as symptoms warranting therapeutic attention. Individuals grappling with these reactions may benefit from interventions aimed at fostering resilience and emotional regulation. Mindfulness practices, for instance, can help individuals manage stress by cultivating present-moment awareness and reducing reactivity to external stimuli. Cognitive-behavioral therapy (CBT) offers another avenue by addressing distorted thought patterns and developing healthier coping mechanisms. Additionally, media literacy training can empower individuals to critically engage with information, mitigating the impact of sensationalized or fear-inducing narratives.

By integrating psychological support with an understanding of the broader sociopolitical context, individuals and communities can better navigate the challenges of a polarized world. This interdisciplinary approach highlights the importance of empathy, education, and therapeutic strategies in addressing the mental health consequences of sustained sociopolitical stress.

Assessing and Treating Individuals with TDS:

Comprehensive Assessment

Assessment begins with identifying the root causes of distress. This includes a thorough evaluation of the hypothalamic-pituitary-adrenal (HPA) axis, as chronic stress often dysregulates cortisol levels, exacerbating emotional reactivity and anxiety. Blood tests to measure hormonal imbalances, such as deficiencies in pregnenolone, testosterone, or luteinizing hormone, are critical, given their roles in maintaining cognitive and emotional stability. Additionally, markers of neuroinflammation, such as elevated cytokines (e.g., IL-6, TNF- α) and microglial activation, should be assessed to identify underlying neural damage or dysfunction.

Psychological assessment is equally important. Structured interviews and validated tools, such as the Perceived Stress Scale (PSS) or Generalized Anxiety Disorder-7 (GAD-7) scale, can quantify the severity of symptoms. Evaluating the patient's media consumption habits, political engagement, and exposure to polarizing narratives provides insight into sociocultural triggers perpetuating distress.

Tailored Treatment Strategies

Treatment for individuals experiencing TDS-like symptoms focuses on mitigating neuroinflammation, correcting hormonal deficiencies, and fostering psychological resilience. The Millennium Health Centers (MHC) protocol, designed for addressing PTSD and traumatic brain injury (TBI), offers a robust framework adaptable to this population.

1. **Hormonal Optimization**: Supplementation with pregnenolone and testosterone, under medical supervision, can restore hormonal balance and improve cognitive function, emotional regulation, and overall well-being. Pregnenolone's role in neuroprotection and



testosterone's anti-inflammatory effects are particularly beneficial in reducing neuroinflammation.

- 2. **Reducing Neuroinflammation**: Anti-inflammatory interventions, such as omega-3 fatty acids, ashwagandha, and curcumin, can help counteract cytokine-induced neuronal damage. MHC's Brain Rescue formulations, tailored to support mitochondrial function and reduce oxidative stress, may also play a vital role in restoring neural health.
- 3. Stress Regulation and Cognitive Restructuring: Mindfulness-based stress reduction (MBSR) techniques, coupled with cognitive-behavioral therapy (CBT), can help individuals process political stimuli more rationally and reduce fear-based responses. Media literacy training can empower patients to critically evaluate and moderate their media consumption, lessening exposure to sensationalist or polarizing content.
- 4. **Social Support and Identity Integration**: Addressing the sociocultural dimensions of TDS involves fostering community engagement and enhancing social identity beyond partisan divides. Group therapy sessions or community activities can build resilience against "us vs. them" dynamics and create a sense of shared purpose.

Toward Holistic Healing

Integrating the principles of neuroendocrinology, psychology, and sociocultural understanding, the MHC programs provide a model for addressing complex syndromes like TDS. By addressing hormonal imbalances, mitigating neuroinflammation, and equipping individuals with tools to manage stress and cognitive biases, healthcare providers can help patients reclaim emotional stability and cognitive clarity. As society becomes increasingly polarized, such interventions offer a pathway not only to personal healing but also to fostering empathy and unity in divided communities.

Conclusion

Understanding the profound interplay between neuroendocrinology, neuroinflammation, and sociopolitical stress provides a powerful lens through which to analyze the psychological and physiological reactions to polarized political climates. Phenomena such as "Trump Derangement Syndrome" underscore the far-reaching implications of chronic stress, amplified by modern media dynamics, on mental and physical health. This stress activates neuroinflammatory pathways, dysregulates the hypothalamic-pituitary-adrenal (HPA) axis, and triggers the loss of protective factors like fractalkine, leading to microglial activation and the production of pro-inflammatory cytokines and free radicals. These biochemical processes damage neurons, impair mitochondrial function, and reduce neurotransmitter availability, resulting in symptoms like heightened anxiety, emotional dysregulation, cognitive inflexibility, and ideological rigidity.

The sociopolitical environment exacerbates these effects, reinforcing biases through echo chambers, fear-based narratives, and the stigmatization of opposing viewpoints. While the term "TDS" trivializes these responses, the underlying mechanisms are deeply rooted in the biology of stress and adaptation. The normalization of derogatory labels further entrenches divisions and highlights the need for nuanced approaches to understanding and addressing these issues.



Effective assessment and treatment require an interdisciplinary approach, integrating insights from neuroendocrinology, immunology, and psychology. Evaluating hormonal deficiencies, neuroinflammation, and stress biomarkers can help identify individuals at risk. Interventions such as hormone replacement therapy, anti-inflammatory treatments, and neuroprotective strategies can address underlying physiological dysfunctions. Additionally, psychological therapies, mindfulness practices, and media literacy training can mitigate the effects of chronic stress and improve emotional resilience.

By addressing both the biological and sociocultural dimensions of these reactions, we can foster greater understanding and compassion in an increasingly polarized world. This approach not only promotes individual healing but also lays the groundwork for a more cohesive and empathetic society, resilient to the divisive forces that threaten mental health and collective well-being.

--- FIN ---

Introduction References

- 1. Cacioppo, J. T., & Cacioppo, S. (2018). The growing problem of loneliness. The Lancet, 391(10119), 426. <u>https://doi.org/10.1016/S0140-6736(18)30142-2</u>
- 2. Edelman, G. M. (2003). Neural Darwinism: Selection and reentrant signaling in higher brain function. Neuron, 10(2), 115-125. <u>https://doi.org/10.1016/S0896-6273(00)80424-1</u>
- Herman, J. P., McKlveen, J. M., Solomon, M. B., Carvalho-Netto, E., & Myers, B. (2016). Neural regulation of the stress response: Glucocorticoid feedback mechanisms. Nature Reviews Neuroscience, 17(10), 593–605. <u>https://doi.org/10.1038/nrn.2016.88</u>
- 4. Iyengar, S., & Hahn, K. S. (2009). Red media, blue media: Evidence of ideological selectivity in media use. Journal of Communication, 59(1), 19-39. <u>https://doi.org/10.1111/j.1460-2466.2008.01402.x</u>
- 5. Kaplan, J. T., Gimbel, S. I., & Harris, S. (2016). Neural correlates of maintaining one's political beliefs in the face of counterevidence. Scientific Reports, 6, 39589. <u>https://doi.org/10.1038/srep39589</u>
- 6. McEwen, B. S., & Morrison, J. H. (2013). The brain on stress: Vulnerability and plasticity of the prefrontal cortex over the life course. Neuron, 79(1), 16-29. https://doi.org/10.1016/j.neuron.2013.06.028
- 7. Pew Research Center. (2017). Political polarization & media habits. Retrieved from https://www.pewresearch.org/
- 8. Sapolsky, R. M. (2015). Stress and the brain: Individual variability and the inverted-U. Nature Neuroscience, 18(10), 1347–1355. <u>https://doi.org/10.1038/nn.4119</u>
- 9. Sunstein, C. R. (2009). Going to extremes: How like minds unite and divide. Oxford University Press. https://doi.org/10.1093/acprof:oso/9780195378016.001.0001
- 10. Taylor, S. E., & Gonzaga, G. C. (2006). Affiliation and stress: The role of oxytocin and social support. Biological Psychiatry, 65(3), 207-215. <u>https://doi.org/10.1016/j.biopsych.2008.08.031</u>

Sociological Context References

11. Iyengar, S., & Hahn, K. S. (2009). Red media, blue media: Evidence of ideological selectivity in media use. Journal of Communication, 59(1), 19-39.

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at <u>MillenniumCenters@gmail.com</u>



- 12. Mutz, D. C. (2015). In-your-face politics: The consequences of uncivil media. Princeton University Press.
- 13. Tajfel, H., & Turner, J. C. (1979). An integrative theory of intergroup conflict. In W. G. Austin & S. Worchel (Eds.), The social psychology of intergroup relations (pp. 33-47). Monterey, CA: Brooks/Cole.
- 14. Mason, L. (2018). Uncivil agreement: How politics became our identity. University of Chicago Press.
- 15. Erikson, K. T. (1994). A new species of trouble: Explorations in disaster, trauma, and community. W.W. Norton & Company.
- 16. Scheufele, D. A., & Iyengar, S. (2017). The state of framing research: A call for new directions. The Oxford Handbook of Political Communication, 1, 619-632.
- 17. Garrett, R. K., & Stroud, N. J. (2014). Partisan paths to political self-expression: Exploring the relationship between partisan media use and political expression. Political Communication, 31(2), 221-242.

Psychiatric Framework References

- 18. Lazarus, R. S., & Folkman, S. (1984). Stress, appraisal, and coping. Springer Publishing Company.
- 19. Festinger, L. (1957). A Theory of Cognitive Dissonance. Stanford University Press.
- 20. Baumeister, R. F., & Vohs, K. D. (2016). Misguided effort with elusive impact? Review of 50 years of cognitive dissonance research. Perspectives on Psychological Science, 11(1), 92-94.
- 21. McEwen, B. S., & Wingfield, J. C. (2010). What is stress? A systems perspective. Integrative and Comparative Biology, 50(1), 44-58.
- 22. Herman, J. L. (1997). Trauma and recovery: The aftermath of violence—from domestic abuse to political terror. Basic Books.
- 23. Yehuda, R. (2002). Post-traumatic stress disorder. New England Journal of Medicine, 346(2), 108-114.
- 24. Bonanno, G. A. (2004). Loss, trauma, and human resilience. American Psychologist, 59(1), 20-28.
- 25. Freeman, D., & Garety, P. A. (2004). Paranoia: The psychology of persecutory delusions. Psychological Medicine, 34(5), 723-732.
- 26. Abramowitz, J. S., & Moore, E. L. (2007). An experimental analysis of hypochondriasis: Comparing the roles of fear, anxiety, and worry. Behaviour Research and Therapy, 45(4), 791-799.
- 27. Beck, A. T. (1976). Cognitive therapy and the emotional disorders. International Universities Press.
- 28. Glassner, B. (1999). The Culture of Fear: Why Americans are Afraid of the Wrong Things. Basic Books.
- 29. Nabi, R. L. (2002). Anger, fear, uncertainty, and attitudes: A test of the cognitive-functional model. Communication Monographs, 69(3), 204-216.
- 30. Gross, K., & Brewer, P. R. (2007). Sore losers: News framing and the myth of voter fraud. International Journal of Public Opinion Research, 19(3), 343-363.
- 31. Sunstein, C. R. (2001). Echo chambers: Bush v. Gore, impeachment, and beyond. Princeton University Press.

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at MillenniumCenters@gmail.com



- 32. Pariser, E. (2011). The Filter Bubble: How the New Personalized Web Is Changing What We Read and How We Think. Penguin Books.
- 33. Iyengar, S., Sood, G., & Lelkes, Y. (2012). Affect, not ideology: A social identity perspective on polarization. Public Opinion Quarterly, 76(3), 405-431.
- 34. Selye, H. (1956). The Stress of Life. McGraw-Hill.
- 35. van der Kolk, B. A. (2014). The Body Keeps the Score: Brain, Mind, and Body in the Healing of Trauma. Viking.
- 36. Ellis, A., & Ellis, D. J. (2019). Rational Emotive Behavior Therapy. American Psychological Association.

Neuroendocrine Framework References

- 37. Gordon, M., et al. (2023). Neuroinflammation, the road to neuropsychiatric illnesses. Millennium Health Centers. Veterans TBI Project for Neurorecovery
- 38. Kross, E., et al. (2011). Social rejection shares somatosensory representations with physical pain. Proceedings of the National Academy of Sciences, 108(15), 6270-6275.
- Raul, J. S., & Adami, M. (2016). The impact of chronic stress on hypothalamic-pituitary-adrenal axis dysregulation: Implications for neuroinflammatory disorders. Neuroscience Letters, 621, 68–75. DOI:10.1016/j.neulet.2016.02.045.
- 40. Frank, M. G., Weber, M. D., Watkins, L. R., & Maier, S. F. (2015). Stress-induced neuroinflammatory priming: A liability factor in the etiology of psychiatric disorders. Neurobiology of Stress, 1, 62–70. DOI:10.1016/j.ynstr.2014.09.001.
- Calcia, M. A., Bonsall, D. R., Bloomfield, P. S., Selvaraj, S., Barichello, T., & Howes, O. D. (2016). Stress and neuroinflammation: A systematic review of the effects of stress on microglia and the implications for mental illness. Psychopharmacology, 233, 1637–1650. DOI:10.1007/s00213-016-4218-9.
- 42. Beurel, E., Toups, M., & Nemeroff, C. B. (2020). The bidirectional relationship of depression and inflammation: Double trouble. Neuron, 107(2), 234–256. DOI:10.1016/j.neuron.2020.06.002.
- Capuron, L., & Miller, A. H. (2011). Immune system to brain signaling: Neuropsychopharmacological implications. Pharmacology & Therapeutics, 130(2), 226–238. DOI:10.1016/j.pharmthera.2011.01.014.
- Miller, A. H., & Raison, C. L. (2016). The role of inflammation in depression: From evolutionary imperative to modern treatment target. Nature Reviews Immunology, 16(1), 22–34. DOI:10.1038/nri.2015.5.
- 45. McEwen, B. S., & Morrison, J. H. (2013). The brain on stress: Vulnerability and plasticity of the prefrontal cortex over the life course. Neuron, 79(1), 16–29. DOI:10.1016/j.neuron.2013.06.028.
- Brites, D., & Fernandes, A. (2015). Neuroinflammation and depression: Microglia activation, extracellular microvesicles, and microRNA dysregulation. Frontiers in Cellular Neuroscience, 9, 476. DOI:10.3389/fncel.2015.00476.
- Godbout, J. P., & Johnson, R. W. (2009). Age and neuroinflammation: A lifetime of psychoneuroimmune consequences. Immunology and Allergy Clinics of North America, 29(2), 321– 337. DOI:10.1016/j.iac.2009.02.007.



- Koo, J. W., & Duman, R. S. (2008). IL-1beta is an essential mediator of the antineurogenic and anhedonic effects of stress. Proceedings of the National Academy of Sciences, 105(2), 751–756. DOI:10.1073/pnas.0708092105.
- 49. Savitz, J., Harrison, N. A., & Irwin, M. R. (2021). Inflammation and neurological disease: Implications for neuropsychopharmacology. Neuropsychopharmacology, 46, 98–115. DOI:10.1038/s41386-020-0783-0.
- Sousa, C., Biber, K., Michelucci, A., & Amor, S. (2017). Fractalkine signaling in chronic neuroinflammation and microglia activation. Journal of Neuroimmune Pharmacology, 12(4), 712– 718. DOI:10.1007/s11481-017-9761-3.
- Elovitz, M. A., & Brown, A. G. (2019). The role of fractalkine in mediating brain-immune interactions and its implications in stress-related psychiatric disorders. Psychoneuroendocrinology, 104, 121– 128. DOI:10.1016/j.psyneuen.2019.03.002.
- 52. Steptoe, A., Hamer, M., & Chida, Y. (2007). The effects of acute psychological stress on circulating inflammatory factors in humans: A review and meta-analysis. Brain, Behavior, and Immunity, 21(7), 901–912. DOI:10.1016/j.bbi.2007.03.011.
- 53. Rohleder, N. (2014). Stimulation of systemic low-grade inflammation by psychosocial stress. Psychosomatic Medicine, 76(3), 181–189. DOI:10.1097/PSY.00000000000049.
- 54. Walker, A. K., et al. (2013). Neuroinflammation and stress: Relationship between HPA axis dysregulation and microglial activation. Brain, Behavior, and Immunity, 27, 193–204. DOI:10.1016/j.bbi.2012.09.019.
- 55. Yirmiya, R., & Goshen, I. (2011). Immune modulation of learning, memory, neural plasticity, and neurogenesis. Brain, Behavior, and Immunity, 25(2), 181–213. DOI:10.1016/j.bbi.2010.10.015.

Interdisciplinary Analysis References

- Bonanno, G. A., & Mancini, A. D. (2012). Beyond resilience and PTSD: Mapping the heterogeneity of responses to potential trauma. Psychological Trauma: Theory, Research, Practice, and Policy, 4(1), 74–83. DOI: 10.1037/a0017829
- 57. Slovic, P., & Peters, E. (2006). Risk perception and affect. Current Directions in Psychological Science, 15(6), 322–325.DOI: 10.1111/j.1467-8721.2006.00461.x
- 58. Haidt, J. (2012). The Righteous Mind: Why Good People Are Divided by Politics and Religion. Pantheon Books.
- 59. Prior, M. (2013). Media and political polarization. Annual Review of Political Science, 16(1), 101–127. DOI: 10.1146/annurev-polisci-100711-135242
- 60. Pew Research Center. (2016). Political polarization in the American public. Pew Research Reports.
- 61. Kalmoe, N. P., & Mason, L. (2021). Radical American Partisanship: Mapping Violent Hostility, Its Causes, and the Consequences for Democracy. University of Chicago Press.
- 62. Stern, M. J., & Dillman, D. A. (2006). Community participation, social ties, and use of the internet. American Behavioral Scientist, 50(7), 867–878. DOI: 10.1177/0002764206292406
- 63. Van Bavel, J. J., et al. (2018). The partisan brain: An identity-based model of political belief. Trends in Cognitive Sciences, 22(3), 213–224. DOI: 10.1016/j.tics.2018.01.004
- Freedman, D. H. (2012). How political beliefs hijack your brain. Scientific American Mind, 23(5), 30– 37. DOI: 10.1038/scientificamericanmind0912-30
- 65. Ophir, E., Nass, C., & Wagner, A. D. (2009). Cognitive control in media multitaskers. Proceedings of the National Academy of Sciences, 106(37), 15583–15587. DOI: 10.1073/pnas.0903620106

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at MillenniumCenters@gmail.com



- 66. Sunstein, C. R. (2009). On Rumors: How Falsehoods Spread, Why We Believe Them, and What Can Be Done. Princeton University Press.
- 67. Lazer, D. M., et al. (2018). The science of fake news. Science, 359(6380), 1094–1096. DOI: 10.1126/science.aao2998
- 68. LeDoux, J. E. (2000). Emotion circuits in the brain. Annual Review of Neuroscience, 23(1), 155–184. DOI: 10.1146/annurev.neuro.23.1.155
- 69. Fridman, I., et al. (2020). Political partisanship influences behavioral responses to governors' recommendations for COVID-19 prevention in the United States. Proceedings of the National Academy of Sciences, 117(39), 24144–24153. DOI: 10.1073/pnas.2007835117
- 70. Kahan, D. M., et al. (2012). The polarizing impact of science literacy and numeracy on perceived climate change risks. Nature Climate Change, 2(10), 732–735. DOI: 10.1038/nclimate1547

Assessing and Treating Individuals with TDS - References

- 71. Miller, A. H., Haroon, E., Raison, C. L., & Felger, J. C. (2013). "Cytokine targets in the brain: Impact on neurotransmitters and behavior." Neurotherapeutics, 10(4), 771–785. <u>https://doi.org/10.1007/s13311-013-0214-y</u>
- 72. Spies, G., & Seedat, S. (2014). "Chronic stress, depression, and anxiety: An exploration of common pathways underlying mental health and physical health outcomes." African Journal of Psychiatry, 17, 85–92. https://doi.org/10.4172/1994-8220.1000162
- 73. Arciniegas, D. B. (2011). "Hormonal therapies for cognitive and affective disorders after traumatic brain injury." Journal of Head Trauma Rehabilitation, 26(6), 408–420. https://doi.org/10.1097/HTR.0b013e3181f2b4de
- 74. Heneka, M. T., & O'Banion, M. K. (2007). "Inflammation, immunity, and Alzheimer disease." Neurobiology of Disease, 26(3), 427–440. https://doi.org/10.1016/j.nbd.2007.09.004
- 75. Gibney, S. M., & Drexhage, H. A. (2013). "Evidence for a dysregulated immune system in the etiology of psychiatric disorders." Journal of Neuroimmune Pharmacology, 8(4), 900–920. https://doi.org/10.1007/s11481-013-9481-3
- 76. Cohen, S., Janicki-Deverts, D., & Miller, G. E. (2007). "Psychological stress and disease." JAMA, 298(14), 1685–1687. https://doi.org/10.1001/jama.298.14.1685
- 77. Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). "The PHQ-9: Validity of a brief depression severity measure." Journal of General Internal Medicine, 16(9), 606–613. https://doi.org/10.1046/j.1525-1497.2001.016009606.x
- 78. Sapolsky, R. M. (2004). "Why Zebras Don't Get Ulcers: A Guide to Stress, Stress-Related Diseases, and Coping." Henry Holt and Co.
- 79. Grossman, P., Niemann, L., Schmidt, S., & Walach, H. (2004). "Mindfulness-based stress reduction and health benefits: A meta-analysis." Journal of Psychosomatic Research, 57(1), 35–43. https://doi.org/10.1016/S0022-3999(03)00573-7
- 80. Walker, F. R., et al. (2014). "Neuroinflammation and neurodegeneration: The role of chronic stress." Journal of Neuroinflammation, 11, 130. https://doi.org/10.1186/1742-2094-11-130
- 81. Mann, J. J. (2003). "Neurobiology of suicidal behavior." Nature Reviews Neuroscience, 4(10), 819–828. https://doi.org/10.1038/nrn1220
- 82. Wang, X., Michaelis, E. K. (2010). "Selective neuronal vulnerability to oxidative stress in the brain." Frontiers in Aging Neuroscience, 2, 12. https://doi.org/10.3389/fnagi.2010.00012

^{© 2024} Millennium Health Centers, Inc. All rights reserved. This publication, including all text, images, and other content, is protected by copyright laws. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the copyright holder, except for brief quotations in critical reviews or certain other non-commercial uses as permitted by copyright law. For permission requests, please contact the publisher at <u>MillenniumCenters@gmail.com</u>



- 83. Tafet, G. E., & Nemeroff, C. B. (2016). "The links between stress and depression: Psychoneuroendocrinological, genetic, and environmental interactions." Journal of Neuropsychiatry and Clinical Neurosciences, 28(2), 77–88. https://doi.org/10.1176/appi.neuropsych.15070165
- Zarate, C. A., et al. (2006). "A randomized trial of an N-methyl-D-aspartate antagonist in treatmentresistant major depression." Archives of General Psychiatry, 63(8), 856–864. https://doi.org/10.1001/archpsyc.63.8.856
- 85. Glaser, R., & Kiecolt-Glaser, J. K. (2005). "Stress-induced immune dysfunction: Implications for health." Nature Reviews Immunology, 5(3), 243–251. <u>https://doi.org/10.1038/nri1571</u>

Since 2009, the Millennium Health Centers, Inc. has provided neuroendocrine assessment and treatment for those combat veterans suffering with symptoms related to traumas sustained while on the field of battle, as well as off. The causation for many psychiatric and cognitive conditions can be attributable to alterations in the neurochemistry of the brain brought on by these traumas. Identifying these conditions associated with loss of neurosteroids and elevation in neuroinflammation, can provide a pathway to recovery and healing. See more at TBIHelpNow.org/the-science and on YouTube as /@markl.gordon5856.