



2025 Block of the Month

June Blocks


Whirlpool



Double Squares



Whirlpool



Fabric:

Background fabric



Contrast fabric 1



Contrast fabric 2



Cutting Instructions

Background fabric

8- 4" squares

Contrast fabric 1

4- 4" squares


Contrast fabric 2

4- 4" squares

Assembly Instructions

1. Make half square triangles. Pair 4 background pieces with 4 each of the 2 contrasting fabrics. You will have a total of 8 pairs. Place RST and draw a diagonal line from one corner to the other. Sew $\frac{1}{4}$ " on both sides of the line. Cut on the drawn line and press open. You will have 8 half square triangles of the background fabric and each of the contrasting fabrics- for a total of 16 squares. Trim to $3\frac{1}{2}$ " square.
2. Lay out the half square triangles as shown in the picture above being careful of the fabric orientation. Sew the horizontal rows together, and then sew each of the completed rows together to form the block. Square to $12\frac{1}{2}$ ".

Double Squares



Fabric:

Background fabric



Contrast fabric 1



Contrast fabric 2



Contrast fabric 3



Cutting Instructions

Background fabric

8- 4" squares

Contrast fabric 1

2- 4" squares

Contrast fabric 2

2- 9" X 2 5/8" pieces

2- 4 3/4" X 2 5/8" pieces

Contrast fabric 3

1- 3 1/2" square

Assembly Instructions

1. Make half square triangles. Pair 2- 4" square background pieces with 2 – 4" squares of contrast fabric 1. Place RST and draw a diagonal line from one corner to the other. Sew $\frac{1}{4}$ " on both sides of the line. Cut on the drawn line and press open. You will have 4 half square triangles. Trim to $3\frac{1}{2}$ ".
2. Cut 4- 4" square background pieces in half diagonally. Sew the half squares to the half square triangles on each side of contrast fabric 1- lining the edge of the triangles with the outside edge (on the contrast fabric) of the half square triangles. Refer to picture if necessary. Press. You will have 4 "triangles in a triangle" units (not an official term). Trim the sewn units so that there is $\frac{1}{4}$ " seam allowance to sew to the rest of the block.
3. Make the center square in a square unit. Cut the 2- $4\frac{1}{4}$ " background fabric squares in half diagonally. Sew triangles to the $3\frac{1}{2}$ " square of contrasting fabric. Center triangles on opposite sides of the squares and sew. Press. Sew the other two triangles on the other two opposite sides. Press. Trim to $4\frac{3}{4}$ " square.
4. To the center square unit, sew the 2- $4\frac{3}{4}$ " X $2\frac{5}{8}$ " contrast fabric 2 pieces to opposite sides. Press. Sew the 2- 9" X $2\frac{5}{8}$ " contrast fabric 2 pieces to the other sides of the center square unit. Press and trim to 9" square.
5. Sew the "triangle in a triangle" units to the sides of the 9" square by sewing the triangles to opposite sides of the square, pressing, and then the other triangles to the other sides. Press and trim to $12\frac{1}{2}$ ".

Block of the Month 2025

The WAQG Block of the Month begins in March 2025. Two blocks will be released each month from March through August for a total of 12 blocks. Each block will be 12 inches square- finished, and there will be one 12-inch filler block. Participants can use their choice of fabrics and will keep their own blocks for personal use.

There will be a Block of the Month Quilt Challenge category in the 2026 quilt show. The guidelines for the Block of the Month quilts for the show are as follows:

1. The finished quilt size should be 48 X 60 minimum.
2. Use a selection of the blocks OR use one block exclusively.
3. A 12-inch filler block is offered but cannot be used in the one-block design.
4. Blocks may be set as desired, but must all be 12 inches finished.
5. The design of sashing and borders is optional.
6. This is designed to be a scrappy quilt. If you want backgrounds and sashing to match, a minimum of 3 yards fabric is recommended for the project.
7. The Deadline for the finished quilts is March 4, 2026.