

EDIC

Since 1975
FULL LINE CATALOG



INNOVATION IN CARPET AND FLOOR CARE

EDIC... ON THE MOVE

Our company was founded in 1975 with the goal of designing and developing the most innovative, productive and durable carpet care equipment and cleaning systems on the market.

That vision holds true today as EDIC continues to expand with new product lines, patented innovations, accessories, and the support of a knowledgeable staff focused first and foremost in customer service and support.

We thank you for your interest in our products and look forward to a successful new or continuing business relationship with you.

Mark Jacobs - President



TABLE OF CONTENTS

MULTI-SURFACE CLEANING

Endeavor - Multi-Surface	2-3
CR2 Complete Restroom Restoration	4-5
Hard Surface Cleaning Tools	6

Portable Extraction Carpet Cleaning Machines

Self-Contained Extractors

FiveStar	7
Comet	8
Polaris	9-10
Supernova	11

Box Extractors

Bravo Spotter	12
Galaxy	13
Galaxy Pro	14
Galaxy 5	15

Extraction Machine Accessories

Powermate	16
Carpet Wands, Tools & Attachments	17
Extraction Machine Accessories	18

Flood Remediation

FloodBuster	19
Aqua Dri Carpet Dryer	20

Heat N'Run

External Heater/Circuit Locator	21
---------------------------------	----

Auto Detailing Equipment & Accessories

Galaxy Automotive	22
Bravo Spotter/Aqua Dri	23
Auto Accessories/Dynamo Wet/Dry Vacuum	24

Vacuums

Backpack Vacuums

Atlas 6 & 10 Quart	25
Backpack Accessories & Tools	26

Canister Vacuums - Wet/Dry

Dynamo 5, 12, & 20 Gallon	27
---------------------------	----

Floor Machines and Accessories

HD Low Speed	28
Low Speed	29
Burnishers	30
Dual Speed	31
Floor Machine Accessories	32

Warranty

Product Warranty Summary	33
--------------------------	----

ENDEAVOR (Patents Pending)

No matter what the surface type is, or where it is located, it can be easily reached, cleaned and restored by the Endeavor multi-surface cleaner from EDIC.

Finally there is one compact and powerful solution for heated carpet & upholstery extraction, hard surface restoration, and touch-free restroom cleaning.

With a unique upright, ergonomic design for easy transport, durable construction, and user-friendly operating features, the Endeavor is the perfect cleaning system tailored to fit each unique cleaning process.

Productivity is key in today's competitive world, the Endeavor provides your facility with the ultimate cleaning tool to reach your maintenance goals quickly and effectively.

FEATURES:

- One machine, three restorative functions
- In-line heat and adjustable cleaning pressure: provides cleaning power and versatility for upholstery, carpet and hard surface cleaning (heat for carpet cleaning only)
- Powerful 8.4" Infinity Vacuum: quick water recovery and even quicker dry times
- Auto-fill/Auto-dump: uninterrupted cleaning improves productivity
- Ergonomic dolly style design, large rear wheels, handle casters, built-in skid rails, wand and tool storage: easy to maneuver, load, unload and transport by one person
- Fan cooled motor compartment: provides longevity to electrical motors and critical components
- Circuit locator: prevents blown fuses and tripped breakers
- Large recovery tank and solution tank opening: easy access for cleaning the recovery tank and filling the solution tank
- Convenient front mounted controls on top: no stooping or bending to operate



One Machine Provides Many Restorative Cleaning Functions

HARD SURFACE RESTORATION



CARPET RESTORATION



TOUCH-FREE RESTROOM



SPECIFICATIONS:

9000I-HSH	9000I-HSH	9000I-HS	9000I-500
In-line heater	2000 Watt	No	Optional 2000 Watt
Pump	Adjustable, 70-1200 PSI	Adjustable, 70-1200 PSI	Adjustable, 50-500 PSI
Vacuum	8.4" Diameter Infinity Design	8.4" Diameter Infinity Design	8.4" Diameter Infinity Design
Water Lift	147"	147"	147"
Air Flow	142 CFM	142 CFM	142 CFM
Air Watts	673	673	673
Hard Surface Restoration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Maintenance Only
Touch-Free Restroom Cleaning	Optional	Optional	Optional
Auto-fill / Auto-dump	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Optional
Wand / Tool Caddy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5 gallon bucket holder	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Handle casters, molded dolly style skid rails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Power Cord	Dual, GFCI, PowerConn Twistlock, 25' detachable	Dual, GFCI, PowerConn Twistlock, 25' detachable	Single, GFCI, PowerConn Twistlock, 25' detachable, Dual with optional heater
Weight	174 lbs.	167 lbs.	130 lbs.
Rear Wheels	12" non-marking	12" non-marking	12" non-marking
Front Casters	Dual-wheel casters	Dual-wheel casters	Dual-wheel casters
Vacuum Hose	25', 1.5" diameter	25', 1.5" diameter	25', 1.5" diameter
Power Prime and Pressure Relief Valve	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Low Moisture Carpet Cleaning	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Smart Circuit Locator	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Capacity	13 Gallons	13 Gallons	13 Gallons

OPTIONAL ACCESSORIES:

- 1200REV Revolution 12" hard surface tool
- 1034-11001FB 12" dual-jet SS carpet wand
- 1039-9502FB 4" SS detailer tool
- 334ACH Squeegee Wand, single jet, up to 1200 PSI
- 9000AC High Pressure Spray Gun Applicator. Best Used at 500-1200 PSI
- 991RS Chemical feed system for Touch-Free restroom cleaning
- 2540AC-HP 25' sol/vac hose set
- 700REV Revolution 7" hand held hard surface tool
- 9034ACK Touch-Free bathroom cleaning kit, comes with squeegee wand and spray gun tool



1200REV



1034-11001FB



1039-9502FB



334ACH



9000AC



991RS



2540AC-HP



700REV

CR2 - COMPLETE RESTROOM RESTORATION

TOUCH-FREE RESTROOM RESTORATION SYSTEM




Maintaining a clean and healthy restroom environment at any public facility can be challenging if you don't have the right tools for the job. The **CR2** from EDIC simplifies restroom cleaning for professional cleaners and provides a proven **touch-free cleaning system** for unmatched cleaning results that you don't have to get your hands dirty to achieve.



Deep Clean Restrooms Without Getting Your Hands Dirty

- Touch-free system deep cleans where mop and bucket fail, leaving the restroom clean and healthy
- Adjustable 550 psi pump (operating pressure 75-500 psi) provides versatile and effective cleaning into the porous tile and grout lines and hard to reach places
- Pump adjusts down to 75 psi in rinse mode to reduce splashing and overspray when rinsing toilets and other fixtures
- Clean carpet with HEAT! Optional 2000 watt external heater - boosts cleaning performance
- Complete Package: Squeegee wand with dual head, spray gun, gulper tool, QuickDri, hand squeegee, sink attachment, and hoses included
- Built-in auto chemical feed system for high productivity and accurate chemical metering
- Wand, gun, and hose caddies designed for easy transport and storage
- Large 17 gallon capacity for long run-times
- Optional carpet cleaning kit for deep restorative carpet and upholstery cleaning
- Simple two bolt access to components for easy maintenance and service
- Laminated operations card with links to training videos

KEY FEATURES:



SPECIFICATIONS:

Model	2700RC
Solution Tank	17 gallon
Recovery Tank	15 gallon
Vacuum Motor	Single 3-stage
Pump	550 psi/.86 GPM
Water Lift	138"
Tank Construction	Polyethylene
Baseplate	¼" aluminum
Rear Wheels	10" non-marking
Casters	4" locking
Power Cord	50 ft. detachable twist-lock cord
Dimensions	39"H x 37"L x 22"W
Weight	108 lbs.
Electrical Draw	14.5 amps
Vacuum Hose	45' x 1.5" diameter, 50% stretch, 50% wire supported
Solution Hose	50' high pressure
Squeegee	Swivel wand with squeegee/brush head
Pressure Gun	High/low pressure
Exhaust Hose	45' x 1.25" Diameter, stretch hose
QuickDri Tool	Reducer cuff and hand tool
GFCI	Built-in to extractor

GET YOUR HANDS OFF THE TOILET!



OFF THE TOILET!



Part #: 705HR-TK



Part #: 705HR-GK

Optional Carpet Kits

Complete Kit of Standard Tools



45' stretch exhaust hose with cuff, QuickDri tool and mesh carrying bag



45' vacuum hose with gulper tool



Mesh bag to carry mirror squeegee, microfiber cloth and other tools



Dual Head, Dual Purpose wand with FLIP System

FLIP THE HEAD

Squeegee & Vac

SCRUB with brush head



Laminated operation line card to mount on machine or on wall

Sink fill adapter hose kit



Durable High/Low Pressure Spray Gun

REVOLUTION TILE & GROUT



The Revolution is a tile and grout-cleaning tool that provides remarkably smooth operation, gliding easily over the floor for less operator fatigue. It has a lightweight design – only 13 lbs.! – yet it’s engineered for outstanding durability. It works on uneven surfaces like grouted tile or smooth surfaces such as concrete, and can be used with truckmounts or portables.

MODEL:

1200REV - 12” Revolution hard surface tool, repairable ceramic swivel, 1.5”

COUNTERTOP REVOLUTION



The 7” Countertop Revolution is a smaller, hand held version of the popular Revolution tile & grout tool. Clean horizontal and vertical surfaces! The unique tear-drop design allows you to clean into the corners and tight spaces.

MODEL:

700REV - 7” Countertop Revolution hard surface tool, Handles up to 2500 PSI.

DUAL HEAD SQUEEGEE



The dual head aluminum squeegee wand can be attached to any extractor with 1½” diameter hose to provide quick water recovery on hard surfaces. Dual heads to scrub tough spots with the brush, then flip the head over to the squeegee for extraction.

MODEL:

334ACH-2 - Dual head squeegee wand

SQUEEGEE WAND



The aluminum squeegee wand can be attached to any extractor with 1½” diameter hose to provide thorough cleaning of hard floor surfaces. Clean and effectively remove surface water quickly with this powerful and effective tool.

MODEL:

334ACH - Single-jet squeegee wand

GLIDEMASTER HARD SURFACE



The Glidemaster™ hard surface tool is an practical way to blast dirt way from concrete, tile & grout, and other porous hard surfaces that are difficult to deep clean. Interchangeable heads make the Glidemaster versatile.

MODEL:

8000AC - Glidemaster hard surface wand. (Pictured with grip handle and head). Sold as “Wand Only”. Heads and grip handle sold separately.

HIGH PRESSURE SPRAY GUNS



EDIC high pressure spray guns are great for touch-free cleaning. Extension lances can help you clean high, low and in hard to reach places.

MODELS:

- 9000AC - Spray gun
- 9000AC-24 - Spray gun with 24” insulated lance
- 9000AC-36 - Spray gun with 36” insulated lance

GLIDEMASTER HEADS



Glidemaster interchangeable heads for the Glidemaster hard surface wand give you cleaning power and versatility.

MODELS:

- 8001AC - 6” head with brush
- 8002AC - 14” head with squeegee
- 8003AC - 14” head with brush

FIVESTAR

The amazing FiveStar™ is a small, self-contained unit with powerful brush agitation to clean carpets, hard floors and grouted tile. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove only two screws and the machine opens like a clamshell for easy service. The FiveStar is small enough to clean tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design allows you to fill and empty out of the same bucket and eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning. No more spills or mess!



Fold-down handle for easy storage and transport



SPECIFICATIONS:

Model	411TR*	401TR
Solution Tank	3 gallon	3 gallon
Lift-Off Recovery Tank	3 gallon	3 gallon
Solution Pump	85 psi	85 psi
Vacuum Motor	2 HP, 112 CFM	2 HP, 112 CFM
Water lift	107"	107"
Brush Motor	1/6 HP	1/6 HP
Brush Speed	2.500 RPM	2.500 RPM
Brush Style	Chevron Design, 4 rows	Chevron Design, 4 rows
Brush Bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
Cleaning Width	12" wide	12" wide
Tank Construction	Polyethylene	Polyethylene
Wheels	7" non-marking	7" non-marking
Power Cord	25 ft.	25 ft.
Dimensions	24"H x 23"L x 12"W	24"H x 23"L x 12"W
Weight	40 lbs.	40 lbs.
Shipping Weight	53 lbs.	53 lbs.
Shipping Dimensions	28"H x 26"L x 15"W	28"H x 26"L x 15"W
Electrical Draw	12 amps	12 amps

FEATURES:

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life
- Full complement of optional accessories attaches to back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for easy storage
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy
- See-through recovery dome
- Side extension for cleaning right to baseboards
- Upright-mounted vacuum motor and intercooler system combine for long-lasting operation

OPTIONAL ACCESSORIES:

- 330-11003FB 10" Single-jet stainless steel wand
- 357AC Upholstery tool, 8' vacuum and solution hose assembly and hose bag
- 357AC-CM Upholstery tool, 15' vacuum and solution hose assembly and hose bag
- 341AC 8' vacuum and solution hose assembly
- 341AC-15 15' vacuum and solution hose assembly

MODELS:

- 401TR FiveStar, carpet cleaner only
- 411TR* FiveStar, all floor unit—carpet, hard floor and grouted tile

COMET

The Comet is a small, economical, self-contained unit with powerful brush agitation to clean carpets. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for easy service. The Comet is small enough to clean in tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning.

No more spills or mess! The single on-off switch is designed for operation simplicity.

FEATURES:

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for compact storage
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy
- See-through recovery dome
- Side extension for cleaning right to baseboards
- Upright mounted motor and intercooler system combine for long-lasting operation

OPTIONAL ACCESSORIES:

- 330-11003FB 10" Single-jet stainless steel wand
- 357AC Upholstery tool, 8' vacuum and solution hose assembly and hose bag
- 357AC-CM Upholstery tool, 15' vacuum and solution hose assembly and hose bag
- 341AC 8' vacuum and solution hose assembly
- 341AC-15 15' vacuum and solution hose assembly



SPECIFICATIONS:

Model	419TR
Solution Tank	3 gallon
Lift-Off Recovery Tank	3 gallon
Solution Pump	50 psi
Vacuum Motor	2 HP, 100 CFM
Water lift	85"
Brush Motor	1/6 HP
Brush Speed	2.500 RPM
Brush Style	Chevron Design, 4 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12" wide
Tank Construction	Polyethylene
Wheels	7" non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Shipping Dimensions	28"H x 26"L x 15"W
Electrical Draw	10 amps

POLARIS 500PS, 700PS, 701PS



These self-contained workhorses combine remarkable ease of operation with unbeatable performance and portability to deliver consistent results in light speed!

The Polaris is big enough to tackle large rooms and hallways and is available with a full complement of accessories giving it maximum versatility to clean upholstery, stairs and other hard to reach places. A lift-off recovery bucket makes emptying quick and easy without the need for a drain hose. Special features including the patented 4-wheel design, adjustable handle and light-weight construction allow easy transportation and unparalleled balance and maneuverability.



Clamshell design provides easy internal access for fast service

SPECIFICATIONS:

Model	500PS	700PS	701PS
Solution Tank	5 gallon	7 gallon	7 gallon
Solution Pump	85 psi	85 psi	85 psi
Vacuum Motor	112 CFM, 2 HP, 136" lift	112 CFM, 2 HP, 136" lift	112 CFM, 2 HP, 136" lift
Brush Motor	4200 RPM, 1/6 HP	4200 RPM, 1/6 HP	4200 RPM, 1/6 HP
Brush Speed	2100 RPM	2100 RPM	2100 RPM
Brush Style	Chevron design	Chevron design	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
Cleaning Width	14 inches	17 inches	17 inches
Tank Construction	Polyethylene	Polyethylene	Polyethylene
Wheels	7" non-marking	7" non-marking	7" non-marking
Power Cord	25 ft.	50 ft. detachable	50 ft. detachable
Dimensions	39"H x 30"L x 14"W	39"H x 30"L x 17"W	39"H x 30"L x 17"W
Weight	68 lbs.	78 lbs.	78 lbs.
Shipping Weight	95 lbs.	103 lbs.	103 lbs.
Shipping Dimensions	42"H x 34"L x 21"W	42"H x 34"L x 21"W	42"H x 34"L x 21"W
Electrical Draw	14 amps	14 amps	15 amps

FEATURES:

- Patented 4-wheel design makes turning in tight places easy and balances total weight, even full of water, for easy maneuvering
- Detachable cord makes it easy to drop the cord and wheel the machine to a drain or toilet for emptying. Patented dual lift-off buckets make it quick and convenient
- Patented self-adjusting, self-leveling brush for superior cleaning of all carpet lengths and uneven floors
- Fully adjustable handle for greater operator ease, increased leverage on stairs and over curbs plus compact storage
- Side extension for cleaning right to baseboards (700PS/701PS)
- Upright-mounted vacuum plus intercooler system extends motor life
- See-through recovery dome

OPTIONAL ACCESSORIES:

1204ACH	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag
323ACH	Prespray wand
1033-11003FB	Single-jet wand
1034-110015FB	Dual-jet wand
1041AC	15 ft. vac and solution hose assembly with adapter plate
2541AC	25 ft. vac and solution hose assembly with adapter plate

POLARIS 801PS, 1201PS

For wide open spaces where productivity is the bottom line, the 800 and 1200 models clean quickly and efficiently. These larger self-contained units come equipped with dual vacuums to more thoroughly clean and dry carpets. The Polaris has a built-in silencer so you can clean without interrupting the workflow. Top quality construction, remarkable ease of operation and versatility combine



Quick-fit accessories

for a machine that consistently outperforms the competition. Dual lift-off recovery buckets with no hose to detach allow easy emptying. Maintenance is a breeze as well—just remove two screws and open like a clam-shell for quick and easy internal access to the equipment bay.



Optional valve allows you to adjust the performance of the machine for regular maintenance or heavy-duty restorative cleaning.

FEATURES:

- Large wheels, adjustable handle and lightweight construction team up for easy handling and storage
- Optional accessories quickly attach to the rear of machine for cleaning stairs, upholstery, etc.
- Patented dual lift-off recovery buckets provide quick and convenient emptying
- Patented four-wheel design for balance and reduced turning radius
- High speed brush motor and brush guarantee powerful agitation to release deeply embedded soil and grit, extending carpet life
- Patented brush system utilizes fully sealed stainless steel ball bearings for years of trouble-free operation

OPTIONAL ACCESSORIES:

- | | |
|---------------|---|
| 1204ACH | Powermate—12" wide power brush |
| D02359-1 | Adapter to connect standard 1½" diameter hose assemblies |
| 358AC | Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag |
| 323ACH | Prespray wand |
| 1033-11006FB | Single-jet wand |
| 1034-110015FB | Dual-jet wand |
| 1041AC | 15 ft. vac and solution hose assembly with adapter plate |
| 2541AC | 25 ft. vac and solution hose assembly with adapter plate |

SPECIFICATIONS:

Model	801PS	1201PS
Solution Tank	8 gallon	12 gallon
Solution Pressure	120 psi	120 psi
Vacuum Motor	Dual 2-stage bypass, 200 CFM, 3.5 HP	Dual 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4,200 RPM, 1/6 HP	4,200 RPM, 1/6 HP
Brush Speed	2,100 RPM	2,100 RPM
Brush Style	Chevron design	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
Cleaning Width	19"	19"
Tank Construction	Polyethylene	Polyethylene
Wheels	8" non-marking	8" non-marking
Power Cord	50' detachable	50' detachable
Dimensions	38"H x 48"L x 19"W	38"H x 48"L x 19"W
Weight	114 lbs.	120 lbs.
Shipping Weight	131 lbs.	136 lbs.
Shipping Dimensions	42"H x 45"L x 25"W	42"H x 45"L x 25"W
Electrical Draw	15 amps	15 amps

SUPERNOVA



There is literally nothing like the Supernova series—remarkable self-contained carpet extractors that clean in both forward and reverse! The patented two-way system provides unparalleled productivity in any setting—clean up to 4,000 square feet of carpet in one hour. All models operate forward in hallways and other open areas, but with a simple pull



Optional accessories for carpet cleaning

of a lever instantly change to reverse to clean corners and other tight areas for a dramatic reduction in labor costs. A specially designed vacuum head allows cleaning on hard floors in addition to carpets, without any cumbersome attachments. Just walk off carpet on to hard floors—it's that simple. Dual vacuum motors and a 19" cleaning width on the 800 and 1200 models combine with a host of other exclusive features to guarantee unrivaled performance.

SPECIFICATIONS:

Model	800PSN	1200PSN
Solution Tank	8 gallon	12 gallon
Solution Pressure	85 psi	85 psi
Vacuum Motor	Dual 2-stage bypass, 200 CFM, 3.5 HP	Dual 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4,200 RPM, 1/6 HP	4,200 RPM, 1/6 HP
Brush Speed	2,100 RPM	2,100 RPM
Brush Style	Chevron design	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
Cleaning Width	19"	19"
Tank Construction	Polyethylene	Polyethylene
Wheels	8" non-marking	8" non-marking
Power Cord	50' detachable	50' detachable
Dimensions	38"H x 39"L x 19.25"W	38"H x 39"L x 19.25"W
Weight	113 lbs.	123 lbs.
Shipping Weight	136 lbs.	146 lbs.
Shipping Dimensions	42"H x 45"L x 25"W	42"H x 45"L x 25"W
Electrical Draw	15 amps	15 amps

FEATURES:

- Two-way system for forward and reverse operation
- Patented self-adjusting, self-leveling brush and vacuum shoes for easy cleaning of all carpet lengths and uneven floors plus longer brush life
- Exclusive "clamshell" body provides fast and easy internal access for quick servicing
- Patented lift-off recovery buckets—no drain hose
- Fully adjustable handle
- Patented 4-wheel design gives extraordinary balance and reduces turning radius for easy maneuverability in tight areas
- Side extension for cleaning right to baseboards
- Dual spray jets on both sides of the brush suspend the soil for increased pick up and faster drying

OPTIONAL ACCESSORIES:

- | | |
|---------------|--|
| 1204ACH | Powermate—12" wide power brush |
| D02359-1 | Adapter to connect standard 1½" diameter hose assemblies |
| 358AC | Upholstery cleaning kit: upholstery tool, vacuum and solution hose assembly and hose bag |
| 323ACH | Prespray wand |
| 1033-11003FB | Single-jet wand |
| 1034-110015FB | Dual-jet wand |
| 334ACH | Hard floor squeegee wand |
| 1041AC | 15 ft. vac and solution hose assembly with adapter plate |



BRAVO SPOTTER

AVAILABLE WITH HEAT!



The Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life.



FEATURES:

- Optional in-tank heater delivers 150-degree heat (339MH-HT)
- Unique molded-in holders carry spray bottles for greater ease
- Large six-inch wheels, a built-in transport handle plus cord wrap assembly make it a snap to wheel about
- Quickly opens up for easy servicing and repair

OPTIONAL ACCESSORIES:

- 330-11003FB 10" single-jet wand
- 334ACH 10" hard-floor squeegee wand
- 1204ACH Powermate – 12" wide power brush
- 323ACH Prespray wand
- 342AC 8 ft. hose assembly with quick connects
- 343AC 8 ft. high pressure hose assembly with quick connects
- 1039-9502FB Stainless steel upholstery tool
- 1037AC Upholstery tool, durable plastic head
- 839ACK 8 ft. hose with 1039-9502FB

MODELS:

- 300MH Deluxe model with high performance motor (tools and hose set sold separately)
- 339MH-HT Bravo with heat, stainless steel tool and hose assembly

SPECIFICATIONS:

Model	300MH	300MH-HT
Solution Tank	3 gallon	3 gallon
Recovery Tank	3.5 gallon	3.5 gallon
Solution Pressure	55 psi	55 psi
Vacuum Motor	2-stage, bypass	2-stage, bypass
Waterlift	106"	106"
Handle	Adjustable 22-37"	Adjustable 22-37"
Wheels	6"	6"
Power Cord	25'	25'
Heater	NA	1500 watts, stainless steel
Weight	19 lbs.	19 lbs.
Shipping Weight	27 lbs.	27 lbs.
Dimensions	20.5"H x 15"L x 13"W	20.5"H x 15"L x 13"W
Shipping Dimensions	23"H x 18"L x 15.5"W	23"H x 18"L x 15.5"W
Electrical Draw	12 amps	15 amps



HEAT READY



GALAXY 2000

Our exclusive line-up of Galaxy carpet extractors come “heat-ready.” Life’s little decisions just got a whole lot easier! You can purchase any Galaxy without heat and if you change your mind, no problem. Simply order our external heater, attach to your machine in seconds and you are now cleaning with HEAT. Placing the heater on the outside insures that everything on the inside of the machine runs cooler, extending the life of the vacuum and pump motors. The stainless steel heater tank is guaranteed for life. If a repair is necessary, simply lift the heater off the back of the machine. Meantime, you can continue to use the unit without heat.

From a seller’s standpoint, there’s no need to purchase both heated and non-heated units—just stock machines and heaters. Your customers can start with a non-heated model then upgrade later to heat without having to purchase a whole new machine.

PORTABLE CARPET EXTRACTORS

SPECIFICATIONS:

Model	2000SX*/2000SX-HR	2000IX-HR/ 2000JX-HR	2000KX-HR/ 2000CX-HR∞
Solution Tank	12 gallon	12 gallon	12 gallon
Recovery Tank	11 gallon	11 gallon	11 gallon
Solution Pressure	120 psi	220/250 psi	250/500 psi (adj.)
Vacuum Motor	Dual 2-stage	Dual 2-stage/Dual 3-stage	Dual 3-stage
Waterlift	150"	150"/190"	190"
Tank Construction	Polyethylene	Polyethylene	Polyethylene
Baseplate	¼" aluminum	¼" aluminum	¼" aluminum
Rear Wheels	10" non-marking	10" non-marking	10" non-marking
Front Casters	4" locking	4" locking	4" locking
Power Cord	50 ft. detachable	50 ft. detachable	50 ft. detachable
Dimensions	35"H x 31"L x 18"W	35"H x 31"L x 18"W	35"H x 31"L x 18"W
Weight	78 lbs./80 lbs.	80 lbs./84 lbs.	84 lbs./89 lbs.
Shipping Weight	94 lbs./96 lbs.	96 lbs./100 lbs.	100 lbs./105 lbs.
Shipping Dimensions	36.5"H x 31.5"L x 19"W	36.5"H x 31.5"L x 19"W	36.5"H x 31.5"L x 19"W
Electrical Draw	13.5 amps	14.1 / 15 amps	15.4 / 17.1 amps

*Not Heat Ready | ∞20 amp circuit required

FEATURES:

- Exclusive heat-ready system offers the ultimate in versatility
- External heater makes repairs a snap and keeps heat away from the motor compartment
- Tough roto-molded body stands up to the rigors of a demanding work environment and has a lifetime warranty
- Upright-mounted motors along with a special intercooler guarantee long life and durability
- Standard 5-gallon bucket fits under drain valve for easy emptying
- Opens quickly like a clamshell for easy servicing
- Top-mounted switches for easy access
- Sealed motor cavity insures that spills on the outside stay out



GALAXY PRO

HEAT READY

The Galaxy Pro is manufactured with the ability to easily add an external water heating system to the machine at anytime. Using hot water when cleaning carpet with an extractor increases cleaning results and productivity dramatically, and reduces the overall cost of cleaning. On-demand heat is a must have option to clean heavily soiled carpets.

FEATURES:

- Exclusive heat-ready system offers the ultimate in versatility
- External heater makes repairs a snap and keeps heat away from the electrical components in the motor compartment
- Tough roto-molded body stands up to the rigors of a demanding work environment and has a lifetime warranty
- Upright-mounted vacuum motors along with a special intercooler guarantee long life and durability
- Standard 5-gallon bucket fits under drain valve for easy emptying
- Opens quickly like a clamshell for easy servicing
- Top-mounted switches
- Sealed motor cavity insures that spills on the outside stay out
- Detachable cord makes it easy to drop the cord and wheel the machine to a drain or toilet for emptying
- Galaxy Pro CX offers 500 psi, dual 3-stage vacs, 190" lift all on a single cord
- Heat ready

OPTIONAL ACCESSORIES:

- | | |
|---------------|---|
| 705HR | Heater kit |
| 1033-11003FB | Single-jet stainless steel wand |
| 1034-110015FB | Dual-jet stainless steel wand (for 100-250 psi machines) |
| 1034-11001FB | Dual-jet stainless steel wand (for 500 psi machines) |
| 334ACH | 10" hard floor squeegee wand |
| 1039-9502FB | Stainless steel detailer tool |
| 1204ACH | Powermate—12" wide power brush (specify psi) |
| 1800AC-200 | 18" Powermate, up to 500 psi |
| 988CS | Circuit locator |
| 2540AC-HP | 25' vacuum and high pressure solution hose assembly with quick connects |



SPECIFICATIONS:

Model	2700IX-HR	2700CX-HR*	2700FX-HR
Solution Tank	17 gallon	17 gallon	17 gallon
Recovery Tank	15 gallon	15 gallon	15 gallon
Solution Pressure	220 psi	500 psi	500 psi
Vacuum Motor	Dual, high performance 3-stage	Dual, high performance 3-stage	Dual, high performance 3-stage
Waterlift	190"	190"	210"
Tank Construction	Polyethylene	Polyethylene	Polyethylene
Baseplate	¼" aluminum	¼" aluminum	¼" aluminum
Rear Wheels	10" non-marking	10" non-marking	10" non-marking
Front Casters	4" locking	4" locking	4" locking
Power Cord	50 ft. detachable	50 ft. detachable	50 ft. detachable
Dimensions	38"H x 31"L x 20"W	38"H x 31"L x 20"W	38"H x 31"L x 20"W
Weight	95 lbs.	104 lbs.	104 lbs.
Shipping Weight	111 lbs.	120 lbs.	120 lbs.
Shipping Dimensions	40.5"H x 39"L x 21"W	40.5"H x 39"L x 21"W	40.5"H x 39"L x 21"W
Electrical Draw	15.4 amps	17.1 amps	14.7/11.8 amps

**20 amp circuit required*



GALAXY 5 AVAILABLE HEAT READY!

One look at our compact yet powerful addition to the Galaxy series and you'll realize that it is possible to have your cake and eat it too! The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The Galaxy 5 is an obvious choice for auto detailing and for those jobs where a small yet effective unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The optional external heater can be removed in seconds if a repair is necessary with no downtime to the Galaxy 5.



Optional external heater



SPECIFICATIONS:

MODEL	500BX	500BX-HR*
Solution Tank	5 gallon	5 gallon
Recovery Tank	4 gallon	4 gallon
Solution Pump	120 psi	120 psi
Heater	Not heat ready	2000W, stainless steel
Vacuum Motor	Single 3-stage	Single 3-stage
Waterlift	136"	136"
Construction	Polyethylene	Polyethylene
Baseplate	¼» Alumimum	¼» Alumimum
Rear Wheels	7" non-marking	7" non-marking
Casters	2.5"	2.5"
Power Cord	25' detachable	25' detachable
Dimensions	28"H x 24.5"L x 16"W	28"H x 24.5"L x 16"W
Weight	57 lbs.	57 lbs.
Shipping Weight	65 lbs.	65 lbs.
Shipping Dimensions	30"H x 25.5"L x 17"W	30"H x 25.5"L x 17"W

FEATURES:

- External heater is a snap to remove and keeps heat away from the inside of the machine for longer life
- "No drip" motor cavity guarantees water spilled on outside of machine stays out!
- Opens quickly like a clamshell for fast and easy servicing
- Upright-mounted motors along with a special intercooler guarantee long life and durability
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Silencer system for quieter operation
- Handle folds down for easy transport and compact storage
- Optional heating system delivers consistent 190 degrees

OPTIONAL ACCESSORIES:

- | | |
|-------------|------------------------------------|
| 1204ACH | Powermate – 12" wide power brush |
| 330-11003FB | 10" Stainless steel wand |
| 1038-8002FB | Crevice tool |
| 1039-9502FB | Stainless steel upholstery tool |
| 323ACH | Prespray wand |
| 1040AC-HP | 15 ft. high pressure hose assembly |
| 2540AC-HP | 25 ft. high pressure hose assembly |
| 705HR | 2000 W external heater |

*HEAT READY: EDIC equipment is manufactured with the ability to easily add a water heating system to the machine at anytime.

POWERMATE

1204ACH

Why use a standard wand when you can get a combination of powerful brush agitation and speed in a super lightweight attachment with wheels—all at a competitive price!

So lightweight and maneuverable, the Powermate can triple your productivity. No more backaches and fatigue from slow, tedious cleaning with a wand. The Powermate attaches to any portable unit to remove deeply imbedded soil and grit at record speed! A high-speed cylindrical brush gets down to the base of the carpet fibers for more effective cleaning. Available with 1½" diameter handle. For use up to 500 psi.



FEATURES:

- Weighs only 15 lbs.
- See-through front cover
- Sealed, stainless steel ball bearings
- High-speed 2500 RPM brush for deep cleaning
- Heavy-duty aluminum handle
- Adapts to all EDIC extractors



1800AC-200

The ultimate in speed and power for a deep down clean! Powermate 1800AC attaches to any portable or truckmount extractor for cleaning tough, dirty high-traffic areas.

An 18" wide cleaning path and high-speed brush save valuable time and reduce operator fatigue. The power brush is designed to clean right up to baseboards and into corners.

Its fully adjustable handle fits any size operator and the low profile makes it a breeze to get under furniture. For use up to 500 psi. Available in 2" to adapt to most truckmount units.



FEATURES:

- 0-90 degree adjustable handle plus fingertip controls for easy handling
- High-speed chevron-style brush for deep cleaning
- See-through sight glass to monitor recovery
- Heavy-duty steel handle
- Adapts to all EDIC extractors
- 5 Spray tips

SPECIFICATIONS:

Model	1204ACH	1800AC-200
Cleaning Width	12"	18"
Housing	Ultra high-impact ABS	Ultra high-impact ABS
Agitator Brush	Cylindrical, tynex bristles	Cylindrical, tynex bristles
Brush Motor	1/12 HP	1/6 HP
Brush Speed	2500 RPM	2100 RPM
Electrical Draw	1 Amp	1.25 Amps
Power Cord	25'	25'
Weight	15 lbs.	47 lbs.
Shipping Weight	28 lbs.	56 lbs.
Shipping Dimensions	13.5"H x 49.5"L x 18"W	58.5"H x 21"L x 9.5"W

GLIDEMASTER CARPET WANDS

Single or Dual-Jet Stainless Steel Wands

The Glidemaster wands allow for easy pickup under furniture and desks. The head is winged to prevent overspray and the insulated handle, valve lever and grip ensure operator comfort. The dual-jet version has an S-bend for superior pickup under all types of furniture. Dual-jets guarantee maximum pressure for fast and thorough cleaning. Standard or high-pressure models available—up to 1000 psi. 1½” diameter.

MODELS:

1033-11003FB Single jet: High pressure
 1034-110015FB Dual jet: High pressure
 1034-11001FB Dual jet: High pressure up to 500 psi

MODEL	Glidemaster
Width	12”
Length	60”
Weight	7.4 lbs.
Shipping Weight	12 lbs.
Shipping Dimensions	65”H x 12”L x 13”W



Single or Dual-Jet
Stainless Steel Wands

Single-Jet 9” Stainless Steel Wand

This wand is perfect for use with smaller extractors like the FiveStar. 1¼” or 1½” diameter available.

MODEL:

330-11003FB Single jet, 100 psi

MODEL	330-11003FB
Width	9”
Length	60”
Weight	8 lbs.
Shipping Weight	11 lbs.
Shipping Dimensions	65”H x 12”L x 13”W



TRITON CARPET WAND

Light Weight with Superior Airflow

EDIC’s Triton Carpet Wand is the latest in carpet cleaning technology. It provides a lightweight and durable alternative to the traditional stainless steel wand. The head of the Triton is not only designed for higher air speed, but also even/consistent air speed across the whole width of the wand head, providing optimum water recovery.

Talk about durability – the wand shoe is made of UHMW plastic which has the highest impact strength of any thermoplastic presently made. The wand glides easily across the carpet and wears less because the UHMW plastic shoe has an extremely low coefficient of friction.

MODELS:

TR1-95015FS-A Dual jet: low pressure
 TR1-9501FS-A Dual jet: High pressure

MODEL	Triton
Width	12”
Length	60”
Weight	6.5 lbs.
Shipping Weight	12 lbs.
Shipping Dimensions	65”H x 12”L x 13”W



UPHOLSTERY & DETAILING TOOLS



A powder coated aluminum tool with a see through window and enclosed spray chamber. A notched design recirculates air reducing water buildup for faster dry times.

MODEL:

321ACH High Pressure—up to 300 psi
 Width: 3.5” Length: 7”
 Weight: 1.5 lbs. Ship Wt: 3 lbs.



An upholstery kit designed specifically for Fivestar series units. Includes a 321AC type tool and a durable nylon mesh bag. Available in 8 ft. and 15 ft. lengths.

MODELS:

357AC-CM 15 ft. hose, tool and bag
 1.25” diameter
 357AC 8 ft. hose, tool and bag,
 1.25” diameter



A 15 ft. upholstery kit tool designed specifically for Polaris and Supernova units. Includes a 321ACH type tool and a durable nylon mesh bag.

MODEL:

358AC 15 ft. hose, tool and bag
 1.5” diameter



Durable stainless steel auto detailer tool specially designed to effectively clean in tight places. High pressure up to 1000 psi.

MODEL: 1039-9502FB

Width: 3.5” Length: 11.5”
 Weight: 1.7 lbs. Ship Wt: 3 lbs.



This auto detailer has a durable plastic head to monitor recovery. Up to 100 psi.

MODEL: 1037AC

Weight: 1.3 lbs. Ship Wt: 3 lbs.
 Width: 4 Length: 8”



Clean those hard to reach areas with the stainless steel crevice tool.

MODEL: 1038-8002FB

Length: 17” Width 3.5”
 Weight: 3 lbs. Ship Wt: 5 lbs.



Available is “S” bend or straight tube, great for stairs and large vehicles, 1.5”.

MODELS:

1035-110015FB “S” bend wand
 1036-110015FB Straight tube
 Width: 12” Length: 36”
 Weight: 4.5 lbs. Ship Wt: 7.5 lbs.



Lightweight stainless steel stair tool is made of high quality components and built to last. High pressure up to 1000 psi.

MODEL: 1021-1/8K2FB

Weight: 2 lbs. Ship Wt: 3 lbs.
 Width: 4” Length: 8”



Prespray wand constructed of brass with 25’ hose.

MODEL:

323ACH — High heat, high pressure
 Weight: 3 lbs. Ship Wt: 5 lbs.

FLOODBUSTER

FLOOD PUMPER

Superior Water Recovery

Lightweight | Compact

Durable Construction

The super-duty high volume, FloodBuster flood pumper makes quick work of the toughest flood restoration jobs. The FloodBuster allows easy transport to and from the job site due to its small size, light weight, and single-person load capabilities into any type of vehicle. Its compact design, with 12" rear wheels, 5" front swivel casters and stair climbing handle design, allows for easy storage in any location.

The FloodBuster moves water at 50 GPM (on a single power cord) by using a powerful sump pump and a wide 1.5" diameter dump hose that outperforms a standard garden hose that comes with other competitor equipment.

When you choose the FloodBuster, you know that you'll have industry leading performance, safety, and water removal in this BEST IN CLASS machine.

SPECIFICATIONS:

Model:	FB50
Pump GPM	50 GPM
Handles Spherical Solids	Up to ½ inch
Vacuum	5.7" Diameter 3-stage
Air Watts	601
Air Flow	110 CFM
Waterlift	158"
Overfill Vacuum Switch	Yes
Large Tank Opening	Yes
Large Debris Screen Basket	Stainless Steel
Vacuum Hose	1.5" x 25' crushproof vacuum hose
Dump Hose	1.5" x 25' with quick connects
Wand Kit	S-bend carpet & hard floor
Handle	Adjustable for easy stair climbing
Rear Wheels	12" ball bearing, non-marking
Front Casters	5" locking
GFCI	Optional
Ergonomic Dolly Style Design	Yes
Power Cord	Single 25 ft. detachable
Electric Power	18 amps
Weight	101 lbs.
Dimensions	21" W x 29" L x 31.5" H



STANDARD TOOLS



AQUA DRI

Portable Air Mover/Carpet Dryer

Joining the ranks of our legendary 3004/3005 Aqua Dri series, is the new 3007ADN. The 3007ADN features a 2.9 amp, 2 speed, 1/3 HP motor that allows you to daisy chain up to 4 units on one circuit. At 3500 CFM on high and 3100 CFM on low, long dry times are history! Not to be ignored, our popular 3004ADN and 3005ADN have received a useful performance increase. At high speed, the 3004ADN now puts out a whopping 3700 CFM and the 3005ADN performs at an incredible 4500 CFM with no increase in amp draw. Now with three models to choose from, there is an Aqua Dri for every situation.

FEATURES:

- Exclusive hi-tech design makes it the most versatile, compact and portable air mover in the industry
- Heavy-duty housing is made of durable roto-molded polyethylene
- Balanced carry-along handle distributes weight evenly for superior portability
- Easy to store or stack for transport
- Thermally protected motor



Optional carpet clamp

SPECIFICATIONS:

Model	3004ADN	3005ADN	3007ADN
Housing	Polyethylene	Polyethylene	Polyethylene
Motor	½ HP	½ HP	1/3 HP
Speeds	3	3	2
Air Flow	3700 CFM	4500 CFM	3500 CFM
Electrical Draw	5 Amps	6 Amps	2.9 Amps
Blower Fan	9.5" diameter	10 5/8" diameter	9.5" diameter
Intake Screens	Open flow Design	Open flow Design	Open flow Design
Drying Positions	4	4	4
Stackable	Yes	Yes	Yes
Kickstand	Included	Included	Included
Carpet Clamp	Optional	Optional	Optional
Power Cord	25'	25'	25'
Dimensions	18"H x 18.5"L x 17.38"W	19¾"H x 20 5/8"L x 19¼"W	18"H x 18.5"L x 17.38"W
Weight	30 lbs.	33 lbs.	30 lbs.
Shipping Weight	33 lbs.	36 lbs.	33 lbs.
Shipping Dimensions	19"H x 19"L x 18"W	21"H x 21"L x 19.5"W	19"H x 19"L x 18"W



CFM is calculated by averaging measurements at the center and the outer edges of the vent.



Accordion hose attachment for attics and other hard-to-reach places

HEAT 'N' RUN™

External Heating System

A proven performer, the EDIC heater system is the most reliable and effective way to clean with heat.

- Specifically engineered to improve the performance of your HEAT READY GALAXY, GALAXY PRO, and select GALAXY 5 models. Add heat to your HEAT READY machine anytime!
- The only EXTERNALLY MOUNTED heater that you can add or remove in seconds. If the heater requires servicing, simply dismount and continue working with your Galaxy extractor while your heater is serviced.
- The electrical components and heat element have received upgrades to ensure an even longer life.
- Stainless steel tank and heat element eliminate corrosion and clogs that can disrupt your workflow.
- Our 2000 Watt model offers 190-200 degrees (Fahrenheit) within 90 seconds.

Look for the "HR" (Heat Ready) designation on the model number to ensure compatibility with our 2000 Watt heaters.



SPECIFICATIONS:

Model	702HR	705HR
Watts	1000W	2000W
Pressure	Up to 1300 psi	Up to 1300 psi
Tank Construction	Stainless Steel	Stainless Steel
Power Cord	50' detachable	50' detachable
Shipping Dimensions	8.25"H x 24"L x 8.25"W	8.25"H x 24"L x 8.25"W

CIRCUIT LOCATOR



So you've got two power cords and you need to find outlets on different circuits? No problem! Just plug the circuit locator with an extension cord into two wall outlets — the sensor instantly lights up when it's good to go. Use it anytime for any equipment. Prevents tripped breakers and potential power overload by taking the guesswork out of locating separate circuits.

MODEL: 988CS - with 1 wall outlet plug and one twist-lock to fit EDIC equipment

MODEL: 989CS - with 2 wall outlet plugs

GALAXY 5 & Auto 3000

COMES STANDARD WITH HEAT!

The GALAXY 5 and GALAXY AUTO 3000 are ready to meet and exceed the expectations of even the most demanding automotive detailers. Lots of heat, a single high performance 3 stage vacuum, and a low flow pump combine to yield squeaky clean automotive interiors and faster dry times.

The key to our single cord, heated, high performance automotive detailing extractors is our state of the art LOW FLOW 120PSI pump. Our pump provides a lower moisture output compared to our standard carpet extractor pumps, while still providing powerful agitation to clean even the most soiled automotive interiors and carpets. This lower moisture output requires less energy to extract and less energy to heat.

The Galaxy 5 and AUTO 3000 come with everything you need, just plug and play. The standard kit includes a 15 ft. hose assembly, stainless steel auto upholstery tool and the 1000 WATT heater. The heater provides a consistent 170 degrees of heat in 90 seconds and it is externally mounted. Should the heater need servicing, you can remove it in less than 15 seconds and send it out without any down time to your extractor.

FEATURES:

- Single cord operation
- 1000 watt in-line external heater delivering up to 170 degrees in just 90 seconds
- Durable stainless steel heating chamber and heating element
- Exclusive external heating system for easy removal and repair
- External heater design removes heat from the motor compartment keeping the vacuum motors and pump running cooler
- Opens quickly like a clamshell for easy servicing
- Powerful and lightweight – ideal for single operators
- “No drip” motor cavity guarantees water spilled on the outside of machine stays outside and won’t accumulate in the motor compartment
- Handle folds down for easy transport and compact storage (Galaxy 5 only)

OPTIONAL ACCESSORIES:

- | | |
|---------------|-----------------------------------|
| 1038-8002FB | Stainless steel crevice tool |
| 1035-110015FB | Stainless steel “S” bend van tool |
| 1036-110015FB | Stainless steel straight van tool |
| 1039-9501FB | Stainless steel hand tool |



SPECIFICATIONS:

MODEL	539BX-EH	3139BX-EH
Solution Tank	5 gallon	12 gallon
Recovery Tank	3 gallon	11 gallon
Solution Pump	120 psi	120 psi
Vacuum Motor	Single 3-stage	Single 3-stage
Waterlift	117"	117"
Heater	1000 Watts	1000 Watts
Detailer Tool	Stainless Steel	Stainless Steel
Hose Assembly	15'	15'
Tank Construction	Polyethylene	Polyethylene
Baseplate	¼" Aluminum	¼" Aluminum
Rear Wheels	7" non-marking	10" non-marking
Casters	2.5"	4" locking
Power Cord	25' detachable	50' detachable
Dimensions	24.5"H x 16"L x 28"W	35"H x 31"L x 18"W
Weight	57 lbs.	88 lbs.
Shipping Weight	66 lbs.	110 lbs.
Shipping Dimensions	25"H x 17"L x 29"W	36.5"H x 31"L x 19"W
Electrical Draw	18.8 Amps	18.8 Amps



BRAVO SPOTTER

WITH HEAT!

The 17-pound Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life. The Bravo automotive unit comes complete with a vacuum and solution hose assembly and a stainless steel auto-detailing tool.

FEATURES:

- 1500 watt, in-tank heater delivers 150 degree heat
- Unique molded-in holders carry spray bottles for greater ease
- Stainless steel heating element
- Large 6" wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about
- Carry-along handle increases portability
- Small and light enough to carry with one hand
- Quickly opens up for easy servicing and repair

OPTIONAL ACCESSORIES:

330-11003FB Single-jet wand, 10" wide
 1039-9502FB Stainless steel detailer tool

MODEL:

339MH-HT Bravo with heat, hose assembly and detailer tool



SPECIFICATIONS:

Model	300MH-HT
Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2-stage, bypass
Waterlift	106"
Handle	Adjustable 22-37"
Wheels	6"
Power Cord	25'
Heater	1500 watts, stainless steel
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Shipping Dimensions	23"H x 18"L x 15.5"W
Electrical Draw	15 amps

AQUA DRI

Portable Air Mover/Carpet Dryer

Model	3004ADN	3005ADN	3007ADN
Housing	Polyethylene	Polyethylene	Polyethylene
Motor	½ HP	½ HP	1/3 HP
Speeds	3	3	2
Air Flow	3700 CFM	4500 CFM	3500 CFM
Electrical Draw	5 Amps	6 Amps	2.9 Amps
Blower Fan	9.5" diameter	10 5/8" diameter	9.5" diameter
Intake Screens	Open Flow Design	Open Flow Design	Open Flow Design
Drying Positions	4	4	4
Stackable	Yes	Yes	Yes
Kickstand	Included	Included	Included
Carpet Clamp	Optional	Optional	Optional
Power Cord	25'	25'	25'
Dimensions	18"H x 18.5"L x 17.38"W	19¾"H x 20 5/8"L x 19¼"W	18"H x 18.5"L x 17.38"W
Weight	30 lbs.	33 lbs.	30 lbs.
Shipping Weight	33 lbs.	36 lbs.	33 lbs.
Shipping Dimensions	19"H x 19"L x 18"W	21"H x 21"L x 19.5"W	19"H x 19"L x 18"W



Joining the ranks of our legendary 3004 and 3005 Aqua Dri series, is the new 3007ADN. The 3007ADN features a 2.9 amp, 2 speed, 1/3 HP motor that allows you to daisy chain up to 4 units on one circuit. At 3500cfm on high and 3100cfm on low, long dry times are history! Our popular 3004ADN and 3005ADN have received a useful performance increase, as well.

DETAILING ACCESSORIES



1033-11003FB Single-jet Wand, high pressure
1034-110015FB Dual-jet Wand, high pressure



1039-9502FB Stainless Steel Detailer Tool/Bravo
1039-9501FB Stainless Steel Detailer Tool/Galaxy



1038-8002FB Stainless Steel Crevice Tool/Bravo
1038-8001FB Stainless Steel Crevice Tool/Galaxy



1035-110015FB Stainless Steel "S" Bend Wand
1036-110015FB Stainless Steel Straight Wand

DYNAMO WET/DRY VACUUM SERIES

12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



SPECIFICATIONS:

MODEL	12W/12WS	20W/20WS
Housing	Polyethylene/ Stainless Steel	Polyethylene/ Stainless Steel
Capacity	12 gallon	20 gallon
Vacuum Motor	1200W, single vac, 1.9 HP	1600W, dual vac, 2 HP
Airflow	114 CFM	192 CFM
Waterlift	100"	80"
Power Cord	33 ft.	33 ft.
Noise Level	63 dB	63 dB
Casters	3"	3"
Wheels	6"	6"
Dolly	Polyethylene	Polyethylene
Tool Kit	8-piece deluxe	8-piece deluxe
Filter	Washable cloth	Washable cloth
Paper Filter	Optional	Optional
HEPA Filter	Optional	NA
Hose	8 ft. w/1.5" swivel connector	8 ft. w/1.5" swivel connector
Dimensions	33"H x 19"L x 19"W	36"H x 24"L x 20"W
Weight	30 lbs.	48 lbs.
Shipping Weight	50 lbs.	67 lbs.
Shipping Dimensions	34"H x 21"L x 21"W	39"H x 25"L x 22"W
Electrical Draw	13 Amps	13 Amps

FEATURES:

- 63 dB for whisper quiet operation
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability
- Includes high quality "drop-in" style cloth filter bag for maximum air flow
- Paper filter bags available on both models plus optional HEPA filters on 12W
- Powerful 1600-watt dual vac motors on 20W for ultimate suction
- Two-piece metal wand along with full 1½" accessory kit included
- 8' hose includes full 1.5" swivel connection system for easy handling and operation
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon

OPTIONAL ACCESSORIES:

- 335AC Front-mount squeegee assembly (12-gal)
336AC Front-mount squeegee assembly (20-gal)
L11824-1 Paper filter bag

MODELS:

- Optional HEPA filter available on 12-gallon models— add "H" to model number (12WH, 12WSH)
12W 12-gallon poly (with 8-piece deluxe tool kit)
12WS 12-gallon stainless steel (with 8-piece deluxe tool kit)
20W 20-gallon poly (with 8-piece deluxe tool kit)
20WS 20-gallon stainless steel (with 8-piece deluxe tool kit)

ATLAS (patents pending)

After years of careful planning, our new Atlas is taking the backpack vacuum market by storm. Feature for feature, it simply defies the competition! It's light enough for anyone to handle and the ergonomically-designed Velcro straps at the chest and hips result in a comfortable fit for virtually any sized operator. A special slide adjustment hooks the shoulder straps together for a higher range of motion. The on/off switch is at the hip level and mounted on top for unparalleled ease of operation. Our unique airflow design makes this unit quieter than most and the baffled exhaust goes out the back, away from the operator, for a higher level of comfort. The Atlas comes with our extraordinary Ultrastat™



3-ply composite filter treated with an anti-microbial agent that provides exceptional airflow even when full, allowing for greater productivity. This exclusive bag is fitted with a durable plastic rim for an airtight seal around the top, and the seams are sonically welded (as opposed to glued). The result is higher dust retention, and a much longer filtration cycle.



SPECIFICATIONS:

MODEL	ATLAS 6 QT.	ATLAS 10 QT.
Capacity	6 qt.	10 qt.
Watts	1150W	1150W
Electrical Draw	10 Amps	10 Amps
Airflow	130 CFM	130 CFM
Waterlift	110"	110"
Filtration	4 stage	4 stage
Decibels	65 dB	65 dB
Thermally Protected	Yes	Yes
Construction	Polyethylene	Polyethylene
Hose	4' static dissipating hose with swivel cuffs	4' static dissipating hose with swivel cuffs
Power Cord	50' detachable	50' detachable
Filters	5 disposable Ultrastat™ Filters	5 disposable Ultrastat™ Filters
Cloth Bag	Included	Included
Dimensions	23.5"H x 8"L x 8"W	25"H x 9"L x 9"W
Weight	9.8 lbs.	10.8 lbs.
Shipping Weight with Tools	22 lbs.	23.5 lbs.
Shipping Dimensions	32"H x 13"L x 13"W	32"H x 13"L x 13"W

FEATURES:

- Longer exhaust chamber and diffused exhaust air for quiet operation
- EDIC Ultrastat™ filters have better filtration efficiency, greater dust retention and longer useful life than Micro filter bags because Ultrastat's™ revolutionary synthetic material allows greater air flow even when the bag is full
- 3-position hip adjustment for wider or narrower hips allows the unit to sit more comfortably on the hips
- Ergonomically designed harness with multi-adjustable settings for optimum comfort
- Lightweight – only 10 lbs.
- Hip-mounted switch results in easy on/off
- Precision-molded cloth filter bag rim holds it's shape to prevent collapsing inside the unit when the bag is full
- Optional HEPA filter available on 10-qt units
- Available in 220-volt

MODELS:

- 601TV-HA 6-qt w/standard kit
- 602TV-HA 6-qt w/industrial kit
- 603TV-HA 6-qt w/mixed floor kit
- 605TV-HA 6-qt w/turbo kit
- 606TV-HA 6-qt w/Sidewinder kit
- 1001TV-HA 10-qt w/standard Kit
- 1002TV-HA 10-qt w/industrial kit
- 1003TV-HA 10-qt w/mixed floor kit
- 1005TV-HA 10-qt w/turbo kit
- 1006TV-HA 10-qt w/Sidewinder kit

220-Volt Vac – add "220V" to the end of any 6 or 10-qt model number.

HEPA Filter – add "H" to the end of any 10-qt. model number.

BACKPACK VACUUM ACCESSORIES



STANDARD TOOL KIT

361AC Kit includes carpet tool with scallops, crevice tool, 2-pc S-bend wand, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.



MIXED FLOOR KIT

362AC Kit includes standard tool kit plus 14" floor tool with horsehair brush.



TURBO BRUSH KIT

363AC Kit includes turbo brush head, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool, and slide-on brush for upholstery tool.



SIDEWINDER KIT

364AC Kit includes 14" scalloped carpet tool, crevice tool, dust brush, 2-pc aluminum straight wand, and upholstery tool.



INDUSTRIAL KIT

365AC Kit includes combo floor tool, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.

FILTERS

The revolutionary new Ultrastat™ filters are made from a high-efficiency synthetic composite treated with an anti-microbial agent. They have greater dust retention, better filtration efficiency and a longer useful life than a standard microfilter because they provide a much lower pressure

drop and therefore better CFM for longer periods of time. The Ultrastat™ filters are more durably constructed because the seams are sonically welded, as opposed to glued, and the rim is made from a durable plastic instead of cardboard.



Dome Filter

K12019 5.7" diameter



Cloth Filter

- L12009 6-quart filter
- L12010 10-quart filter



Ultrastat™ Filter

- L12004 6-quart Ultrastat™ filters (set of 5)
- L12006 10-quart Ultrastat™ filters (set of 5)
- Case quantity: 100 filters

DYNAMO WET/DRY VACUUM SERIES

5W/12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 5 gallon unit is compact and very portable. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. 12 and 20 models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. The 5-gallon comes with standard 8 piece tool kit. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.

FEATURES:

- 63 dB for whisper quiet operation
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability
- Includes high quality "drop-in" style cloth filter bag for maximum air flow
- Paper filter bags available on both models plus optional HEPA filters on 12W
- Powerful 1600-watt dual vac motors on 20W for ultimate suction
- Two-piece metal wand along with full 1½" accessory kit included
- 8' hose includes full 1.5" swivel connection system for easy handling and operation
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon

OPTIONAL ACCESSORIES:

- 335AC/336AC Front-mount squeegee assembly
 L11824 Paper filter bag (Dynamo 5)
 L11824-1 Paper filter bag (Dynamo 12&20)



Front-mount squeegee for removing large volumes of water fast!



336AC (24")



335AC (24")



8-piece tool kit



Deluxe 8-piece tool kit



SPECIFICATIONS:

MODEL	5W/5WS	12W/12WS	20W/20WS
Housing	Polyethylene/ Stainless Steel	Polyethylene/ Stainless Steel	Polyethylene/ Stainless Steel
Capacity	5 gallon	12 gallon	20 gallon
Vacuum Motor	100W, 2-stage, 1.5 HP	1200W, single vac, 1.9 HP	1600W, dual vac, 2 HP
Airflow	104 CFM	114 CFM	192 CFM
Waterlift	86"	100"	80"
Power Cord	33 ft.	33 ft.	33 ft.
Noise Level	60 dB	63 dB	63 dB
Casters	3"	3"	3"
Wheels	6"	6"	6"
Dolly	Polyethylene	Polyethylene	Polyethylene
Tool Kit	8-piece	8-piece deluxe	8-piece deluxe
Filter	Washable cloth	Washable cloth	Washable cloth
Paper Filter	Optional	Optional	Optional
HEPA Filter	Optional	Optional	NA
Hose	8 ft. w/1.5" swivel connector	8 ft. w/1.5" swivel connector	8 ft. w/1.5" swiv- el connector
Dimensions	23"H x 16"L x 16"W	33"H x 19"L x 19"W	36"H x 24"L x 20"W
Weight	20 lbs.	30 lbs.	48 lbs.
Shipping Weight	32 lbs.	50 lbs.	67 lbs.
Shipping Dimensions	25"H x 17.5"L x 17.5"W	34"H x 21"L x 21"W	39"H x 25"L x 22"W
Electrical Draw	13 Amps	13 Amps	13 Amps

SATURN

HD LOW SPEED FLOOR MACHINES

HD stands for “Heavy Duty” and that is exactly what the Saturn HD low speed floor machine is. With its all-metal construction and steel planetary gear boxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The high torque 1.5 HP 66 frame motor with triple planetary gears is totally enclosed and fan cooled to provide exceptional power and to withstand dust, moisture and other harsh conditions. The rugged HD units are ideal for sanding, screening, stone care, and concrete work. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive “lockout lever” for safe two-handed start up make this machine operator friendly and a winner in every commercial setting. Available in 4 different sizes, there is a perfect HD low speed Saturn for any size job.

FEATURES:

- All-metal construction assures durability
- Hi torque, totally enclosed, fan cooled motor handles dust, moisture and other harsh conditions
- The rugged HD units are ideal for sanding, screening, stone care and concrete work
- All-steel triple planetary gearbox provides heavy duty yet quiet operation
- Dual-trigger negative pressure switch allows operator to run with either hand
- Turn a 13-inch machine into a 20” or any other combination, by removing just four bolts
- Exclusive “lockout lever” is designed so operator can safely activate motor with both hands on the grips
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment
- Non-marking PVC bumper prevents marks on walls and furniture



SPECIFICATIONS:

13LS4-BK**	15LS4-SS* or 15LS4-BK**	17LS4-SS* or 17LS4-BK**	20LS4-SS* or 20LS4-BK**
13” Head	15” Head	17” Head	20” Head
172 RPM	172 RPM	172 RPM	172 RPM
1.5 HP, TEFC Motor	1.5 HP, TEFC Motor	1.5 HP, TEFC Motor	1.5 HP, TEFC Motor
Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover
109 lbs.	111 lbs.	113 lbs.	116 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips	Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50’ Power Cord	50’ Power Cord	50’ Power Cord	50’ Power Cord
11 Amps	11 Amps	11 Amps	11 Amps
Gear box “Steel Triple Planetary”	Gear box “Steel Triple Planetary”	Gear box “Steel Triple Planetary”	Gear box “Steel Triple Planetary”
Shipping Weight 126 lbs.	Shipping Weight 128 lbs.	Shipping Weight 130 lbs.	Shipping Weight 133 lbs.
Shipping Dimensions: 48”H x 26.5”L x 23”W	Shipping Dimensions: 48”H x 26.5”L x 23”W	Shipping Dimensions: 48”H x 26.5”L x 23”W	Shipping Dimensions: 48”H x 26.5”L x 23”W

* SS notes stainless steel brush cover ** BK notes black powder coated brush cover

OPTIONAL ACCESSORIES:

- | | |
|---------------|--|
| 390AC | Shampoo tank for carpets |
| 1202BR | Pad driver with molded-in clutch plate (13”) |
| 1403BR | Pad driver with molded-in clutch plate (15”) |
| 1601BR/1901BR | Pad driver with molded-in clutch plate |
| 1603BR/1903BR | Pad driver with replaceable clutch plate |



SATURN

LOW SPEED FLOOR MACHINES

No job is too tough for this rugged series of floor machines from EDIC. With its all-metal construction and steel planetary gear boxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The low speed models are built specifically to handle the stress associated with stripping and scrubbing hard floor surfaces as well as bonnet cleaning and shampooing carpets. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive “lockout lever” for safe two-handed start up make this machine operator friendly and a winner in every commercial setting. Available in 4 different sizes, there is a perfect low speed Saturn for any size job.

FEATURES:

- All-metal construction assures durability
- All-steel triple planetary gearbox provides heavy duty yet quiet operation
- Dual-trigger negative pressure switch allows operator to run with either hand
- Turn a 13-inch machine into a 20” or any other combination, by removing just four bolts
- Exclusive “lockout lever” is designed so operator can safely activate motor with both hands on the grips
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment
- Non-marking PVC bumper prevents marks on walls and furniture



SPECIFICATIONS:

13LS3-BK**	15LS3-SS* or 15LS3-BK**	17LS3-SS* or 17LS3-BK**	20LS3-SS* or 20LS3-BK**
13" Head	15" Head	17" Head	20" Head
175 RPM	175 RPM	175 RPM	175 RPM
1.5 HP 66 frame Motor	1.5 HP 66 frame Motor	1.5 HP 66 frame Motor	1.5 HP 66 frame Motor
Triple planetary steel gears	Triple planetary steel gears	Triple planetary steel gears	Triple planetary steel gears
91 lbs.	93 lbs.	95 lbs.	98 lbs.
Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover
Shipping Weight: 101 lbs.	Shipping Weight: 106 lbs.	Shipping Weight: 112 lbs.	Shipping Weight: 115 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips	Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50' Power Cord	50' Power Cord	50' Power Cord	50' Power Cord
6.8 Amps	6.8 Amps	6.8 Amps	6.8 Amps

Shipping dimensions:
48"H x 26.5"L x 23"W

Shipping dimensions:
48"H x 26.5"L x 23"W

Shipping dimensions:
48"H x 26.5"L x 23"W

Shipping dimensions:
48"H x 26.5"L x 23"W

* SS notes stainless steel brush cover

** BK notes black powder coated brush cover

OPTIONAL ACCESSORIES:

- | | |
|---------------|--|
| 390AC | Shampoo tank for carpets |
| 1202BR | Pad driver with molded-in clutch plate (13") |
| 1403BR | Pad driver with molded-in clutch plate (15") |
| 1601BR/1901BR | Pad driver with molded-in clutch plate |
| 1603BR/1903BR | Pad driver with replaceable clutch plate |



SATURN

HIGH SPEED BURNISHERS

Available in traditional style or 17" compact design with fold-down handle!

The Saturn burnishers make it simple to bring a smooth, super high-gloss luster to any hard floor surface. Watching these machines in action will make anyone a believer! The perfect combination of weight and high speed produces a spectacular finish in record time. Brand new to the line-up is a 17" 2000 RPM model with a fold-down handle and a special compressed design for the ultimate in portability and storage plus greater maneuverability in tight spaces. Our traditional 20" models are available in 1500 or 2000 RPM and both the traditional and fold-down models are designed with an all-metal construction including stainless steel brush cover, making them as durable as they are dependable. All models come complete with flex-lock pad driver and high-speed pad.



FEATURES:

- Multi-V belt drive reduces load on bearings and extends motor life
- Smooth operation for reduced operator fatigue
- Unique lockout system prevents accidental start-ups and allows machine to be activated with both hands on the grips
- All-metal chassis plus stainless steel cover assure long life and dependability
- 17-inch model folds-down for super easy storage and transportation
- Cool running 1.5 HP high efficiency motor
- Rear transport wheels for easy turning and increased mobility
- Easy motor access for quick servicing
- 75-foot power cord

SPECIFICATIONS:

20HS1500-SS* or 20HS1500-BK**	20HS2000-SS* or 20HS2000-BK**	17HS2000F-SS* or 17HS2000F-BK**
20" Head	20" Head	17" Head
1500 RPM	2000 RPM	2000 RPM
1.5 HP 66 Frame DC Rectified Motor, Belt Driven	1.5 HP 66 Frame DC Rectified Motor, Belt Driven	1.5 HP 66 Frame DC Rectified Motor, Belt Driven
Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover
96 lbs.	96 lbs.	84 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
75' Power Cord	75' Power Cord	75' Power Cord
15 Amps	15 Amps	11.1 Amps
Shipping weight 108 lbs., 54"H x 31"L x 22.5" W	Shipping weight 108 lbs., 54"H x 31"L x 22.5" W	Shipping weight 96 lbs., 54"H x 31"L x 22.5" W

* SS notes stainless steel brush cover ** BK notes black powder coated brush cover

SATURN

DUAL SPEED FLOOR MACHINES

Get more bang for your buck with one machine that does the work of two! Strip, scrub, spray-buff, polish, shampoo, bonnet clean...you name it, this machine does it all! Designed for professional floor care maintenance, the dual speed floor machines from EDIC are equipped with long-wearing steel triple planetary gearboxes, providing heavy duty yet quiet operation. Safety comes first with the exclusive "lockout" lever that allows the motor to be activated while keeping both hands on the handle grips. Use the lower speed to scrub and strip then just flip the switch to high speed and polish floors to a glossy luster. Operation is smooth and easy in even the toughest commercial settings.

FEATURES:

- All-metal construction with stainless steel brush cover, heavy duty chrome-plated steel handle and 66 frame motor assure durability
- All steel triple planetary gearbox provides heavy duty yet quiet operation
- Turn a 17-inch machine into a 20" machine, or vice versa, by removing just four bolts
- Dual trigger negative pressure switch allows operator to run with either hand
- Safe two-handed start-up with exclusive "lockout lever"
- Cool running 1.5 HP high efficiency motor
- 50-foot power cord
- Non-marking PVC bumper prevents marks on walls and furniture
- Available in 17" or 20" diameter



SPECIFICATIONS:

Part #: 17DS3-SS* or 17DS3-BK**	Part #: 20DS3-SS* or 20DS3-BK
17" Head	20" Head
180/320 RPM	180/320 RPM
1.5 HP Motor	1.5 HP Motor
Stainless Steel or Black Powder Coated Brush Cover	Stainless Steel or Black Powder Coated Brush Cover
86 lbs.	92 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50' Power Cord	50' Power Cord
14.4 Amps	14.4 Amps
Gear box "Steel Triple Planetary"	Gear box "Steel Triple Planetary"
Shipping Weight 106 lbs.	Shipping Weight 112 lbs.
Shipping Dimensions: 48"H x 26.5"L x 23"W	Shipping Dimensions: 48"H x 26.5"L x 23"W


* SS notes stainless steel brush cover ** BK notes black powder coated brush cover

OPTIONAL ACCESSORIES:


- 1601/1901BR Pad driver, with molded-in clutch plate
- 1603/1903BR Pad driver with replaceable clutch plate



FLOOR MACHINE ACCESSORIES



1601BR



2004BR



1505BR



1106BR



1506BR



1807BR



F11988

PAD DRIVERS

- 1202BR 12" block, 13" machine
- 1601BR 16" block, 17" machine
molded-in clutch plate
- 1603BR 16" block, 17" machine
- 1901BR 19" block, 20" machine
molded-in clutch plate
- 1903BR 19" block, 20" machine
- 1704BR Flex-lock, 17" hi-speed
- 2004BR Flex-lock, 20" hi-speed
- F11988 High speed pad

BRUSHES

- 1105BR Nylon 11" block, 13" machine
- 1505BR Nylon 15" block, 17" machine
- 1805BR Nylon 18" block, 20" machine
- 1106BR Poly 11" block, 13" machine
- 1506BR Poly 15" block, 17" machine
- 1806BR Poly 18" block, 20" machine
- 1107BR* Grit 11" block, 13" machine
- 1507BR* Grit 15" block, 17" machine
- 1807BR* Grit 18" block, 20" machine

*Grit Brushes are available in the following 4 grades:
 #1 Heavy Grit—Equivalent to high pro stripper pad
 #2 Medium—Equivalent to black or brown pad
 #3 Lite—Equivalent to green or blue pad
 #4 Extra Lite—Equivalent to red pad

SHAMPOO TANK

- 390AC Shampoo tank
4-gallon capacity with brass valve



13" Saturn with
shampoo tank

PRODUCT WARRANTY SUMMARY

Machine	Stainless Steel Deck Plates & Heater Tanks	Roto-Molded Polyethelene Parts	Motor & Gear Boxes	Vacuum Motors	Pumps	Non-Wear Item Parts	Labor
Fivestar, Polaris, Supernova	N/A	Lifetime	5 Years	5 Years	5 Years	5 Years	5 Years
Endeavor	Lifetime	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Galaxy, Galaxy 5, Galaxy Pro	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Bravo	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Bravo Auto, Galaxy 5 Auto, Galaxy Auto	Lifetime	Lifetime	N/A	2 Years	2 Years	2 Years	2 Years
Heat N' Run	Lifetime	Lifetime	N/A	N/A	N/A	5 Years	5 Years
FloodBuster	N/A	Lifetime	N/A	2 Years	2 Years	5 Years	5 Years
Revolution	N/A	Lifetime	N/A	N/A	N/A	5 Years	5 Years
Saturn LS, Saturn DS, Saturn HS	Lifetime	N/A	5 Years	N/A	N/A	5 Years	5 Years
Saturn HD	Lifetime	N/A	5 Years	N/A	N/A	5 Years	5 Years
Aqua Dri	N/A	Lifetime	5 Years	N/A	N/A	5 Years	5 Years
Atlas	N/A	Lifetime	N/A	5 Years	N/A	5 Years	5 Years
Dynamo	N/A	N/A	N/A	2 Years	N/A	2 Years	2 Years
CR2	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
TORO HD	N/A	N/A	N/A	N/A	4 years	4 years	2 years
TORO	N/A	N/A	N/A	N/A	2 years	2 years	1 year

Applies to all models manufactured after November 1, 2014

EDIC

For questions about products or to place an order, contact our team at:

800.338.3342 | cs@edic-usa.com | edic-usa.com

EDIC © 2018. All Rights Reserved.