

KANSAS HOUSING

ENERGY CERTIFICATION

All MIH awarded new construction projects must build to the below list of minimum prescriptive energy requirements. Rehabilitation or conversion of existing structures must meet these requirements to the greatest extent possible, including replacement of any components.

1. Attic insulation: Minimum R49; except for vaulted ceilings
2. Wall insulation: Minimum R15
3. Air Conditioning (AC): Minimum– 14.3 SEER2 (Seasonal Energy Efficiency Ratio)
4. Lighting: At least 95% of all lighting must be high-efficiency fixtures
5. Gas furnace: Minimum 90% AFUE (Annual Fuel Utilization Efficiency)
6. Heat Pump: Minimum - 7.5 HSPF2 (Heating Seasonal Performance Factor)
7. Windows: Maximum U-factor of 0.33 or lower
8. Caulking/sealing: All penetrations to the exterior or unconditioned spaces (e.g. wiring and plumbing penetrations, ceiling registers, vent pipes, etc.) must be properly sealed
9. Appliances: All provided appliances, where available, must be Energy Star labeled.

In accordance with the requirements of the Kansas Housing Resources Corporation, the Applicant certifies that if awarded all Moderate Income Housing units will be designed and constructed to meet all applicable requirements for energy efficiency above:

Check here to certify intended compliance with the above requirements.

Applicant (City/County)

Date

Applicant Signature

Print Name & Role