


GlowLux Lipo Vela – Slim & Fit Guide

GlowLux brings you the Lipo Vela solution for targeted contouring. This guide covers the main ingredients, recommended usage, and important cautions. Always review all instructions carefully before use.

Main Ingredients



1-point recommended usage



How to Use & Caution

Shake vials well to mix the deposited particles on the bottom.

In case of abdomen/waist, 0.05~0.2cc on a spot into the fat layer and move to a centimeter distant.

By doing so, you should be used a total of PPC up to 1 vials at a treatment depending on obesity degree and you are recommended to repeat this treatment 2~3 times at 15 days interval (Once every 15 days), This whole process will end up with reduction of 2~3 inches!

The amount should be adjusted according to the obesity and fat layer thickness.

*** 1 point recommended usage**

Fat around the Upper Arm : 0.01 ~ 0.05ml or less

Fat around Abdomen/waist (thicker fat layer) : 0.05ml ~ 0.2ml or less

Fat around Hip : 0.05ml ~ 0.15ml or less

When penetrated into the muscle layer, not the fat layer, pain and fever may occur, and the fat layer must be penetrated in the correct amount.

Caution! The main component of PPC is extracted from soybeans. Do not use it for patients with soybeans allergy.

Caution! As PPC solution could also dissolve muscles and nerves, you should be careful to use it subcutaneously and must not use it on the parts below knees where nerves are densely concentrated!

Since PPC treatment consumes a vast quantity of water, patients are required to drink as much water after treatment.

Over 1~2 liters/day of lukewarm water and avoid violent exercises and take sufficient rests.

Caution! After the procedure, avoid friction in the treatment area, do light exercise, refrain from drinking alcohol, refrain from high-fat foods and adjust your diet.

Caution! Do not use for people with atopic dermatitis, dermatitis, heart disease, diabetes, cancer, stroke or arteriosclerosis, those with underlying medical conditions, or pregnant women.

Caution! It is not recommended to do massage or irritating procedures on the skin after infusion, wearing tight clothing, such as jeans, may cause blistering or bruising, so it is not recommended to wear tight clothing after treatment.

Do not mix with other solutions.

Use a correct dose for the application site.

Do not mix with other solutions.

Do not irritate or massage the treatment site.

Do not use on skin sensitive to red spots, itchiness or irritation.

Avoid to be applied it on the wounded part and the part of eczema and dermatitis.

Clean it immediately if the product gets in your eyes.

Be careful not to damage the container. It may cause risk of injury.

Disclaimer: For educational purposes only. Not medical advice. Consult a licensed professional before treatment.