



EXLINE COMPANY LIMITED

50 out-swing casement window technical drawing




Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


50 casement series(thickness 2.0mm)




NAME: 50 casement frame
CODE: 50PKK
WEIGHT(KG/M): 0.845
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0mm
①




NAME: 50 out-swing Sash
CODE: 50WKCS
WEIGHT(KG/M): 1.04
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0mm
①



NAME: 50 mullion
CODE: 50PKZT
WEIGHT(KG/M): 0.97
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0mm
①




NAME: 50 single glazing bead
CODE: 50DY
WEIGHT(KG/M): 0.26
LENGTH: 5.8-6.0m
PCS/BAG: 20
②



NAME: 50 double glazing bead
CODE: 50SY
WEIGHT(KG/M): 0.195
LENGTH: 5.8-6.0m
PCS/BAG: 30
②


Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

62 sliding window technical drawing




Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

62 sliding series(thickness 2.0mm)




Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


60 in-swing casement window technical drawing




60 out-swing casement window technical drawing




60 casement series(thickness 2.0mm)



NAME: 60 frame D2
CODE: 60PKD2
WEIGHT(KG/M): 0.984
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l




NAME: 60 in-swing window sash C
CODE: 60NKCSC
WEIGHT(KG/M): 1.05
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l




NAME: 60 mullion C
CODE: 60ZTC
WEIGHT(KG/M): 1.067
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l


60 casement series(thickness 2.2mm)




NAME: 60 frame D
CODE: 60PKD
WEIGHT(KG/M): 1.042
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e f h l




NAME: 60 in-swing window sash A
CODE: 60NKCSCA
WEIGHT(KG/M): 1.2
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e f h l




NAME: 60 out-swing window sash 2
CODE: 60WKCS2
WEIGHT(KG/M): 1.21
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e f h l




NAME: 60 frame W
CODE: 60KW
WEIGHT(KG/M): 1.05
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a l




NAME: 60 mullion W
CODE: 60ZTW
WEIGHT(KG/M): 1.13
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a l




NAME: 60 mullion D
CODE: 60ZTD
WEIGHT(KG/M): 1.149
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e f h l




NAME: 60 large frame
CODE: 60DK
WEIGHT(KG/M): 1.167
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3
e l




NAME: 60 large mullion
CODE: 60DZT
WEIGHT(KG/M): 1.35
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3
e l



NAME: 60 out-swing door sash 2
CODE: 60WKMS2
WEIGHT(KG/M): 1.65
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
a l




NAME: 60 in-swing door sash 2
CODE: 60NKMS2
WEIGHT(KG/M): 1.517
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
a l




NAME: 60 switch frame 2
CODE: 60ZHK2 (No gasket)
WEIGHT(KG/M): 0.575
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **h** same color double-sides co-extrusion **l** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


60 out-swing casement window technical drawing



60 casement series(thickness 2.5mm)



60 casement series(thickness 2.8mm)



Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

60 casement series glazing bead

NAME: 60 single glazing bead A
CODE: 60DYA
WEIGHT(KG/M): 0.317
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 4.5±0.5mm

NAME: 35 single glazing bead Z
CODE: 35YXZ
WEIGHT(KG/M): 0.317
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 4.5±0.5mm

NAME: 30 glazing bead
CODE: 30YX
WEIGHT(KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 9.5±0.5mm

NAME: 60 double glazing bead B
CODE: 60SYB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 20±0.5mm

NAME: 60 double glazing bead A2
CODE: 60SYA2
WEIGHT(KG/M): 0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 15.5±0.5mm

NAME: 23 glazing bead
CODE: 23YX
WEIGHT(KG/M): 0.234
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 17±0.5mm

NAME: 16 glazing bead
CODE: 16YX
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 24±0.5mm

NAME: 18 glazing bead
CODE: 18YX
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 22±0.5mm

NAME: 17 glazing bead
CODE: 17YX
WEIGHT(KG/M): 0.209
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 23±0.5mm

NAME: 60 single glazing bead A2
CODE: 60DYA2
WEIGHT(KG/M): 0.317
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 4.5±0.5mm

60 casement series auxiliary profiles

NAME: 60 bay corner adaptor 2
CODE: 60ZJ2
WEIGHT(KG/M): 0.71
LENGTH: 5.8-6.0m
PCS/BAG: 4
a

NAME: 60 flat board 1
CODE: 60PB1
WEIGHT(KG/M): 0.3
LENGTH: 5.8-6.0m
PCS/BAG: 20
a e h i

NAME: 60 bay corner adaptor 1
CODE: 60ZJ1
WEIGHT(KG/M): 0.71
LENGTH: 5.8-6.0m
PCS/BAG: 4
a

NAME: 60/135° bay corner adaptor
CODE: 60/135° ZJ
WEIGHT(KG/M): 0.734
LENGTH: 5.8-6.0m
PCS/BAG: 4
a

NAME: 60 bay corner adaptor 3
CODE: 60ZJ3
WEIGHT(KG/M): 0.817
LENGTH: 5.8-6.0m
PCS/BAG: 4
a e h i

NAME: 60 tube adaptor 2
CODE: 60PG2
WEIGHT(KG/M): 0.634
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c e h i

NAME: 60 any angle bay corner adaptor
CODE: 60RYZJ
WEIGHT(KG/M): 0.5
LENGTH: 5.8-6.0m
PCS/BAG: 8
a

NAME: 60 round pipe
CODE: 60YG
WEIGHT(KG/M): 0.683
LENGTH: 5.8-6.0m
PCS/BAG: 4
a

NAME: Casement mesh screen
CODE: PKSS
WEIGHT(KG/M): 0.534
KG/PIECE: 3.204
PCS/BAG: 10
a

NAME: universal cornice
CODE: TYDB
WEIGHT(KG/M): 0.36
KG/PIECE: 2.16
PCS/BAG: 20

NAME: Casement fix screen sash
CODE: PKGDSS
WEIGHT(KG/M): 0.27
KG/PIECE: 1.6
PCS/BAG: 20

NAME: Casement door mesh screen
CODE: PKSM
WEIGHT(KG/M): 0.62
KG/PIECE: 3.72
PCS/BAG: 8
a


NAME: 60 lap joint
CODE: 60DFZT
WEIGHT(KG/M): 1.067
LENGTH: 5.8-6.0m
PCS/BAG: 6
a i

NAME: Float mullion cover
CODE: FZTDG
WEIGHT(KG/M):
LENGTH: 5.8-6.0m
PCS/BAG:


Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


65 in-swing casement window technical drawing




65 out-swing casement (triple sealing) window technical drawing



65 casement series(thickness 2.5mm)



65 casement series(thickness 2.8mm)



Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

65 casement series glazing bead & auxiliary profiles

NAME: 65 double panel glazing bead 2
CODE: 65SY2
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 22±0.5mm

NAME: 65 double panel glazing bead 3
CODE: 65SY3
WEIGHT(KG/M): 0.267
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 25±0.5mm

NAME: 65 triple panel glazing bead
CODE: 65SBYT
WEIGHT(KG/M): 0.24
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 33±0.5mm

NAME: 65 double panel glazing bead S2
CODE: 65SHYS2
WEIGHT(KG/M): 0.258
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 23±0.5mm

NAME: 65 triple panel glazing bead S2
CODE: 65SYS2
WEIGHT(KG/M): 0.225
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 33±0.5mm

NAME: 65 double panel glazing bead
CODE: 65SHBYT
WEIGHT(KG/M): 0.31
LENGTH: 5.8-6.0m
PCS/BAG: 20
a

Glass Thickness: 19±0.5mm

NAME: 65 right angle bay corner adaptor
CODE: 65ZZJ
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
a


NAME: 65 flat board
CODE: 65PB
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
a a a 1

NAME: 65 support board
CODE: 65ZB
WEIGHT(KG/M): 0.189
LENGTH: 5.8-6.0m
PCS/BAG: 30


Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **1** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **1** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

70 in-swing casement (triple sealing) window technical drawing




70 casement series




Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

80 casement door technical drawing




80 casement series



Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

80 sliding split type window technical drawing



80 sliding series(thickness 2.0mm)

NAME: 80 sliding frame H4
CODE: TL80KH4
WEIGHT(KG/M): 1.267
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a

NAME: 80 sliding frame A
CODE: TL80KA
WEIGHT(KG/M): 1.2
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a

NAME: 80 sliding frame B1
CODE: TL80KB1
WEIGHT(KG/M): 1.15
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a

NAME: 80 big sliding sash B
CODE: 80TLDSB
WEIGHT(KG/M): 0.91
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a c

NAME: 80 sliding sash H
CODE: 80TLSH
WEIGHT(KG/M): 0.784
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a

NAME: 80 fixed frame D
CODE: GD80KD
WEIGHT(KG/M): 0.867
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.9
a

NAME: 80 fixed frame E2
CODE: GD80KE2
WEIGHT(KG/M): 0.917
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a

NAME: 80 fixed frame mullion H1
CODE: GD80KTH1
WEIGHT(KG/M): 0.97
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a

NAME: 80 sliding frame 45-2
CODE: 80TL45K2
WEIGHT(KG/M): 1.08
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a

80 sliding series(thickness 2.2mm)

NAME: 80 sliding frame D2
CODE: TL80KD2
WEIGHT(KG/M): 1.334
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a c

NAME: 80 sliding frame H3
CODE: TL80KH3
WEIGHT(KG/M): 1.317
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a c c c i

NAME: 80 sliding frame B2
CODE: TL80KB2
WEIGHT(KG/M): 1.2
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a

NAME: 80 fixed frame H3
CODE: GD80KH3
WEIGHT(KG/M): 1.067
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a


NAME: 80 fixed frame A2
CODE: GD80KA2
WEIGHT(KG/M): 0.942
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a

NAME: 80 fixed frame mullion H2
CODE: GD80KTH2
WEIGHT(KG/M): 1.167
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a


NAME: 80 fixed frame mullion A2
CODE: GD80KTA2
WEIGHT(KG/M): 1.017
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a

NAME: 80 sliding sash D
CODE: 80TLSD
WEIGHT(KG/M): 0.841
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.3
a c c i


Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)



NAME: 99 sliding frame
CODE: 99TLK
WEIGHT(KG/M): 1.62
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2




NAME: 80 sliding door sash
CODE: 80TLMS
WEIGHT(KG/M): 1.3
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
a




99 sliding frame
technical drawing


80 sliding series(thickness 2.5mm)




NAME: 80 sliding
frame H2
CODE: TL80KH2
WEIGHT(KG/M): 1.45
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a




NAME: 80 sliding
frame D1
CODE: TL80KD1
WEIGHT(KG/M): 1.442
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c



NAME: 80 fixed frame H2
CODE: GD80KH2
WEIGHT(KG/M): 1.142
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a




NAME: 80 big sliding
sash A
CODE: 80TLDSA
WEIGHT(KG/M): 0.967
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a




NAME: 80 sliding
door sash
CODE: 80TLMS
WEIGHT(KG/M): 1.3
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
a

80 sliding series glazing bead




Glass Thickness: 4.5±0.5mm

NAME: 80 glazing bead B
CODE: 80DYB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a




Glass Thickness: 18 ±0.5mm

NAME: 80 double glazing
bead B
CODE: 80SYB
WEIGHT(KG/M): 0.13
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:
a



Glass Thickness: 17 ±0.5mm


NAME: 80 double glazing
bead C
CODE: 80SYC
WEIGHT(KG/M): 0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:
a




Glass Thickness: 4.5±0.5mm

NAME: 80 single
glazing bead A2
CODE: 80DYA2
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a


80 sliding series auxiliary profiles




NAME: 80 flat board 1
CODE: 80PB1
WEIGHT(KG/M): 0.24
LENGTH: 5.8-6.0m
PCS/BAG: 20
a e l




NAME: 80 bay corner
adaptor 1
CODE: 80ZJ1
WEIGHT(KG/M): 0.78
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 80 tube adaptor
CODE: 80PG
WEIGHT(KG/M): 0.617
LENGTH: 5.8-6.0m
PCS/BAG: 6
a c e h l




NAME: 80 reinforcing
tube adaptor 2
CODE: 80JQPG2
WEIGHT(KG/M): 0.916
LENGTH: 5.8-6.0m
PCS/BAG: 4
a c




NAME: 80 any angle bay
corner adaptor
CODE: 80RYZJ
WEIGHT(KG/M): 0.536
LENGTH: 5.8-6.0m
PCS/BAG: 8
a




NAME: 80 sliding sash
cover
CODE: 80FG
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
a b




NAME: Screen sash A2
CODE: 52SSA2
WEIGHT(KG/M): 0.492
LENGTH: 5.8-6.0m
PCS/BAG: 15
a




NAME: Screen sash B
CODE: 42SS
WEIGHT(KG/M): 0.4
LENGTH: 5.8-6.0m
PCS/BAG: 15
a




NAME: Screen sash
Interlock
CODE: SSGM
WEIGHT(KG/M): 0.185
LENGTH: 5.8-6.0m
PCS/BAG: 30




NAME: Screen sash
mullion
CODE: SSZT
WEIGHT(KG/M): 0.36
LENGTH: 5.8-6.0m
PCS/BAG: 15




NAME: Sliding screen
sash frame
CODE: STSK
WEIGHT(KG/M): 0.68
LENGTH: 5.8-6.0m
PCS/BAG: 8
a




NAME: 80 interlock
CODE: 80GM
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
a e



NAME: 80 sash mullion
CODE: 80SZT
WEIGHT(KG/M): 0.67
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.6
a



NAME: 35 Blind louver
CODE: 35BYP
WEIGHT(KG/M): 0.16
LENGTH: 5.8-6.0m
PCS/BAG: 30
b




NAME: 80 Shutter
glazing bead
CODE: 80BYCZYXX
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 20
a


Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **l** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **l** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


88 sliding split type window technical drawing



88 sliding series(thickness 2.0mm)




88 sliding series(thickness 2.2mm)




Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


88 sliding series(thickness 2.5mm)




NAME: 88 sliding frame B3
CODE: TL88KB3
WEIGHT(KG/M): 1.532
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c e i




NAME: 88 sliding frame H
CODE: TL88KH
WEIGHT(KG/M): 1.55
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c e i




NAME: 88 sliding sash H2
CODE: 88TLSH2
WEIGHT(KG/M): 1.025
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a c e i



NAME: 88 sliding sash H
CODE: 88TLSH
WEIGHT(KG/M): 1.12
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a c e i




NAME: 88 fixed frame H
CODE: 88GDKH
WEIGHT(KG/M): 1.185
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c e i




NAME: 88 fixed frame mullion H
CODE: 88GDKTH
WEIGHT(KG/M): 1.285
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c e i


88 sliding series glazing bead




NAME: 88 double glazing bead A
CODE: 88SYA
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
a
Glass Thickness: 15±0.5mm




NAME: 88 double glazing bead B
CODE: 88SYB
WEIGHT(KG/M): 0.167
LENGTH: 5.8-6.0m
PCS/BAG: 30
a
Glass Thickness: 18±0.5mm



NAME: 88 double glazing bead C
CODE: 88SYC
WEIGHT(KG/M): 0.15
LENGTH: 5.8-6.0m
PCS/BAG: 30
a
Glass Thickness: 20±0.5mm




NAME: 88 glazing bead A
CODE: 88DYA
WEIGHT(KG/M): 0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
a
Glass Thickness: 4.5±0.5mm




NAME: 88 single glazing bead W2
CODE: 88DYW2
WEIGHT(KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
Glass Thickness: 4.5±0.5mm


88 sliding series auxiliary profiles




NAME: 88 bay corner adaptor
CODE: 88ZJ
WEIGHT(KG/M): 0.967
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 88 flat board 1
CODE: 88PB1
WEIGHT(KG/M): 0.3
LENGTH: 5.8-6.0m
PCS/BAG: 20
a e i




NAME: 88 reinforcing tube adaptor
CODE: 88JQPG
WEIGHT(KG/M): 1.06
LENGTH: 5.8-6.0m
PCS/BAG: 4
a c




NAME: 88 any angle bay corner adaptor
CODE: 88RYZJ
WEIGHT(KG/M): 0.60
LENGTH: 5.8-6.0m
PCS/BAG: 8
a




NAME: 88 tube adaptor
CODE: 88PG
WEIGHT(KG/M): 0.783
LENGTH: 5.8-6.0m
PCS/BAG: 6
a c e i




NAME: 88/135° bay corner adaptor
CODE: 88/135° ZJ
WEIGHT(KG/M): 0.967
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 88 sliding sash cover
CODE: 88FG
WEIGHT(KG/M): 0.227
LENGTH: 5.8-6.0m
PCS/BAG: 30
a b




NAME: 42 interlock
CODE: 42GM
WEIGHT(KG/M): 0.307
LENGTH: 5.8-6.0m
PCS/BAG: 20
a e i




NAME: Screen sash A2
CODE: 52SSA2
WEIGHT(KG/M): 0.492
LENGTH: 5.8-6.0m
PCS/BAG: 15
a




NAME: Screen sash Interlock
CODE: SSGM
WEIGHT(KG/M): 0.185
LENGTH: 5.8-6.0m
PCS/BAG: 30




NAME: Screen sash B
CODE: 42SS
WEIGHT(KG/M): 0.4
LENGTH: 5.8-6.0m
PCS/BAG: 15
a




NAME: 66 Screen door sash
CODE: SSA3
WEIGHT(KG/M): 0.635
LENGTH: 5.8-6.0m
PCS/BAG: 9



NAME: Screen sash mullion A3
CODE: SSA3ZT
WEIGHT(KG/M): 0.73
LENGTH: 5.8-6.0m
PCS/BAG: 9
a



NAME: 42 sash mullion 2
CODE: 42SZT2
WEIGHT(KG/M): 0.84
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a e i





NAME: Screen sash mullion
CODE: SSZT
WEIGHT(KG/M): 0.36
LENGTH: 5.8-6.0m
PCS/BAG: 15

















Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

92 sliding window technical drawing




92 sliding window series

	NAME: 9225 sliding frame CODE: TL9225K WEIGHT(KG/M): 1.635 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 5 a1		NAME: 92 sliding frame 2 CODE: TL92K2 WEIGHT(KG/M): 1.459 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 2 a1		NAME: 92 sliding frame 1 CODE: TL92K1 WEIGHT(KG/M): 1.45 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 0 a1
	NAME: 9225 fixed frame CODE: GD9225K WEIGHT(KG/M): 1.27 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 5 a1		NAME: 92 fixed frame 2 CODE: GD92K2 WEIGHT(KG/M): 1.109 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 2 a2c		NAME: 92 fixed frame 1 CODE: GD92K1 WEIGHT(KG/M): 1.029 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 0 a2
	NAME: 9225 fixed frame mullion CODE: GD9225KT WEIGHT(KG/M): 1.375 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 5 a1		NAME: 92 fixed frame mullion 2 CODE: GD92KT2 WEIGHT(KG/M): 1.184 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 2 a2c		NAME: 92 fixed frame mullion 1 CODE: GD92KT1 WEIGHT(KG/M): 1.166 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 0 a2
	NAME: 9225 sliding sash CODE: 9225TLS WEIGHT(KG/M): 1.125 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2. 5 a1		NAME: 92 sliding sash 2 CODE: 92TLS2 WEIGHT(KG/M): 1.0 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2. 2 a2c		NAME: 92 sliding sash 1 CODE: 92TLS1 WEIGHT(KG/M): 0.961 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2. 0 a2
	NAME: 92 sash mullion CODE: 92SZT WEIGHT(KG/M): 0.924 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2. 2 a2c		NAME: 92 sliding sash cover CODE: 92FG WEIGHT(KG/M): 0.219 LENGTH: 5.8-6.0m PCS/BAG: 30 THICKNESS: 2. 0 a2b		NAME: 92 interlock CODE: 92GM WEIGHT(KG/M): 0.375 LENGTH: 5.8-6.0m PCS/BAG: 20 THICKNESS: 2. 0 a2e
	NAME: 92 single glazing bead CODE: 92DY WEIGHT(KG/M): 0.255 LENGTH: 5.8-6.0m PCS/BAG: 20 a2				

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

108 sliding window technical drawing



Mold function options: ③ large surface co-extrusion ④ small surface co-extrusion ⑤ large surface co-extrusion with lines ⑥ small surface co-extrusion with lines ⑦ large surface co-extrusion with lines + small surface co-extrusion ⑧ small surface co-extrusion with lines + large surface co-extrusion ⑨ double surface co-extrusion with lines ⑩ same color double-sides co-extrusion ⑪ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

108 sliding window series

NAME: 108 sliding frame
CODE: 108TLK
WEIGHT(KG/M): 1.8
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
③ ④

NAME: 108 fixed frame
CODE: 108GDK
WEIGHT(KG/M): 1.5
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
③ ④

NAME: 108 fixed frame mullion
CODE: 108GDKT
WEIGHT(KG/M): 1.65
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
③ ④

NAME: 108 sliding sash
CODE: 108TLS
WEIGHT(KG/M): 1.32
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
③ ④

NAME: 108 sliding sash cover
CODE: 108TLSFG
WEIGHT(KG/M): 0.28
LENGTH: 5.8-6.0m
PCS/BAG: 20
③

NAME: 108 tube adaptor
CODE: 108PG
WEIGHT(KG/M): 1.08
LENGTH: 5.8-6.0m
PCS/BAG: 15
③ ④

NAME: 108 flat board
CODE: 108PB
WEIGHT(KG/M): 0.49
LENGTH: 5.8-6.0m
PCS/BAG: 20
③ ④

NAME: 88 double glazing bead B
CODE: 88SYB
WEIGHT(KG/M): 0.167
LENGTH: 5.8-6.0m
PCS/BAG: 30
③

NAME: 88 glazing bead A2
CODE: 88DYA2
WEIGHT(KG/M): 0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
③

NAME: 108 sliding frame A8
CODE: 108TLKA8
WEIGHT(KG/M): 2.0
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
③ ④


NAME: 108 sliding door sash A8
CODE: 108TLMSA8
WEIGHT(KG/M): 1.805
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
③ ④

NAME: 110 sliding frame F
CODE: 110TLKF
WEIGHT(KG/M): 1.98
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.4
①


NAME: 108 aluminium sliding frame
CODE: 108TLLK
WEIGHT(KG/M): 1.312
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8

Mold function options: ③ large surface co-extrusion ④ small surface co-extrusion ⑤ large surface co-extrusion with lines ⑥ small surface co-extrusion with lines ⑦ large surface co-extrusion with lines + small surface co-extrusion ⑧ small surface co-extrusion with lines + large surface co-extrusion ⑨ double surface co-extrusion with lines ⑩ same color double-sides co-extrusion ⑪ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


60 double track sliding door technical drawing




60 sliding door series




NAME: 60 sliding door sash A8
CODE: 60TLMSA8
WEIGHT(KG/M): 1.54
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
a c e i




NAME: 60 sliding door sash 2
CODE: 60TLMS2
WEIGHT(KG/M): 1.4
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
a c e i




NAME: 60 sliding door sash 3
CODE: 60TLMS3
WEIGHT(KG/M): 1.25
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2




NAME: 66 Screen door sash
CODE: SSA3
WEIGHT(KG/M): 0.635
LENGTH: 5.8-6.0m
PCS/BAG: 9
a




NAME: Sliding sash adaptor
CODE: TLSG
WEIGHT(KG/M): 0.75
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a




NAME: 62 I-frame
CODE: 62GZK
WEIGHT(KG/M): 1.37
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
i




NAME: mesh adaptor
CODE: SG
WEIGHT(KG/M): 0.54
LENGTH: 5.8-6.0m
PCS/BAG: 10




NAME: mesh adaptor joint
CODE: SGKK




NAME: 60 sliding door sash cover
CODE: 60TLMSFG
WEIGHT(KG/M): 0.217
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a b c



NAME: 60 double sliding frame B
CODE: 60LGKB
WEIGHT(KG/M): 0.834
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a




NAME: 112/60 tube adaptor
CODE: 112Z60PG
WEIGHT(KG/M): 0.95
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
i




NAME: 60 sliding sash cover2
CODE: 60TLMSFG2
WEIGHT(KG/M): 0.31
LENGTH: 5.8-6.0m
PCS/BAG: 20
a


60 sliding door series




NAME: 60 double sliding frame A8
CODE: 60LGKA8
WEIGHT(KG/M): 1.35
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.8
a c e i




NAME: 60 double sliding frame A2
CODE: 60LGKA2
WEIGHT(KG/M): 1.14
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c i




NAME: 60 double sliding frame A
CODE: 60LGKA
WEIGHT(KG/M): 1.098
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a c



NAME: 60 double sliding frame B2
CODE: 60LGKB2
WEIGHT(KG/M): 1.132
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 112 sliding frame
CODE: TL112K
WEIGHT(KG/M): 1.92
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
a c




NAME: 112 sliding frame B
CODE: TL112KB
WEIGHT(KG/M): 1.7
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
b i


60 sliding door series glazing bead




NAME: 88 double glazing bead A
CODE: 88SYA
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
a




NAME: 88 double glazing bead B
CODE: 88SYB
WEIGHT(KG/M): 0.167
LENGTH: 5.8-6.0m
PCS/BAG: 30
a




NAME: 88 double glazing bead C
CODE: 88SYC
WEIGHT(KG/M): 0.15
LENGTH: 5.8-6.0m
PCS/BAG: 30
a



NAME: 88 glazing bead A2
CODE: 88DYA2
WEIGHT(KG/M): 0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
a





NAME: 150 door panel 2
CODE: 150MB2
WEIGHT(KG/M): 0.884
LENGTH: 5.8-6.0m
PCS/BAG: 10
a c i




NAME: 150 door panel 3
CODE: 150MB3
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 8
a c i

Mold function options: **a** large surface co-extrusion **i** small surface co-extrusion **c** large surface co-extrusion with lines **e** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **i** small surface co-extrusion with lines + large surface co-extrusion **a** double surface co-extrusion with lines **b** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

60 blind window technical drawing




60 louver series




Mold function options: **a** large surface co-extrusion **i** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


82mm double hung window technical drawing



82mm single hung window technical drawing




American style 82mm hung window series




Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


82mm crank window technical drawing




American style 82mm crank window series




NAME: 82 out-swing casement frame
CODE: K82P13
WEIGHT(KG/M): 1.15
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8mm




NAME: 82 out-swing casement sash
CODE: K82P22
WEIGHT(KG/M): 0.96
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8mm




NAME: 82 out-swing casement mullion
CODE: K82P32
WEIGHT(KG/M): 1.48
LENGTH: 5.8-6.0m
PCS/BAG: 2
THICKNESS: 1.8mm




NAME: 20 glazing bead
CODE: K82P44
WEIGHT(KG/M): 0.19
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.5mm




NAME: 23 glazing bead
CODE: K82P43
WEIGHT(KG/M): 0.2075
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.5mm




NAME: 82 out-swing casement frame
CODE: K82P45
WEIGHT(KG/M): 0.56
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8mm




NAME: 10 glazing bead
CODE: 10BLYT
WEIGHT(KG/M): 0.155
LENGTH: 5.8-6.0m
PCS/BAG: 30



NAME: 7 glazing bead
CODE: 7BLYT
WEIGHT(KG/M): 0.145
LENGTH: 5.8-6.0m
PCS/BAG: 30




NAME: 32 installation wing
CODE: 32AZY
WEIGHT(KG/M): 0.175
LENGTH: 5.8-6.0m
PCS/BAG: 20




NAME: 82 frame splicing strip
CODE: 82KPT
WEIGHT(KG/M): 0.052
LENGTH: 5.8-6.0m
PCS/BAG: 50

Mold function options: ② large surface co-extrusion ③ small surface co-extrusion ④ large surface co-extrusion with lines ⑤ small surface co-extrusion with lines ⑥ large surface co-extrusion with lines + small surface co-extrusion ⑦ small surface co-extrusion with lines + large surface co-extrusion ⑧ double surface co-extrusion with lines ⑨ same color double-sides co-extrusion ⑩ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


American 60 sliding window technical drawing




American 60 sliding series




NAME: 60 casement /
sliding frame
CODE: 60PKTLK
WEIGHT(KG/M): 1.15
LENGTH: 5.8-6.0m
PCS/BAG:6
THICKNESS: 2.3



NAME: 60 casement /
sliding mullion
CODE: 60PKTLZT
WEIGHT(KG/M): 0.695
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3




NAME: 80 sliding sash H
CODE: 80TLSH
WEIGHT(KG/M): 0.784
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a




NAME: 80 glazing bead B
CODE: 80DYB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
a

Glass Thickness: 4.5±0.5mm



NAME: 88 double glazing
bead C
CODE: 88SYC
WEIGHT(KG/M): 0.15
KG/PIECE: 0.90
PCS/BAG: 30
a


Glass Thickness: 20±0.5mm




NAME: 80 sliding sash
cover
CODE: 80FG
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a b

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **i** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


Other accessories




NAME: 30 grill
CODE: 30ZST
WEIGHT(KG/M): 0.16
LENGTH: 5.8-6.0m
PCS/BAG: 30
b 1




NAME: 20 grill
CODE: 20ZST
WEIGHT(KG/M): 0.12
LENGTH: 5.8-6.0m
PCS/BAG: 30
b 1




NAME: 30 grill outlay
CODE: 30WZZST
WEIGHT(KG/M): 0.16
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a




NAME: 15 grill
CODE: 15ZST
WEIGHT(KG/M): 0.09
LENGTH: 5.8-6.0m
PCS/BAG: 50
b




NAME: 80-60 flat board
CODE: 80/60PB
WEIGHT(KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
a




NAME: 88-60 flat board
CODE: 88/60PB
WEIGHT(KG/M): 0.3
LENGTH: 5.8-6.0m
PCS/BAG: 20
a




NAME: Round bead
CODE: PT
WEIGHT(KG/M): 0.092
LENGTH: 5.8-6.0m
PCS/BAG: 50
a




NAME: 60/65 bay corner
adaptor
CODE: 60/65TYZJ
WEIGHT(KG/M): 0.734
LENGTH: 5.8-6.0m
PCS/BAG: 4
a c e 1




NAME: 135° current bay
corner adaptor
CODE: TY135ZJ
WEIGHT(KG/M): 0.65
LENGTH: 5.8-6.0m
PCS/BAG: 4
a e




NAME: 80-60 bay corner
adaptor
CODE: 80/60ZJ
WEIGHT(KG/M): 0.78
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 88-60 bay corner
adaptor
CODE: 88/60ZJ
WEIGHT(KG/M): 0.89
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 80/88 current bay
corner adaptor
CODE: 80/88TYZJ
WEIGHT(KG/M): 1.05
LENGTH: 5.8-6.0m
PCS/BAG: 4
c e 1




NAME: 80/135° bay corner
adaptor
CODE: 80/135° ZJ
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
a




NAME: 115-68 window sill
CODE: 115-68 CTB
WEIGHT(KG/M): 0.95
LENGTH: 5.8-6.0m
PCS/BAG: 6




NAME: 65/70 tube adaptor
CODE: 65/70TYPG
WEIGHT(KG/M): 0.825
LENGTH: 5.8-6.0m
PCS/BAG: 6
e




NAME: 65/70 tube adaptor 2
CODE: 65/70TYPG2
WEIGHT(KG/M): 1.09
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
e 1




NAME: 60 swing door sash cover
CODE: 60MFB
WEIGHT(KG/M): 0.39
LENGTH: 5.8-6.0m
PCS/BAG: 8




NAME: 20-6 grill
CODE: 20-6ZST
WEIGHT(KG/M): 0.09
LENGTH: 5.8-6.0m
PCS/BAG: 50
b




NAME: 20-6 grill 2
CODE: 20-6ZST2
WEIGHT(KG/M): 0.092
LENGTH: 5.8-6.0m
PCS/BAG: 50
a




NAME: reinforced buckle
CODE: JQLJC
WEIGHT(KG/M): 0.7
LENGTH: 5.8-6.0m
PCS/BAG: 8
e 1



NAME: reinforced buckle cover
CODE: JQLJCKG
WEIGHT(KG/M): 0.125
LENGTH: 5.8-6.0m
PCS/BAG: 30
a c




NAME: 60 double aluminum
sliding frame
CODE: 60TLLK
WEIGHT(KG/M): 0.842
LENGTH: 5.8-6.0m
PCS/BAG: 6




NAME: 112 aluminium
sliding frame
CODE: 112TLLK
WEIGHT(KG/M): 1.382
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **a** double surface co-extrusion with lines **b** same color double-sides co-extrusion **1** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **a** double surface co-extrusion with lines **b** same color double-sides co-extrusion **1** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)




60 tube adaptor




60 bay corner adaptor




80-60/90° bay corner adaptor




80 flat board




fixed screen sash




60 flat board




Adaptor bead




80 tube adaptor




Adaptor




80 tube adaptor




60/135° bay corner adaptor




88-60 flat board




80 reinforcing tube adaptor




80/90° bay corner adaptor




92 frame with 88 flat board




Multi-angle bay corner adaptor




80-60 bay corner adaptor




80 flat board




60 switch frame



Window sill




80 interlock




42 interlock


Notice: The measurements and stuctures in this album are for reference only , in order to guarantee correct values when you assemble doors and windows please use the actual product for reference.




60 sliding series




65/70 tube adaptor 2 & 65 frame




65/70 tube adaptor




90 sliding window




Sliding sash adaptor




65 switch frame




65/70 tube adaptor 2 & 70 frame




112 sliding frame




screen sash with interlock



sliding screen sash frame



88 sliding door & screen door sash



60 casement door sash cover

Notice: The measurements and stuctures in this album are for reference only , in order to guarantee correct values when you assemble doors and windows please use the actual product for reference.

PROFILES COLOR

BAYDEE WHITE COLOR



BLUE WHITE COLOR



YELLOW WHITE COLOR




MILK WHITE COLOR

BAYDEE FULL COLOR PROFILES



BAYDEE CARAMEL COLOR QCY9007



BAYDEE BROWN QC3040




BAYDEE COFFEE QC30100




BAYDEE BLACK QC10104

FILM COLOR


EUROPEAN STANDARD




GOLDEN OAK
MX9.2178001-116700



BROWN OAK
PX40175007-114800




DARK OAK
MX9.2052089-116700



BLACK WALNUT
PX9.0046828-114800

FILM COLOR

EUROPEAN STANDARD



SOFT CHERRY
PX9.3214009-119500



IRISH OAK
PX9.3211305-114800



CLASSICAL OAK
PX2.0057006-130300



MOUNTAIN OAK
PX2.0057005-130300



WALNUT
PX9.2178007-116700



HF-O-WALNUT CUSTOMIZED
DWZ2H-DZ-W



WHITE GRAIN
PX02.20.91.000001-116801




DARK GREY METAL
F4361012




DARK GREY METAL
F4361006



LIGHT GREY METAL
F4361005



LIGHT OAK
F4363077




GLODEN OAK
F4362076



WHITE GRAIN
F4565053



DARK GREEN
CMGN7001



COFFEE
CMBR7201




DARK COFFEE GRAIN
SMBR0104

FILM COLOR


CHINESE STANDARD




HH-O-GOLDEN OAK
GOZ2M-W



HH-I-GOLDEN OAK
GOZ2M-N




HH-O-DARK OAK
D011H-W




HH-O-OAK ROUGH
ROO2H-W




HH-O-WALNUT
DWZ2H-W




HH-O-ANTHRACITE GREY
AG32H



HF-O-ANTHRACITE GREY PITTED
308-27-W




HF-O-ANTHRACITE GREY
302-34-W




HF-I-GOLDEN OAK
139-34-N




HF-O-GOLDEN OAK
139-34-W




HF-O-TEAK A
105-02-W




HF-I-OAK ROUGH
136-34-N




HF-O-DARK OAK B
109-34-W



HF-O-DARK OAK CUSTOMIZED
D011H-DZ-W



HF-I-RED OAK
109-02-N



HF-I-DARK OAK B
109-34-N

FILM COLOR


CHINESE STANDARD



HF-I-WALNUT
102-34-N



HF-O-WALNUT
102-34-W



HF-O-OAK PITTED 8028
306-09-3-W



HF-O-BROWN PITTED 8017
306-09-1-W