



*on 10kA series



POLYCAB

SWITCHGEARS

Assurance of a safe life

RETAILERS PRICE CIRCULAR-SWITCHGEAR

w.e.f. 28th April 2026 (Applicable for Pan India)

MCB • RCCB • RCBO • DISTRIBUTION BOARD
ISOLATOR • ACCL • COS • MINI DP MCB

Category	Product	List Price (LP)	Policy Disc.(%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
6kA MCB Single Pole	SP B Curve 6 KA (6A - 32A)	201	55%	90	107	3	104
	SP C Curve 6 KA (6A - 32A)	201	55%	90	107	3	104
6kA MCB Multi Pole	SPN C Curve (6A - 32A)	661	55%	297	351	6	345
	DP C Curve (6A - 32A)	752	55%	338	399	6	393
	TP C Curve (6A - 32A)	1259	55%	567	669	12	657
	FP C Curve (32A)	1663	55%	748	883	18	865
	FP C Curve (40A)	2187	55%	984	1161	18	1143
	FP C Curve (63A)	2396	55%	1078	1272	18	1254
	10kA MCB Single Pole	SP B Curve (6A - 32A)	225	55%	101	119	7
SP B Curve (40A)		464	55%	209	246	7	239
SP C Curve (6A - 32A)		225	55%	101	119	7	112
SP C Curve (40A)		475	55%	214	252	7	245
SP C Curve (63A)		552	55%	248	293	7	286
10kA MCB Multi Pole	SPN C Curve (6A - 32A)	837	55%	377	444	15	429
	SPN C Curve (40A)	1153	55%	519	612	15	597
	SPN C Curve (63A)	1364	55%	614	724	15	709
	DP C Curve (6A - 32A)	862	55%	388	458	15	443
	DP C Curve (40A)	1270	55%	572	674	15	659
	DP C Curve (63A)	1404	55%	632	746	15	731
	TP C Curve (6A - 32A)	1420	55%	639	754	20	734
	TP C Curve (40A)	1967	55%	885	1044	20	1024
	TP C Curve (63A)	2176	55%	979	1155	20	1135
	TPN C Curve (6A - 32A)	1876	55%	844	996	30	966
	TPN C Curve (40A)	2463	55%	1108	1308	30	1278
	TPN C Curve (63A)	2686	55%	1209	1426	30	1396
	FP C Curve (6A - 32A)	1885	55%	848	1001	30	971
FP C Curve (40A)	2545	55%	1145	1351	30	1321	
FP C Curve (63A)	2779	55%	1251	1476	30	1446	
Higher Rating (HR) MCB	SP C Curve 80A	1991	55%	896	1057	-	1057
	SP C Curve 100A	2211	55%	995	1174	-	1174
	SP C Curve 125A	2453	55%	1104	1303	-	1303
	DP C Curve 80A	4796	55%	2158	2547	-	2547
	DP C Curve 100A	5159	55%	2322	2739	-	2739
	DP C Curve 125A	5649	55%	2542	3000	-	3000
	TP C Curve 80A	7029	55%	3163	3732	-	3732
	TP C Curve 100A	7566	55%	3405	4018	-	4018
	TP C Curve 125A	8228	55%	3703	4369	-	4369
	FP C Curve 80A	9185	55%	4133	4877	-	4877
	FP C Curve 100A	9471	55%	4262	5029	-	5029
	FP C Curve 125A	10780	55%	4851	5724	-	5724
Isolator	40A DP Isolator	593	55%	267	315	15	300
	63A DP Isolator	727	55%	327	386	15	371
	40A TP Isolator	897	55%	404	476	20	456
	63A TP Isolator	1096	55%	493	582	20	562
	40A FP Isolator	1196	55%	538	635	30	605
	63A FP Isolator	1388	55%	625	737	30	707

RETAILERS PRICE CIRCULAR-SWITCHGEAR

(Applicable for Pan India)

Category	Product	List Price (LP)	Policy Disc.(%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
RCCB (ELCB)	25A 30MA DP RCCB	2899	55%	1305	1539	30	1509
	40A 30MA DP RCCB	3213	55%	1446	1706	30	1676
	63A 30MA DP RCCB	4086	55%	1839	2170	30	2140
	25A 100MA DP RCCB	3000	55%	1350	1593	30	1563
	40A 100MA DP RCCB	3268	55%	1471	1735	30	1705
	63A 30MA FP RCCB	4310	55%	1940	2289	60	2229
RCBO (EL+MCB)	C40A SPN RCBO 30mA	4723	55%	2125	2508	-	2508
	C63A SPN RCBO 30mA	5668	55%	2551	3010	-	3010
	C32A TPN RCBO 30mA	5740	55%	2583	3048	-	3048
	C40A TPN RCBO 30mA	5814	55%	2616	3087	-	3087
POLYNEO Flush Door Design Distribution Board (IP42) SM Grey White (New)	04W SPN DB Double Door	1843	55%	829	979	15	964
	06W SPN DB Double Door	2152	55%	968	1143	15	1128
	08W SPN DB Double Door	2352	55%	1058	1249	15	1234
	12W SPN DB Double Door	2861	55%	1287	1519	15	1504
	16W SPN DB Double Door	3748	55%	1687	1990	15	1975
	04W 4+12 TPN DB Double Door	4464	55%	2009	2370	20	2350
	04W 8+12 TPN DB Double Door	4692	55%	2111	2491	20	2471
	06W 8+18 TPN DB Double Door	5637	55%	2537	2993	20	2973
	08W 8+24 TPN DB Double Door	7096	55%	3193	3768	20	3748
12W 8+36 TPN DB Double Door	10758	55%	4841	5712	20	5692	
POLYNEO Surface Door Design Distribution Board (IP42) SM Grey White (New)	04W SPN DB Double Door	2080	55%	936	1104	15	1089
	06W SPN DB Double Door	2402	55%	1081	1275	15	1260
	08W SPN DB Double Door	2616	55%	1177	1389	15	1374
	12W SPN DB Double Door	3196	55%	1438	1697	15	1682
	16W SPN DB Double Door	4203	55%	1891	2232	15	2217
	04W 4+12 TPN DB Double Door	4883	55%	2197	2593	20	2573
	04W 8+12 TPN DB Double Door	5123	55%	2305	2720	20	2700
	06W 8+18 TPN DB Double Door	6185	55%	2783	3284	20	3264
	08W 8+24 TPN DB Double Door	7783	55%	3502	4133	20	4113
12W 8+36 TPN DB Double Door	11849	55%	5332	6292	20	6272	
POLYNEO Phase Selector Surface Distribution Board (IP43) SM Grey White (New)	04W 8+12 TP&N MCBDB PH.SEL.40A DD	13827	55%	6222	7342	30	7312
	04W 8+12 TP&N MCBDB PH.SEL.63A DD	15906	55%	7158	8446	30	8416
	06W 8+18 TP&N MCBDB PH.SEL.40A DD	14103	55%	6346	7489	30	7459
	06W 8+18 TP&N MCBDB PH.SEL.63A DD	15927	55%	7167	8457	30	8427
	08W 8+24 TP&N MCBDB PH.SEL.40A DD	15580	55%	7011	8273	30	8243
	08W 8+24 TP&N MCBDB PH.SEL.63A DD	16904	55%	7607	8976	30	8946
Distribution Board (IP42) SM Grey White	04W SPN DB Double Door SM Grey White	1755	55%	790	932	-	932
	06W SPN DB Double Door SM Grey White	2033	55%	915	1080	-	1080
	08W SPN DB Double Door SM Grey White	2217	55%	998	1177	-	1177
	12W SPN DB Double Door SM Grey White	2714	55%	1221	1441	-	1441
	16W SPN DB Double Door SM Grey White	3580	55%	1611	1901	-	1901
	04W 4+12 TPN DB Double Door SM Grey White	4272	55%	1922	2268	-	2268
	04W 8+12 TPN DB Double Door SM Grey White	4481	55%	2016	2379	-	2379
	06W 8+18 TPN DB Double Door SM Grey White	5417	55%	2438	2876	-	2876
	08W 8+24 TPN DB Double Door SM Grey White	6827	55%	3072	3625	-	3625
	12W 8+36 TPN DB Double Door SM Grey White	10422	55%	4690	5534	-	5534
Distribution Board (CLIQ)	08W SPN CLIQ Polycarbonate Transparent Cover DD DB	2101	55%	945	1116	-	1116
	12W SPN CLIQ Polycarbonate Transparent Cover DD DB	2528	55%	1138	1342	-	1342
Decour Distribution Board	12W SPN Decour DB Double Door SM Grey White	3124	55%	1406	1659	-	1659
	16W SPN Decour DB Double Door SM Grey White	4120	55%	1854	2188	-	2188
	11W SPN Decour TBOX Transparent Cover Double Door DB	3489	55%	1570	1853	-	1853
ACCL(Automatic Changeover & Current Limiter)	SINGLE PHASE ACCL 30 / (0.5-30) A	3215	55%	1447	1707	-	1707
	RELAY BASED SINGLE PHASE ACCL 30/ (1-20) A (NEW)	1835	55%	826	974	-	974
MCB Changeover Switch	40 A DP MCB CHANGEOVER SWITCH	1655	55%	745	879	-	879
	63 A DP MCB CHANGEOVER SWITCH	2106	55%	948	1118	-	1118
Mini MCB In Enclosure	DP C 3KA MINI MCB WITH ENCL	517	55%	233	275	-	275

RETAILERS PRICE CIRCULAR-SWITCHGEAR

(Applicable for Pan India)

Category	Product	List Price (LP)	Policy Disc. (%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
MCCB Enclosure	MCCB Enclosure (63-125A Incomer)	2037	55%	917	1082	-	1082
MCCB DB	06W VTPN MCCB DB POLYCBAB (63-125A Incomer)	12246	55%	5511	6503	-	6503
	08W VTPN MCCB DB POLYCBAB (63-125A Incomer)	13162	55%	5923	6989	-	6989
Modular AC Box	3 Module with 20A Mini MCB & Plastic Surface Box	588	51%	288	340	-	340
	3 Module with 25A Mini MCB & Plastic Surface Box	599	51%	294	346	-	346
	4 Module with 20A Mini MCB, Indicator & Plastic Surface Box	630	51%	309	364	-	364
	4 Module with 25A Mini MCB, Indicator & Plastic Surface Box	641	51%	314	371	-	371
	4 Module with 20A Mini MCB, Indicator & Metal Surface Box	803	51%	393	464	-	464
	4 Module with 25A Mini MCB, Indicator & Metal Surface Box	814	51%	399	471	-	471
Surge Protection Device (SPD)	AC 275V_1+1	1661	55%	747	882	-	882
	AC 275V_3+1	2792	55%	1256	1483	-	1483
	AC 320V_1+1	1661	55%	747	882	-	882
	AC 320V_3+1	2792	55%	1256	1483	-	1483
	DC 600V_1+1	1661	55%	747	882	-	882
	DC 1000V_2+1	2792	55%	1256	1483	-	1483
CONVENTIONAL PRODUCTS [CP] (New)							
KitKat Porcelain Fuse Carrier With Base (EXCEL)	16A 240V 50Hz (XL)	96	55%	43	51	-	51
	16A 415V 50Hz (XL)	168	55%	76	89	-	89
	32A 415V 50Hz (XL)	367	55%	165	195	-	195
	63A 415V 50Hz (XL)	605	55%	272	321	-	321
	100A 415V 50Hz (XL)	1058	55%	476	562	-	562
	200A 415V 50Hz (XL)	2207	55%	993	1172	-	1172
	Busbar Link 300A 415V 50Hz (XL)	3922	55%	1765	2083	-	2083
	Busbar Link 500A 415V 50Hz (XL)	5062	55%	2278	2688	-	2688
KitKat Porcelain Fuse Carrier With Base (HC)	16A 240V 50Hz (SD/HC)	96	55%	43	51	-	51
	16A 415V 50Hz (SD/HC)	168	55%	76	89	-	89
	32A 415V 50Hz (SD/HC)	254	55%	114	135	-	135
	63A 415V 50Hz (SD/HC)	561	55%	252	298	-	298
	100A 415V 50Hz (SD/HC)	1331	55%	599	707	-	707
	Busbar Link 100A 415V 50Hz (SD/HC)	1414	55%	636	751	-	751
	Busbar Link 200A 415V 50Hz (SD/HC)	2934	55%	1320	1558	-	1558
Offload Changeover Switch with Side Handle in Enclosure	FP 32A 415V 50Hz AC22A	4333	55%	1950	2301	-	2301
	FP 63A 415V 50Hz AC22A	12577	55%	5660	6678	-	6678
	FP 100A 415V 50Hz AC22A	21802	55%	9811	11577	-	11577
	FP 200A 415V 50Hz AC22A	41927	55%	18867	22263	-	22263
	DP 32A 240V 50Hz AC22A	2955	55%	1330	1569	-	1569
Rewirable Switch Fuse Unit with Side Handle In Enclosure	SPN 16A 240V AC23A	978	55%	440	519	-	519
	SPN 32A 240V AC23A	2236	55%	1006	1187	-	1187
	DP 16A 240V AC23A	1063	55%	478	564	-	564
	DP 32A 240V AC23A	2376	55%	1069	1262	-	1262
	TPN 32A 415V AC23A	3494	55%	1572	1855	-	1855
	TPN 63A 415V AC23A	8385	55%	3773	4452	-	4452
	TPN 100A 415V AC23A	15373	55%	6918	8163	-	8163
	TPN 200A 415V AC23A	25156	55%	11320	13358	-	13358
Busbar Chamber (Cu)	TPN 63A 415V 4Way	11396	55%	5128	6051	-	6051
	TPN 100A 415V 4Way	13670	55%	6152	7259	-	7259
	TPN 200A 415V 4Way	17106	55%	7698	9083	-	9083