

# POLYCAB

IDEAS. CONNECTED.

## YOUR CONNECTION TO A SAFER FUTURE

House Wires & Cables Pricelist



# About Polycab India Ltd

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of ₹ 180+ Bn in FY24. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 3,800+ authorized dealers and 205,000+ retail outlets. PIL's business operations span across India through 28 manufacturing facilities, 13 offices and 29 warehouses. PIL has also served customers in 79 countries globally. PIL's 4,800+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness. For further information, please visit [www.polycab.com](http://www.polycab.com).





# India's Widest Range of Wires & Cables

We manufacture and sell a diverse range of wires and cables and our key products in the wires and cables segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible/single multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.



## Innovation & Sustainability

Polycab's house wires epitomize innovation and sustainability. We've invested heavily in research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from **lead free non-carcinogenic raw materials**. They meet stringent European norms of RoHS and REACH

compliance.

Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a **high oxygen index**, setting new standards for **safety and environmental responsibility**.

## Quality Focus

- Our manufacturing facilities are accredited with quality management system certificates for compliance with **ISO 9001, ISO 14001 and OHSAS 18001** requirements.
- Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards '**BIS**', British Approvals Service for Cables '**BASEC**', **US Underwriters Laboratory, FQC** and international electrotechnical commission '**IEC**'.



POLYCABMAXIMA+

Green Wire HR FR-LSH LF

EXTRA SAFE, LOW SMOKE WIRES



POLYCABMAXIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,565	28
1	2,110	24
1.5	3,090	16
2.5	4,855	12
4	7,085	8
6	10,610	6
10	18,685	1
16	27,550	1

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



LOW SMOKE  
DURING EXTREME FIRES



LOW TOXIC  
FUMES



20% HIGHER  
HEAT RESISTANCE



LEAD FREE  
PVC INSULATION



RODENT  
PROTECTION



MOISTURE  
RESISTANT



HIGH ABRASION  
RESISTANCE



ENERGY SAVING  
CONSTRUCTION



# POLYCABOPTIMA+

LF FR

HIGH QUALITY MATERIALS, POWER SAVING DESIGN



## POLYCABOPTIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,490	28
1	2,010	24
1.5	2,935	16
2.5	4,645	12
4	6,780	8
6	10,135	6
10	15,150	1
16	23,915	1

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

### PRODUCT FEATURES:



**FLAME**  
RETARDANT



**LEAD FREE**  
PVC INSULATION



**ENERGY SAVING**  
CONSTRUCTION



**RODENT**  
PROTECTION



**MOISTURE**  
RESISTANT



**HIGH ABRASION**  
RESISTANCE

**REACH**  
COMPLIANT


**RoHS**  
COMPLIANT

**99.97% HIGH**  
**PURITY COPPER**

# POLYCABPRIMMA

LF FR

## FLAME RETARDANT LEAD FREE WIRES



### POLYCABPRIMMA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,475	28
1	1,890	24
1.5	2,750	16
2.5	4,370	12
4	6,650	8
6	10,000	6

POLYCABPRIMMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

#### PRODUCT FEATURES:



**FLAME  
RETARDANT**



**LEAD FREE  
PVC INSULATION**

**99.97%**  
COPPER



**HIGH ABRASION  
RESISTANCE**



**EASY TO PULL  
INSIDE CONDUITS**



**RODENT  
PROTECTION**



**MOISTURE  
RESISTANT**

**REACH  
COMPLIANT** | **RoHS  
COMPLIANT**

# POLYCAB ETIRA

FR

## SUPERIOR QUALITY POCKET FRIENDLY PRICE



### POLYCAB ETIRA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,370	28
1	1,790	24
1.5	2,625	16
2.5	4,185	12
4	6,260	8
6	9,600	6

ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

#### PRODUCT FEATURES:



FLAME  
RETARDANT

99.97%

COPPER

REACH  
COMPLIANT

RoHS  
COMPLIANT




EASY TO PULL  
INSIDE CONDUITS





# 180M POUCH PACKAGING







**LOW SMOKE**  
DURING EXTREME FIRES



**LOW TOXIC**  
FUMES



**LEAD FREE**  
PVC INSULATION



**HIGH ABRASION**  
RESISTANCE



**FLAMESTOP**  
TECHNOLOGY




**REACH**  
COMPLIANT



**RoHS**  
COMPLIANT

**99.97% HIGH**  
**PURITY COPPER**




**RODENT**  
PROTECTION

## POLYCAB GREEN WIRE PRICELIST


SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
	LP (₹)	COILS PER CARTON
1	4280	12
1.5	6250	10
2.5	9835	6
4	14380	4
6	21475	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS







**FLAME**  
RETARDANT




**LEAD FREE**  
PVC INSULATION



**RODENT**  
PROTECTION



**REACH**  
COMPLIANT



**RoHS**  
COMPLIANT

**99.97% HIGH**  
**PURITY COPPER**

## POLYCAB LF FR PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
	LP (₹)	COILS PER CARTON
1	4080	12
1.5	5950	10
2.5	9420	6
4	13905	4
6	20805	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



# SUBMERSIBLE CABLES

## ENGINEERED FOR EVERY ENVIRONMENT



### Product Features



Tough & Flexible  
cables



Excellent moisture  
resistance



Highest quality  
electrolytic grade  
copper



High abrasion  
resistance

### POLYCAB 3C FLAT SUBMERSIBLE CABLES

Polycab PVC / XLPE Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010




SUBMERSIBLE/ 3CF CABLE			
	PVC INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.)	XLPE INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.)	PVC INSULATED PRICE PER 100 MTR. (CORROGATED BOX PACKING)
1.5 SQ MM	10,000	10,525	9,820
2.5 SQ MM	15,520	16,380	15,250
4 SQ MM	22,875	24,070	22,450
6 SQ MM	33,730	35,430	33,100
10 SQ MM	58,710	61,660	
16 SQ MM	90,800	95,440	
25 SQ MM	1,42,200	1,49,100	
35 SQ MM	1,96,650	2,06,400	

# TELEPHONE WIRE


## DIAL FOR CLEARER CONVERSATIONS




### Product Features

- 

HDPE

Special grade  
high density  
polyethylene
- 

Flame retardant  
compound
- 

PVC

Virgin grade  
PVC resin

### POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

TELEPHONE (SWITCHBOARD) CABLE				
	0.4 MM- 90 MTR	0.5 MM- 90 MTR	0.4 MM-100 MTR	0.5 MM-100 MTR
1 PAIR	700	980	780	1,090
2 PAIR	1,235	1,750	1,370	1,940
3 PAIR	1,815	2,585	2,015	2,875
4 PAIR	2,330	3,415	2,580	3,790
5 PAIR	2,860	4,235	3,165	4,700
10 PAIR		8,235		9,145
20 PAIR		15,900		17,700
50 PAIR				45,900
100 PAIR				89,850



# COAXIAL CABLES

## TRUE TO LIFE PICTURE & SOUND QUALITY



### Product Features



Minimum loss in signal strength for better reception



Higher bandwidth: larger network coverage



Low attenuation value: less electromagnetic interference



Minimal Structural Return Loss



Moisture Proof

## POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

COAXIAL CABLE			
	100M UNARMoured	305M UNARMoured	1000M FLEXIBLE ARMoured
RG 59	2,350	7,180	
RG 6	2,955	9,050	97,350
RG 11	6,730	20,600	1,52,000
RG 6 CCS	1,915	5,830	
RG 11 CCS	3,850	11,740	





# CCTV CABLES


## GUARDING EVERY VIEW, SUPERIOR QUALITY





### Product Features

- 

Minimal signal distortion or attenuation
- 

Designed for complete video frequency range
- 

Ideal for both indoor & outdoor applications
- 

No reflection & best picture quality
- 

Alloy braiding for superior performance

### POLYCAB CCTV CABLES

Coaxial cables consisting of solid annealed bare copper conductor of electrolytic grade which is insulated with physical foam PE dielectric, aluminium foil taped, jelly flooded, braided with alloy and then jacketed with UV resistant PVC.

CCTV CABLE			
	90 MTR	180 MTR	1000 MTR
CCTV 3+1	3,865	7,730	
CCTV 4+1	4,200	8,400	
CCTV 4+1 (ARMOURED)			1,32,500





# LAN CABLES

## EMPOWERING DATA FLOW



### Product Features



Supports Gigabit Ethernet Standard



Higher bandwidth and low signal loss



Effective transmission of high speed data




High quality video and voice streaming

### POLYCAB LAN (NETWORKING) CABLES

Conductor is made of electrolytic plain annealed solid copper of size 23 AWG, high quality polyethylene insulated with suitable colour code, twisted pair. Unshielded light grey PVC jacketed with improved fire characteristic meeting requirements of TIA/EIA/568-C.2

LAN CABLE		
	UOM	LP
CAT 5E UTP FR -PVC	305 MTR	12,255
CAT 6 UTP PVC-FR ( WITHOUT SEPARATOR)	305 MTR	12,875
CAT 6 UTP PVC-FR ( WITH SEPARATOR )	305 MTR	13,235
CAT 6 FTP FR PVC	305 MTR	20,350
CAT 6A UTP PVC-FR	305 MTR	15,675
CAT 6A FTP PVC-FR	305 MTR	24,070
CAT 6 SFTP PVC-FR	305 MTR	30,400
CAT6 UTP- ARMoured / FLEXIBLE ARMoured	1000 MTR	1,13,500
CAT6 FTP- ARMoured / FLEXIBLE ARMoured	1000 MTR	1,24,100
CAT6A UTP- ARMoured / FLEXIBLE ARMoured	1000 MTR	1,28,750
CAT6A FTP- ARMoured / FLEXIBLE ARMoured	1000 MTR	1,40,600
CAT 6 ECCS ARMoured	305 MTR	28,700
CAT6A - ECCS ARMoured	305 MTR	31,570
CAT6A SFTP - ECCS ARMoured	305 MTR	40,375



# SPEAKER WIRE

## CRYSTAL CLEAR SOUND



### Product Features

  
Virgin grade  
PVC resin

  
Flame retardant  
compound

## POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free Copper Conductor) (Rate in Rs. per 90 mtr)

SPEAKER	
SIZE	90 MTR
0.5 SQ MM	1,980
0.75 SQ MM	2,870
1 SQ MM	3,550
1.5 SQ MM	5,270
2 SQ MM	8,170
2.5 SQ MM	8,755
23/36	1,955
40/36	2,990
70/36	4,050
23/38	1,325
40/38	2,195
70/38	2,975




# SCAN & EARN

Influencer Rewards Program



INSTALL  
THE EXPERTS  
APP TODAY



## STEPS TO EARN



Register



Scan



Earn



Redeem

## BENEFITS



Cashback



Training



Schemes



Engagement

To Register yourself in the **Polycab Experts Loyalty Program**

Reach out to your Polycab Sales Team Family

call on **1800 419 1091**

### TERMS AND CONDITIONS APPLY

- POLYCABPRIMMA prices are applicable only for the states of Maharashtra, Telangana, Karnataka, Gujrat, Bihar, Madhya Pradesh, West Bengal, Andhra Pradesh, Rajasthan, Kerala, Tamil Nadu and Punjab
- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is nominal; the size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes & tables.

# POLYCAB

IDEAS. CONNECTED.

Corporate Office:

POLYCAB INDIA LIMITED

#29, The Ruby, 21<sup>st</sup> Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

Email: [enquiry@polycab.com](mailto:enquiry@polycab.com), Toll Free No.: 1800 267 0008

Follow us on: [f](#) [X](#) [in](#) [@](#) [v](#)

Website: [www.polycab.com](http://www.polycab.com)