



PRICE LIST
MAY 22, 2024

**SAFETY
MEIN
SAMJHOTA
NAHIN.**



ROUND CONDUIT uPVC PIPES & FITTINGS



Precision Round Conduit uPVC Pipes & Fittings

are manufactured from a specially formulated unplasticated polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386 21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.



Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537 - PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1

Features



Various Diameters & Grades



Fire retardant & corrosion free



Easy and quick installation



Thermal resistant (-5° C to +60° C)




Durable & Impact resistant



Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
LMS (LIGHT MECHANICAL STRESS)						
# 1	PRCS 19L	19	100 x 3m	300	-	21.00
# 2	PRCS 19LNI	19	40 x 3m	-	120	21.00
3	PRCS 20L	20	100 x 3m	300	-	22.50
4	PRCS 20LNI	20	40 x 3m	-	120	22.50
5	PRCS 25L	25	100 x 3m	300	-	31.00
6	PRCS 25LNI	25	25 x 3m	-	75	31.00
7	PRCS 32L	32	50 x 3m	150	-	43.75
8	PRCS 32LNI	32	10 x 3m	-	30	43.75
9	PRCS 40L	40	25 x 3m	75	-	70.00
10	PRCS 40LNI	40	5 x 3m	-	15	70.00
11	PRCS 50L	50	20 x 3m	60	-	100.00
12	PRCS 50LNI	50	5 x 3m	-	15	100.00
13	PRCS 63L	63	18 x 3m	54	-	153.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
HMS (HEAVY MECHANICAL STRESS)						
# 26	PRCS 19H	19	100 x 3m	300	-	32.75
# 27	PRCS 19HNI	19	40 x 3m	-	120	32.75
28	PRCS 20H	20	100 x 3m	300	-	37.25
29	PRCS 20HNI	20	40 x 3m	-	120	37.25
30	PRCS 25H	25	50 x 3m	150	-	44.50
31	PRCS 25HNI	25	25 x 3m	-	75	44.50
32	PRCS 32H	32	50 x 3m	150	-	70.00
33	PRCS 32HNI	32	10 x 3m	-	30	70.00
34	PRCS 40H	40	25 x 3m	75	-	91.50
35	PRCS 40HNI	40	5 x 3m	-	15	91.50
36	PRCS 50H	50	20 x 3m	60	-	138.75
37	PRCS 50HNI	50	5 x 3m	-	15	138.75



MMS (MEDIUM MECHANICAL STRESS)						
# 14	PRCS 19M	19	100 x 3m	300	-	24.00
# 15	PRCS 19MNI	19	40 x 3m	-	120	24.00
16	PRCS 20M	20	100 x 3m	300	-	25.25
17	PRCS 20MNI	20	40 x 3m	-	120	25.25
18	PRCS 25M	25	100 x 3m	300	-	35.50
19	PRCS 25MNI	25	25 x 3m	-	75	35.50
20	PRCS 32M	32	50 x 3m	150	-	53.75
21	PRCS 32MNI	32	10 x 3m	-	30	53.75
22	PRCS 40M	40	25 x 3m	75	-	76.75
23	PRCS 40MNI	40	5 x 3m	-	15	76.75
24	PRCS 50M	50	20 x 3m	60	-	116.75
25	PRCS 50MNI	50	5 x 3m	-	15	116.75

Special Size

ROUND CONDUIT uPVC PIPES (SOCKETED) CE FRLS

HSN : 39172310

SPECIAL SIZES




SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
			Pc x Mtr	Mtr x Bdl	Mtr x Bdl	
# 38	PRCS19SPL	19x1mm	100x3m	300	-	16.25
# 39	PRCS19SPLNI	19x1mm	40x3m	-	120	16.25
# 40	PRCS20SPL	20x1mm	100x3m	300	-	18.00
# 41	PRCS20SPLNI	20x1mm	40x3m	-	120	18.00
# 42	PRCS25SPL	25x1mm	100x3m	300	-	22.25
# 43	PRCS25SPLNI	25x1mm	25x3m	-	75	22.25

Special Size

BEDNING SPRING

HSN : 73201019



SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc/Bag	Pc/Carton	
LIGHT GAUGE						
44	PBS20L	20	Black	10	50	272.00
45	PBS25L	25	Black	5	25	360.00
MEDIUM GAUGE						
46	PBS20M	20	Silver	10	50	272.00
47	PBS25M	25	Silver	5	25	360.00
HEAVY GAUGE						
48	PBS20H	20	Gold	10	50	272.00
49	PBS25H	25	Gold	5	25	360.00

⊗ Suitable for 19mm LMS and 19mm MMS conduits also.



CIRCULAR BOX WITHOUT LID

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
50	PRCB 191	19	20	600	18.00
51	PRCB 201	20	20	600	18.50
52	PRCB 251	25	15	450	23.25
53	PRCB 321	32	10	160	43.25
54	PRCB 401	40	10	160	52.00
55	PRCB 501	50	5	80	94.00

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
74	PRCB 194	19	20	400	22.50
75	PRCB 204	20	20	400	23.00
76	PRCB 254	25	15	240	31.75
77	PRCB 324	32	10	160	49.25
78	PRCB 404	40	10	160	67.50
79	PRCB 504	50	5	80	120.00

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
56	PRCB 192A	19	20	400	18.50
57	PRCB 202A	20	20	400	19.00
58	PRCB 252A	25	15	300	23.50
59	PRCB 322A	32	10	160	45.25
60	PRCB 402A	40	10	160	56.50
61	PRCB 502A	50	5	80	102.00

TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
80	PRCB 191D	19	10	280	29.75
81	PRCB 201D	20	10	280	30.75
82	PRCB 251D	25	10	280	37.25
83	PRCB 321D	32	10	280	43.50

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
62	PRCB 192S	19	20	400	18.50
63	PRCB 202S	20	20	400	19.00
64	PRCB 252S	25	15	300	23.50
65	PRCB 322S	32	10	160	45.25
66	PRCB 402S	40	10	160	56.50
67	PRCB 502S	50	5	80	102.00

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
84	PRCB 192AD	19	10	280	31.50
85	PRCB 202AD	20	10	280	32.00
86	PRCB 252AD	25	10	280	38.50
87	PRCB 322AD	32	10	220	47.00

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
68	PRCB 193	19	20	400	20.75
69	PRCB 203	20	20	400	21.75
70	PRCB 253	25	15	300	28.00
71	PRCB 323	32	10	160	46.75
72	PRCB 403	40	10	160	59.50
73	PRCB 503	50	5	80	110.00

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
88	PRCB 192SD	19	10	200	31.50
89	PRCB 202SD	20	10	200	32.00
90	PRCB 252SD	25	10	200	38.50
91	PRCB 322SD	32	10	200	47.00



ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000

BLACK

GREY

IVORY

WHITE

CIRCULAR BOX WITHOUT LID

TEE - 3 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
92	PRCB 193D	19	10	220	35.50
93	PRCB 203D	20	10	220	36.25
94	PRCB 253D	25	10	220	45.25
95	PRCB 323D	32	10	160	50.50

BACK OUTLET THROUGH - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
111	PRCB 202S BO	20	20	400	32.25
112	PRCB 252S BO	25	15	300	47.75

INTERSECTION - 4 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
96	PRCB 194D	19	10	220	36.00
97	PRCB 204D	20	10	220	37.25
98	PRCB 254D	25	10	220	48.00
99	PRCB 324D	32	10	160	52.00

BACK OUTLET ANGLE - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
113	PRCB 202A BO	20	20	400	32.25
114	PRCB 252A BO	25	15	300	47.75

BRANCH - 2 WAY (U)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
100	PRCB 19U	19	20	400	32.00
101	PRCB 20U	20	20	400	32.50
102	PRCB 25U	25	20	400	44.00

BACK OUTLET TEE - 3 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
115	PRCB 203 BO	20	20	400	36.25
116	PRCB 253 BO	25	15	300	51.50

BRANCH - 3 WAY (Y)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
103	PRCB 19Y	19	20	400	34.50
104	PRCB 20Y	20	20	400	36.25
105	PRCB 25Y	25	15	300	47.75

WITH SCREW

CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
117	PRCL65	65	100	2000	5.50
118	PRCL80	80	100	2000	11.00
119	PRCL85	85	100	2000	11.00
120	PRCL90	90	100	1800	12.50
121	PRCL93	93	25	750	12.50
122	PRCL110	110	50	900	19.75

BRANCH - 4 WAY (H)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
106	PRCB 19H	19	15	300	36.50
107	PRCB 20H	20	15	300	37.50
108	PRCB 25H	25	15	300	51.00

WITHOUT SCREW

CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
123	PRCL65WS	65	100	2000	4.50
124	PRCL80WS	80	100	2000	10.50
125	PRCL85WS	85	100	2000	10.50
126	PRCL90WS	90	100	1800	12.00
127	PRCL93WS	93	25	750	12.00
128	PRCL110WS	110	50	900	19.25

» 65 - For 19/20/25mm JB, DJB & 32 DJB

» 80 - For 32/40mm JB

» 93 - For 50mm JB



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
129	PRCB 191L	19	20	600	24.50
130	PRCB 201L	20	20	600	25.00
131	PRCB 251L	25	15	450	29.75
132	PRCB 321L	32	10	160	55.25
133	PRCB 401L	40	10	160	64.00
134	PRCB 501L	50	5	80	107.50

TERMINAL - 1 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
135	PRCB 201AL	20	20	360	22.50
136	PRCB 251AL	25	15	270	28.25

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
137	PRCB 192AL	19	20	400	25.00
138	PRCB 202AL	20	20	400	25.50
139	PRCB 252AL	25	15	300	30.00
140	PRCB 322AL	32	10	160	57.25
141	PRCB 402AL	40	10	160	68.50
142	PRCB 502AL	50	5	80	115.50

ANGLE - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
143	PRCB 202AAL	20	15	270	25.25
144	PRCB 252AAL	25	10	180	29.75

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
145	PRCB 192SL	19	20	400	25.00
146	PRCB 202SL	20	20	400	25.50
147	PRCB 252SL	25	15	300	30.00
148	PRCB 322SL	32	10	160	57.25
149	PRCB 402SL	40	10	160	68.50
150	PRCB 502SL	50	5	80	115.50

THROUGH - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
151	PRCB 202SAL	20	15	270	25.25
152	PRCB 252SAL	25	10	180	29.75

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
153	PRCB 193L	19	20	400	27.25
154	PRCB 203L	20	20	400	28.25
155	PRCB 253L	25	15	300	34.50
156	PRCB 323L	32	5	110	58.75
157	PRCB 403L	40	5	110	71.50
158	PRCB 503L	50	5	80	123.50

TEE - 3 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
159	PRCB 203AL	20	15	270	26.75
160	PRCB 253AL	25	10	180	32.25

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
161	PRCB 194L	19	20	320	29.00
162	PRCB 204L	20	20	320	29.50
163	PRCB 254L	25	15	240	38.25
164	PRCB 324L	32	5	110	61.25
165	PRCB 404L	40	5	110	79.50
166	PRCB 504L	50	5	80	133.50

INTERSECTION - 4 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
167	PRCB 204AL	20	12	216	29.25
168	PRCB 254AL	25	15	150	37.25



PP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY

(POLYPROPYLENE)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
169	PPCB194L	19	15	240	21.50
170	PPCB254L	25	10	250	25.75

PP DEEP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY

(POLYPROPYLENE)

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
171	PPCB194DL	19	12	240	25.75
172	PPCB254DL	25	10	200	36.75

DEEP CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
173	PRCB 191DL	19	10	280	36.25
174	PRCB 201DL	20	10	280	37.25
175	PRCB 251DL	25	10	280	43.75
176	PRCB 321DL	32	10	280	59.25

ANGLE - 2 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
177	PRCB 192ADL	19	10	280	38.00
178	PRCB 202ADL	20	10	280	38.50
179	PRCB 252ADL	25	10	280	45.00
180	PRCB 322ADL	32	10	280	61.25

THROUGH - 2 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
181	PRCB 192SDL	19	10	200	38.00
182	PRCB 202SDL	20	10	200	38.50
183	PRCB 252SDL	25	10	200	45.00
184	PRCB 322SDL	32	10	200	61.25

TEE - 3 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
185	PRCB 193DL	19	10	220	42.00
186	PRCB 203DL	20	10	220	42.75
187	PRCB 253DL	25	10	220	51.75
188	PRCB 323DL	32	10	160	62.75

INTERSECTION - 4 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
189	PRCB 194DL	19	10	220	42.50
190	PRCB 204DL	20	10	220	43.75
191	PRCB 254DL	25	10	220	54.50
192	PRCB 324DL	32	10	160	65.25

BRANCH - 2 WAY (U)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
193	PRCB 19UL	19	20	400	38.50
194	PRCB 20UL	20	20	400	39.00
195	PRCB 25UL	25	20	400	50.50

BRANCH - 3 WAY (Y)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
196	PRCB 19YL	19	15	300	41.00
197	PRCB 20YL	20	15	300	42.75
198	PRCB 25YL	25	15	300	54.25

BRANCH - 4 WAY (H)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
199	PRCB 19HL	19	15	300	43.00
200	PRCB 20HL	20	15	300	44.00
201	PRCB 25HL	25	15	300	57.50



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
202	PRCB 201 BOL	20	20	400	38.25
203	PRCB 251 BOL	25	15	300	51.75

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
204	PRCB 202S BOL	20	15	300	38.75
205	PRCB 252S BOL	25	15	240	54.25

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
206	PRCB 202A BOL	20	15	300	38.75
207	PRCB 252A BOL	25	15	240	54.25

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
208	PRCB 203 BOL	20	15	300	42.75
209	PRCB 253 BOL	25	15	240	58.00

CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
210	PRER 20	20	50	800	13.00
211	PRER 25	25	40	640	16.75

LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
212	PRLB 19	19 (4 punch)	20	400	18.50
213	PRLB 20	20 (4 punch)	20	400	18.50
214	PRLB 25	25 (2 punch)	20	400	18.50

LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
215	PRLB 20E	20	24	384	28.25

COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
216	PCR 19	19	100	2000	5.00
217	PCR 20	20	100	2000	5.50
218	PCR 20 L	20 Long	150	2400	6.00
219	PCR 25	25	100	2000	7.50
220	PCR 32	32	60	960	13.25
221	PCR 40	40	30	480	22.75
222	PCR 50	50	20	320	39.00

EXPANSION COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
223	PCR 20E	20	20	600	7.50
224	PCR 25E	25	12	360	13.25
225	PCR 32E	32	8	240	24.00
226	PCR 50E	50	10	160	43.50

(PIPE TO FITTING)

REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
227	PRR1	25>20	250	4000	7.50

(PIPE TO PIPE)

REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
228	PRR 2520	25 > 20	70	1400	7.50
229	PRR 3220	32 > 20	60	1200	10.00
230	PRR 3225	32 > 25	40	800	13.25
231	PRR 4020	40 > 20	48	960	16.75
232	PRR 4032	40 > 32	32	640	18.75
233	PRR 5032	50 > 32	30	480	22.50
234	PRR 5040	50 > 40	30	480	22.75



SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
235	PRBN 19	19	65	1040	8.25
236	PRBN 20	20	65	1040	8.75
237	PRBN 25	25	35	560	14.25
238	PRBN 32	32	20	320	38.00
239	PRBN 40	40	10	160	76.75
240	PRBN 50	50	5	80	104.25
241	PRBN 63	63	-	50	153.00

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
263	PRUC 20	20	200	4000	7.75
264	PRUC 25	25	100	3000	12.25

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
242	PRBL 19	19	45	720	12.75
243	PRBL 20	20	45	720	13.25
244	PRBL 25	25	20	320	22.00
245	PRBL 32	32	10	160	52.50
246	PRBL 40	40	-	80	103.00
247	PRBL 50	50	-	55	155.00

END CAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
265	PREC 20	20	150	3000	3.00
266	PREC 25	25	100	2000	5.00
267	PREC 32	32	70	1400	6.00
268	PREC 40	40	32	640	11.50
269	PREC 50	50	24	480	16.50

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
248	PRBS 19	19	100	2000	7.00
249	PRBS 20	20	100	2000	7.50
250	PRBS 25	25	100	2000	9.25
251	PRBS 32	32	100	1600	15.75
252	PRBS 40	40	80	1280	17.50
253	PRBS 50	50	60	960	21.00
254	PRBS 63	63	-	50	27.50

MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
270	PMBA 19	19	100	2000	7.50
271	PMBA 20	20	100	2000	8.25
272	PMBA 25	25	100	2000	9.75

FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
273	PFBA 19	19	100	2000	7.50
274	PFBA 20	20	100	2000	8.25
275	PFBA 25	25	100	2000	10.25
276	PFBA 32	32	75	1200	15.75
277	PFBA 40	40	50	800	21.25
278	PFBA 50	50	25	400	36.00

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
255	PRSS 19	19	100	2000	4.25
256	PRSS 20	20	100	2000	4.50
257	PRSS 25	25	100	2000	6.00
258	PRSS 32	32	100	1600	7.00
259	PRSS 40	40	80	1280	9.25
260	PRSS 50	50	60	960	12.25

ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
279	PRE 20	20	125	2500	7.50
280	PRE 25	25	75	1200	10.25
281	PRE 32	32	20	400	14.50
282	PRE 40	40	15	300	22.25
283	PRE 50	50	10	200	35.75

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
261	PPSC20SL	20	75	450	6.00
262	PPSC25SL	25	50	300	7.00

IS:3419



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



1988

ROUND TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
284	PRT 20	20	50	1500	12.50
285	PRT 25	25	50	800	15.50
286	PRT 32	32	15	300	17.75
287	PRT 40	40	10	200	26.50
288	PRT 50	50	10	160	42.00

INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
289	PIE 20	20	20	600	32.50
290	PIE 25	25	20	400	40.50

INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
291	PIT 20	20	20	600	32.00
292	PIT 25	25	20	400	47.75

INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
293	PIB 20	20	20	600	32.25
294	PIB 25	25	20	400	47.50

ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
295	PAB 75L	3" x 3" x 2" 75x75x50	10	200	69.50
296	PAB 110L	4" x 4" x 3" 110x110x75	-	100	137.00
297	PAB 160L	6" x 4" x 3" 160x110x75	-	75	277.00
298	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	303.00
299	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	655.00
300	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	1385.00

(WHITE)

SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
301	PSB1	3" x 3"	10	300	43.75
302	PSB2	6" x 3"	10	200	75.00

(WHITE)

SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
303	PSBL1 LID	3" x 3"	40	1200	19.00
304	PSBL2 LID	6" x 3"	25	750	25.50

(SWITCH BOX)

FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
305	PFSB1	3" x 3" x 2"	10	200	49.25
306	PFSB2	6" x 3" x 2"	10	160	66.00

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
307	PRFB20	20 Standard	10	220	52.00
308	PRFB25	25 Standard	10	220	52.00
309	PRFB20SL	20 Large	10	140	70.50
310	PRFB25SL	25 Large	10	140	70.50
311	PRFBRD2025	20/25 with Rod	1	28	209.00
312	PRFBRD25	25 with Rod	1	28	209.00

METAL FAN BOX WITH ROD (BROWN)



HSN : 73072900

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Bag	RATE Pc
313	PMFB 2025	20/25	50	200.00

UPVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE Pc
			Colour	Pc./Box Pc./Carton	
314	PSC100 ML	100ml	Transparent	24 144	82.00
315	PSC250 ML	250ml	Transparent	24 96	147.50
316	PSC500 ML	500ml	Transparent	12 48	250.00
317	PSC1L	1L	Transparent	6 24	430.50
318	PSC5L	5L	Transparent	- 6	1786.00

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE W(mm)xL(Mtr)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
319	PPIT 18	18x6	30	540	13.50

✳ 20mm Knockout Available △ 32/38/40mm Knockout Available
 ✳ 20/25 Knockout Available ◇ 50mm Knockout Available



ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



APPLICATIONS

Enclosure boxes for electrical installations.
Suitable for Outdoor / Indoor environment.

FEATURES

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from -40°C to $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well.



ALL WEATHER BOXES

IP 67 HSN : 85381010

GREY

ALL WEATHER BOXES OPAQUE LID (ABS)



Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
320	PAB 8383OL	83 X 83 X 65	21	190.00
⊗ 321	PAB 8888OL	88 X 88 X 53	27	199.00
⊗ 322	PAB 9898OL	98 X 98 X 61	24	220.00
323	PAB 100100OL	100 X 100 X 65	21	221.00
324	PAB 13080OL	130 X 80 X 65	16	254.50
325	PAB 130130OL	130 X 130 X 80	16	377.00
⊗ 326	PAB 139119OL	139 X 119 X 70	10	213.50
⊗ 327	PAB 167125OL	167 X 125 X 82	12	265.00
328	PAB 18080OL	180 X 80 X 90	12	308.00
329	PAB 1801OL	180 X 130 X 75	16	418.50
330	PAB 1802OL	180 X 130 X 100	12	423.00
331	PAB 180180OL	180 X 180 X 100	20	544.00
⊗ 332	PAB 200160OL	200 X 160 X 98	8	417.50
333	PAB 210190OL	210 X 190 X 100	6	625.50
334	PAB 27080OL	270 X 80 X 90	12	378.00
335	PAB 280190OL	280 X 190 X 130	4	775.00
336	PAB 280280OL	280 X 280 X 130	2	1093.00
337	PAB 380190OL	380 X 190 X 130	3	1002.50
338	PAB 380280OL	380 x 280 x 130	2	1424.00
339	PAB 560380OL	560 X 380 X 180	2	3317.00

⊗ With Knockout

ALL WEATHER BOXES TRANSPARENT LID (ABS)



Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
340	PAB 18080TL	180 X 80 X 90	12	356.00
341	PAB 27080TL	270 X 80 X 90	12	443.50
342	PAB 180130TL	180 X 130 X 100	12	431.50
343	PAB 180180TL	180 X 180 X 100	20	559.50
344	PAB 210190TL	210 X 190 X 100	6	651.00
345	PAB 280190TL	280 X 190 X 130	4	843.50
346	PAB 280280TL	280 X 280 X 130	2	1145.00
347	PAB 380190TL	380 X 190 X 130	3	1145.00
348	PAB 380280TL	380 x 280 x 130	2	1660.00
349	PAB 560380TL	560 X 380 X 180	2	3782.00

PG GLANDS (PP)



Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
350	PPPG 7GL	7	600	5.00
351	PPPG 9GL	9	320	6.50
352	PPPG 11GL	11	240	7.00
353	PPPG 13.5GL	13.5	300	7.00
354	PPPG 16GL	16	240	7.00
355	PPPG 19GL	19	180	10.00
356	PPPG 21GL	21	120	11.50
357	PPPG 25GL	25	120	14.50



G.I & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part – 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.



Applications

Channelising electrical surface wiring and cable ducting.

Features



Anti - Rust Coat



Good Finish



Easy to cut



High resistance to Corrosion



DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0 -0.3	1.60	±0.2
25	25	0 -0.4	1.60	±0.2
32	32	0 -0.4	1.60	±0.2
40	40	0 -0.4	2.00	+0.2 -0.4
50	50	0 -0.5	2.00	+0.2 -0.4

IS: 9537 G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : SILVER

G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
358	PGIC 20	20	26 x 3m	78	231.00
359	PGIC 25	25	21 x 3m	63	280.00
360	PGIC 32	32	16 x 3m	48	420.00
361	PGIC 40	40	10 x 3m	30	665.00
362	PGIC 50	50	5 x 3m	15	755.00




COLOUR : BLACK

M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
363	PMSC 20	20	26 x 3m	78	145.00
364	PMSC 25	25	21 x 3m	63	185.00
365	PMSC 32	32	16 x 3m	48	260.00
366	PMSC 40	40	10 x 3m	30	435.00
367	PMSC 50	50	5 x 3m	15	570.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

TERMINAL -1 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
368	PGIB 251	25	20	200	80.00

TERMINAL -1 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
369	PMSB 201	20	20	200	54.00
370	PMSB 251	25	20	200	60.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



THROUGH - 2 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
371	PGIB 252S	25	20	200	83.50

INTERSECTION - 4 WAY (SCREW TYPE)



M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
378	PMSB 204	20	20	200	65.50
379	PMSB 254	25	20	200	71.50

THROUGH - 2 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
372	PMSB 202S	20	20	200	65.50
373	PMSB 252S	25	20	200	68.00

THREAD TYPE

G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
380	PGI 25IBT	25	20	200	84.00

TEE - 3 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
374	PGIB 253	20	20	200	88.00

THREAD TYPE

M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
381	PMS 25IBT	25	20	200	64.00

TEE - 3 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
375	PMSB 203	20	20	200	65.50
376	PMSB 253	25	20	200	71.50

SCREW TYPE

M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
382	PMS 20IBS	20	20	200	62.00
383	PMS 25IBS	25	20	200	64.00

INTERSECTION - 4 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
377	PGIB 254	25	20	200	92.00

INTERNAL THREAD

M.S. NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
384	PMS 25NBIT	25	12	144	108.50



uPVC MINI/MAXI TRUNKING PROFILE & FITTINGS

Precision uPVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards.

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

APPLICATIONS

To organize and protect cables on surface.



Easy and quick installation



Secure & Elegant look



Various Sizes Available



Durable & Impact Resistant



Fire retardant



Thermal resistant
(-5° C to +60° C)





UPVC MINI / MAXI TRUNKING PROFILE

CE FR HSN: 39162019

IVORY

WHITE

IVORY/WHITE

UPVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
385	PT2012	20 x 12	100 x 2m	200	21.75
386	PT2512	25 x 12	100 x 2m	200	25.75
# 387	PT3015	30 x 15	100 x 2m	200	27.50
388	PT3212	32 x 12	100 x 2m	200	32.25
389	PT3212SPL	32 x 12	100 x 2m	200	26.75
# 390	PT1616	16 x 16	100 x 2m	200	20.75
391	PT2516	25 x 16	100 x 2m	200	31.00
392	PT2516SPL	25 x 16	100 x 2m	200	25.75
# 393	PT3216	32 x 16	100 x 2m	200	28.75
394	PT3816	38 x 16	50 x 2m	100	50.50
395	PT3825	38 x 25	50 x 2m	100	57.25
396	PT3838	38 x 38	25 x 2m	50	75.75
397	PT5016	50 x 16	50 x 2m	100	87.75

Special Size
∞ 100 x 50

WHITE

UPVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
398	PT5050	50 x 50	20 x 2m	40	147.75
399	PT7550	75 x 50	12 x 2m	24	358.25
400	PT7575	75 x 75	9 x 2m	18	468.50
401	PT10050	100 x 50	10 x 2m	20	583.50
402	PT100100	100 x 100	6 x 2m	12	748.00
403	PT15050	150 x 50	5 x 2m	10	888.00
404	PT150100	150 x 100	4 x 2m	8	1080.50

WHITE

UPVC MAXI TRUNKING PROFILE DIVIDER



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
∞ 405	PMTD	Standard	50 x 2m	100	80.00

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY

WHITE

COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
406	PTC 2012	20 x 12	100	3.00
407	PTC 2512	25 x 12	100	2.50
408	PTC 3212	32 x 12	100	2.50
409	PTC 1616	16 x 16	100	3.00
410	PTC 3816	38 x 16	50	5.00
411	PTC 3825	38 x 25	50	6.00
412	PTC 10050	100 x 50(W)	10	14.75

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
420	PTT 2012	20 x 12	100	5.00
421	PTT 2512	25 x 12	50	4.50
422	PTT 3212	32 x 12	50	6.00
423	PTT 1616	16 x 16	100	5.00
424	PTT 3816	38 x 16	50	7.50
425	PTT 3825	38 x 25	50	8.75
426	PTT 10050	100 x 50(W)	10	58.00

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
413	PTB 2012	20 x 12	100	4.50
414	PTB 2512	25 x 12	100	3.00
415	PTB 3212	32 x 12	100	5.00
416	PTB 1616	16 x 16	100	3.00
417	PTB 3816	38 x 16	100	6.00
418	PTB 3825	38 x 25	100	7.50
419	PTB 10050	100 x 50(W)	10	61.50

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
427	PTI 2512	25 x 12	100	2.00
428	PTI 3212	32 x 12	100	3.00
429	PTI 1616	16 x 16	100	3.00
430	PTI 3816	38 x 16	100	5.00
431	PTI 3825	38 x 25	50	6.50
432	PTI 10050	100 x 50(W)	10	23.50

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
433	PTE 2512	25 x 12	100	2.00
434	PTE 3212	32 x 12	100	4.50
435	PTE 1616	16 x 16	100	5.00
436	PTE 3816	38 x 16	100	6.00
437	PTE 3825	38 x 25	50	9.00
438	PTE 10050	100 x 50(W)	10	42.25



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
439	PTW3212	32 x 12	50	10.00



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
440	PMTc 100	100 x 50(W)	50	13.00

- ABS

(POLY PROPYLENE) JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		Standard	Pc./Bag	Pc./Carton	
441	PTJL7575	Standard	20	300	7.50

TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	Pc./Carton	RATE Pc
442	PTSB1	3"x3" (W)	10	300	43.25
443	PTSB2	6"x3" (W)	10	200	71.50

\$ 16 x 16, 25 x 16 Knockout Available
(W) - White

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
444	PMTL50	50 x 50	5	85.00
445	PMTL751	75 x 50	5	204.00
446	PMTL752	75 x 75	5	243.00
447	PMTL1002	100 x 100	5	349.00
448	PMTL1501	150 x 50	5	330.00



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
449	PMTT50	50 x 50	5	120.00
450	PMTT751	75 x 50	5	204.00
451	PMTT752	75 x 75	5	243.00
452	PMTT1002	100 x 100	5	349.00
453	PMTT1501	150 x 50	5	330.00



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
454	PMTI50	50 x 50	5	85.00
455	PMTI751	75 x 50	5	204.00
456	PMTI752	75 x 75	5	243.00
457	PMTI1002	100 x 100	5	349.00
458	PMTI1501	150 x 50	5	330.00



EXTERNAL ANGLE


SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
459	PMTE50	50 x 50	5	85.00
460	PMTE751	75 x 50	5	204.00
461	PMTE752	75 x 75	5	243.00
462	PMTE1002	100 x 100	5	349.00
463	PMTE1501	150 x 50	5	330.00



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
464	PFTC50	50 x 50	5	24.00
465	PFTC751	75 x 50	5	33.00
466	PFTC752	75 x 75	5	38.25
467	PFTC1002	100 x 100	5	80.50
468	PFTC1501	150 x 50	5	88.50

METALLIC CABLE MANAGEMENT SYSTEM



Precision after serving India and overseas markets all these years in routing wires through our conduits, we have launched metallic cable management system to route HT/ LT/ LV cables through our Perforated, Ladder & Trunking cable tray with accessories.

It comes in 3 major categories as follows:

- a) Trunking Cable Tray (TCT) and Fittings
- b) Perforated Cable Tray (PCT) and Fittings
- c) Ladder Cable Tray (LCT) and Fittings

All above categories are further divided in various finishes such as:

- i) Hot Dip Galvanized (HDG)
- ii) Powder Coated (PC)
- iii) Enamel Painted (EP)
- iv) Pre-Galvanized Sheets (PG)

APPLICATIONS

Metallic Cable Management System for HT/ LT/ LV cables suitable for Indoor and Outdoor environment.

FEATURES

- Available in different Thicknesses ranging from 1.6 mm to 3.0 mm
- Various Width x Height sizes available to make cost effective
- Choice of Finishes / Raw Materials available as per individual requirements
- Available in standard length of 2.5 Mtr
- Once fixed, it is absolutely Maintenance Free
- Availability of lids makes it easy to open in case of future work at later stage
- All raw material used is of IS grade
- Complimentary 2 nos of Coupler Plates & Nut-Bolts with each Cable Tray
- Suitable Fittings available in all categories of Cable Tray
- Hot dip Galvanizing comes with 65 μ m as standard Zinc coating. For humid and corrosive environment 80/120 μ m coating is also available as per requirements.

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

TRUNKING CABLE TRAY (TCT)



Sr No.	SIZE W x H (mm)	COVER W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
469	50 x 38	55 X 12	2.5	1
470	50 x 50	55 X 12	2.5	1
471	100 x 50	105 X 12	2.5	1
472	150 x 50	155 X 12	2.5	1
473	200 x 50	205 X 12	2.5	1
474	300 x 50	305 X 12	2.5	1
475	450 x 50	455 X 12	2.5	1
476	600 x 50	605 X 12	2.5	1
477	100 x 70	105 X 12	2.5	1
478	150 x 75	155 X 12	2.5	1
479	200 x 75	205 X 12	2.5	1
480	300 x 75	305 X 12	2.5	1
481	450 x 75	455 X 12	2.5	1
482	600 x 75	605 X 12	2.5	1

PERFORATED CABLE TRAY (PCT)



ACCESSORIES FOR TRUNKING CABLE TRAY (TCT)



Sr No	Fitting	Type	Standard Pack (Pc)
483	45° Bend	Horizontal	1
484	45° Bend	Vertical	1
485	90° Bend	Horizontal	1
486	90° Bend	Vertical	1
487	Tee joint	Equal	1
488	Tee joint	Unequal	1
489	Reducer joint	Concentric	1
490	Reducer joint	Eccentric	1
491	4 way Cross joint	Equal	1
492	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

All above fittings are available for TCT range from 50 x 38 mm to 600 x 75 mm.

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
493	50 x 50	2.5	1
494	100 x 50	2.5	1
495	150 x 50	2.5	1
496	200 x 50	2.5	1
497	300 x 50	2.5	1
498	450 x 50	2.5	1
499	600 x 50	2.5	1
500	100 x 75	2.5	1
501	150 x 75	2.5	1
502	200 x 75	2.5	1
503	300 x 75	2.5	1
504	450 x 75	2.5	1
505	600 x 75	2.5	1
506	150 x 100	2.5	1
507	200 x 100	2.5	1
508	300 x 100	2.5	1
509	450 x 100	2.5	1
510	600 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090



ACCESSORIES FOR PERFORATED CABLE TRAY (PCT)

Sr No	Fitting	Type	Standard Pack (Pc)
511	45° Bend	Horizontal	1
512	45° Bend	Vertical	1
513	90° Bend	Horizontal	1
514	90° Bend	Vertical	1
515	Tee joint	Equal	1
516	Tee joint	Unequal	1
517	Reducer joint	Concentric	1
518	Reducer joint	Eccentric	1
519	4 way Cross joint	Equal	1
520	4 way Cross joint	Unequal	1



All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Perforated Cable Tray also.

All above fittings are available for PCT range from 50 x 50 mm to 600 x 100 mm.

LADDER CABLE TRAY (LCT)


Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
521	100 x 50	2.5	1
522	150 x 50	2.5	1
523	200 x 50	2.5	1
524	300 x 50	2.5	1
525	450 x 50	2.5	1
526	600 x 50	2.5	1
527	750 x 50	2.5	1
528	900 x 50	2.5	1
529	1000 x 50	2.5	1
530	100 x 75	2.5	1
531	150 x 75	2.5	1
532	200 x 75	2.5	1
533	300 x 75	2.5	1
534	450 x 75	2.5	1
535	600 x 75	2.5	1
536	750 x 75	2.5	1

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
537	900 x 75	2.5	1
538	1000 x 75	2.5	1
539	1200 x 75	2.5	1
540	1500 x 75	2.5	1
541	150 x 100	2.5	1
542	200 x 100	2.5	1
543	300 x 100	2.5	1
544	450 x 100	2.5	1
545	600 x 100	2.5	1
546	750 x 100	2.5	1
547	900 x 100	2.5	1
548	1000 x 100	2.5	1
549	1200 x 100	2.5	1
550	1500 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

ACCESSORIES FOR LADDER CABLE TRAY (LCT)



Sr No	Fitting	Type	Standard Pack (pc)
551	45° Bend	Horizontal	1
552	45° Bend	Vertical	1
553	90° Bend	Horizontal	1
554	90° Bend	Vertical	1
555	Tee joint	Equal	1
556	Tee joint	Unequal	1
557	Reducer joint	Concentric	1
558	Reducer joint	Eccentric	1
559	4 way Cross joint	Equal	1
560	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Ladder Cable Tray also.

All above fittings are available for LCT range from 100 x 50 mm to 1500 x 100 mm



SLOTTED L SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
561	25 x 25	2.5	1
562	25 x 30	2.5	1
563	25 x 35	2.5	1
564	30 x 30	2.5	1
565	30 x 35	2.5	1
566	30 x 40	2.5	1
567	30 x 45	2.5	1
568	35 x 30	2.5	1
569	35 x 35	2.5	1
570	30 x 40	2.5	1
571	40 x 35	2.5	1
572	40 x 40	2.5	1
573	40 x 45	2.5	1
574	40 x 50	2.5	1
575	45 x 45	2.5	1
576	45 x 50	2.5	1
577	50 x 50	2.5	1



SLOTTED C SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
578	15 X 30 X 15	2.5	1
579	15 X 35 X 15	2.5	1
580	20 X 35 X 20	2.5	1
581	25 X 35 X 25	2.5	1
582	15 X 40 X 15	2.5	1
583	20 X 40 X 20	2.5	1
584	25 X 40 X 25	2.5	1
585	15 X 50 X 15	2.5	1
586	20 X 50 X 20	2.5	1
587	25 X 50 X 25	2.5	1



SLOTTED Z SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
588	25 X 25 X 25	2.5	1
589	25 X 30 X 25	2.5	1
590	30 X 30 X 30	2.5	1
591	30 X 35 X 30	2.5	1
592	30 X 40 X 30	2.5	1
593	30 X 50 X 30	2.5	1
594	35 X 30 X 35	2.5	1
595	35 X 35 X 35	2.5	1
596	35 X 40 X 35	2.5	1
597	35 X 50 X 35	2.5	1
598	40 X 35 X 40	2.5	1
599	40 X 40 X 40	2.5	1
600	45 X 40 X 45	2.5	1
601	45 X 45 X 45	2.5	1
602	45 X 50 X 45	2.5	1
603	50 X 45 X 50	2.5	1
604	50 X 50 X 50	2.5	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.



uPVC PANEL TRUNKING

Precision uPVC Panel Trunking is manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

APPLICATIONS

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers.

FEATURES



Fire retardant



Thermal resistant
(-5° C to +60° C)



High Tensile
Strength
(390 kg/cm²)

- Non-brittle, wrap proof.
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires.
- Avoids bunching, taping, and provides complete electrical insulation.
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



UPVC PANEL TRUNKING ≈ FRLS (€)

HSN : 85381010



STANDARD SLOT

UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
605	PPT1515	15 x 15	200 x 1m	200	45.25
606	PPT2525	25 x 25	130 x 1m	130	69.00
607	PPT3025	30 x 25	125 x 1m	125	73.50
608	PPT4525	45 x 25	90 x 1m	90	90.50
609	PPT4545	45 x 45	50 x 1m	50	125.00
610	PPT4560	45 x 60	50 x 1m	50	161.75
611	PPT6025	60 x 25	70 x 1m	70	115.50
612	PPT6040	60 x 40	60 x 1m	60	145.00
613	PPT6045	60 x 45	50 x 1m	50	146.00
614	PPT6060	60 x 60	40 x 1m	40	182.75
615	PPT7525	75 x 25	60 x 1m	60	147.00
616	PPT7575	75 x 75	30 x 1m	30	269.00
617	PPT10075	100 x 75	24 x 1m	24	442.25
618	PPT100100	100 x 100	16 x 1m	16	523.00

THIN SLOT

UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
619	PPT3025TS	30 x 25	125 x 1m	125	76.75
620	PPT4525TS	45 x 25	90 x 1m	90	94.50
621	PPT4545TS	45 x 45	50 x 1m	50	132.50
622	PPT4560TS	45 x 60	50 x 1m	50	164.50
623	PPT6025TS	60 x 25	70 x 1m	70	124.00
624	PPT6040TS	60 x 40	60 x 1m	60	152.25
625	PPT6045TS	60 x 45	50 x 1m	50	153.50
626	PPT6060TS	60 x 60	40 x 1m	40	193.25



TOP COVER

UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
627	PPT25T	25	100 x 1m	100	28.50
628	PPT40T	40	50 x 1m	50	46.25
629	PPT45T	45	50 x 1m	50	49.50
630	PPT60T	60	50 x 1m	50	75.75
631	PPT75T	75	25 x 1m	25	76.75
632	PPT100T	100	25 x 1m	25	123.00

≈ FRLS: Fire Retardant - Low Smoke



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes & Fittings come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.


POLYPROPYLENE FLEXIBLE CONDUITS are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUITS are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to $+60^{\circ}\text{C}$.

GALVANISED STEEL FLEXIBLE CONDUIT
Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN : 39173100



DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

(PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
633	PCFC 10	10	100	1000	8.00
634	PCFC 16	16	50	500	8.00
635	PCFC 20	20	50	500	11.00
636	PCFC 25	25	25	250	16.00
637	PCFC 32	32	25	250	27.00
638	PCFC 40	40	20	100	37.50
639	PCFC 50	50	15	75	56.00
640	PCFC 63	63	10	50	87.00



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
641	PCCL 10	10	100	1000	12.00
642	PCCL 16	16	50	500	13.00
643	PCCL 20	20	50	500	18.00
644	PCCL 25	25	25	250	24.50
645	PCCL 32	32	25	250	40.00
646	PCCL 40	40	20	100	47.50
647	PCCL 50	50	15	75	65.50
648	PCCL 63	63	10	50	102.00

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2	54.0	50.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
649	PFAG 16	16	125	2250	6.00
650	PFAG 20	20	75	1350	8.00
651	PFAG 25	25	50	900	10.50
652	PFAG 32	32	30	540	12.50
653	PFAG 40	40	20	360	18.00
654	PFAG 50	50	5	150	23.50

GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
670	PGIFC 16	16	1/2"	15	210	38.50
671	PGIFC 20	20	3/4"	15	150	51.50
672	PGIFC 25	25	1"	15	105	78.50
673	PGIFC 32	32	1 1/4"	15	75	93.50
674	PGIFC 40	40	1 1/2"	15	75	105.00
675	PGIFC 50	50	2"	10	50	156.00

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE

HSN : 39172190



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		ID (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
655	PCWR 10	10	30	300	43.50
656	PCWR 16	16	30	300	57.00
657	PCWR 20	20	30	240	73.50
658	PCWR 25	25	30	210	90.50
659	PCWR 30	30	30	150	117.00
660	PCWR 40	40	30	120	135.50
661	PCWR 50	50	30	90	162.00
662	PCWR 60	60	15	75	227.00

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
676	PGIFCP 16	16	1/2"	50	250	59.00
677	PGIFCP20	20	3/4"	25	150	78.50
678	PGIFCP 25	25	1"	25	125	119.50
679	PGIFCP 32	32	1 1/4"	15	75	142.00
680	PGIFCP 40	40	1 1/2"	15	75	167.50
681	PGIFCP 50	50	2"	15	60	238.00

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
663	PFRG 10	10	75	1350	10.50
664	PFRG 16	16	60	1080	11.50
665	PFRG 20	20	45	810	14.50
666	PFRG 25	25	30	540	19.50
667	PFRG 30	30	20	360	24.00
668	PFRG 40	40	15	270	31.50
669	PFRG 50	50	5	150	45.00



electrical@precisionpipes.com
www.precisionpipes.com

We Care +91 77150 00015

PRECISION PLASTIC INDUSTRIES PVT. LTD.

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,
Andheri East, Mumbai 400 072, Maharashtra, India.