

11787
 RANDOLPH COUNTY HEALTH DEPARTMENT
 2222 South Fayetteville Street
 Asheboro, NC 27203
 PHONE: 629-2131

WRITTEN REPORT AND NOTIFICATION OF A PERMIT DENIED

1. Name of Applicant Virginia Campbell Phone No. 434-3211
 Address: 6440 Hwy 602 Trinity NC 27370 Application No. 9403497
2. Name of Property Owner Same Phone No. _____
 Address _____
3. Location of denied lot (specific directions using road names & numbers)
602 S. prop on (L) approx 1000' past 3141 @ 60440
US Hwy 602 across from Trinity Baptist Church
 Township Trinity Subdivision _____
 Lot # _____ Sect. # _____ Parcel ID # 77074836020
4. Amount of Land Evaluated: ± 2.0 Acres
 Lot Size: Front _____ Left _____ Back _____ Right _____
 Square Footage 2.84 Acres
5. In compliance with 10 NCAC 10A .1937 permits (i) the aforementioned property was evaluated pursuant to this section and the permit requested is denied due to:
 CHECK:
☒ Unsuitable topography & landscape position (.1940)
☒ Unsuitable soil characteristics (.1941)
☒ Unsuitable soil wetness conditions (.1942)
☒ Inadequate soil depth (.1943)
☒ Inadequate space (.1945)
☐ Other (.1946) _____

Explanation: (.1940) Complex Top and Steep Slopes
(.1941) Expansive Clay (.1942) Mottles Chroma 2 and less
(.1943) Shallow to separate (sand-rock)
(.1945) Insufficient space to install sys.

6. Additionally - in compliance with Chapter 130A you have a right to an informal review by the Department, the right to appeal under G.S. 130A-24, and to have the appeal held in the county in which the site for which the improvement permit was requested is located if made within 60 days of denial.

Also according to 10 NCAC-10A.1957(c), you can have a site reclassified to Provisionally Suitable if you submit written documentation to the local health department, including engineering, hydrogeologic, geologic, or soil studies, and substantiating data which indicate that (1) a ground absorption system can be installed so that the effluent will receive adequate treatment (2) the effluent will not contaminate groundwater or surface water and (3) the effluent will not be exposed on the ground surface or be discharged to surface water where it could come in contact with people, animals, or vectors.

Jan. 20, 1995
 Date
 /jmg-wp (Feb. 1990)

Wayne Jones
 Signature

COUNTY OF RANDOLPH
Randolph County Health Department
725 McDowell Rd - PO Box 771 - Asheboro, NC 27204-0771
(910) 318-6565

D U P L I C A T E
APPLICATION FOR SUBSURFACE SEWAGE DISPOSAL EVALUATION
FOR A COMMERCIAL STRUCTURE

Page 1

Applicant : CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370
Phone : 434-3211

Date : 07 Nov 1994
Application Nbr: 9403497
Parcel Id Nbr : 7707483620

Prcl Owner: 6811 - CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370

Phone: 434-3211

Proposed Use: CAD - COMMERCIAL - ADDITION TO STRUCTURE

Location Information:.....
Township : 19 - TRINITY
Subdvn Name : Subdvn Map Nbr :
Subdvn Lot Nbr: Subdvn Sect Nbr:
Directions : 62S - PROP ON (L) APPROX 1000FT PAST 3141 - 6440 US HWY 62

Sewage Disposal Information:.....
Facility Type : B - BUSINESS
Structure Width : 60 FT
Structure Depth : 80 FT
Existing Structr: BUSINESS FOR FURNITURE ILLUSTRATORS

Future Structure: NONE


Future Additions: NONE

Water Supply Typ: P - PUBLIC
Orig Date Rcrded: 00/41
Protected Wtland: NO

Commercial:.....
Type Business : FURNITURE PHOTOGRAPHY
Nbr of People : 5
Sink(s) : 0
Water Closet(s): 2
Urinal(s) : 0
Other Effluent : 0
Nbr of Shifts: 1
Lavatories : 1
Shower(s) : 0

Comments: SEVERAL SINKS EMPTY INTO 1 LARGE SINK & FLOOR DRAIN

- TOLL FREE NUMBERS -
Greensboro: 218-4565 / Archdale: 819-3565 / Liberty: 218-4565



PROFILE EVALUATION

FACTORS	1	2	3	4	5	6	7	8	9	10	11	12
LANDSCAPE POSITION	L	L	L	L	L	L	L	L	L	L	L	L
TOPOGRAPHY/SLOPE(%)	12	12	15.1	15.1	15.1	15.1	15.1	15	15/20	20.1	120	20
HORIZON I DEPTH	0-2	0-4	0-11	0-6	0-10	0-5	0-6	0-6	0-6	0-7	0-7	0-4
Texture	SL	SL	SL	SL	SL	SL						SL
Structure	Gr	Gr	Gr	Gr								
Consistence	h ss sl	h ss sl	h ss sl	h ss sl								
Mineralogy			h									
HORIZON II DEPTH	2-12	4-27	4-24	6-17	6-25	8-40	6-18	6-18	6-10	7-12	7L	4L
Texture	SC	SC+Sp	SC	SC	SC+Sp	SC+Sp	C	SC+Sp	SC	SC	C	SC
Structure	uwt	uwt	uwt	uwt	uwt	uwt	uwt	uwt	uwt	uwt	uwt	uwt
Consistence	h ss sl	h ss sl	F SP	h ss sl	F SP	F SP	F SP	F SP	F SP	F SP	h ss sl	h ss sl
Mineralogy	h ss sl	h	h	h	h	h	h	h	h	h	h	h
HORIZON III DEPTH			24-31			40	18		10-17	12-17		
Texture			SC+Sp			SC+Sp	C		SC+Sp	C		
Structure			uwt			uwt	uwt		uwt	uwt		
Consistence			F SP			h ss sl	h ss sl		h ss sl	h ss sl		
Mineralogy			h			h	h		h	h		
HORIZON IV DEPTH												
Texture												
Structure												
Consistence												
Mineralogy												
SOIL WETNESS								10YR 8/1		5Y 7/1		
RESTRICTIVE HORIZON												
SAPROLITE	12	27		17				22	17			
LONG TERM ACCEPTANCE RATE (gal/day/ft ²)	1	1.25	1.25	1	1	1.25	1	1	1	1		
CLASSIFICATION	u	u	u	u	u	u+ps	u	u	u	u		

AVAILABLE SPACE:

SITE CLASSIFICATION:

SITE LONG TERM ACCEPTANCE RATE:

EVALUATED BY:

OTHERS PRESENT:

TITLE:

DATE:

REMARKS:

CLASSIFICATION--all factors, except Consistence and Saprolite, shall be classified--S (suitable), PS (provisionally suitable) or U (unsuitable). Saprolite may be classified S or U.

SOIL WETNESS----inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less--record Munsell color chip designation.

TEXTURE	STRUCTURE	CONSISTENCE	CLAY MINERALOGY
S - Sand	SG - Single Grain	MOIST	
LS - Loamy Sand	M - Massive	VF - Very Friable	NS - Non-Sticky
SL - Sandy Loam	CR - Crumb	FR - Friable	SS - Slightly Sticky
L - Loam	GR - Granular	F - Firm	S - Sticky
SI - Silt	BK - Blocky	VF - Very Firm	VS - Very Sticky
SIL - Silt Loam	PL - Platy	EF - Extremely Firm	VP - Very Plastic
	PR - Prismatic		

12/14/94

11:09

910 18 6550

PLANNING DEPT

HEALTH DEPT

001

Weany


County of Randolph
Department of Planning & Development
725 McDowell Rd - PO Box 771 - Asheboro, NC 27204 0771

Parcel Id Nbr : 7707463620
Owner Name : CAMPBELL, VIRGINIA R
Parcel Size : 2.84 Acres
Flood Plain : NONE
Water Critical : NO
Water Shed : LR Balance
Zoning District : RA

Date : 14 Dec 94
Application Nbr : 9403487
Scale : 150 Feet/Inch
Map Page : G2e
Postal District : TRINITY

PERMIT FOR USE ONLY REPRODUCTION
OF SURVEY OR LEGAL DESCRIPTION PROHIBITED

Comments



COUNTY OF RANDOLPH
Department of Planning & Development
725 McDowell Rd - PO Box 771 - Asheboro, NC 27204-0771
(910) 318-6555

DUPLICATE
PROPERTY DEVELOPMENT APPLICATION

Applicant : CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370
Phone : 434-3211

Date : 07 Nov 1994
Application Nbr: 9403497
Parcel Id Nbr : 7707483620
EH Locator Nbr : 11787

Prcl Owner: 6811 - CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370

Phone: 434-3211

This application advises you that we have received your request to develop property in Randolph County. The application has now been entered into the Randolph County computerized Land Records Management System and will serve as a reference for any Agency during your development process. Based on the information you have provided, the following is a summary of the property, the acknowledged proposed use, and a list of permits required prior to development.

Proposed Use: CAD - COMMERCIAL - ADDITION TO STRUCTURE

Location Information:.....
Township : 19-TRINITY
Subdvn Name : Subdvn Map Nbr :
Subdvn Lot Nbr: Subdvn Sect Nbr:
Directions : 62S - PROP ON (L) APPROX 1000FT PAST 3141 - 6440 US
HWY 62

Property Description:.....
Zone Class : RA - RESIDENTIAL-AGRICULTURAL DISTRICT
Parcel Size : 2.84 ACRE(S) Water Crtcl: NO
Flood Plain Map Nbr : 370195 0150 B
Watershed Name : LR - LAKE REESE
Comments: REPAIR PERMIT FOR FURNITURE ILLUSTRATORS

Permits Required:	Jurisdiction:	Status:
EH-APPLICATION FOR SUBSURFACE	G01-COUNTY OF RANDOLPH	I-ISSUED

The undersigned hereby makes application for the appropriate permits and inspections required for the development indicated above. The undersigned further states that all statements made hereon are true.

Signature of (circle one):	Applicant	Agent	Owner
----------------------------	-----------	-------	-------

- TOLL FREE NUMBERS -
Greensboro: 218-4565 / Archdale: 819-3565 / Liberty: 218-4565

COUNTY OF RANDOLPH
Randolph County Health Department
725 McDowell Rd - PO Box 771 - Asheboro, NC 27204-0771
(910) 318-6565

APPLICATION FOR SUBSURFACE SEWAGE DISPOSAL EVALUATION
FOR A COMMERCIAL STRUCTURE

Page 1

Applicant : CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370
Phone : 434-3211

Date : 07 Nov 1994
Application Nbr: 9403497
Parcel Id Nbr : 7707483620

Prcl Owner: 6811 - CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370

Phone: 434-3211

Proposed Use: CAD - COMMERCIAL - ADDITION TO STRUCTURE

Location Information:.....
Township : 19 - TRINITY
Subdvn Name : Subdvn Map Nbr :
Subdvn Lot Nbr: Subdvn Sect Nbr:
Directions : 62S - PROP ON (L) APPROX 1000FT PAST 3141 - 6440 US HWY 62

Sewage Disposal Information:.....
Facility Type : B - BUSINESS
Structure Width : 60 FT
Structure Depth : 80 FT
Existing Structr: BUSINESS FOR FURNITURE ILLUSTRATORS

Future Structure: NONE

Future Additions: NONE

Water Supply Typ: P - PUBLIC
Orig Date Rcrded: 00/41
Protected Wtland: NO

Commercial:.....
Type Business : FURNITURE PHOTOGRAPHY
Nbr of People : 5
Sink(s) : 0
Water Closet(s): 2
Urinal(s) : 0
Other Effluent : 0
Nbr of Shifts: 1
Lavatories : 1
Shower(s) : 0

Comments: SEVERAL SINKS EMPTY INTO 1 LARGE SINK & FLOOR DRAIN

- TOLL FREE NUMBERS -
Greensboro: 218-4565 / Archdale: 819-3565 / Liberty: 218-4565

PROFILE EVALUATION

FACTORS	1	2	3	4	5
LANDSCAPE POSITION					
TOPOGRAPHY/SLOPE(%)					
HORIZON I DEPTH					
Texture					
Structure					
Consistence					
Mineralogy					
HORIZON II DEPTH					
Texture					
Structure					
Consistence					
Mineralogy					
HORIZON III DEPTH					
Texture					
Structure					
Consistence					
Mineralogy					
HORIZON IV DEPTH					
Texture					
Structure					
Consistence					
Mineralogy					
SOIL WETNESS					
RESTRICTIVE HORIZON					
SAPROLITE					
LONG TERM ACCEPTANCE RATE (gal/day/ft. ²)					
CLASSIFICATION					

AVAILABLE SPACE:

SITE CLASSIFICATION:

SITE LONG TERM ACCEPTANCE RATE:

EVALUATED BY:

OTHERS PRESENT:

TITLE:

DATE:

REMARKS:

CLASSIFICATION--all factors, except Consistence and Saprolite, shall be classified--S (suitable), PS (provisionally suitable) or U (unsuitable). Saprolite may be classified S or U.

SOIL WETNESS----inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less--record Munsell color chip designation.

TEXTURE		STRUCTURE	CONSISTENCE		CLAY MINERALOGY
			MOTIST	WET	
S - Sand	SiCL - Silty Clay Loam	SG - Single Grain	VFR - Very Friable	NS - Non-Sticky	NP - Non-Plastic
LS - Loamy Sand	CL - Clay Loam	M - Massive	FR - Friable	SS - Slightly Sticky	SP - Slightly Plastic
SL - Sandy Loam	SCL - Sandy Clay Loam	CR - Crumb	Fi - firm	S - Sticky	P - Plastic
L - Loam	SC - Sandy Clay	GR - Granular	VFi - Very firm	VS - Very Sticky	VP - Very Plastic
Si - Silt	SiC - Silty Clay	BK - Blocky	EFI - Extremely firm		
Sil - Silt Loam	C - Clay	PL - Platy			
		PR - Prismatic			

COUNTY OF RANDOLPH
Department of Planning & Development
725 McDowell Rd - PO Box 771 - Asheboro, NC 27204-0771
(910) 318-6555

D U P L I C A T E
P R O P E R T Y D E V E L O P M E N T A P P L I C A T I O N

Applicant : CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370
Phone : 434-3211

Date : 07 Nov 1994
Application Nbr: 9403497
Parcel Id Nbr : 7707483620
EH Locator Nbr : 11787

Prcl Owner: 6811 - CAMPBELL, VIRGINIA R
Address : 6440 NC HWY 62
Cty/St/Zip: TRINITY, NC 27370

Phone: 434-3211

This application advises you that we have received your request to develop property in Randolph County. The application has now been entered into the Randolph County computerized Land Records Management System and will serve as a reference for any Agency during your development process. Based on the information you have provided, the following is a summary of the property, the acknowledged proposed use, and a list of permits required prior to development.

Proposed Use: CAD - COMMERCIAL - ADDITION TO STRUCTURE

Location Information:.....
Township : 19-TRINITY
Subdvn Name : Subdvn Map Nbr :
Subdvn Lot Nbr: Subdvn Sect Nbr:
Directions : 62S - PROP ON (L) APPROX 1000FT PAST 3141 - 6440 US
HWY 62

Property Description:.....
Zone Class : RA - RESIDENTIAL-AGRICULTURAL DISTRICT
Parcel Size : 2.84 ACRE(S) Water Crtcl: NO
Flood Plain Map Nbr : 370195 0150 B
Watershed Name : LR - LAKE REESE
Comments: REPAIR PERMIT FOR FURNITURE ILLUSTRATORS

Permits Required:	Jurisdiction:	Status:
EH-APPLICATION FOR SUBSURFACE	601-COUNTY OF RANDOLPH	I-ISSUED

The undersigned hereby makes application for the appropriate permits and inspections required for the development indicated above. The undersigned further states that all statements made hereon are true.

Signature of (circle one):	Applicant	Agent	Owner
----------------------------	-----------	-------	-------

- TOLL FREE NUMBERS -
Greensboro: 218-4565 / Archdale: 819-3565 / Liberty: 218-4565

State of North Carolina
Department of Environment,
Health and Natural Resources
Winston-Salem Regional Office

James B. Hunt, Jr., Governor
Jonathan B. Howes, Secretary
Leesha Fuller, Regional Manager



20 October 1994

Ms. Virginia Campbell
c/o Furniture Illustrators
P. O. Box 112
Trinity, NC 27370

SUBJECT: NPDES Permit Application for
Existing Wastewater Treatment System
Randolph County

Dear Ms. Campbell:

The attached information is being sent to you detailing our Division's requirements for the proper submittal of a NPDES permit application for your sandfilter system. However, it is my suggestion that you contact the Randolph County Health Department initially to determine if the site would be suitable for a conventional subsurface septic tank system. If this is not a viable alternative, it will be necessary to pursue an NPDES Permit for this wastewater discharge.

An application package should consist of the following:

1. A completed Short Form D application along with a topographic map marking the receiving stream and exact location of the discharge point. (See Application Attached)
2. The required non-refundable \$400 processing fee. (Check payable to the N. C. Department of Environment, Health, and Natural Resources.
3. An engineering proposal as described in 15 NCAC 2H .0105(c). (See Regulation Attached)
4. An Engineering Economic Analysis form evaluating wastewater disposal alternatives must be prepared by an engineer with North Carolina certification (See Form Attached).
5. A letter from the local Health Department denying the property for all types of ground absorption systems under their jurisdiction.

8025 North Point Boulevard, Suite 100, Winston-Salem, North Carolina 27106-3203

Telephone 910-896-7007 FAX 910-896-7005

An Equal Opportunity Affirmative Action Employer

50% recycled/ 10% post-consumer paper

Ms. Virginia Campbell
Page #2
20 October 1994

The application and supporting information must be submitted in triplicate to the following address:

Ms. Coleen Sullins, Supervisor
Permits and Engineering Section
Division of Environmental Management
P. O. Box 29535
Raleigh, NC 27626-0535

Please be aware that it could take at least 120 to 180 days to process an application to determine if a permit can be issued. Once a permit is issued, plans and specifications for the system would then have to be submitted and approved prior to any construction.

It is also pointed out that should a discharge permit be issued, there are ongoing expenses. The permit would require monthly laboratory analysis of the wastewater. The lab tests must be performed by a certified laboratory and the results submitted monthly to the State. The system must be operated by a certified wastewater treatment plant operator. And there is an annual permit administrative fee of at least \$300. The system must produce an effluent in compliance with the effluent limits established by the permit or you risk enforcement action being taken.

Please be aware that the non-permitted discharge of wastewater is subject to civil penalties of up to \$10,000.00 per day pursuant to the North Carolina General Statutes.

Should you have any questions, please do not hesitate to contact me at (910) 896-7007.

Sincerely,



W. Corey Basinger
Environmental Engineer

cc: Mr. Kenneth Orr
WSRO
Randolph County Health Dept.

State of North Carolina
Department of Environment,
Health and Natural Resources
Winston-Salem Regional Office

James B. Hunt, Jr., Governor
Jonathan B. Howes, Secretary
Leesha Fuller, Regional Manager



20 October 1994

CERTIFIED MAIL NO. Z-691-945-815
RETURN RECEIPT REQUESTED

Ms. Virginia Campbell
c/o Furniture Illustrators
P. O. Box 112
Trinity, NC 27370

**SUBJECT: Notice of Violation
Illegal Discharge
Furniture Illustrators
Randolph County**

Dear Ms. Campbell:

On October 18, 1994, Mr. Corey Basinger, Environmental Engineer with the Winston-Salem Regional Office, investigated an anonymous complaint regarding a wastewater discharge from Furniture Illustrators. During this investigation, Mr. Basinger observed the operation of a non-permitted subsurface sandfilter system on this property.

While at the site, Mr. Basinger spoke to Mr. Kenneth Orr and Mrs. Linda Orr concerning the complaint. They were very cooperative during the investigation and allowed complete access to the Furniture Illustrators facility and the property. Samples were collected at the discharge pipe and the receiving stream. Information has also been received from Mr. Mike Walker at the Randolph County Health Department regarding this system.

Please be advised that the non-permitted discharge of any type of wastewater to the waters of the State is a violation of North Carolina General Statute 143-215.1. Therefore, you are requested to respond in writing to our Winston-Salem Regional Office on or before November 21, 1994, advising what measures will be taken to correct the problem. Please be aware that you could be subject to enforcement action with the possible assessment of civil penalties of up to \$10,000 per day per violation.

October 20, 1994
Page #2

If you have any questions, please do not hesitate to contact Mr. Steve Mauney, Mr. Corey Basinger, or me at (910) 896-7007.

Sincerely,

Larry D. Coble

Larry D. Coble
Regional Supervisor

cc: Mr. Kenneth Orr
Central Files
Randolph County Health Dept.
WSRO

State of North Carolina
Department of Environment,
Health and Natural Resources
Division of Environmental Management

James B. Hunt, Jr., Governor
Jonathan B. Howes, Secretary
A. Preston Howard, Jr., P.E., Director



December 25, 1995



**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

LINDA ORR
FURNITURE ILLUSTRATORS INC
6472 NC HWY 62
TRINITY, NC 27370

SUBJECT: NOTICE OF VIOLATION AND REVOCATION FOR NON-PAYMENT
NPDES PERMIT NO. NC0084786
FURNITURE ILLUSTRATORS INC
RANDOLPH COUNTY

Dear Permittee:

Payment of the required annual administering and compliance monitoring fee of \$450.00 for this year has not been received for the subject permit. This fee is required by Title 15 North Carolina Administrative Code 2H .0105, under the authority of North Carolina General Statutes 143-215.3(a)(1), (1a) and (1b). Because this fee was not fully paid within 30 days after being billed, this letter initiates action to revoke the subject permit, pursuant to 15 NCAC 2H .0105 (b)(2)(k)(4), and G.S. 143-215.1(b)(3).

Effective 60 days from receipt of this notice, subject permit is hereby revoked unless the required Annual Administering and Compliance Monitoring Fee is received within that time. Your payment should be sent to:


N.C. Department of Environment, Health, and Natural Resources
Division of Environmental Management
Budget Office
P.O. Box 29535
Raleigh, NC 27626-0535

Discharges without a permit are subject to the enforcement authority of the Division of Environmental Management.

If you are dissatisfied with this decision, you have the right to request an administrative hearing within thirty (30) days following receipt of this Notice, identifying the specific issues to be contended. This request must be in the form of a written petition conforming to Chapter 150B of the North Carolina General Statutes, and filed with the Office of Administrative Hearings, Post Office Drawer 27447, Raleigh, North Carolina, 27611-7447. Unless such request for hearing is made or payment is received, revocation shall be final and binding. If you have any questions, please contact:

Mr. Larry Coble, Winston-Salem Regional Supervisor, (919)896-7007.

Sincerely,

A handwritten signature in dark ink, appearing to read "A. Preston Howard, Jr.", written in a cursive style.

A. Preston Howard, Jr.

cc: Supervisor, Water Quality Permits and Engineering Unit
Winston-Salem Regional Office
County Health Department

RANDOLPH COUNTY HEALTH DEPARTMENT SEPTIC TANK LAYOUT AND PERMIT

Owner or Contractor Campbell, Virginia Date 11-8-82Directions & S.R. Number 62 So from Archdale + past Trinity HS + 1st onLF past Furniture IllustrationsRepair or upgrade ☒ House ☐ Business ☐
☐ Mobile Home ☐ Other ☐No. of Bedrooms Addon, Bedroom to endLot Size 2+ ACRESApproved ☒ Disapproved ☐

Perc Tests (1) _____ (2) _____ (3) _____ MPI

Size of Tank pump, check toe Gal.Nitrification Line 450 (Set box in old line) Sq. Ft.Material Under Line 6 Inches


Sand Filter _____ Sq. Ft.

Layout By Ruff P. Loh

Comments _____

Date 8-13-85 Installed By Worth GrayApproved By Alvin H. Cagle

Note: Can use Flow Divider inst. set box



*Property now on Public Sewer 2026.

SEWAGE COMPLAINT INVESTIGATION DATA

Assignment Date

1-28-03

Assigned To

Mel

Initial Visit Date

1/31/03

Failing System

Confirmation Date

Notice of Violation Date

Non-Failing System

Confirmation Date

1/31/03

N.O.V. Deadline

Repair Application Date

Application#

Legal Action Date

Return Visit Date

Reason

Result

Return Visit Date

Reason

Result

Return Visit Date

Reason

Result

Comments:

Building has a sand filter that discharges into creek. The system is not failing. A straight pipe is from the floor drain according to renter (Kenneth). Does not appear to be sewage. Creek is crystal clear.

Communications:

(use reverse side if necessary)

MBC
7707483620

RANDOLPH COUNTY HEALTH DEPARTMENT
2222B S. Fayetteville St., Asheboro, NC 27203
Phone: (910) 318-6262

REQUEST FOR SERVICES FORM

Furniture Illustrators

Virginia Campbell (Trustee)
Current Property Owner

Date 1 28 03
Month Day Year

Services Requested By:

Name Gary Dobbins

Address _____

Phone Number _____

Home

Business

Type of Service Desired:

_____ Authorization to Connect
to an Existing S/T System
(_____ Bedrooms)

_____ Well Inspection

_____ Water Sample

_____ Repair to Septic Tank

Problem with water? _____

Original Owner _____

Loan Closing _____ yes _____ no

Property Vacant _____ yes _____ no

Renter's Name _____

Complaint: sewage out behind building

Subdivision: _____

Sec: _____


Lot: _____

Directions: 6472 Hwy 62 Trinity

Action Taken:

E. H. Specialist/Technician _____

Date _____



Randolph

County

7707483620

Furniture Illustrators, Inc. (P.O. Box 112, Trinity, NC 27370-0112) has applied for renewal of NPDES permit NC0084786 for its WWTP in Randolph County. This permitted facility may discharge treated wastewater to an unnamed tributary to the Uwharrie River in the Yadkin-Pee Dee River Basin. Currently BOD, ammonia nitrogen, cyanide, whole-effluent toxicity and total residual chlorine are water quality limited. This discharge may affect future allocations in this portion of the Uwharrie River.

7712228695

The Randolph County Board of Education [2222-C Fayetteville Street, Asheboro, NC 27205] has applied for renewal of NPDES permit NC0040908 for the Tabernacle Elementary School WWTP. This permitted facility discharges treated domestic wastewater to Caraway Creek in the Yadkin-Pee Dee River Basin. Currently fecal coliform, dissolved oxygen and total residual chlorine are water quality limited. This discharge may affect future allocations in this portion of Caraway Creek.

Randolph County
NOV 07 2008
FACILITY INSPECTION

Wednesday, November 05, 2008

1617 Mail Service Center, Raleigh, North Carolina 27699-1617 - Telephone 919-733-5083 FAX 919-733-0719
An Equal Opportunity Affirmative Action Employer - 50% Recycled / 10% post-consumer paper