

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB- CB (EDIBLE SOLID) // PRODUCED: DEC 12, 2025

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - CB-FIRESIDE125 ¹
MATRIX: EDIBLE SOLID ¹
SAMPLE ID: NAL-251210-012
COLLECTED ON: DEC 10, 2025
RECEIVED ON: DEC 10, 2025
SAMPLE SIZE: 1 UNITS ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: CJ LANGLEY
SERVING SIZE: 32.5 G ²

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

Δ⁹-THC: 131 mg/srv
Δ¹⁰-THC: 7.67 mg/srv
TOTAL CANNABINOIDS: 146 mg/srv

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: DEC 11, 2025 // ANALYSIS: DEC 12, 2025

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00214/0.00428	N/A
CBCA		ND	ND	0.00214/0.00428	N/A
CBD	< LOQ	< LOQ	< LOQ	0.00214/0.00428	N/A
CBDA		ND	ND	0.00214/0.00428	N/A
CBDV		ND	ND	0.00214/0.00428	N/A
CBDVA		ND	ND	0.00214/0.00428	N/A
CBG	0.00611 %	0.0611 mg/g	0.0611 mg/g	0.00214/0.00428	N/A
CBGA		ND	ND	0.00214/0.00428	N/A
CBL		ND	ND	0.00428/0.00428	N/A
CBLA		ND	ND	0.00214/0.00428	N/A
CBN	0.0178 %	0.178 mg/g	0.178 mg/g	0.00214/0.00428	N/A
CBNA		ND	ND	0.00214/0.00428	N/A
Δ ⁸ -THC		ND	ND	0.00428/0.00428	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THCA		ND	ND	0.00428/0.00428	N/A
Δ ⁹ -THC	0.402 %	4.02 mg/g	4.02 mg/g	0.00214/0.00428	N/A
Δ ¹⁰ -THC	0.0236 %	0.236 mg/g	0.236 mg/g	0.00214/0.00428	N/A
EXO-THC		ND	ND	0.00428/0.00428	N/A
THCA		ND	ND	0.00428/0.00428	N/A
THCV		ND	ND	0.00214/0.00428	N/A
THCVA		ND	ND	0.00214/0.00428	N/A
TOTAL THC**	0.402 %	4.02 mg/g	4.02 mg/g		N/A
TOTAL CBD**	< LOQ	< LOQ	< LOQ		N/A
CBD/SRV	< LOQ				N/A
Δ ⁹ -THC/SRV	131 mg				N/A
TOTAL THC/SRV**	131 mg				N/A
TOTAL CBD/SRV**	< LOQ				N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis.

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
DEC 12, 2025

NOTES

ZACHARY SMITH
DEC 12, 2025

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

