

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB (EDIBLE SOLID) // PRODUCED: SEP 28, 2026

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - MDSQI26 ¹
MATRIX: EDIBLE SOLID ¹
SAMPLE ID: NAL-260925-025
COLLECTED ON: SEP 25, 2026
RECEIVED ON: SEP 25, 2026
SAMPLE SIZE: 15.1 G ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: CHRISTOPHER COLE
SERVING SIZE: 5 G ¹

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

Δ⁹-THC: 2.49 mg/srv
CBC: 0.000 mg/srv
TOTAL CANNABINOIDS: 2.49 mg/srv

BATCH RESULT: PASS

POTENCY TESTED
HOMOGENEITY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: SEP 26, 2026 // ANALYSIS: SEP 28, 2026

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00321/0.00643	N/A
CBCA		ND	ND	0.00321/0.00643	N/A
CBD		ND	ND	0.00321/0.00643	N/A
CBDA		ND	ND	0.00321/0.00643	N/A
CBDV		ND	ND	0.00321/0.00643	N/A
CBDVA		ND	ND	0.00321/0.00643	N/A
CBG		ND	ND	0.00321/0.00643	N/A
CBGA		ND	ND	0.00321/0.00643	N/A
CBL		ND	ND	0.00643/0.00643	N/A
CBLA		ND	ND	0.00321/0.00643	N/A
CBN		ND	ND	0.00321/0.00643	N/A
CBNA		ND	ND	0.00321/0.00643	N/A
Δ ⁸ -THC		ND	ND	0.00643/0.00643	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THCA		ND	ND	0.00643/0.00643	N/A
Δ ⁹ -THC		0.0497 %	0.497 mg/g	0.00321/0.00643	N/A
Δ ¹⁰ -THC		ND	ND	0.00321/0.00643	N/A
EXO-THC		ND	ND	0.00643/0.00643	N/A
THCA		ND	ND	0.00643/0.00643	N/A
THCV		ND	ND	0.00321/0.00643	N/A
THCVA		ND	ND	0.00321/0.00643	N/A
TOTAL THC**		0.0497 %	0.497 mg/g		N/A
TOTAL CBD**		ND	ND		N/A
CBD/SRV		ND			N/A
Δ ⁹ -THC/SRV		2.49 mg			N/A
TOTAL THC/SRV**		2.49 mg			N/A
TOTAL CBD/SRV**		ND			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis.

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY DIRECTOR, NOVA
ANALYTIC LABS
SEP 28, 2026

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
TOTAL CBD RSD		0.000	N/A	TOTAL THC RSD	15 %	1.33	PASS

NOTES

ZACHARY SMITH
SEP 28, 2026

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

