

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - JUICED (EDIBLE LIQUID) // PRODUCED: JUL 17, 2025

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TBJBGG25 ¹
MATRIX: EDIBLE LIQUID ¹
DENSITY: 1.0124 g/ml ²
SAMPLE ID: NAL-250711-091
COLLECTED ON: JUL 11, 2025
RECEIVED ON: JUL 11, 2025
SAMPLE SIZE: 1419 ML ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: CHRISTOPHER COLE
SERVING SIZE: 473 ML ¹

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

Δ⁹-THC: 102 mg/srv
CBC: 0.000 mg/srv
TOTAL CANNABINOIDS: 102 mg/srv

BATCH RESULT: PASS

POTENCY TESTED
HOMOGENEITY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUL 17, 2025 // ANALYSIS: JUL 17, 2025

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.00250/0.00500	N/A	Δ ⁸ -THCA		ND	ND	0.00500/0.00500	N/A
CBCA		ND	ND	0.00250/0.00500	N/A	Δ ⁹ -THC	0.0213 %	0.216 mg/ml	0.00250/0.00500	N/A	
CBD		ND	ND	0.00250/0.00500	N/A	Δ ¹⁰ -THC		ND	ND	0.00250/0.00500	N/A
CBDA		ND	ND	0.00250/0.00500	N/A	EXO-THC		ND	ND	0.00500/0.00500	N/A
CBDV		ND	ND	0.00250/0.00500	N/A	THCA		ND	ND	0.00500/0.00500	N/A
CBDDVA		ND	ND	0.00250/0.00500	N/A	THCV		ND	ND	0.00250/0.00500	N/A
CBG	< LOQ	< LOQ		0.00250/0.00500	N/A	THCVA		ND	ND	0.00250/0.00500	N/A
CBGA		ND	ND	0.00250/0.00500	N/A	TOTAL THC**	0.0213 %	0.216 mg/ml		N/A	N/A
CBL		ND	ND	0.00500/0.00500	N/A	TOTAL CBD**		ND	ND		N/A
CBLA		ND	ND	0.00250/0.00500	N/A	CBD/SRV		ND			N/A
CBN	< LOQ	< LOQ		0.00250/0.00500	N/A	Δ ⁹ -THC/SRV	102 mg				N/A
CBNA		ND	ND	0.00250/0.00500	N/A	TOTAL THC/SRV**	102 mg				N/A
Δ ⁸ -THC		ND	ND	0.00500/0.00500	N/A	TOTAL CBD/SRV**		ND			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis.

1000 µg/g = 1 mg/g



AUTHORIZED BY:
DEVIN DUTRISAC
SCIENTIST II, NOVA ANALYTIC LABS
JUL 17, 2025

Devin Dutrisac

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
TOTAL CBD RSD		0.000	N/A	TOTAL THC RSD	15 %	1.46	PASS

NOTES

DEVIN DUTRISAC
JUL 17, 2025

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

